

INTERNATIONAL STANDARD

IEC
60183

1984

AMENDMENT 1

1990-11

Amendment 1

Guide to the selection of high-voltage cables

*This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.*

© IEC 1990 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

B

For price, see current catalogue

PREFACE

This amendment has been prepared by Sub-Committee 20A: High-voltage cables, of IEC Technical Committee No. 20: Electric cables.

The text of this amendment is based on the following documents:

Six Months' Rule	Report on Voting
20A(CO)128	20A(CO)136

Full information on the voting for the approval of this amendment can be found in the Voting Report indicated in the above table.

Page 17

TABLE I: Relationship between U_0/U and (U_m)

Replace Table I by the following:

TABLE I
Relationship between U_0/U and (U_m)

Rated voltage of cables and accessories	Nominal system voltage		Highest voltage for equipment
U_0 kV	U kV		U_m kV
1,8	3		3,6
3	3		3,6
3,6	6		7,2
6	6		7,2
6	10		12
8,7	10		12
8,7	15		17,5
12	20		24
18	30	33	36
26	45	47	52
36	60	66	72,5
64	110	115	123
76	132	138	145
87	150	161	170
127	220	230	245
160	275	287	300
190	330	345	362
220	380	400	420
290	500		525
430	700	750	765

IECNORM.COM · Click to view the full PDF of IEC 60183:1984/AMD1:1990

Withdrawn