

INTERNATIONAL STANDARD

IEC
60335-2-67

1997

AMENDMENT 1
2000-07

Amendment 1

Safety of household and similar electrical appliances –

Part 2-67: Particular requirements for floor treatment and floor cleaning machines, for industrial and commercial use

Amendement 1

Sécurité des appareils électrodomestiques et analogues –

Partie 2-67: Règles particulières pour les machines de traitement et de nettoyage des sols, à usage industriel et commercial

© IEC 2000 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland
e-mail: inmail@iec.ch IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

FOREWORD

This amendment has been prepared by subcommittee 61J: Electrical motor-operated cleaning appliances for industrial use, of IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

FDIS	Report on voting
61J/108/FDIS	61J/113/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

A bilingual version of this amendment may be issued at a later date.

Page 13

7.12 Addition:

Insert the following note at the end of this subclause:

NOTE Additional requirements for the marking at appliance outlets apply (USA).

Insert the following text:

7.12.6 Addition:

The instructions shall contain explanations of pictograms present on the appliance.

Insert the following new subclause:

7.101 Appliance outlets shall be marked as follows:

“When connecting attachments read and observe the instructions for use”.

A suitable pictogram may be provided instead of the text. The meaning of the pictogram shall be explained in the instructions for use.

Insert the following text:

8.1.4 *Add after the last paragraph:*

Isolated battery systems of 18 to 24 cells of either acid or alkaline electrochemistry, including gel batteries, shall be regarded as **Class III** provided that

- the maximum voltage per cell on charge does not exceed 2,7 V;
- there are no **earthed parts** (see clause 27);
- conductive parts cannot fall on to and thereby bridge **live parts** of opposite polarity (see clause 22).

IECNORM.COM: Click to view the full PDF of IEC 60335-2-67:1997/AMD1:2000