

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-78: Particular requirements for outdoor barbecues**

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IECNORM.COM : Click to view the full PDF of IEC 60352-16:2021 RLV



IEC 60335-2-78

Edition 3.0 2021-11
REDLINE VERSION

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-78: Particular requirements for outdoor barbecues**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 13.120; 91.180

ISBN 978-2-8322-1051-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
INTRODUCTION	2
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General requirement	9
5 General conditions for the tests	9
6 Classification	9
7 Marking and instructions	10
8 Protection against access to live parts	11
9 Starting of motor-operated appliances	11
10 Power input and current	11
11 Heating	11
12 Void Charging of metal-ion batteries	12
13 Leakage current and electric strength at operating temperature	12
14 Transient overvoltages	12
15 Moisture resistance	12
16 Leakage current and electric strength	13
17 Overload protection of transformers and associated circuits	13
18 Endurance	13
19 Abnormal operation	14
20 Stability and mechanical hazards	14
21 Mechanical strength	14
22 Construction	14
23 Internal wiring	15
24 Components	15
25 Supply connection and external flexible cords	15
26 Terminals for external conductors	15
27 Provision for earthing	15
28 Screws and connections	15
29 Clearances, creepage distances and solid insulation	15
30 Resistance to heat and fire	15
31 Resistance to rusting	16
32 Radiation, toxicity and similar hazards	16
Annexes	17
Annex B (normative) Battery-operated appliances, separable batteries and detachable batteries for battery-operated appliances	18
Bibliography	19
Figure 101 – Probe for measuring surface temperatures	16

Table 101 – Maximum temperature rises of external accessible surfaces under normal operating conditions.....	12
--	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-78: Particular requirements for outdoor barbecues****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60335-2-78:2002+AMD1:2008+AMD2:2019 CSV. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60335-2-78 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This third edition cancels and replaces the second edition published in 2002, Amendment 1: 2008 and Amendment 2:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text is aligned with IEC 60335-1:2020;
- b) some notes have been converted to normative text (Clause 1, 5.2, 15.101, 22.102);
- c) requirements for **communal use barbecues** have been added (Clause 3, 7.1, 22.103, 22.104);
- d) exclusion of battery-operated appliances (Clause 1);
- e) clarification of the need for an RCD is added (7.12).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/6370/FDIS	61/6420/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for outdoor barbecues.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;

- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal ~~and generic standards~~ publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. ~~For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.~~

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-78: Particular requirements for outdoor barbecues

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of outdoor **barbecues** for household and similar use, their **rated voltage** being not more than 250 V.

Appliances not intended for normal household use but that nevertheless ~~may~~ **can** be a source of danger to the public, such as appliances intended to be used by laymen in shops, **restaurants**, **hotels**, in light industry and on farms, are within the scope of this standard.

~~NOTE 101—Examples of such appliances are those used by restaurants and hotels.~~

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

~~NOTE 102—Attention is drawn to the fact that~~

- for appliances intended to be used on board ships, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

~~NOTE 103—This standard does not apply to~~

- barbecues for indoor use (IEC 60335-2-9);
- appliances intended to burn charcoal or similar combustible fuels;
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- **battery-operated appliances.**

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.9 Replacement:

~~normal operation~~

operation of the appliance under the following conditions:

Barbecues are operated with the food support in the lowest position, any cover or shield being placed in accordance with the instructions.

Note ~~401~~ 1 to entry: **Barbecues** are operated without water even if the use of water is recommended in the instructions.

3.5 Definitions relating to types of appliances

3.5.101

barbecue

appliance having a radiant heating element located under the food support

3.5.102

communal-use barbecue

barbecue accessible and used by the general public, such as those installed in parks and other recreational sites

3.6 Definitions relating to parts of an appliance

~~3.102~~ 6.101

functional surface

surface that is intentionally heated by an internal heat source and that has to be hot to carry out the intended function of the appliance

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

~~NOTE 101~~ If the test of 15.101 has to be carried out, three additional samples are required.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Appliances shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances intended to be partially immersed in water for cleaning, shall be marked with the maximum level of immersion and the substance of the following:

Do not immerse beyond this level.

When the provisions of footnote b to Table 101 apply, the appliance shall be marked with:

- the substance of “CAUTION: Hot surface”, or
- symbol IEC 60417-5041 (2002-10).

Communal-use barbecues shall be marked with the substance of the following warnings:

WARNING: Charcoal or similar combustible fuels must not be used with this appliance.

WARNING: Accessible parts may become hot during and after use. Young children should be kept away.

7.6 Addition:



[symbol IEC 60417-5041
(2002-10)]

caution, hot surface

7.12 Addition:

The instructions shall state the substance of the following:

- WARNING: Charcoal or similar combustible fuels must not be used with this appliance;
- the appliance should be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA (instruction not necessary for appliances intended to be permanently connected to fixed wiring);
- the appliance is to be connected to a socket-outlet having an earthing contact (for **class I appliances**);
- the supply cord should be regularly examined for signs of damage and the appliance is not to be used if the cord is damaged;
- WARNING: Accessible parts may become hot during use. Young children should be kept away;
- do not use the barbecue near combustible materials.

The instructions for appliances incorporating an appliance inlet, and intended to be partially or fully immersed in water for cleaning, shall state that the connector must be removed before the appliance is cleaned and the appliance inlet must be dried before the appliance is used again.

The instructions for appliances intended to be used with water shall state the maximum quantity of water to be poured into the appliance.

If symbol IEC 60417-5041 (2002-10) is marked on appliances, its meaning shall be explained and the location of areas where the limits are exceeded shall be stated or shown by a drawing.

7.14 Addition:

The height of the triangle in symbol IEC 60417-5041 (2002-10) shall be at least 10 mm.

Compliance is checked by measurement.

7.15 Addition:

The marking specified for hot surfaces shall be clearly visible when the appliance is operated as in normal use, including when actuating any switch, adjusting any control or opening a lid or door. It shall not be placed on a **functional surface**.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances are placed on the floor of the test corner and away from the walls.

11.3 Addition:

*Where the external **accessible surfaces** are suitably flat and access permits, then the test probe of Figure 101 is used to measure the temperature rises of external **accessible surfaces** specified in Table 101. The probe is applied with a force of $4\text{ N} \pm 1\text{ N}$ to the surface in such a way that the best possible contact between the probe and the surface is ensured. The measurement is performed after a contact period of 30 s.*

The probe may be held in place using a laboratory stand clamp or similar device. Any measuring instrument giving the same results as the probe may be used.

11.7 Replacement:

Appliances are operated until steady conditions are established.

*Appliance outlets accessible to the user and socket-outlets accessible to the user are loaded with a resistive load that gives the marked **outlet load**.*

11.8 Modification:

During the test, the temperature rises shall not exceed the values shown in Table 3 and Table 101.

Addition:

~~Add the following to footnote "k" of Table 3: "Similar parts held for short periods include handles or grips of vents and air shutters."~~

The temperature rise of handles or grips of vents and air shutters shall not exceed the value specified in Table 3 for surfaces of handles, knobs, grips and similar parts which are held for short periods only in normal use.

Table 101 – Maximum temperature rises of external accessible surfaces under normal operating conditions

Surface	Temperature rise of external surfaces ^{a, b} K
Bare metal	42
Coated metal ^c	49
Glass and ceramic	56
Plastic and plastic coating > 0,4 mm ^{d, e}	62

NOTE ~~101~~ The temperature rise limits of knobs, grips, keyboards, keypads and similar parts are specified in Table 3.

^a ~~The following surfaces or elements shall not be taken into consideration:~~
 Temperature rises are not measured on:

- **functional surfaces;**
- surfaces within 50 mm of the outline of the **functional surfaces;**
- underside surfaces that are not accessible to a 75 mm diameter probe having a hemispherical end;
- lids and covers.

^b When the required values are not met, the maximum temperature rise shall not be higher than two times the values indicated.

^c Metal is considered coated when a coating having a minimum thickness of 90 µm made ~~by~~ of enamel, powder or non-substantially plastic coating is used.

^d The temperature rise limit of plastic also applies for plastic material having a metal finish of thickness less than 0,1 mm.

^e When the thickness of the plastic coating does not exceed 0,4 mm, the temperature rise limits of the coated metal or of glass and ceramic material apply.

12 ~~Void~~ Charging of metal-ion batteries

This clause of Part 1 is not applicable.

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.101 Appliances intended to be partially or completely immersed in water for cleaning shall have adequate protection against the effects of immersion.

Compliance is checked by the following tests, which are carried out on three additional appliances.

*The appliances are operated under **normal operation** at 1,15 times **rated power input**, until the **thermostat** operates for the first time. Appliances without a **thermostat** are operated until steady conditions are established. The appliances are disconnected from the supply, any appliance connector being withdrawn. They are then completely immersed in water containing approximately 1 % NaCl and having a temperature between 10 °C and 25 °C, unless they are marked with the maximum level of immersion, in which case they are immersed 50 mm deeper than this level.*

~~*After 1 h, the appliances are removed from the saline solution, dried and subjected to the leakage current test of 16.2.*~~

~~*NOTE—Care should be taken to ensure that all moisture is removed from the insulation around the pins of appliance inlets.*~~

After 1 h, the appliances are removed from the saline solution. They are then dried, taking care that all moisture is removed from the insulation around the pins of appliance inlets and are then subjected to the leakage current test of 16.2.

This test is carried out four more times, after which the appliances shall withstand the electric strength test of 16.3, the voltage being as specified in Table 4.

*The appliance having the highest leakage current after the fifth immersion is dismantled and inspection shall show that there is no trace of liquid on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.*

*The remaining two appliances are operated under **normal operation** for 240 h at 1,15 times **rated power input**. After this period, the appliances are disconnected from the supply and immersed again for 1 h. They are then dried and subjected to the electric strength test of 16.3, the voltage being as specified in Table 4.*

*Inspection shall show that there is no trace of liquid on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.2 Addition:

Lids and hoods are open or closed, whichever is more unfavourable. Detachable parts are in position or removed, whichever is the more unfavourable.

20 Stability and mechanical hazards

This clause of Part 1 is applicable.

21 Mechanical strength

This clause of Part 1 is applicable except as follows.

21.1 Modification:

The impact energy is increased to 0,70 J.

22 Construction

This clause of Part 1 is applicable except as follows.

22.101 Appliances shall not have bare-heating elements.

Compliance is checked by inspection.

22.102 Appliances shall be constructed so that their heating elements are fixed in position or prevented from operating when they are not in their normal position of use. This requirement is not applicable if the appliance complies with the standard with the element placed in any position.

Compliance is checked by inspection.

~~NOTE—This requirement does not apply if the appliance complies with the standard with the element placed in any position.~~

22.103 Communal use barbecues shall be fitted with a switch to operate the appliance. It shall require at least two manual operations to switch on the appliance but only one to switch it off. A press and hold switch that must be held pressed for at least 3 s to switch on the appliance is considered to be a switch that requires at least two manual operations to switch on the appliance.

*Compliance is checked by inspection and by manual test with the appliance supplied at **rated voltage**.*

22.104 Communal use barbecues shall be fitted with a timer that switches the appliance off and that has a maximum setting of 30 min.

*Compliance is checked by inspection and by manual test with the appliance supplied at **rated voltage**.*

23 Internal wiring

This clause of Part 1 is applicable.

24 Components

This clause of Part 1 is applicable.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable except as follows.

25.7 Replacement:

The **supply cord** shall be polychloroprene sheathed and shall not be lighter than ordinary polychloroprene sheathed flexible cord (code designation 60245 IEC 57).

Compliance is checked by inspection.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2.2 Not applicable.

31 Resistance to rusting

This clause of Part 1 is applicable except as follows.

Addition:


Compliance is checked by the salt mist test, Kb of IEC 60068-2-52, ~~severity~~ Test method 2 being applicable.

Before the test, coatings are scratched by means of a hardened steel pin, the end of which has the form of a cone with an angle of 40°. Its tip is rounded with a radius of $0,25 \text{ mm} \pm 0,02 \text{ mm}$. The pin is loaded so that the force exerted along its axis is $10 \text{ N} \pm 0,5 \text{ N}$. The scratches are made by drawing the pin along the surface of the coating at a speed of approximately 20 mm/s. Five scratches are made at least 5 mm apart and at least 5 mm from the edges.

After the test, the appliance shall not have deteriorated to such an extent that compliance with this standard, in particular with Clause 8 and Clause 27 is impaired. The coating shall not be broken and shall not have loosened from the metal surface.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.



Key

- A adhesive
- B thermocouple wires 0,3 mm diameter to IEC 60584-1 Type K (~~chrome-alumel~~)
- C handle arrangement permitting a contact force of $4 \text{ N} \pm 1 \text{ N}$
- D polycarbonat tube: inside diameter 3 mm, outside diameter 5 mm
- E tinned copper disc: 5 mm diameter, 0,5 mm thick with a flat contact face

Figure 101 – Probe for measuring surface temperatures

Annexes

The annexes of Part 1 are applicable **except as follows**.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

Annex B
(normative)

**Battery-operated appliances, separable batteries and detachable
batteries for battery-operated appliances**

This annex of Part 1 is not applicable.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

Bibliography

The bibliography of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-9, *Household and similar electrical appliances – Safety – Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances*

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –
Part 2-78: Particular requirements for outdoor barbecues**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-78: Exigences particulières pour les barbecues pour extérieur**

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 General requirement	9
5 General conditions for the tests	9
6 Classification	9
7 Marking and instructions	10
8 Protection against access to live parts	11
9 Starting of motor-operated appliances	11
10 Power input and current	11
11 Heating	11
12 Charging of metal-ion batteries	12
13 Leakage current and electric strength at operating temperature	12
14 Transient overvoltages	12
15 Moisture resistance	13
16 Leakage current and electric strength	13
17 Overload protection of transformers and associated circuits	13
18 Endurance	13
19 Abnormal operation	14
20 Stability and mechanical hazards	14
21 Mechanical strength	14
22 Construction	14
23 Internal wiring	15
24 Components	15
25 Supply connection and external flexible cords	15
26 Terminals for external conductors	15
27 Provision for earthing	15
28 Screws and connections	15
29 Clearances, creepage distances and solid insulation	15
30 Resistance to heat and fire	15
31 Resistance to rusting	16
32 Radiation, toxicity and similar hazards	16
Annexes	17
Annex B (normative) Battery-operated appliances, separable batteries and detachable batteries for battery-operated appliances	18
Bibliography	19
Figure 101 – Probe for measuring surface temperatures	16

Table 101 – Maximum temperature rises of external accessible surfaces under normal operating conditions.....	12
--	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-78: Particular requirements for outdoor barbecues****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-78 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This third edition cancels and replaces the second edition published in 2002, Amendment 1: 2008 and Amendment 2:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text is aligned with IEC 60335-1:2020;
- b) some notes have been converted to normative text (Clause 1, 5.2, 15.101, 22.102);
- c) requirements for **communal use barbecues** have been added (Clause 3, 7.1, 22.103, 22.104);
- d) exclusion of battery-operated appliances (Clause 1);
- e) clarification of the need for an RCD is added (7.12).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/6370/FDIS	61/6420/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for outdoor barbecues.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type*;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-78: Particular requirements for outdoor barbecues

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of outdoor **barbecues** for household and similar use, their **rated voltage** being not more than 250 V.

Appliances not intended for normal household use but that nevertheless can be a source of danger to the public, such as appliances intended to be used by laymen in shops, restaurants, hotels, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

Attention is drawn to the fact that

- for appliances intended to be used on board ships, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

This standard does not apply to

- barbecues for indoor use (IEC 60335-2-9);
- appliances intended to burn charcoal or similar combustible fuels;
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- **battery-operated appliances.**

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.9 *Replacement:*

operation of the appliance under the following conditions:

Barbecues are operated with the food support in the lowest position, any cover or shield being placed in accordance with the instructions.

Note 1 to entry: **Barbecues** are operated without water even if the use of water is recommended in the instructions.

3.5 Definitions relating to types of appliances

3.5.101

barbecue

appliance having a radiant heating element located under the food support

3.5.102

communal-use barbecue

barbecue accessible and used by the general public, such as those installed in parks and other recreational sites

3.6 Definitions relating to parts of an appliance

3.6.101

functional surface

surface that is intentionally heated by an internal heat source and that has to be hot to carry out the intended function of the appliance

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 *Addition:*

If the test of 15.101 has to be carried out, three additional samples are required.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 *Addition:*

Appliances shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances intended to be partially immersed in water for cleaning, shall be marked with the maximum level of immersion and the substance of the following:

Do not immerse beyond this level.

When the provisions of footnote b to Table 101 apply, the appliance shall be marked with:

- the substance of “CAUTION: Hot surface”, or
- symbol IEC 60417-5041 (2002-10).

Communal-use barbecues shall be marked with the substance of the following warnings:

WARNING: Charcoal or similar combustible fuels must not be used with this appliance.

WARNING: Accessible parts may become hot during and after use. Young children should be kept away.

7.6 Addition:



[symbol IEC 60417-5041
(2002-10)]

caution, hot surface

7.12 Addition:

The instructions shall state the substance of the following:

- WARNING: Charcoal or similar combustible fuels must not be used with this appliance;
- the appliance should be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA (instruction not necessary for appliances intended to be permanently connected to fixed wiring);
- the appliance is to be connected to a socket-outlet having an earthing contact (for **class I appliances**);
- the supply cord should be regularly examined for signs of damage and the appliance is not to be used if the cord is damaged;
- WARNING: Accessible parts may become hot during use. Young children should be kept away,
- do not use the barbecue near combustible materials.

The instructions for appliances incorporating an appliance inlet, and intended to be partially or fully immersed in water for cleaning, shall state that the connector must be removed before the appliance is cleaned and the appliance inlet must be dried before the appliance is used again.

The instructions for appliances intended to be used with water shall state the maximum quantity of water to be poured into the appliance.

If symbol IEC 60417-5041 (2002-10) is marked on appliances, its meaning shall be explained and the location of areas where the limits are exceeded shall be stated or shown by a drawing.

7.14 Addition:

The height of the triangle in symbol IEC 60417-5041 (2002-10) shall be at least 10 mm.

Compliance is checked by measurement.

7.15 Addition:

The marking specified for hot surfaces shall be clearly visible when the appliance is operated as in normal use, including when actuating any switch, adjusting any control or opening a lid or door. It shall not be placed on a **functional surface**.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances are placed on the floor of the test corner and away from the walls.

11.3 Addition:

*Where the external **accessible surfaces** are suitably flat and access permits, then the test probe of Figure 101 is used to measure the temperature rises of external **accessible surfaces** specified in Table 101. The probe is applied with a force of $4\text{ N} \pm 1\text{ N}$ to the surface in such a way that the best possible contact between the probe and the surface is ensured. The measurement is performed after a contact period of 30 s.*

The probe may be held in place using a laboratory stand clamp or similar device. Any measuring instrument giving the same results as the probe may be used.

11.7 Replacement:

Appliances are operated until steady conditions are established.

*Appliance outlets accessible to the user and socket-outlets accessible to the user are loaded with a resistive load that gives the marked **outlet load**.*

11.8 Modification:

During the test, the temperature rises shall not exceed the values shown in Table 3 and Table 101.

Addition:

The temperature rise of handles or grips of vents and air shutters shall not exceed the value specified in Table 3 for surfaces of handles, knobs, grips and similar parts which are held for short periods only in normal use.

Table 101 – Maximum temperature rises of external accessible surfaces under normal operating conditions

Surface	Temperature rise of external surfaces ^{a, b} K
Bare metal	42
Coated metal ^c	49
Glass and ceramic	56
Plastic and plastic coating > 0,4 mm ^{d, e}	62

NOTE The temperature rise limits of knobs, grips, keyboards, keypads and similar parts are specified in Table 3.

^a Temperature rises are not measured on:

- **functional surfaces;**
- surfaces within 50 mm of the outline of the **functional surfaces;**
- underside surfaces that are not accessible to a 75 mm diameter probe having a hemispherical end;
- lids and covers.

^b When the required values are not met, the maximum temperature rise shall not be higher than two times the values indicated.

^c Metal is considered coated when a coating having a minimum thickness of 90 µm made of enamel, powder or non-substantially plastic coating is used.

^d The temperature rise limit of plastic also applies for plastic material having a metal finish of thickness less than 0,1 mm.

^e When the thickness of the plastic coating does not exceed 0,4 mm, the temperature rise limits of the coated metal or of glass and ceramic material apply.

12 Charging of metal-ion batteries

This clause of Part 1 is not applicable.

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.101 Appliances intended to be partially or completely immersed in water for cleaning shall have adequate protection against the effects of immersion.

Compliance is checked by the following tests, which are carried out on three additional appliances.

*The appliances are operated under **normal operation** at 1,15 times **rated power input**, until the **thermostat** operates for the first time. Appliances without a **thermostat** are operated until steady conditions are established. The appliances are disconnected from the supply, any appliance connector being withdrawn. They are then completely immersed in water containing approximately 1 % NaCl and having a temperature between 10 °C and 25 °C, unless they are marked with the maximum level of immersion, in which case they are immersed 50 mm deeper than this level.*

After 1 h, the appliances are removed from the saline solution. They are then dried, taking care that all moisture is removed from the insulation around the pins of appliance inlets and are then subjected to the leakage current test of 16.2.

This test is carried out four more times, after which the appliances shall withstand the electric strength test of 16.3, the voltage being as specified in Table 4.

*The appliance having the highest leakage current after the fifth immersion is dismantled and inspection shall show that there is no trace of liquid on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.*

*The remaining two appliances are operated under **normal operation** for 240 h at 1,15 times **rated power input**. After this period, the appliances are disconnected from the supply and immersed again for 1 h. They are then dried and subjected to the electric strength test of 16.3, the voltage being as specified in Table 4.*

*Inspection shall show that there is no trace of liquid on insulation that could result in a reduction of **clearances** and **creepage distances** below the values specified in Clause 29.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.2 Addition:

*Lids and hoods are open or closed, whichever is more unfavourable. **Detachable parts** are in position or removed, whichever is the more unfavourable.*

20 Stability and mechanical hazards

This clause of Part 1 is applicable.

21 Mechanical strength

This clause of Part 1 is applicable except as follows.

21.1 Modification:

The impact energy is increased to 0,70 J.

22 Construction

This clause of Part 1 is applicable except as follows.

22.101 Appliances shall not have bare-heating elements.

Compliance is checked by inspection.

22.102 Appliances shall be constructed so that their heating elements are fixed in position or prevented from operating when they are not in their normal position of use. This requirement is not applicable if the appliance complies with the standard with the element placed in any position.

Compliance is checked by inspection.

22.103 Communal use barbecues shall be fitted with a switch to operate the appliance. It shall require at least two manual operations to switch on the appliance but only one to switch it off. A press and hold switch that must be held pressed for at least 3 s to switch on the appliance is considered to be a switch that requires at least two manual operations to switch on the appliance.

*Compliance is checked by inspection and by manual test with the appliance supplied at **rated voltage**.*

22.104 Communal use barbecues shall be fitted with a timer that switches the appliance off and that has a maximum setting of 30 min.

*Compliance is checked by inspection and by manual test with the appliance supplied at **rated voltage**.*

23 Internal wiring

This clause of Part 1 is applicable.

24 Components

This clause of Part 1 is applicable.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable except as follows.

25.7 Replacement:

The **supply cord** shall be polychloroprene sheathed and shall not be lighter than ordinary polychloroprene sheathed flexible cord (code designation 60245 IEC 57).

Compliance is checked by inspection.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2.2 Not applicable.

31 Resistance to rusting

This clause of Part 1 is applicable except as follows.

Addition:


Compliance is checked by the salt mist test, Kb of IEC 60068-2-52, Test method 2 being applicable.

Before the test, coatings are scratched by means of a hardened steel pin, the end of which has the form of a cone with an angle of 40°. Its tip is rounded with a radius of $0,25 \text{ mm} \pm 0,02 \text{ mm}$. The pin is loaded so that the force exerted along its axis is $10 \text{ N} \pm 0,5 \text{ N}$. The scratches are made by drawing the pin along the surface of the coating at a speed of approximately 20 mm/s. Five scratches are made at least 5 mm apart and at least 5 mm from the edges.

After the test, the appliance shall not have deteriorated to such an extent that compliance with this standard, in particular with Clause 8 and Clause 27 is impaired. The coating shall not be broken and shall not have loosened from the metal surface.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.



Key

- A adhesive
- B thermocouple wires 0,3 mm diameter to IEC 60584-1 Type K
- C handle arrangement permitting a contact force of $4 \text{ N} \pm 1 \text{ N}$
- D polycarbonat tube: inside diameter 3 mm, outside diameter 5 mm
- E tinned copper disc: 5 mm diameter, 0,5 mm thick with a flat contact face

Figure 101 – Probe for measuring surface temperatures

Annexes

The annexes of Part 1 are applicable except as follows.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

Annex B
(normative)

**Battery-operated appliances, separable batteries and detachable
batteries for battery-operated appliances**

This annex of Part 1 is not applicable.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

Bibliography

The bibliography of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-9, *Household and similar electrical appliances – Safety – Part 2-9: Particular requirements for grills, toasters and similar portable cooking appliances*

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

SOMMAIRE

AVANT-PROPOS	22
INTRODUCTION	25
1 Domaine d'application	26
2 Références normatives	26
3 Termes et définitions	27
4 Exigences générales	27
5 Conditions générales d'essais	27
6 Classification	27
7 Marquage et instructions	28
8 Protection contre l'accès aux parties actives	29
9 Démarrage des appareils à moteur	29
10 Puissance et courant	29
11 Echauffements	29
12 Charge des batteries à ions métalliques	30
13 Courant de fuite et rigidité diélectrique à la température de régime	31
14 Surtensions transitoires	31
15 Résistance à l'humidité	31
16 Courant de fuite et rigidité diélectrique	31
17 Protection contre la surcharge des transformateurs et des circuits associés	32
18 Endurance	32
19 Fonctionnement anormal	32
20 Stabilité et dangers mécaniques	32
21 Résistance mécanique	32
22 Construction	32
23 Conducteurs internes	33
24 Composants	33
25 Raccordement au réseau et câbles souples extérieurs	33
26 Bornes pour conducteurs externes	33
27 Dispositions en vue de la mise à la terre	33
28 Vis et connexions	33
29 Distances dans l'air, lignes de fuite et isolation solide	33
30 Résistance à la chaleur et au feu	33
31 Protection contre la rouille	34
32 Rayonnement, toxicité et dangers analogues	34
Annexes	35
Annexe B (normative) Appareils alimentés par batteries, batteries séparables et batteries amovibles pour appareils alimentés par batteries	36
Bibliographie	37
Figure 101 – Calibre pour le mesurage des températures de surface	34

Tableau 101 – Echauffements maximaux pour les surfaces accessibles extérieures en conditions de fonctionnement normal	30
---	----

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

Partie 2-78: Exigences particulières pour les barbecues pour extérieur

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 60335-2-78 a été établie par le comité d'études 61 de l'IEC: Sécurité des appareils électrodomestiques et analogues. Il s'agit d'une Norme internationale.

Cette troisième édition annule et remplace la deuxième édition parue en 2002, l'Amendement 1:2008 et l'Amendement 2:2019. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) alignement du texte sur l'IEC 60335-1:2020;
- b) conversion en texte normatif de certaines notes (Article 1, 5.2, 15.101, 22.102);
- c) ajout d'exigences ont été ajoutées pour les **barbecues à usage collectif** (Article 3, 7.1, 22.103, 22.104);

- d) exclusion des appareils alimentés par batteries (Article 1);
- e) clarification de la nécessité d'employer un dispositif à courant différentiel résiduel (7.12).

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
61/6370/FDIS	61/6420/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Le présent document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous www.iec.ch/standardsdev/publications.

Une liste de toutes les parties de la série IEC 60335, publiées sous le titre général *Appareils électrodomestiques et analogues – Sécurité*, se trouve sur le site web de l'IEC.

La présente Partie 2 doit être utilisée conjointement avec la dernière édition de l'IEC 60335- 1 et ses amendements sauf si cette édition l'exclut. Dans ce cas, la dernière édition qui n'exclut pas la présente Partie 2 est utilisée. Elle a été établie sur la base de la sixième édition (2020) de cette norme.

NOTE 1 L'expression "la Partie 1" utilisée dans la présente norme fait référence à l'IEC 60335-1.

La présente Partie 2 complète ou modifie les articles correspondants de l'IEC 60335-1, de façon à transformer cette publication en norme IEC: Exigences particulières pour les barbecues pour extérieur.

Lorsqu'un paragraphe particulier de la Partie 1 n'est pas mentionné dans cette Partie 2, ce paragraphe s'applique pour autant que cela soit raisonnable. Lorsque la présente norme mentionne "addition", "modification" ou "remplacement", le texte correspondant de la Partie 1 doit être adapté en conséquence.

NOTE 2 Le système de numérotation suivant est utilisé:

- les paragraphes, tableaux et figures qui s'ajoutent à ceux de la Partie 1 sont numérotés à partir de 101;
- à l'exception de celles qui sont dans un nouveau paragraphe ou de celles qui concernent des notes de la Partie 1, les notes sont numérotées à partir de 101, y compris celles des articles ou paragraphes qui sont remplacés;
- les annexes qui sont ajoutées sont désignées AA, BB, etc.

NOTE 3 Les caractères d'imprimerie suivants sont utilisés:

- exigences: caractères romains;
- modalités d'essais: caractères italiques;
- notes: petits caractères romains.

Les termes en **gras** dans le texte sont définis à l'Article 3. Lorsqu'une définition concerne un adjectif, l'adjectif et le nom associé figurent également en gras.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. A cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

NOTE 4 L'attention des Comités nationaux est attirée sur le fait que les fabricants d'appareils et les organismes d'essai peuvent avoir besoin d'une période transitoire après la publication d'une nouvelle publication IEC, ou d'une publication amendée ou révisée, pour fabriquer des produits conformes aux nouvelles exigences et pour adapter leurs équipements aux nouveaux essais ou aux essais révisés.

Le comité recommande que le contenu de cette publication soit entériné au niveau national au plus tôt 12 mois et au plus tard 36 mois après la date de publication.

IECNORM.COM : Click to view the full PDF of IEC 60335-2-78:2021 RLV

INTRODUCTION

Il a été considéré en établissant cette Norme internationale que l'exécution de ses dispositions était confiée à des personnes expérimentées et ayant une qualification appropriée.

Les documents de recommandations concernant l'application des exigences de sécurité pour les appareils peuvent être consultés dans les documents de support du CE 61, accessibles sur le site web de l'IEC à l'adresse:

<https://www.iec.ch/tc61/supportingdocuments>

Cette information est donnée à l'intention des utilisateurs de la présente Norme internationale et n'a pas pour objet de remplacer le texte normatif de la présente norme.

La présente norme reconnaît le niveau de protection internationalement accepté contre les dangers électriques, mécaniques, thermiques, liés au feu et au rayonnement des appareils, lorsqu'ils fonctionnent comme en usage normal en tenant compte des instructions du fabricant. Elle couvre également les situations anormales auxquelles on peut s'attendre dans la pratique et elle tient compte de la façon dont les phénomènes électromagnétiques peuvent affecter le fonctionnement sûr des appareils.

Cette norme tient compte autant que possible des exigences de l'IEC 60364, de façon à rester compatible avec les règles d'installation quand l'appareil est raccordé au réseau d'alimentation. Cependant, des règles nationales d'installation peuvent être différentes.

Si un appareil relevant du domaine d'application de la présente norme comporte également des fonctions couvertes par une autre Partie 2 de l'IEC 60335, la Partie 2 correspondante est appliquée à chaque fonction séparément, dans la limite du raisonnable. Si cela est applicable, on tient compte de l'influence d'une fonction sur les autres fonctions.

Lorsqu'une Partie 2 ne comporte pas d'exigences complémentaires pour couvrir les risques traités dans la Partie 1, la Partie 1 s'applique.

NOTE 1 Cela signifie que les comités d'études responsables pour les Parties 2 ont déterminé qu'il n'était pas nécessaire de spécifier des exigences particulières pour l'appareil en question en plus des exigences générales.

Cette norme est une norme de famille de produits traitant de la sécurité d'appareils et a préséance sur les normes horizontales et génériques couvrant le même sujet.

NOTE 2 Les publications horizontales, les publications fondamentales de sécurité et les publications groupées de sécurité couvrant un risque ne sont pas applicables parce qu'elles ont été prises en considération lorsque les exigences générales et particulières ont été étudiées pour la série de normes IEC 60335.

Un appareil conforme au texte de la présente norme ne sera pas nécessairement jugé conforme aux principes de sécurité de la norme si, lorsqu'il est examiné et soumis aux essais, il apparaît qu'il présente d'autres caractéristiques qui compromettent le niveau de sécurité visé par ces exigences.

Un appareil utilisant des matériaux ou présentant des modes de construction différents de ceux décrits dans les exigences de cette norme peut être examiné et essayé en fonction de l'objectif poursuivi par ces exigences et, s'il est jugé pratiquement équivalent, il peut être estimé conforme aux principes de sécurité de la norme.

NOTE 3 Les normes traitant des aspects non relatifs à la sécurité des appareils électrodomestiques sont:

- les normes IEC publiées par le comité d'études 59 concernant les méthodes de mesure d'aptitude à la fonction;
- les normes CISPR 11 et CISPR 14-1, ainsi que les normes applicables de la série IEC 61000-3 concernant les émissions électromagnétiques;
- la norme CISPR 14-2 concernant l'immunité électromagnétique;
- les normes IEC publiées par le comité d'études 111 concernant l'environnement.

APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

Partie 2-78: Exigences particulières pour les barbecues pour extérieur

1 Domaine d'application

L'article de la Partie 1 est remplacé par le texte suivant.

La présente partie de l'IEC 60335 traite de la sécurité des **barbecues** pour extérieur destinés à un usage domestique et analogue, dont la **tension assignée** est inférieure ou égale à 250 V.

Les appareils non destinés à un usage domestique normal, mais qui peuvent néanmoins constituer une source de danger pour le public, tels que les appareils destinés à être utilisés par des usagers non avertis dans des magasins, des restaurants, des hôtels, chez des artisans et dans des fermes, sont compris dans le domaine d'application de la présente norme.

Dans la mesure du possible, la présente norme traite des dangers courants que présentent les appareils et auxquels sont exposés tous les individus situés à l'intérieur et autour de l'habitation. Cependant, cette norme ne tient pas compte en général:

- des personnes (y compris des enfants) dont:
 - les capacités physiques, sensorielles ou mentales; ou
 - le manque d'expérience et de connaissanceles empêchent d'utiliser l'appareil en toute sécurité sans surveillance ou instruction;
- de l'utilisation de l'appareil comme jouet par des enfants.

L'attention est attirée sur le fait que:

- pour les appareils destinés à être utilisés dans des véhicules ou à bord de navires, des exigences supplémentaires peuvent être nécessaires;
- dans de nombreux pays, des exigences supplémentaires sont spécifiées par les organismes nationaux de la santé, par les organismes nationaux responsables de la protection des travailleurs et par des organismes similaires.

La présente norme ne s'applique pas

- aux barbecues pour usage intérieur (IEC 60335-2-9);
- aux appareils destinés à brûler du charbon de bois ou d'autres combustibles analogues;
- aux appareils prévus exclusivement pour des usages industriels;
- aux appareils destinés à être utilisés dans des locaux qui présentent des conditions particulières, telles que la présence d'une atmosphère corrosive ou explosive (poussière, vapeur ou gaz);
- aux **appareils alimentés par batteries**.

2 Références normatives

L'article de la Partie 1 est applicable, avec l'exception suivante.

Addition:

IEC 60068-2-52, *Essai d'environnement – Partie 2: Essais – Essai Kb: Brouillard salin, essai cyclique (solution de chlorure de sodium)*

IEC 60584-1, *Couples thermoélectriques – Partie 1: Spécifications et tolérances en matière de FEM*

3 Termes et définitions

L'article de la Partie 1 est applicable, avec les exceptions suivantes.

3.1 Définitions relatives aux caractéristiques physiques

3.1.9 Remplacement:

fonctionnement de l'appareil dans les conditions suivantes:

Les **barbecues** sont mis en fonctionnement avec le support d'aliments dans la position la plus basse, en installant tout couvercle ou écran conformément aux instructions.

Note 1 à l'article: Les **barbecues** sont mis en fonctionnement sans eau même si l'utilisation avec de l'eau est recommandée dans les instructions.

3.5 Définitions relatives aux types d'appareils

3.5.101

barbecue

appareil qui comporte un élément chauffant rayonnant situé sous le support d'aliments

3.5.102

barbecue à usage collectif

barbecue accessible et utilisé par le grand public, tel que ceux installés dans des parcs et d'autres zones de loisirs

3.6 Définitions relatives aux parties d'un appareil

3.6.101

surface fonctionnelle

surface qui est volontairement chauffée par une source de chaleur interne et qui doit être chaude pour assurer la fonction prévue de l'appareil

4 Exigences générales

L'article de la Partie 1 est applicable.

5 Conditions générales d'essais

L'article de la Partie 1 est applicable, avec l'exception suivante.

5.2 Addition:

Si l'essai du 15.101 doit être réalisé, trois échantillons supplémentaires sont exigés.

6 Classification

L'article de la Partie 1 est applicable, avec l'exception suivante.