

INTERNATIONAL STANDARD

IEC
60335-2-80

Edition 2.1

2004-03

Edition 2:2002 consolidated with amendment 1:2004

**Household and similar electrical appliances –
Safety –**

**Part 2-80:
Particular requirements for fans**



Reference number
IEC 60335-2-80:2002+A1:2004(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC
60335-2-80

Edition 2.1

2004-03

Edition 2:2002 consolidated with amendment 1:2004

Household and similar electrical appliances – Safety –

Part 2-80: Particular requirements for fans

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **CD**

For price, see current catalogue

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Definitions	7
4 General requirement.....	7
5 General conditions for the tests	7
6 Classification.....	7
7 Marking and instructions.....	8
8 Protection against access to live parts.....	8
9 Starting of motor-operated appliances	8
10 Power input and current	9
11 Heating	9
12 Void.....	9
13 Leakage current and electric strength at operating temperature.....	9
14 Transient overvoltages	9
15 Moisture resistance	9
16 Leakage current and electric strength.....	10
17 Overload protection of transformers and associated circuits	10
18 Endurance.....	10
19 Abnormal operation.....	10
20 Stability and mechanical hazards	10
21 Mechanical strength.....	11
22 Construction.....	11
23 Internal wiring.....	12
24 Components.....	12
25 Supply connection and external flexible cords	12
26 Terminals for external conductors.....	12
27 Provision for earthing	12
28 Screws and connections.....	12
29 Clearances, creepage distances and solid insulation	12
30 Resistance to heat and fire.....	13
31 Resistance to rusting.....	13
32 Radiation, toxicity and similar hazards.....	13
Annexes	14
Bibliography.....	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-80: Particular requirements for fans**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-80 is based on the second edition (2002) [documents 61/2165/FDIS and 61/2245/RVD] and its amendment 1 (2004) [documents 61/2538/FDIS and 61/2582/RVD].

It bears the edition number 2.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 6.2: This requirement is not applicable (USA).
- 6.101: Only fans for tropical climates are allowed (Australia).
- 7.1: The "T" marking is not required (USA).
- 7.1: Fans for installation in walls or windows are to be marked with a reference to the instructions for use (Germany).
- 7.12.1: The instructions for fans to be installed in walls or windows are to state the maximum negative pressure allowed in the room when the fan is operated simultaneously with an appliance supplied with energy other than electricity (Germany).
- 7.12.1: The fan blades are only required to be 2,1 m above the floor (Australia).
- 7.12.1: Other mounting heights are specified and have to be marked on the appliance (USA).
- 19.7: The addition is not applicable (USA).
- 20.1: The additional test for portable pedestal fans is not carried out (Japan).
- 20.2: The requirements are different (USA).
- 21.102: The loads are different (USA).
- 23.3: Different requirements apply (USA).
- 24.101: The requirement is not applicable (USA).

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-80: Particular requirements for fans

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric fans for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

NOTE 101 Examples of fans that are within the scope of this standard are

- ceiling fans;
- duct fans;
- partition fans;
- pedestal fans;
- table fans.

This standard also applies to separate controls supplied with fans.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended for use in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- fans incorporated in other appliances.

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

Table and pedestal fans are operated with any oscillating mechanism in operation.

Ceiling fans are fixed to a ceiling.

Partition fans are installed in the centre of a suitable partition having dimensions at least four times the diameter of the air inlet.

Duct fans are installed in a duct in accordance with the installation instructions, the length of the duct being approximately four times the diameter of the fan.

3.101

duct fan

fan for installation within an enclosed airway so that the airflow is ducted on both the inlet and outlet sides

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.7 Addition:

For fans intended to be used in tropical climates, the tests of Clauses 10, 11 and 13 are carried out at an ambient temperature of $40\text{ °C} \pm 2\text{ °C}$.

For fans marked with an ambient operating temperature, the tests of Clauses 10, 11 and 13 are carried out at the marked value $\pm 2\text{ °C}$.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Duct fans shall be at least IPX2.

6.101 Fans shall be of one of the following classes with respect to climatic conditions:

- fans for temperate climates;
- fans for tropical climates.

Compliance is checked by inspection

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Fans for tropical climates shall be marked with the letter T.

Fans intended for operation in locations where the local ambient temperature exceeds 40 °C shall be marked with the ambient operating temperature.

7.12 Addition:

If the instructions state that the guard has to be removed for cleaning purposes, the instructions shall state the substance of the following:

Ensure that the fan is switched off from the supply mains before removing the guard.

7.12.1 Addition:

The installation instructions shall include the substance of the following:

- the model or type reference of a luminaire that may be installed in a fan constructed for this purpose;
- whether the fan is intended for mounting in outside windows or walls (for partition fans);
- that the fan is to be installed so that the blades are more than 2,3 m above the floor (for fans intended to be mounted at high level);
- that precautions must be taken to avoid the back-flow of gases into the room from the open flue of gas or other fuel-burning appliances (for duct and partition fans).

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 Modification:

*Lamps are not removed. However, during insertion or removal of lamps, protection against contact with **live parts** of the lamp cap shall be ensured.*

8.2 Addition:

*After the removal of **detachable parts** for the purposes of **user maintenance**, the **basic insulation** of internal wiring may be touched provided that it is electrically equivalent to the insulation of cords complying with IEC 60227 or IEC 60245.*

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable except as follows.

10.1 Addition:

Appliances are tested with shutters or similar devices in the open position.

10.2 Addition:

Appliances are tested with shutters or similar devices in the open position.

11 Heating

This clause of Part 1 is applicable except as follows.

11.7 Replacement:

Appliances are operated until steady conditions are established.

11.8 Addition:

The temperature rise limits for appliances for tropical climates are reduced by 15 K.

The temperature rise limits for fans marked with an ambient operating temperature are reduced by the difference between the marked value and 25 °C.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable except as follows.

15.1.1 Addition:

*The outer part of fans intended to be installed in the external structure of a building is subjected to the test of subclause 14.2.4(a) of IEC 60529, the part of the fan not mounted on the outside surface being protected against spray from the oscillating tube. The test is carried out with the appliance in the rest position and then in operation while supplied at **rated voltage**, shutters or similar devices being in the open position.*

*Fans marked with the second numeral of the IP system are subjected to the appropriate test of IEC 60529 both at rest and in operation while supplied at **rated voltage**.*

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.1 Addition:

Fans incorporating shutters or similar devices operated by a control are also subjected to the test of 19.101.

19.7 Addition:

Separate controls are mounted on a dull black-painted plywood board. Approximately 50 % of the area of each ventilating opening is blocked. The temperature of windings shall not exceed the values specified in Table 8 and the temperature rise of the board shall not exceed

- 50 K, for appliances with T marking;
- 65 K, for other appliances.

19.9 Not applicable.

19.101 *Fans incorporating shutters or similar devices that are operated automatically are supplied at **rated voltage** and operated with the shutters or similar devices held in the closed or open position, whichever is more unfavourable.*

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.1 Addition:

Portable pedestal fans having a height exceeding 1,7 m and a mass exceeding 10 kg are placed on a horizontal surface. A force of 40 N is applied to the appliance at a height of 1,5 m in the most unfavourable horizontal direction.

The appliance shall not overturn.

NOTE 101 Suitable means may be used to prevent the appliance from sliding.

20.101 Fan blades, other than those of fans for mounting at high level, shall be guarded unless their leading edges and tips are rounded and

- they have a hardness less than D 60 Shore, or
- they have a peripheral speed less than 15 m/s when the fan is supplied at **rated voltage**, or
- the fan has a power output not exceeding 2 W when supplied at **rated voltage**.

NOTE An edge with a radius of not less than 0,5 mm is considered to be rounded.

Compliance is checked by inspection and by measurement.

21 Mechanical strength

This clause of Part 1 is applicable except as follows.

21.1 Appliances are also subjected to the test of 21.101.

21.101 Fan guards are subjected to a push force and a pull force of 20 N applied along the axis of the fan motor. After the test, it shall not be possible to touch dangerous moving parts with a test probe that is similar to test probe B of IEC 61032, but having a circular stop face with a diameter of 50 mm instead of the non-circular face.

21.102 Ceiling fans shall have adequate strength.

Compliance is checked by the following test.

Ceiling fans are mounted in accordance with the installation instructions. A load equal to four times the mass of the fan is suspended from the body of the fan for 1 min.

A torque of 1 Nm is then applied to the fixed body of the fan for 1 min. The test is repeated with the torque applied in the reverse direction.

The suspension system shall not break and the fan shall not be damaged to such an extent that compliance with 8.1, 16.3 and Clause 29 is impaired.

22 Construction

This clause of Part 1 is applicable except as follows.

22.1 Addition:

NOTE 101 The enclosure defined in IEC 60529 does not include guards for fan blades.

22.11 Modification:

The 50 N force is not applied to clips used to fasten fan guards. Instead, a force of 15 N is applied in any direction to the clips in an attempt to release them.

22.101 Appliances having provision for attaching a luminaire shall incorporate appropriate terminals and internal wiring.

Compliance is checked by inspection.

23 Internal wiring

This clause of Part 1 is applicable except as follows.

23.3 Modification:

Instead of moving the movable part backwards and forwards, fans with an oscillating mechanism are tested as follows.

*Fans are supplied at **rated voltage** and operated under **normal operation**, the angle of oscillation being the maximum allowed by the construction. The test is carried out for 100 000 cycles of oscillation.*

24 Components

This clause of Part 1 is applicable except as follows.

24.2 Addition:

Appliances having a **rated power input** not exceeding 25 W may be fitted with a switch in the **supply cord**.

24.101 Thermal cut-outs incorporated in duct fans in order to comply with Clause 19 shall not be self-resetting.

Compliance is checked by inspection.

25 Supply connection and external flexible cords

This clause of Part 1 is applicable except as follows.

25.5 Addition:

Type Z attachment is allowed for **portable fans**.

26 Terminals for external conductors

This clause of Part 1 is applicable.

27 Provision for earthing

This clause of Part 1 is applicable.

28 Screws and connections

This clause of Part 1 is applicable.

29 Clearances, creepage distances and solid insulation

This clause of Part 1 is applicable except as follows.

29.2 Addition:

The microenvironment is pollution degree 3 unless the insulation is enclosed or located so that it is unlikely to be exposed to pollution during normal use of the appliance.

30 Resistance to heat and fire

This clause of Part 1 is applicable except as follows.

30.2.2 Not applicable.

31 Resistance to rusting

This clause of Part 1 is applicable.

32 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

IECNORM.COM ! Click to view the full PDF of IEC 60335-2-80:2002+AMD1:2004 CSV

Annexes

The annexes of Part 1 are applicable.

Bibliography

The bibliography of Part 1 is applicable.

IECNORM.COM ! Click to view the full PDF of IEC 60335-2-80:2002+AMD1:2004 CSV

Withdrawn