

# INTERNATIONAL STANDARD

**IEC**  
**60384-8-1**

1988

AMENDMENT 2  
2000-08

---

---

## Amendment 2

### **Fixed capacitors for use in electronic equipment**

#### **Part 8: Blank detail specification: Fixed capacitors of ceramic dielectric, class 1. Assessment level E**

#### *Amendement 2*

*Condensateurs fixes utilisés dans  
les équipements électroniques*

*Partie 8:  
Spécification particulière-cadre: Condensateurs fixes à  
diélectrique en céramique de classe 1.  
Niveau d'assurance E*

© IEC 2000 — Copyright – all rights reserved

International Electrotechnical Commission  
Telefax: +41 22 919 0300

3, rue de Varembé Geneva, Switzerland  
e-mail: [inmail@iec.ch](mailto:inmail@iec.ch) IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

**B**

*For price, see current catalogue*

## FOREWORD

This amendment has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

The text of this amendment is based on the following documents:

|              |                  |
|--------------|------------------|
| FDIS         | Report on voting |
| 40/1143/FDIS | 40/1179/RVD      |

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until 2005. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this amendment may be issued at a later date.

Page 19

Table IV, Sub-group B2\*

*Replace the existing row for Subgroup B2\* by the following:*

|                                                             |    |                            |     |       |           |
|-------------------------------------------------------------|----|----------------------------|-----|-------|-----------|
| Sub-group B2*                                               | ND |                            | S-2 | 2,5 % |           |
| 4.3 Temperature coefficient and cyclic drift of capacitance |    | Pre-drying for 16 h – 24 h |     |       | As in 4.3 |

IECNORM.COM : Click to view the full PDF of IEC 60384-8-1:1988/AMD2:2000

Withdrawn