

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Tests and measurements –
Part 20-1: Fire hazard tests – Test 20a: Flammability, needle-flame**

**Connecteurs pour équipements électroniques – Essais et mesures –
Partie 20-1: Essais relatifs aux risques du feu – Essai 20a: Inflammabilité,
brûleur-aiguille**

IECNORM.COM : Click to view the full PDF of IEC 60512-20-1:2010



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 60512-20-1

Edition 1.0 2010-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Connectors for electronic equipment – Tests and measurements –
Part 20-1: Fire hazard tests – Test 20a: Flammability, needle-flame**

**Connecteurs pour équipements électroniques – Essais et mesures –
Partie 20-1: Essais relatifs aux risques du feu – Essai 20a: Inflammabilité,
brûleur-aiguille**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

F

ICS 31.220.01

ISBN 978-2-88910-971-5

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT – TESTS AND MEASUREMENTS –

Part 20-1: Fire hazard tests – Test 20a: Flammability, needle-flame

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60512-20-1 has been prepared by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

This standard cancels and replaces Test 20a of IEC 60512-9, issued in 1992. The structure of IEC 60512 series is explained in IEC 60512-1-100.

The text of this standard is based on the following documents:

FDIS	Report on voting
48B/2160/FDIS	48B/2195/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60512 series, under the general title *Connectors for electronic equipment – Tests and measurements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended

IECNORM.COM : Click to view the full PDF of IEC 60512-20-1:2010

CONNECTORS FOR ELECTRONIC EQUIPMENT – TESTS AND MEASUREMENTS –

Part 20-1: Fire hazard tests – Test 20a: Flammability, needle-flame

1 Scope and object

This part of IEC 60512, when required by the detail specification, is used for testing connectors within the scope of technical committee 48. It may also be used for similar devices when specified in a detail specification.

The object of this standard is to detail a standard method to determine the flammability of a connector when exposed to a needle-flame under specified conditions.

The needle-flame test is intended to simulate the effect of small flames which may result from fault conditions within the equipment, i.e. the intensity of the ignition source used is of a similar order to that of an accidentally overheated or burning single electronic component.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle flame test method – Apparatus, confirmatory test arrangement and guidance*

3 Preparation of the specimen

The specimen shall consist of an unwired connector, mounted and provided with contacts as specified in the detail specification.

4 Test method

The test shall be carried out in accordance with IEC 60695-11-5.

A wooden board covered with a single layer of tissue paper shall be placed underneath the specimen to be tested as described in IEC 60695-11-5.

The position of the specimen and the point of application of the flame shall be as specified in the detail specification.

The burner shall be mounted at an angle of approximately 45° so that any drops from the specimen can fall freely on the underlying layer (see Figure 1). For the same reason, it is desirable to specify the position of the specimen to be slightly inclined (approximately 80°).

In the case of edge application, the flame shall be applied not less than 10 mm from the nearest corner, unless otherwise specified by the detail specification.

The burner is lit away from the specimen and the length of the flame is adjusted to $12 \text{ mm} \pm 1 \text{ mm}$. The burner is then brought into the test position so that the specimen penetrates the flame by approximately 2 mm. A vertical distance of 7 mm to 9 mm between the tip of the burner and the surface/edge to be tested is adequate for this purpose, but in the case of application to a vertical surface, a horizontal distance of approximately 5 mm between the tip of the burner and the surface to be tested is necessary.




Figure 1a) Test position (example)




Figure 1b) Test position (example)

Figure 1 – Needle-flame test

The detail specification for the connector shall specify the severity (duration of application) to be used.

Preferably, one of the following durations of application of the test flame given in IEC 60695-11-5 shall be prescribed:

5 s	10 s
20 s	30 s
60 s	120 s

The tolerance for all values is 0/-1 s.

At the end of the duration of the application, the flame is removed from the specimen.

5 Requirements

After removal of the burner, the specimen shall preferably not continue to burn. If it continues to burn, the burning time shall not exceed the maximum limit specified in the detail specification.

In no case shall any material drops ignite the underlying tissue paper.

6 Details to be specified

When this test is required by the detail specification, the following details shall be specified:

- a) number and variant of the specimens to be tested;
- b) mounting of the specimen;
- c) severity (duration of the application of the flame);
- d) point of application of the flame;
- e) maximum burning time;
- f) any deviation from the standard test method and/or conditions.

IECNORM.COM : Click to view the full PDF of IEC 60512-20-1:2010

IECNORM.COM : Click to view the full PDF of IEC 60512-20-1:2010

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

CONNECTEURS POUR ÉQUIPEMENTS ÉLECTRONIQUES – ESSAIS ET MESURES –

Partie 20-1: Essais relatifs aux risques du feu – Essai 20a: Inflammabilité, brûleur-aiguille

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (CEI) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de la CEI). La CEI a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, la CEI – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de la CEI"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec la CEI, participent également aux travaux. La CEI collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de la CEI concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de la CEI intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de la CEI se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de la CEI. Tous les efforts raisonnables sont entrepris afin que la CEI s'assure de l'exactitude du contenu technique de ses publications; la CEI ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de la CEI s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de la CEI dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de la CEI et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) La CEI elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de la CEI. La CEI n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à la CEI, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de la CEI, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de la CEI ou de toute autre Publication de la CEI, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de la CEI peuvent faire l'objet de droits de propriété intellectuelle ou de droits analogues. La CEI ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de propriété et de ne pas avoir signalé leur existence.

La Norme Internationale CEI 60512-20-1 a été établie par le sous-comité 48B: Connecteurs, du comité d'études 48 de la CEI: Composants électromécaniques et structures mécaniques pour équipements électroniques.

La présente norme annule et remplace l'essai 20a de la CEI 60512-9, publiée en 1992. La structure de la série CEI 60512 est expliquée dans la CEI 60512-1-100.

Le texte de cette norme est issu des documents suivants:

FDIS	Rapport de vote
48B/2160/FDIS	48B/2195/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de cette norme.

Cette publication a été rédigée selon les Directives ISO/CEI, Partie 2.

Une liste de toutes les parties de la série CEI 60512, présentées sous le titre général *Connecteurs pour équipements électroniques – Essais et mesures*, peut être consultée sur le site web de la CEI.

Le comité a décidé que le contenu de cette publication ne sera pas modifié avant la date de stabilité indiquée sur le site web de la CEI sous "<http://webstore.iec.ch>" dans les données relatives à la publication recherchée. A cette date, la publication sera

- reconduite,
- supprimée,
- remplacée par une édition révisée, ou
- amendée.

IECNORM.COM : Click to view the full PDF of IEC 60512-20-1:2010

CONNECTEURS POUR ÉQUIPEMENTS ÉLECTRONIQUES – ESSAIS ET MESURES –

Partie 20-1: Essais relatifs aux risques du feu – Essai 20a: Inflammabilité, brûleur-aiguille

1 Domaine d'application et objet

La présente partie de la CEI 60512 est utilisée pour les essais des connecteurs du domaine d'activité du comité d'études 48, lorsque la spécification particulière l'exige. Elle peut également être utilisée pour des dispositifs similaires lorsqu'une spécification particulière le stipule.

L'objet de cette norme est de définir une méthode normalisée pour déterminer l'inflammabilité d'un connecteur exposé à un brûleur-aiguille dans des conditions déterminées.

L'essai au brûleur-aiguille est destiné à simuler l'effet de petites flammes qui peuvent provenir de défauts internes à l'équipement, c'est-à-dire que l'intensité de la source d'allumage utilisée est du même ordre que celle provenant de la surchauffe accidentelle ou de la combustion d'un composant électronique individuel.

2 Références normatives

Les documents de référence suivants sont indispensables pour l'application du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

CEI 60695-11-5, *Essais relatifs aux risques du feu – Partie 11-5: Flammes d'essai – Méthode d'essai au brûleur-aiguille – Appareillage, dispositif d'essai de vérification et lignes directrices*

3 Préparation du spécimen

Le spécimen doit être constitué d'un connecteur non câblé, monté et équipé de contacts comme stipulé dans la spécification particulière.

4 Méthode d'essai

L'essai doit être réalisé conformément à la CEI 60695-11-5.

Une planche en bois recouverte d'une seule couche de papier mousseline doit être placée en dessous du spécimen soumis à essai comme cela est décrit dans la CEI 60695-11-5.

La position du spécimen et le point d'application de la flamme doivent être conformes aux exigences de la spécification particulière.

Le brûleur doit être monté en respectant un angle d'environ 45° de manière à ce que toute particule provenant du spécimen puisse tomber librement sur la couche placée en dessous (voir Figure 1). Pour la même raison, il est souhaitable de spécifier une position légèrement inclinée (approximativement 80°) pour le spécimen.