



IEC 60751

Edition 2.0 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial platinum resistance thermometers and platinum temperature sensors

Thermomètres à résistance de platine industriels et capteurs thermométriques en platine

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

S

ICS 17.200.20

ISBN 2-8318-9849-8

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Characteristics	8
4.1 Temperature/resistance relationships	8
4.2 Resistance values	9
5 General requirements	12
5.1 Tolerance classes	12
5.1.1 Temperature range of validity	12
5.1.2 Resistors	12
5.1.3 Thermometers	12
5.1.4 Special tolerance classes and special temperature ranges of validity	12
5.2 Measuring current	13
5.3 Electrical supply	13
5.4 Connecting wire configuration	13
6 Tests	14
6.1 General	14
6.1.1 Routine production tests	14
6.1.2 Type tests	14
6.1.3 Additional type tests	14
6.2 Routine production tests for resistors	14
6.2.1 Tolerance acceptance test.....	14
6.3 Routine production tests for thermometers	15
6.3.1 Insulation resistance at ambient temperature.....	15
6.3.2 Sheath integrity test	15
6.3.3 Dimensional test.....	16
6.3.4 Tolerance acceptance test.....	16
6.4 Type tests for resistors	16
6.4.1 Tolerances	16
6.4.2 Stability at upper temperature limit	16
6.4.3 Self-heating	16
6.5 Type tests for thermometers	16
6.5.1 Insulation resistance at elevated temperatures	16
6.5.2 Thermal response time	18
6.5.3 Stability at upper temperature limit	18
6.5.4 Thermoelectric effect	18
6.5.5 Effect of temperature cycling	18
6.5.6 Effect of hysteresis	18
6.5.7 Self-heating	18
6.5.8 Minimum immersion depth	19
6.6 Additional type tests for special applications of thermometers	19
6.6.1 Capacitance	19
6.6.2 Inductance.....	19
6.6.3 Dielectric strength	19
6.6.4 Vibration test	19

6.6.5	Drop test	19
6.7	Summary of tests	19
7	Information to be made available by the manufacturer	20
7.1	For resistors only	20
7.2	For resistors and/or thermometers	20
8	Thermometer identification and marking	20
Figure 1 – Connecting configurations		13
Figure 2 – Examples of test results for selecting or rejecting resistors..		15
Table 1 – Temperature/resistance relationship, $R_0 = 100.00 \Omega$		10
Table 2 – Tolerance classes for resistors		12
Table 3 – Tolerance classes for thermometers		12
Table 4 – Minimum insulation resistance of thermometers at maximum temperature		16
Table 5 – Table of tests described in this standard		20

IECNORM.COM : Click to view the full PDF of IEC 60751:2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL PLATINUM RESISTANCE THERMOMETERS AND
PLATINUM TEMPERATURE SENSORS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60751 has been prepared by subcommittee 65B: Devices and process analysis, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 1983, amendment 1 (1986) and amendment 2 (1995). This edition constitutes a technical revision.

The significant technical changes with respect to the previous edition are as follows:

While the temperature/resistance relationship in 4.2 remains unchanged, there are several changes in the other chapters. Most important are:

- tolerance classes follow a new scheme;
- tolerance acceptance test is included;
- hysteresis test is included;
- several changes in the individual tests;
- appendices are deleted.

The text of this standard is based on the following documents:

FDIS	Report on voting
65B/664/FDIS	65B/683/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IECNORM.COM : Click to view the full PDF of IEC 60751 ed 2.0:2008

INDUSTRIAL PLATINUM RESISTANCE THERMOMETERS AND PLATINUM TEMPERATURE SENSORS

1 Scope

This standard specifies the requirements and temperature/resistance relationship for industrial platinum resistance temperature sensors later referred to as “platinum resistors” or “resistors” and industrial platinum resistance thermometers later referred to as “thermometers” whose electrical resistance is a defined function of temperature.

The International Standard applies to platinum resistors whose temperature coefficient α , defined as

$$\alpha = \frac{R_{100} - R_0}{R_0 \cdot 100^\circ\text{C}}$$

is conventionally written as $\alpha = 3.851 \times 10^{-3} \text{ }^\circ\text{C}^{-1}$, where R_{100} is the resistance at $t = 100 \text{ }^\circ\text{C}$ and R_0 is the resistance at $t = 0 \text{ }^\circ\text{C}$.

Values of temperature in this standard are in terms of the International Temperature Scale of 1990, ITS-90. Temperatures in degrees Celsius are denoted by the symbol t , except in Table 1 where the full nomenclature $t_{90}/^\circ\text{C}$ is used.

The standard covers resistors or thermometers for all or part of the temperature range $-200 \text{ }^\circ\text{C}$ to $+850 \text{ }^\circ\text{C}$ with different tolerance classes, which may cover restricted temperature ranges.

For temperature/resistance relationships with uncertainties $<0,1 \text{ }^\circ\text{C}$, which are possible only for resistors or thermometers with exceptionally high stability and individual calibration, a more complex interpolation equation than is presented in this standard may be necessary. The specification of such equations is outside the scope of this standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies:.

IEC 61152, *Dimensions of metal-sheathed thermometer elements*

IEC 61298-1, *Process Measurement and Control devices – General Methods and Procedures for Evaluating Performance – Part 1: General considerations*

SOMMAIRE

AVANT-PROPOS	24
1 Domaine d'application	26
2 Références normative	26
3 Termes et définitions	26
4 Caractéristiques	28
4.1 Relations température/résistance	29
4.2 Valeurs de résistance	29
5 Exigences générales	32
5.1 Classes de tolérance	32
5.1.1 Domaine valide de température	32
5.1.2 Résistances	32
5.1.3 Thermomètres	32
5.1.4 Classes spéciales de tolérance et domaines spéciaux de validité de température	33
5.2 Courant de mesure	33
5.3 Alimentation électrique	33
5.4 Configuration des fils de connexion	33
6 Essais	34
6.1 Généralités	34
6.1.1 Essais individuels de production	34
6.1.2 Essais de type	34
6.1.3 Essais de type complémentaires	34
6.2 Essais individuels de production pour les résistances	35
6.2.1 Essai d'acceptation de la tolérance	35
6.3 Essais individuels de production pour les thermomètres	35
6.3.1 Résistance d'isolation à la température ambiante	35
6.3.2 Essai de l'intégrité de la gaine	36
6.3.3 Essai dimensionnel	36
6.3.4 Essai d'acceptation de la tolérance	36
6.4 Essais de type pour les résistances	36
6.4.1 Tolérances	36
6.4.2 Stabilité à la température limite haute	37
6.4.3 Auto-échauffement	37
6.5 Essais de type pour les thermomètres	37
6.5.1 Résistance d'isolation à températures élevées	37
6.5.2 Temps de réponse thermique	37
6.5.3 Stabilité à la température limite haute	37
6.5.4 Effet thermoélectrique	37
6.5.5 Effet du cyclage en température	38
6.5.6 Effet d'hystérésis	38
6.5.7 Auto-échauffement	38
6.5.8 Profondeur d'immersion minimale	38
6.6 Essais de type complémentaires pour les applications spéciales des thermomètres	38
6.6.1 Capacité électrique	38
6.6.2 Inductance	38

6.6.3	Rigidité diélectrique	39
6.6.4	Essai de vibration	39
6.6.5	Essai de chute	39
6.7	Résumé des essais	39
7	Informations à mettre à disposition par le fabricant	40
7.1	Pour les résistances uniquement	40
7.2	Pour les résistances et/ou les thermomètres	40
8	Identification des thermomètres et marquage	41
Figure 1 – Configurations de connexions		34
Figure 2 – Exemples de résultats d'essai pour la sélection ou le rejet des résistances		35
Tableau 1 – Relation température / résistance, $R_0 = 100.00 \Omega$		30
Tableau 2 – Classes de tolérance pour les résistances		32
Tableau 3 – Classes de tolérance pour les thermomètres		32
Tableau 4 – Résistance d'isolation minimale des thermomètres à leur température maximale		37
Tableau 5 – Tableau des essais décrits dans cette norme		40

IECNORM.COM : Click to view the full PDF of IEC 60751 ed 2.0:2008