

INTERNATIONAL STANDARD

**Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –
Part 2-4: Particular requirements for hand-held sanders and polishers other than disc type**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IECNORM.COM : Click to view the full PDF of IEC 60947-1:2014+AMD1:2025 CSV



IEC 62841-2-4

Edition 1.1 2025-02
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

**Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety –
Part 2-4: Particular requirements for hand-held sanders and polishers other than disc type**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.140.20

ISBN 978-2-8327-0288-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 General requirements	7
5 General conditions for the tests	7
6 Radiation, toxicity and similar hazards	7
7 Classification	7
8 Marking and instructions	7
9 Protection against access to live parts	8
10 Starting	8
11 Input and current	8
12 Heating	8
13 Resistance to heat and fire	8
14 Moisture resistance	8
15 Resistance to rusting	8
16 Overload protection of transformers and associated circuits	8
17 Endurance	8
18 Abnormal operation	9
19 Mechanical hazards	9
20 Mechanical strength	10
21 Construction	10
22 Internal wiring	11
23 Components	11
24 Supply connection and external flexible cords	11
25 Terminals for external conductors	11
26 Provision for earthing	11
27 Screws and connections	11
28 Creepage distances, clearances and distances through insulation	12
Annexes	15
Annex J (informative) Measurement of noise and vibration emissions	15
Annex K (normative) Battery tools and battery packs	18
Bibliography	19
Figure 101 – Rod test for the in-feed nip between the belt and roller	13
Figure 102 – Steel ball test for the in-feed nip between the belt housing enclosure and roller	14
Figure I.101 – Position of transducers for sanders and polishers	17

Table 4 – Required performance levels	9
Table I.101 – Operating conditions for sanders	15
Table I.102 – Operating conditions for polishers	16

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS,
TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY –
SAFETY –****Part 2-4: Particular requirements for hand-held
sanders and polishers other than disc type**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62841-2-4 edition 1.1 contains the first edition (2014-06) [documents 116/164/FDIS and 116/178/RVD], its corrigendum (2025-10) and its amendment 1 (2025-02) [documents 116/864/FDIS and 116/880/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough

red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62841-2-4 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-4 is to be used in conjunction with the first edition of IEC 62841-1 (2014).

This Part 2-4 supplements or modifies the corresponding clauses in IEC 62841-1, so as to convert it into the IEC Standard: Particular requirements for hand-held sanders and polishers other than disc type.

Where a particular subclause of Part 1 is not mentioned in this Part 2-4, that subclause applies as far as reasonable. Where this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101.

A list of all parts of the IEC 62841 series, under the general title: *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 2-4: Particular requirements for hand-held sanders and polishers other than disc type

1 Scope

This clause of Part 1 is applicable, except as follows:

Addition:

This part of IEC 62841 applies to hand-held **sanders** and **polishers** with the exception of disc-type tools covered by IEC 62841-2-3.

Tools covered by this standard include but are not limited to **belt sanders**, **drum sanders** or **polishers**, **reciprocating sanders** or **polishers**, **orbital sanders** or **polishers**, and **random orbit sanders** or **polishers**.

2 Normative references

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable, except as follows:

Addition:

3.101

sander

tool intended to remove surface material using an abrasive medium

3.102

polisher

tool equipped with a disc or pad intended for polishing

3.103

belt sander

sander equipped with an endless abrasive belt

3.104

drum sander or polisher

sander or **polisher** equipped with a rotating cylindrical working surface, oriented either inline or at an angle with the motor axis

Note 1 to entry: **Drum polishers** are also known as burnishing machines.

Note 2 to entry: **Drum sanders** with a drum in line with the axis of the motor are also known as spindle sanders or inline sanders.

3.105

orbital sander or polisher

sander or **polisher** equipped with a plate, which performs an orbital oscillating motion parallel to the work surface

Note 1 to entry: Orbital sanders or polishers are also known as oscillating sanders or polishers

3.106

random orbit sander or polisher

sander or **polisher** equipped with a plate positioned eccentrically on the driving spindle which can rotate freely around its axis parallel to the work surface

3.107

reciprocating sander or polisher

sander or **polisher** equipped with a plate which performs a reciprocating motion parallel to the work surface

4 General requirements

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable, except as follows:

5.17 Addition:

The mass of the tool includes the dust extraction adapter, if any.

6 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

7 Classification

This clause of Part 1 is applicable.

8 Marking and instructions

This clause of Part 1 is applicable, except as follows:

8.3 Addition:

For **belt sanders** and **drum sanders** and **polishers**, the direction of rotation shall be indicated on the tool by an arrow, raised or sunk, or by any other means no less visible and indelible.

8.14.1 Addition:

For **belt sanders** and **drum sanders**, the additional safety instructions as specified in 8.14.1.101 shall be given. This part may be printed separately from the “General Power Tool Safety Warnings”.

8.14.1.101 Belt sander and drum sander safety warnings

Hold the power tool by insulated gripping surfaces, because the sanding surface may contact its own cord. Cutting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.

9 Protection against access to live parts

This clause of Part 1 is applicable.

10 Starting

This clause of Part 1 is applicable.

11 Input and current

This clause of Part 1 is applicable.

12 Heating

This clause of Part 1 is applicable.

13 Resistance to heat and fire

This clause of Part 1 is applicable.

14 Moisture resistance

This clause of Part 1 is applicable.

15 Resistance to rusting

This clause of Part 1 is applicable.

16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

17 Endurance

This clause of Part 1 is applicable, except as follows:

17.2 Replacement of the third paragraph, except for **belt sanders** and **drum sanders** and **polishers**:

Orbital sanders and **polishers**, **random orbit sanders** and **polishers**, and **reciprocating sanders** and **polishers** are operated for 24 h at a voltage equal to 1,1 times the highest rated voltage or 1,1 times the upper limit of the rated voltage range, and then for 24 h at a supply voltage equal to 0,9 times the lowest rated voltage or 0,9 times the lower limit of the rated voltage range. The 24 h of operation need not be continuous. If applicable, the tool is adjusted to the maximum attainable speed.

The tools are operated while the platen, fitted with abrasive paper in reverse position or a polishing bonnet as applicable, is resting under the weight of the tool on a steel plate. The abrasive paper should be replaced as required to avoid direct contact between platen and steel plate. These tools are only tested in the upright position where the platen is horizontal.

18 Abnormal operation

This clause of Part 1 is applicable, except as follows:

18.8 ~~Table 4~~ Replacement of Table 4:

Table 4 – Required performance levels

Type and purpose of SCF	Minimum performance level (PL)
Power switch – prevent unwanted switch-on for belt sanders, drum sanders and drum polishers	b
~~Power switch – prevent unwanted switch-on for random orbit sanders and polishers~~	~~a~~
Power switch – prevent unwanted switch-on for ~~other sanders and polishers other than belt sanders, drum sanders, drum polishers~~	Not an SCF
Power switch – provide desired switch-off for belt sanders, drum sanders and polishers and random orbit sanders and drum polishers	b
Power switch – provide desired switch-off for ~~other sanders and polishers other than belt sanders, drum sanders and drum polishers~~	Not an SCF
Provide desired direction of rotation for belt sanders, drum sanders and drum polishers	a
Any speed limiting device	Not an SCF
Prevent exceeding thermal limits as in ~~Clause 18.4 and 18.5.3~~	a

19 Mechanical hazards

This clause of Part 1 is applicable, except as follows:

19.1 Replacement of the first paragraph:

Moving and dangerous parts other than the abrasive belt and belt rollers of **belt sanders** shall, as far as is compatible with the use and working of the tool, be so positioned or enclosed to provide adequate protection against personal injury. The requirements for the abrasive belt and belt rollers of **belt sanders** are specified in 19.1.101, 19.1.102 and 19.1.103.

19.1.101 Belt sanders shall be designed to minimise the risk due to the nip hazard from the roller closest to the operator without limiting the intended functionality of the tool.

Compliance is checked by the following tests 1 and 2.

- 1) An test rod with 8 mm diameter, applied parallel to the axis of the roller, shall not be able to enter the in-feed nip between the roller and the abrasive belt. As the rod is attempted to be inserted into this area, the abrasive belt shall not be displaced in any way that would allow the entry of the rod. See Figure 101.
- 2) The abrasive belt is removed. A steel ball with 7 mm diameter is placed all along the in-feed gap between the intended belt contact surface of the roller and the belt housing enclosure with the tool turned upside down in the most unfavourable position, see

Figure 102. The steel ball shall not move under its own weight into the gap between the roller and the belt housing beyond the line of complete passage as shown in Figure 102.

19.1.102 Belt sanders shall be designed to limit access to in-feed nip locations from roller(s) other than those closest to the operator without limiting the intended functionality of the tool.

In-feed nip locations are regarded to be located either

between the intended belt contact surface of the roller and the belt housing enclosure

or

between the intended belt contact surface of the roller and the abrasive belt.

Access shall be limited by either a) or b) as follows:

- a) The chain distance between any in-feed nip location and the closest point on a handle or grasping surface identified in accordance with 8.14.2 b) 6) shall be at least 100 mm.

Compliance is checked by measurement.

- ab) If a stick-type auxiliary handle is mounted to the side with its axis perpendicular to the direction of movement of the abrasive belt, it shall be provided with a flange having a height not less than 12 mm above the grasping surface between the grasping area and the in-feed nip location.

Compliance is checked by inspection and by measurement.

19.1.103 The ends of rollers that extend past the edge of the intended belt contact surface shall be smooth and free of sharp edges.

Compliance is checked by inspection.

19.6 This subclause is not applicable.

20 Mechanical strength

This clause of Part 1 is applicable, except as follows:

20.5 This subclause is not applicable for **sanders** and **polishers** except for **belt sanders** and **drum sanders**.

21 Construction

This clause of Part 1 is applicable, except as follows:

21.18.1 *Addition:*

~~For sanders other than belt sanders and drum sanders, power switches other than momentary power switches are permitted.~~

For

- **sanders** other than **belt sanders** and **drum sanders**; and
- **polishers** other than **drum polishers**,

power switches other than **momentary power switches** are permitted.

21.18.1.2 This subclause of Part 1 is not applicable.

Replace the existing text of the third dashed item of 21.35 with the following new text:

- other **sanders**, with a sanding contact surface exceeding 200 cm²,
unless the tool is intended to process only metal in accordance with 8.14.2 b) 4) of Part 1.

21.30 This subclause is not applicable for **sanders** and **polishers** except for **belt sanders** and **drum sanders**.

21.35 This subclause is applicable for:

- **belt sanders** and **random orbit sanders** with a sanding contact surface exceeding 100 cm²;
- **drum sanders** other than spindle sanders;
- other **sanders**, with a sanding contact surface exceeding 200 cm², unless they are intended to process only metal in accordance with 8.14.2 b) 4).

22 Internal wiring

This clause of Part 1 is applicable.

23 Components

This clause of Part 1 is applicable, except as follows:

23.3 This subclause of Part 1 is not applicable.

24 Supply connection and external flexible cords

This clause of Part 1 is applicable.

25 Terminals for external conductors

This clause of Part 1 is applicable.

26 Provision for earthing

This clause of Part 1 is applicable.


27 Screws and connections

This clause of Part 1 is applicable.

28 Creepage distances, clearances and distances through insulation

This clause of Part 1 is applicable.

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV




IEC 1226/14

Key

- 1 rod with 8 mm diameter
- 2 abrasive belt
- 3 roller closest to the operator

Figure 101 – Rod test for the in-feed nip between the belt and roller



IEC 1227/14

Key

- 1 steel ball with 7 mm diameter
- 2 roller closest to the operator
- 3 intended belt contact surface of the roller
- 4 line of complete passage

Figure 102 – Steel ball test for the in-feed nip between the belt housing enclosure and roller

Annexes

The annexes of Part 1 are applicable except as follows.

Annex I
(informative)

Measurement of noise and vibration emissions

I.2 Noise test code (grade 2)

This clause of Part 1 is applicable except as follows:

I.2.4 Installation and mounting conditions of the power tools during noise tests

Addition:

Sanders and **polishers** are suspended. The plate of the tool shall be horizontal.

I.2.5 Operating conditions

Addition:

Sanders and **polishers** are tested at no-load.

I.3 Vibration

I.3.3.2 Location of measurement

Addition:

Figure I.101 shows the positions for different **sanders** and **polishers**.

I.3.5.1 General

Addition:

For **battery**-operated tools, the tests are conducted with the lightest **battery** in accordance with K.8.14.2 e) 2) of Part 1 that has the capacity to complete the fifteen measurements as specified in I.3.6.1 of Part 1, under the operating conditions described in Table I.101 or Table I.102, as applicable.

I.3.5.3 Operating conditions

Addition:

Sanders and **polishers** are tested under load observing the conditions shown in Tables I.101 and I.102.

Table I.101 – Operating conditions for sanders

Orientation	Sanding a horizontal steel plate 400 mm × 400 mm × 20 mm mounted on a bench
-------------	---


Tool bit	Recommended sanding paper for steel with a grain size of 180
Feed force	Vertical force applied in addition to the weight of the tool: • 30 N ± 5 N, if the mass of the tool is less than 1,5 kg; • 50 N ± 5 N, if the mass of the tool is equal or greater than 1,5 kg; • or the force necessary to obtain rated input, whichever is the lower. For battery-powered sanders, the mass of the tool to select the feed force shall be the mass of the tool but not including any detachable battery pack(s) or separable battery pack(s).
Pre-test requirements	With a new sanding sheet carry out 1 min sanding before starting measurements

Table I.102 – Operating conditions for polishers

Orientation	Polishing a horizontal steel plate 400 mm × 400 mm × 20 mm mounted on a bench
Tool bit	Polishing pad
Feed force	Vertical force applied in addition to the weight of the tool: – 30 N ± 5 N, if the mass of the tool is less than 1,5 kg; – 50 N ± 5 N, if the mass of the tool is equal or greater than 1,5 kg; – or the force necessary to obtain rated input, whichever is the lower. For battery-powered polishers, the mass of the tool to select the feed force shall be the mass of the tool but not including any detachable battery pack(s) or separable battery pack(s).

I.3.6.2 Declaration of the vibration total value*Addition:*

The vibration total value a_h of the handle with the highest emission and the uncertainty K shall be declared.



IEC 1228/14

Figure I.101 – Position of transducers for sanders and polishers

Annex K
(normative)**Battery tools and battery packs****K.1** *Addition:*

All clauses of this Part 2-4 apply unless otherwise specified in this annex.

K.8.14.1.101 This subclause is not applicable.

K.17.2 This subclause is not applicable.

K.20.5 This subclause is not applicable.

K.21.30 This subclause is not applicable.

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV

Bibliography

The bibliography of Part 1 is applicable, except as follows:

Addition:

IEC 62841-2-3:—, *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety – Part 2-3: Particular requirements for hand-held grinders, polishers and disc-type sanders*¹

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV

¹ To be published.

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 General requirements	7
5 General conditions for the tests	7
6 Radiation, toxicity and similar hazards	7
7 Classification	7
8 Marking and instructions	7
9 Protection against access to live parts	8
10 Starting	8
11 Input and current	8
12 Heating	8
13 Resistance to heat and fire	8
14 Moisture resistance	8
15 Resistance to rusting	8
16 Overload protection of transformers and associated circuits	8
17 Endurance	8
18 Abnormal operation	9
19 Mechanical hazards	9
20 Mechanical strength	10
21 Construction	10
22 Internal wiring	11
23 Components	11
24 Supply connection and external flexible cords	11
25 Terminals for external conductors	11
26 Provision for earthing	11
27 Screws and connections	11
28 Creepage distances, clearances and distances through insulation	11
Annexes	14
Annex J (informative) Measurement of noise and vibration emissions	14
Annex K (normative) Battery tools and battery packs	17
Bibliography	18
Figure 101 – Rod test for the in-feed nip between the belt and roller	12
Figure 102 – Steel ball test for the in-feed nip between the belt housing enclosure and roller	13
Figure I.101 – Position of transducers for sanders and polishers	16

Table 4 – Required performance levels	9
Table I.101 – Operating conditions for sanders	14
Table I.102 – Operating conditions for polishers	15

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS,
TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY –
SAFETY –****Part 2-4: Particular requirements for hand-held
sanders and polishers other than disc type**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62841-2-4 edition 1.1 contains the first edition (2014-06) [documents 116/164/FDIS and 116/178/RVD], its corrigendum (2025-10) and its amendment 1 (2025-02) [documents 116/864/FDIS and 116/880/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62841-2-4 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-4 is to be used in conjunction with the first edition of IEC 62841-1 (2014).

This Part 2-4 supplements or modifies the corresponding clauses in IEC 62841-1, so as to convert it into the IEC Standard: Particular requirements for hand-held sanders and polishers other than disc type.

Where a particular subclause of Part 1 is not mentioned in this Part 2-4, that subclause applies as far as reasonable. Where this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101.

A list of all parts of the IEC 62841 series, under the general title: *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests. It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 2-4: Particular requirements for hand-held sanders and polishers other than disc type

1 Scope

This clause of Part 1 is applicable, except as follows:

Addition:

This part of IEC 62841 applies to hand-held **sanders** and **polishers** with the exception of disc-type tools covered by IEC 62841-2-3.

Tools covered by this standard include but are not limited to **belt sanders**, **drum sanders** or **polishers**, **reciprocating sanders** or **polishers**, **orbital sanders** or **polishers**, and **random orbit sanders** or **polishers**.

2 Normative references

This clause of Part 1 is applicable.

3 Terms and definitions

This clause of Part 1 is applicable, except as follows:

Addition:

3.101

sander

tool intended to remove surface material using an abrasive medium

3.102

polisher

tool equipped with a disc or pad intended for polishing

3.103

belt sander

sander equipped with an endless abrasive belt

3.104

drum sander or polisher

sander or **polisher** equipped with a rotating cylindrical working surface, oriented either inline or at an angle with the motor axis

Note 1 to entry: **Drum polishers** are also known as burnishing machines.

Note 2 to entry: **Drum sanders** with a drum in line with the axis of the motor are also known as spindle sanders or inline sanders.

3.105

orbital sander or polisher

sander or **polisher** equipped with a plate, which performs an orbital oscillating motion parallel to the work surface

Note 1 to entry: Orbital sanders or polishers are also known as oscillating sanders or polishers

3.106

random orbit sander or polisher

sander or **polisher** equipped with a plate positioned eccentrically on the driving spindle which can rotate freely around its axis parallel to the work surface

3.107

reciprocating sander or polisher

sander or **polisher** equipped with a plate which performs a reciprocating motion parallel to the work surface

4 General requirements

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable, except as follows:

5.17 Addition:

The mass of the tool includes the dust extraction adapter, if any.

6 Radiation, toxicity and similar hazards

This clause of Part 1 is applicable.

7 Classification

This clause of Part 1 is applicable.

8 Marking and instructions

This clause of Part 1 is applicable, except as follows:

8.3 Addition:

For **belt sanders** and **drum sanders** and **polishers**, the direction of rotation shall be indicated on the tool by an arrow, raised or sunk, or by any other means no less visible and indelible.

8.14.1 Addition:

For **belt sanders** and **drum sanders**, the additional safety instructions as specified in 8.14.1.101 shall be given. This part may be printed separately from the “General Power Tool Safety Warnings”.

8.14.1.101 Belt sander and drum sander safety warnings

Hold the power tool by insulated gripping surfaces, because the sanding surface may contact its own cord. Cutting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.

9 Protection against access to live parts

This clause of Part 1 is applicable.

10 Starting

This clause of Part 1 is applicable.

11 Input and current

This clause of Part 1 is applicable.

12 Heating

This clause of Part 1 is applicable.

13 Resistance to heat and fire

This clause of Part 1 is applicable.

14 Moisture resistance

This clause of Part 1 is applicable.

15 Resistance to rusting

This clause of Part 1 is applicable.

16 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

17 Endurance

This clause of Part 1 is applicable, except as follows:

17.2 Replacement of the third paragraph, except for *belt sanders* and *drum sanders* and *polishers*:

Orbital sanders and polishers, random orbit sanders and polishers, and reciprocating sanders and polishers are operated for 24 h at a voltage equal to 1,1 times the highest rated voltage or 1,1 times the upper limit of the rated voltage range, and then for 24 h at a supply voltage equal to 0,9 times the lowest rated voltage or 0,9 times the lower limit of the rated voltage range. The 24 h of operation need not be continuous. If applicable, the tool is adjusted to the maximum attainable speed.

The tools are operated while the platen, fitted with abrasive paper in reverse position or a polishing bonnet as applicable, is resting under the weight of the tool on a steel plate. The abrasive paper should be replaced as required to avoid direct contact between platen and steel plate. These tools are only tested in the upright position where the platen is horizontal.

18 Abnormal operation

This clause of Part 1 is applicable, except as follows:

18.8 Replacement of Table 4:

Table 4 – Required performance levels

Type and purpose of SCF	Minimum performance level (PL)
Power switch – prevent unwanted switch-on for belt sanders , drum sanders and drum polishers	b
Power switch – prevent unwanted switch-on for sanders and polishers other than belt sanders , drum sanders , drum polishers	Not an SCF
Power switch – provide desired switch-off for belt sanders , drum sanders and drum polishers	b
Power switch – provide desired switch-off for sanders and polishers other than belt sanders , drum sanders and drum polishers	Not an SCF
Provide desired direction of rotation for belt sanders , drum sanders and drum polishers	a
Any speed limiting device	Not an SCF
Prevent exceeding thermal limits as in 18.4 and 18.5.3	a

19 Mechanical hazards

This clause of Part 1 is applicable, except as follows:

19.1 Replacement of the first paragraph:

Moving and dangerous parts other than the abrasive belt and belt rollers of **belt sanders** shall, as far as is compatible with the use and working of the tool, be so positioned or enclosed to provide adequate protection against personal injury. The requirements for the abrasive belt and belt rollers of **belt sanders** are specified in 19.1.101, 19.1.102 and 19.1.103.

19.1.101 Belt sanders shall be designed to minimise the risk due to the nip hazard from the roller closest to the operator without limiting the intended functionality of the tool.

Compliance is checked by the following tests 1 and 2.

- 1) *An test rod with 8 mm diameter, applied parallel to the axis of the roller, shall not be able to enter the in-feed nip between the roller and the abrasive belt. As the rod is attempted to be inserted into this area, the abrasive belt shall not be displaced in any way that would allow the entry of the rod. See Figure 101.*
- 2) *The abrasive belt is removed. A steel ball with 7 mm diameter is placed all along the in-feed gap between the intended belt contact surface of the roller and the belt housing enclosure with the tool turned upside down in the most unfavourable position, see Figure 102. The steel ball shall not move under its own weight into the gap between the roller and the belt housing beyond the line of complete passage as shown in Figure 102.*

19.1.102 Belt sanders shall be designed to limit access to in-feed nip locations from roller(s) other than those closest to the operator without limiting the intended functionality of the tool.

In-feed nip locations are regarded to be located either

between the intended belt contact surface of the roller and the belt housing enclosure

or

between the intended belt contact surface of the roller and the abrasive belt.

Access shall be limited by either a) or b) as follows:

- a) The chain distance between any in-feed nip location and the closest point on a handle or grasping surface identified in accordance with 8.14.2 b) 6) shall be at least 100 mm.

Compliance is checked by measurement.

- b) If a stick-type auxiliary handle is mounted to the side with its axis perpendicular to the direction of movement of the abrasive belt, it shall be provided with a flange having a height not less than 12 mm above the grasping surface between the grasping area and the in-feed nip location.

Compliance is checked by inspection and by measurement.

19.1.103 The ends of rollers that extend past the edge of the intended belt contact surface shall be smooth and free of sharp edges.

Compliance is checked by inspection.

19.6 This subclause is not applicable.

20 Mechanical strength

This clause of Part 1 is applicable, except as follows:

20.5 This subclause is not applicable for **sanders** and **polishers** except for **belt sanders** and **drum sanders**.

21 Construction

This clause of Part 1 is applicable, except as follows:

21.18.1 Addition:

For

- **sanders** other than **belt sanders** and **drum sanders**; and
- **polishers** other than **drum polishers**,

power switches other than **momentary power switches** are permitted.

21.18.1.2 This subclause of Part 1 is not applicable.

Replace the existing text of the third dashed item of 21.35 with the following new text:

- other **sanders**, with a sanding contact surface exceeding 200 cm²,
unless the tool is intended to process only metal in accordance with 8.14.2 b) 4) of Part 1.

21.30 This subclause is not applicable for **sanders** and **polishers** except for **belt sanders** and **drum sanders**.

21.35 This subclause is applicable for:

- **belt sanders** and **random orbit sanders** with a sanding contact surface exceeding 100 cm²;
- **drum sanders** other than spindle sanders;
- other **sanders**, with a sanding contact surface exceeding 200 cm², unless they are intended to process only metal in accordance with 8.14.2 b) 4).

22 Internal wiring

This clause of Part 1 is applicable.

23 Components

This clause of Part 1 is applicable, except as follows:

23.3 This subclause of Part 1 is not applicable.

24 Supply connection and external flexible cords

This clause of Part 1 is applicable.

25 Terminals for external conductors

This clause of Part 1 is applicable.

26 Provision for earthing


This clause of Part 1 is applicable.

27 Screws and connections

This clause of Part 1 is applicable.

28 Creepage distances, clearances and distances through insulation

This clause of Part 1 is applicable.



IEC 1226/14

Key

- 1 rod with 8 mm diameter
- 2 abrasive belt
- 3 roller closest to the operator

Figure 101 – Rod test for the in-feed nip between the belt and roller

IECNORM.COM : Click to view the full PDF of IEC 62841-2-4:2014+AMD1:2025 CSV