
**Solid hardmetal end mills with cylindrical
shank — Dimensions**

*Fraises cylindriques deux tailles monobloc en métaux-durs —
Dimensions*

STANDARDSISO.COM : Click to view the full PDF of ISO 10911:2010



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 10911:2010



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10911 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 9, *Tools with cutting edges made of hard cutting materials*.

This second edition cancels and replaces the first edition (ISO 10911:1994) which has been technically revised.

STANDARDSISO.COM : Click to view the full PDF of ISO 10911:2010

Solid hardmetal end mills with cylindrical shank — Dimensions

1 Scope

This International Standard specifies the dimensions of solid hardmetal end mills with cylindrical shank.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3338-1, *Cylindrical shanks for milling cutters — Part 1: Dimensional characteristics of plain cylindrical shanks*

ISO 3338-2, *Cylindrical shanks for milling cutters — Part 2: Dimensional characteristics of flatted cylindrical shanks*

3 Dimensions


The dimensions of solid hardmetal end mills with plain cylindrical shank are specified in Figure 1 and Table 1.

NOTE The dimensions given in Table 1 also apply to solid hardmetal end mills with flatted cylindrical shanks in accordance with ISO 3338-2.

4 Centre cutting

End mills with two flutes shall be centre-cutting (slot drills).

End mills with three flutes or more may be centre-cutting.



Key

1 Plain cylindrical shank in accordance with ISO 3338-1

NOTE See Table 1 for dimensions.

Figure 1 — Example of an end mill

Table 1 — Dimensions of end mills with two flutes

Dimensions in millimetres

Cutting diameter d_1 h10	Shank diameter ^a d_2 h6	Short cutting part			Long cutting part		
		Overall length l_1^b	Cutting length l_2^c		Overall length l_1^d	Cutting length l_2	
			2 or 3 cutting edges	4 cutting edges		2 or 3 cutting edges	4 cutting edges
1,0	3,0	38,0	3,0	3,0	—	—	—
1,5	3,0	38,0	3,0	4,0	—	—	—
2,0	3,0	38,0	3,0	4,0	38,0	6,0	7,0
	6,0	50,0	3,0	4,0	57,0	6,0	7,0
2,5	3,0	38,0	3,0	4,0	38,0	7,0	8,0
	6,0	50,0	3,0	4,0	57,0	7,0	8,0
3,0	3,0	38,0	4,0	5,0	38,0	7,0	8,0
	6,0	50,0	4,0	5,0	57,0	7,0	8,0
3,5	6,0	50,0	4,0	6,0	57,0	7,0	10,0
4,0	6,0	54,0	5,0	8,0	57,0	8,0	11,0
4,5	6,0	54,0	5,0	8,0	57,0	8,0	11,0
5,0	6,0	54,0	6,0	9,0	57,0	10,0	13,0
6,0	6,0	54,0	7,0	10,0	57,0	10,0	13,0
7,0	8,0	58,0	8,0	11,0	63,0	13,0	16,0
8,0	8,0	58,0	9,0	12,0	63,0	16,0	19,0
9,0	10,0	66,0	10,0	13,0	72,0	16,0	19,0
10,0	10,0	66,0	11,0	14,0	72,0	19,0	22,0
12,0	12,0	73,0	12,0	16,0	83,0	22,0	26,0
14,0	14,0	75,0	14,0	18,0	83,0	22,0	26,0
16,0	16,0	82,0	16,0	22,0	92,0	26,0	32,0
18,0	18,0	84,0	18,0	24,0	92,0	26,0	32,0
20,0	20,0	92,0	20,0	26,0	104,0	32,0	38,0

^a For the dimensions, see ISO 3338-1.^b Tolerance on l_1 , short cutting part: $^{+2,0}_0$ mm.^c Tolerances on l_2 : for l_2 up to 10 mm: $^{+10}_0$ mm; for $l_2 > 10$ mm ≤ 22 mm: $^{+15}_0$ mm; for $l_2 > 22$ mm: $^{+20}_0$ mm.^d Tolerance on l_1 , long cutting part: $^{+2,0}_0$ mm.