

INTERNATIONAL STANDARD

ISO
15083

Second edition
2020-04

AMENDMENT 1
2022-09

Small craft — Bilge-pumping systems **AMENDMENT 1**

Petits navires — Systèmes de pompe de cale
AMENDEMENT 1

STANDARDSISO.COM : Click to view the full PDF of ISO 15083:2020/Amd 1:2022



Reference number
ISO 15083:2020/Amd.1:2022(E)

© ISO 2022

STANDARDSISO.COM : Click to view the full PDF of ISO 15083:2020/Amd 1:2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 188, *Small craft*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 464, *Small Craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

STANDARDSISO.COM : Click to view the full PDF of ISO 15083:2020/Amd 1:2022

Small craft — Bilge-pumping systems

AMENDMENT 1

Clause 1

Replace “ISO 8666:2016” with “ISO 8666:2020”.

Clause 2

Remove the following normative references:

ISO 9093-1:1994, *Small craft — Seacocks and through-hull fittings — Part 1: Metallic*

ISO 9093-2:2002, *Small craft — Seacocks and through-hull fittings — Part 2: Non-metallic*

ISO 10133:2012, *Small craft — Electrical systems — Extra-low-voltage d.c. installations*

ISO 11591:2019, *Small craft — Field of vision from the steering position*

Replace the following normative references:

“ISO 8666:2016” with “ISO 8666:2020”.

“ISO 8849:2003, *Small craft — Electrically operated direct-current bilge pumps*” with “ISO 8849:2020, *Small craft — Electrically operated bilge pumps*”.

“ISO 13297:2014, *Small craft — Electrical systems — Alternating current installations*” with both:

- “ISO 13297:2020, *Small craft — Electrical systems — Alternating and direct current installations*”; and
- “ISO 13297:2020/Amd.1:2022, *Small craft — Electrical systems — Alternating and direct current installations — Amendment 1*”.

Insert the following normative reference:

ISO 9093:2020, *Small craft — Seacocks and through-hull fittings*

3.4

Replace terminological entry 3.4 with the following:

3.4

fully enclosed boat

craft in which the horizontal projection of the sheerline (3.13) area comprises any combination of

- watertight deck and superstructure; and/or
- quick-draining recesses; and/or

- watertight recesses with a combined volume of less than $(L_H B_H F_M)/40$, and with all closing appliances meeting the appropriate degree of watertightness

Note 1 to entry: Quick-draining recesses and watertight recesses are covered in ISO 11812.

Note 2 to entry: Degrees of watertightness are covered in ISO 12216.

3.7, Note 1 to entry

Replace “ISO 8666:2016” with “ISO 8666:2020”.

3.13, SOURCE

Replace “[SOURCE: ISO 8666:2016, 2.3]” with “[SOURCE: ISO 8666:2020, 3.3]”.

Clause 3, at the end

Insert the following terminological entry:

3.16

main steering position

steering position as defined by the manufacturer

Clause 4

Replace Table 1 with the following:

Symbol	Unit	Description
A_S	m ²	Reference sail area, according to ISO 8666:2020
B_H	m	Beam of the hull, according to ISO 8666:2020
F_M	m	Freeboard, midship, to the loaded waterline, according to ISO 8666:2020
L_H	m	Length of the hull, according to ISO 8666:2020
m_{LDC}	kg	Mass of the boat in the maximum loaded displacement, according to ISO 8666:2020
IP 56	—	Protected from limited dust ingress. Protected from high pressure water jets from any direction. According to IEC 60529:1989/AMD2:2013/COR1:2019

5.1.1, third paragraph

Replace the text with the following:

Fore and aft peaks need not be linked to the bilge pumping system if

- their combined volume is less than or equal to 10 % of the displacement of the craft in the loaded displacement condition (m_{LDC}), and