

---

---

**Tobacco and tobacco products —  
Determination of the width of the  
strands of cut tobacco**

*Tabac et des produits du tabac — Détermination de la largeur des  
brins de tabac haché*

STANDARDSISO.COM : Click to view the full PDF of ISO 20193:2019



STANDARDSISO.COM : Click to view the full PDF of ISO 20193:2019



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

|                                                                                                                                  | Page     |
|----------------------------------------------------------------------------------------------------------------------------------|----------|
| Foreword .....                                                                                                                   | iv       |
| <b>1 Scope</b> .....                                                                                                             | <b>1</b> |
| <b>2 Normative references</b> .....                                                                                              | <b>1</b> |
| <b>3 Terms and definitions</b> .....                                                                                             | <b>1</b> |
| <b>4 Principle</b> .....                                                                                                         | <b>1</b> |
| <b>5 Apparatus</b> .....                                                                                                         | <b>2</b> |
| <b>6 Procedure</b> .....                                                                                                         | <b>2</b> |
| 6.1 General .....                                                                                                                | 2        |
| 6.2 Sampling .....                                                                                                               | 2        |
| 6.3 Preparation of the samples .....                                                                                             | 2        |
| 6.4 Preparation of the strands .....                                                                                             | 2        |
| 6.5 Determination of cut width .....                                                                                             | 3        |
| 6.5.1 General .....                                                                                                              | 3        |
| 6.5.2 Single measurements .....                                                                                                  | 3        |
| <b>7 Expression of results</b> .....                                                                                             | <b>3</b> |
| <b>8 Repeatability and reproducibility</b> .....                                                                                 | <b>3</b> |
| <b>9 Test report</b> .....                                                                                                       | <b>4</b> |
| <b>Annex A (informative) Example of a sample holder with 5 lines — Holder with a single line is a suitable alternative</b> ..... | <b>5</b> |
| <b>Annex B (informative) Example of data sheets</b> .....                                                                        | <b>6</b> |
| <b>Bibliography</b> .....                                                                                                        | <b>8</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 126, *Tobacco and tobacco products*, Subcommittee SC 1, *Physical and dimensional tests*.

This second edition cancels and replaces the first edition (ISO 20193:2012), which has been technically revised. The main change compared to the previous edition is as follows:

- measurement of 20 strands along a single line rather than 5 lines previously.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Tobacco and tobacco products — Determination of the width of the strands of cut tobacco

## 1 Scope

This document specifies a method for the determination of the width of strands of cut tobacco. This method is only applicable on samples of strands of cut tobacco with a uniform cut width.

NOTE There are other ways of measuring the width of the strands of cut tobacco. A system with the same accuracy can be used, for example a microscope with an internal fitted ruler or a camera with image processing system.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 216, *Writing paper and certain classes of printed matter — Trimmed sizes — A and B series, and indication of machine direction*

ISO 3402, *Tobacco and tobacco products — Atmosphere for conditioning and testing*

ISO 8243, *Cigarettes — Sampling*

ISO 15592-1, *Fine-cut tobacco and smoking articles made from it — Methods of sampling, conditioning and analysis — Part 1: Sampling*

ISO 15592-2, *Fine-cut tobacco and smoking articles made from it — Methods of sampling, conditioning and analysis — Part 2: Atmosphere for conditioning and testing*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### cut width

width of a strand of tobacco

### 3.2

#### cut tobacco with a uniform cut width

homogeneous products mainly constituted of cut strands with visually minimal strand width difference between them

## 4 Principle

Taking into consideration the fact that the tobacco samples to be analysed have a uniform cut width and that the mass of the individual tobacco strands may be disregarded, 20 strands of at least 10 mm

long are taken from the total test portion and measured along a perpendicular line to determine their cut width.

A statistical conclusion for the population may be drawn from the resulting 20 values.

## 5 Apparatus

Normal laboratory apparatus and, in particular, the following items.

**5.1 Sample holder**, capable of holding the strands in a fixed position.

[Annex A](#) gives an example of a holder (see [Figure A.1](#)) including guidance for its suitable dimensions.

**5.2 Measuring device**, with an accuracy of at least  $\pm 0,1$  mm.

## 6 Procedure

### 6.1 General

For production control, samples can be selected just after cutting and measured rapidly in order to minimize the influence of ambient conditions.

If packed samples are analysed (for example in pouch, bag, box or cigarette pack), the atmosphere for the preparation of the strands and for the determination of the cut width of fine-cut tobacco shall be in accordance with the testing atmosphere specified in ISO 15592-2. For cigarettes, ISO 3402 shall be applied accordingly.

### 6.2 Sampling

Take the samples in accordance with ISO 15592-1 or ISO 8243.

### 6.3 Preparation of the samples

If samples are prepared from the packed product, a test portion of 50 g is taken.

If samples are prepared from the packed product, they shall be conditioned according to ISO 15592-2 for fine-cut tobacco or ISO 3402 for cigarettes. After conditioning, spread out the test portion.

Spread out the test portion as evenly as possible on an area of size A3 in accordance with ISO 216.

### 6.4 Preparation of the strands

From the test portion, randomly take 20 strands of at least 10 mm long which have been cut in parallel.

Secure the strands to a sample holder ([5.1](#)). Affix each strand to the surface of the sample holder perpendicular to the line(s) on the sample holder (some sample holders may have more than one line), taking care to ensure that the strands lie flat and are not twisted.

When the strands have been affixed to the sample holder, it is covered with a transparent strip in order to secure the strands' position.

When securing the strands, take care to avoid stretching. Artificial damage to the strands should be avoided.

## 6.5 Determination of cut width

### 6.5.1 General

Determine the cut width immediately after securing the strands.

Measure the cut width of each of the strands prepared in accordance with 6.4 in accordance with the procedure described in 6.5.2.

### 6.5.2 Single measurements

The single measurements shall be made either on or directly adjacent to a line on the sample holder (5.1).

State the cut width to the nearest 0,05 mm.

## 7 Expression of results

Calculate the arithmetic mean from the individual measurements and report to the nearest 0,1 mm and the standard deviation to the nearest 0,01 mm.

Enter the evaluated data in a data sheet as illustrated in the example in Annex B.

## 8 Repeatability and reproducibility

The difference between the mean of 20 measurements per holder, obtained within the shortest feasible time interval by the same operator working on identical sample material and using the same apparatus will exceed the repeatability limit,  $r$ , on average not more than once in 20 cases in the normal operation of the method.

The difference between two results, reported by two laboratories for the same sample material will exceed the reproducibility limit,  $R$ , on average not more than once in 20 cases in the normal operation of the method.

An interlaboratory study involving 10 laboratories to determine the cut width yielded the values shown in Table 1 for the repeatability limit,  $r$ , and reproducibility limit,  $R$ , as well as for the standard deviations for repeatability and reproducibility,  $s_r$  and  $s_R$  (see References [1] and [2]). Samples were conditioned according to ISO 15592-2 prior measurement.

The collaborative study has shown that the variability between the lines of a same holder could be neglected compared with the variability between the strands. Measurement of 20 strands along a single line is then sufficient.

**Table 1 — Summary of results of the collaborative study**

| Precision data                                                                                   | Width of strands of cut tobacco<br>mm |       |       |       |
|--------------------------------------------------------------------------------------------------|---------------------------------------|-------|-------|-------|
|                                                                                                  | 0,42                                  | 1,05  | 1,68  | 3,27  |
| Repeatability limit, $r$                                                                         | 0,04                                  | 0,08  | 0,07  | 0,15  |
| Standard deviation for repeatability, $s_r$                                                      | 0,014                                 | 0,030 | 0,024 | 0,053 |
| Reproducibility limit, $R$                                                                       | 0,08                                  | 0,28  | 0,42  | 0,61  |
| Standard deviation for reproducibility, $s_R$                                                    | 0,030                                 | 0,099 | 0,148 | 0,216 |
| NOTE Higher relative variability is observed at low cut width levels due to cutter capabilities. |                                       |       |       |       |

An interlaboratory study conducted in 2017 with 5 laboratories applying the method specified in ISO 20193:2012 using microscope and 3 laboratories using video camera method, has shown that video camera method was able to deliver similar results to the method specified in ISO 20193:2012

using microscope. However, the number of strands and measurement resolution shall at least be those specified in this document.

## 9 Test report

The test report shall contain at least the following information:

- a) all particulars necessary for identification of the sample (type of sample, origin of sample, designation);
- b) a reference to this document, i.e. ISO 20193:2019;
- c) time and manner of sampling;
- d) information on conditioning;
- e) time of delivery of the sample;
- f) date and time of testing;
- g) room temperature at the time of testing;
- h) test results and units in which these are stated;
- i) special features observed during the test.

STANDARDSISO.COM : Click to view the full PDF of ISO 20193:2019



## Annex A (informative)

### Example of a sample holder with 5 lines — Holder with a single line is a suitable alternative

#### A.1 General

|                                                                                      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Date : _____ Lab : _____ Sample : _____<br>Lab. Conditions : RH : _____ Temp : _____ |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

  

|                                                                                                                                                                                                                                                                                                |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|
| 1                                                                                                                                                                                                                                                                                              | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|                                                                                                                                                                                                                                                                                                |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| <div style="display: flex; align-items: center;"> <div style="flex: 1; border: 1px solid black; position: relative;"> <!-- Five horizontal lines for sample placement --> <div style="position: absolute; top: 0; bottom: 0; left: 0; right: 0; border: 1px solid black;"></div> </div> </div> |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |
| 1                                                                                                                                                                                                                                                                                              | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |

Figure A.1 — Example of a sample holder

#### A.2 Guidance for suitable dimensions

Sample holder with dimensions 20 mm × 110 mm, subdivided by five parallel lines, to the longer side, distance between the lines (3,5 ± 0,5) mm.

NOTE A microscope with an internal fitted ruler can be used.

## Annex B (informative)

### Example of data sheets

#### B.1 One measurement per strand

Laboratory:

Time and kind of sampling:

Measurement procedure applied:

|             | Cut width<br>(mm) | Sample                         |
|-------------|-------------------|--------------------------------|
| 1st strand  |                   |                                |
| 2nd strand  |                   | Date of measurement:           |
| 3rd strand  |                   |                                |
| 4th strand  |                   |                                |
| 5th strand  |                   | Ambient air temperature:       |
| 6th strand  |                   |                                |
| 7th strand  |                   |                                |
| 8th strand  |                   | Ambient air relative humidity: |
| 9th strand  |                   |                                |
| 10th strand |                   |                                |
| 11th strand |                   | Start time of measurement:     |
| 12th strand |                   |                                |
| 13th strand |                   |                                |
| 14th strand |                   | End time of measurement:       |
| 15th strand |                   |                                |
| 16th strand |                   |                                |
| 17th strand |                   | Operator:                      |
| 18th strand |                   |                                |
| 19th strand |                   |                                |
| 20th strand |                   |                                |

Measurements with an accuracy of  $\pm 0,1$  mm.

Comments:

## B.2 Five measurements per strand

Laboratory:

Time and kind of sampling:

Measurement procedure applied:

|             | Cut width<br>(mm)       |                         |                         |                         |                         |                    | Sample             |
|-------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------|--------------------|
|             | 1st<br>measure-<br>ment | 2nd<br>measure-<br>ment | 3rd<br>measure-<br>ment | 4th<br>measure-<br>ment | 5th<br>measure-<br>ment | Mean per<br>strand |                    |
| 1st strand  |                         |                         |                         |                         |                         |                    |                    |
| 2nd strand  |                         |                         |                         |                         |                         |                    | Date of            |
| 3rd strand  |                         |                         |                         |                         |                         |                    | measurement:       |
| 4th strand  |                         |                         |                         |                         |                         |                    |                    |
| 5th strand  |                         |                         |                         |                         |                         |                    | Ambient air        |
| 6th strand  |                         |                         |                         |                         |                         |                    | temperature:       |
| 7th strand  |                         |                         |                         |                         |                         |                    |                    |
| 8th strand  |                         |                         |                         |                         |                         |                    | Ambient air        |
| 9th strand  |                         |                         |                         |                         |                         |                    | relative humidity: |
| 10th strand |                         |                         |                         |                         |                         |                    |                    |
| 11th strand |                         |                         |                         |                         |                         |                    | Start time of      |
| 12th strand |                         |                         |                         |                         |                         |                    | measurement:       |
| 13th strand |                         |                         |                         |                         |                         |                    |                    |
| 14th strand |                         |                         |                         |                         |                         |                    | End time of        |
| 15th strand |                         |                         |                         |                         |                         |                    | measurement:       |
| 16th strand |                         |                         |                         |                         |                         |                    |                    |
| 17th strand |                         |                         |                         |                         |                         |                    | Operator:          |
| 18th strand |                         |                         |                         |                         |                         |                    |                    |
| 19th strand |                         |                         |                         |                         |                         |                    |                    |
| 20th strand |                         |                         |                         |                         |                         |                    |                    |

Measurements with an accuracy of  $\pm 0,1$  mm.

Comments: