
**Centre drills for centre holes with
radius form — Type R**

Forets à centrer pour centres à profil curviligne — Type R

STANDARDSISO.COM : Click to view the full PDF of ISO 2541:2016



STANDARDSISO.COM : Click to view the full PDF of ISO 2541:2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Designation	1
3 Dimensions	1
Annex A (normative) Dimensions for centre hole — Type R	3
Annex B (informative) Relationship between designations in this International Standard and ISO 13399 (all parts)	4
Bibliography	5

STANDARDSISO.COM : Click to view the full PDF of ISO 2541:2016

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 29, *Small tools*, Subcommittee SC 2, *Holding tools, adaptive items and interfaces*.

This second edition cancels and replaces the first edition (ISO 2541:1972), of which it constitutes a minor revision, notably with the addition of [Annex B](#), which gives the relationship between the designations of this International Standard and the ISO 13399 series.

Introduction

This International Standard relates to centre drills and deals only with centre drills for centre holes with radius — Type R. It is a continuation of ISO 866 and ISO 2540.

STANDARDSISO.COM : Click to view the full PDF of ISO 2541:2016

STANDARDSISO.COM : Click to view the full PDF of ISO 2541:2016

Centre drills for centre holes with radius form — Type R

1 Scope

This International Standard specifies the dimensions of centre drills for centre holes with radius — Type R.

It covers only metric dimensions, regarded as the only recommended dimensions in the future for this type of drills.

The flutes can be straight or spiral at the option of manufacturer.

Unless otherwise stated, these drills are right-hand cutting.

[Annex A](#) gives the recommended dimensions for the centre holes, Type R, which can be obtained by a rational use of the centre drills listed in this International Standard.

2 Designation

Centre drills shall be designated by the type (Type R in this case), the pilot diameter, d (first column of [Table 1](#)) and the shank diameter, d_1 (second column of [Table 1](#)).

EXAMPLE R 2,5/6,3.

3 Dimensions




Figure 1 — Centre drills — Type R

Table 1

Dimensions in millimetres

d^a k12	d_1 h9	L		l	r	
		max.	min.		max.	min.
1,0	3,15	33,5	29,5	3,0	3,15	2,5
(1,25)	3,15	33,5	29,5	3,35	4,0	3,15
1,6	4,0	37,5	33,5	4,25	5,0	4,0
2,0	5,0	42	38	5,3	6,3	5,0
2,5	6,3	47	43	6,7	8,0	6,3
3,15	8,0	52	48	8,5	10,0	8,0
4,0	10,0	59	53	10,6	12,5	10,0
(5,0)	12,5	66	60	13,2	16,0	12,5
6,3	16,0	74	68	17,0	20,0	16,0
(8,0)	20,0	83	77	21,2	25,0	20,0
10,0	25,0	103	97	26,5	31,5	25,0

^a Sizes in brackets should be avoided whenever possible.

Annex A (normative)

Dimensions for centre hole — Type R




Figure A.1

Table A.1

Dimensions in millimetres

d^a nominal	D nominal
1,0	2,12
(1,25)	2,65
1,6	3,35
2,0	4,25
2,5	5,3
3,15	6,7
4,0	8,5
(5,0)	10,6
6,3	13,2
(8,0)	17,0
10,0	21,2

^a Sizes in brackets should be avoided whenever possible.