

INTERNATIONAL STANDARD



3162


INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Caravans and light trailers — Couplings for vacuum braking systems — Dimensional characteristics

Caravanes et remorques légères — Accouplements pour systèmes de freinage à dépression — Caractéristiques dimensionnelles

First edition — 1974-03-01

STANDARDSISO.COM : Click to view the full PDF of ISO 3162:1974



Withdrawn in 1990

4.6-59

UDC 629.113

Ref. No. ISO 3162-1974 (E)

Descriptors : trailers, couplings, braking, dimensions.

Price based on 2 pages

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3162 was drawn up by Technical Committee ISO/TC 22, *Road vehicles*, and circulated to the Member Bodies in February 1973.

It has been approved by the Member Bodies of the following countries :

Australia	Hungary	Romania
Austria	India	South Africa, Rep. of
Belgium	Iran	Sweden
Bulgaria	Ireland	Switzerland
Canada	Italy	Thailand
Czechoslovakia	Japan	Turkey
Egypt, Arab Rep. of	Mexico	U.S.S.R.
France	New Zealand	
Germany	Poland	

The Member Bodies of the following countries expressed disapproval of the document on technical grounds :

United Kingdom
U.S.A.

Caravans and light trailers — Couplings for vacuum braking systems — Dimensional characteristics

1 SCOPE

This International Standard specifies the dimensional characteristics of the coupling device used for vacuum braking systems for caravans and light trailers in conformity with ISO 2890.

2 FIELD OF APPLICATION

This International Standard applies to caravans and light trailers with a total laden mass less than or equal to 3,5 tonnes.¹⁾ It concerns vacuum braking equipment with one or two vacuum lines, one for service braking, the other for replenishing of the vacuum reservoir on the trailer.

3 REFERENCES

ISO 1103, *Caravans and light trailers — Coupling ball*.²⁾

ISO 2890, *Caravans and light trailers — Vacuum brakes*.³⁾

4 DIMENSIONS OF COUPLING DEVICE

This International Standard specifies only the main dimensions of the "male" coupling (see figure 2). The "female" coupling design is left to the manufacturer provided the whole device satisfies the requirements of clause 6.

5 LOCATION OF COUPLINGS ON THE TOWING VEHICLE

The couplings on the towing vehicle shall be placed as shown in figure 1.




FIGURE 1 — Location of couplings

1) This value is chosen to include categories 01 and 02 of trailers according to the classification of vehicles given in document E/ECE/324-Rev. 1/Add. 12 of the Economic Commission for Europe of the United Nations.

This document is entitled : Agreement concerning the adoption of uniform conditions of approval and reciprocal recognition of approval for motor vehicle equipment and parts — done at Geneva on 20 March 1958 — Addendum 12 : Regulation No. 13 to be annexed to the Agreement : Uniform provisions concerning the approval of vehicles with regard to braking.

2) At present at the stage of draft. (Revision of ISO/R 1103.)

3) At present at the stage of draft.