

INTERNATIONAL STANDARD



3367

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Coated abrasives — Rolls for widths of 50 mm and greater — Any backing — Designation and dimensions

Abrasifs appliqués — Rouleaux de largeurs supérieures ou égales à 50 mm — Tous supports — Désignation et dimensions

First edition — 1975-05-01

STANDARDSISO.COM : Click to view the full PDF of ISO 3367:1975

UDC 621.921.6-181

Ref. No. ISO 3367-1975 (E)

Descriptors : tools, abrasives, rolls, designation, dimensions.

Price based on 1 page

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3367 was drawn up by Technical Committee ISO/TC 29, *Small tools*, and circulated to the Member Bodies in December 1973.

It has been approved by the Member Bodies of the following countries:

Austria	India	Sweden
Belgium	Israel	Switzerland
Bulgaria	Italy	Thailand
Canada	Netherlands	Turkey
Czechoslovakia	New Zealand	United Kingdom
Egypt, Arab Rep. of	Poland	U.S.A.
France	Romania	U.S.S.R.
Germany	South Africa, Rep. of	
Hungary	Spain	

No Member Body expressed disapproval of the document.

Coated abrasives — Rolls for widths of 50 mm and greater — Any backing — Designation and dimensions

1 SCOPE AND FIELD OF APPLICATION

This International Standard lays down the dimensions of abrasive rolls for widths of 50 mm and greater — any backing — and specifies the designation of these rolls.

2 DESIGNATION

The designation of rolls for widths of 50 mm and greater consists of the width l , followed by the length L .

Example :

Designation of a roll of width $l = 50$ mm and length $L = 50\,000$ mm :

Roll 50 × 50 000

(The nature of the backing shall be indicated.)

3 DIMENSIONS

3.1 Widths l (in millimetres)

50 - 100 - 120 - 150 - 200 - 300 - 600

3.2 Length L (in millimetres)

The only length L retained is 50 000.