

First edition
2011-09-15

AMENDMENT 1
2020-02

**Industrial trucks — Safety
requirements and verification —**

Part 1:

**Self-propelled industrial trucks, other
than driverless trucks, variable-reach
trucks and burden-carrier trucks**

AMENDMENT 1

Chariots de manutention — Exigences de sécurité et vérification —

*Partie 1: Chariots de manutention automoteurs, autres que les
chariots sans conducteur, les chariots à portée variable et les chariots
transporteurs de charges*

AMENDEMENT 1



Reference number
ISO 3691-1:2011/Amd.1:2020(E)

© ISO 2020

STANDARDSISO.COM : Click to view the full PDF of ISO 3691 1 Amd 1:2011



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 110, *Industrial trucks*, Subcommittee SC 2, *Safety of powered industrial trucks*.

A list of all parts in the ISO 3691 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

STANDARDSISO.COM : Click to view the full PDF of ISO 3691 1 Amd 1:2011

Industrial trucks — Safety requirements and verification —

Part 1:

Self-propelled industrial trucks, other than driverless trucks, variable-reach trucks and burden-carrier trucks


AMENDMENT 1

4.2.3.3

Add new first paragraph before existing text as follows:

The speed of reach trucks shall be reduced automatically without causing a hazard to $v_{\max} \leq 6$ km/h as determined by the manufacturer when the elevated section of the mast is more than 400 mm above the height of the mast when fully lowered (see Figure 7).

Dimensions in millimetres



Key

h height of mast when fully lowered

Figure 7 — Mast extension on reach trucks

6.2.2

Add new list item gg) as follows:

- gg) information or instructions regarding modification of the truck, which can introduce hazards or risks not considered by manufacturers and can invalidate the existing truck risk assessments.

6.2.7

Replace the entire subclause with the following:

Truck modification outside Europe is subject to regional requirements (see ISO/TS 3691-8).