

Second edition
2019-08

AMENDMENT 1
2023-02

**Plastics piping systems for water
supply, and for drainage and sewerage
under pressure — Polyethylene
(PE) —**

**Part 2:
Pipes**

AMENDMENT 1

*Systèmes de canalisations en plastique destinés à l'alimentation
en eau et aux branchements et collecteurs d'assainissement sous
pression — Polyéthylène (PE) —*

Partie 2: Tubes

AMENDEMENT 1



Reference number
ISO 4427-2:2019/Amd.1:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 2, *Plastics pipes and fittings for water supplies*.

A list of all parts in the ISO 4427 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

STANDARDSISO.COM : Click to view the full PDF of ISO 4427-2:2019/Amd 1:2023

Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) —

Part 2: Pipes

AMENDMENT 1

7.3, Table 2

Replace values for nominal size 1 000 with the following. The rest of the table including the table footer remains the same.

Table 2 — Wall thicknesses

Pipe series																		
	SDR 6	SDR 7,4	SDR 9	SDR 11	SDR 13,6	SDR 17	SDR 21	SDR 26	SDR 33	SDR 41								
	S 2,5	S 3,2	S 4	S 5	S 6,3	S 8	S 10	S 12,5	S 16	S 20								
Nominal pressure (PN) bar																		
PE 40	—	PN 10	PN 8	PN 6	PN 5	PN 4	PN 3,2	PN 2,5	—	—								
PE 80	PN 25	PN 20	PN 16	PN 12,5	PN 10	PN 8	PN 6	PN 5	PN 4	PN 3,2								
PE 100	—	PN 25	PN 20	PN 16	PN 12,5	PN 10	PN 8	PN 6	PN 5	PN 4								
Nominal size	Wall thicknesses ^b mm																	
1 000	$e_{\min}$	$e_{\max}$	$e_{\min}$	$e_{\max}$	$e_{\min}$	$e_{\max}$	$e_{\min}$	$e_{\max}$	$e_{\min}$	$e_{\max}$	$e_{\min}$	$e_{\max}$						
	—	—	—	—	90,8	100,0	73,5	80,9	59,3	65,4	47,7	52,6	38,2	42,2	30,6	33,5	24,5	27,1