
**Tools for pressing — Round punches
with 60 degrees conical head and straight
shank**

*Outillage de presse — Poinçons à tête conique à 60 degrés et corps
cylindrique*

STANDARDSISO.COM : Click to view the full PDF of ISO 6752:2008



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 6752:2008



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6752 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

This second edition cancels and replaces the first edition (ISO 6752:1984), which has been technically revised.

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 6752:2008

Tools for pressing — Round punches with 60 degrees conical head and straight shank

1 Scope

This International Standard specifies the basic dimensions, in millimetres, of round punches with 60° conical head and straight shank in the diameter range of 0,5 mm to 20 mm.

It gives example material and hardness values, and specifies the designation of the punches, whose main use is punching holes in steel sheets but that can also be used on other materials.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1:1989, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

3 Dimensions

The dimensions of round punches with 60° conical head and straight shank shall conform to the indications of Figure 1 and Table 1.

General tolerance: ISO 2768-m
Surface roughness values in micrometres




Figure 1 — Round punches with 60° conical head and straight shank

Table 1 — Dimensions of round punches with 60° conical head and straight shank

D_1 h6	D_2	H $+0,2$ 0	r	L $+0,5$ 0		
				71	80	100
0,50	0,9	0,2	$0,2^{+0,2}_0$	×	×	×
0,55	1,0			×	×	×
0,60	1,1			×	×	×
0,65	1,2			×	×	×
0,70	1,3			×	×	×
0,75	1,3			×	×	×
0,80	1,4	0,4		×	×	×
0,85	1,4			×	×	×
0,90	1,6			×	×	×
0,95	1,6			×	×	×
1,0	1,8	0,5	$0,4^{+0,3}_0$	×	×	×
1,1	1,8			×	×	×
1,2	2,0			×	×	×
1,3	2,0			×	×	×
1,4	2,2			×	×	×
1,5	2,2			×	×	×
1,6	2,5			×	×	×
1,7	2,5			×	×	×
1,8	2,8			×	×	×
1,9	2,8			×	×	×
2,0	3,0			×	×	×
2,1	3,2			×	×	×
2,2	3,2			×	×	×
2,3	3,5			×	×	×
2,4	3,5			×	×	×
2,5	3,5			×	×	×
2,6	4,0			×	×	×
2,7	4,0			×	×	×
2,8	4,0			×	×	×
2,9	4,0	×	×	×		

Table 1 (continued)

D_1 h6	D_2	H $+0,2$ 0	r	L $+0,5$ 0		
				71	80	100
3,0	4,5	0,5	$0,6^{+0,4}$ 0	x	x	x
3,1	4,5			x	x	x
3,2	4,5			x	x	x
3,3	4,5			x	x	x
3,4	4,5			x	x	x
3,5	5,0			x	x	x
3,6	5,0			x	x	x
3,7	5,0			x	x	x
3,8	5,0			x	x	x
3,9	5,0			x	x	x
4,0	5,5			x	x	x
4,1	5,5			x	x	x
4,2	5,5			x	x	x
4,3	5,5			x	x	x
4,4	5,5			x	x	x
4,5	6,0			x	x	x
4,6	6,0			x	x	x
4,7	6,0			x	x	x
4,8	6,0			x	x	x
4,9	6,0			x	x	x
5,0	6,5			x	x	x
5,1	6,5			x	x	x
5,2	6,5			x	x	x
5,3	6,5			x	x	x
5,4	6,5			x	x	x
5,5	7,0			x	x	x
5,6	7,0			x	x	x
5,7	7,0			x	x	x
5,8	7,0			x	x	x
5,9	7,0			x	x	x
6,0	8,0			x	x	x

Table 1 (continued)

D_1 h6	D_2	H $+0,2$ 0	r	L $+0,5$ 0		
				71	80	100
6,1	8,0	0,5	$1^{+0,5}$ 0	×	×	×
6,2	8,0			×	×	×
6,3	8,0			×	×	×
6,4	8,0			×	×	×
6,5	9,0	1		×	×	×
7,0	9,0			×	×	×
7,5	10,0			×	×	×
8,0	10,0			×	×	×
8,5	11,0			×	×	×
9,0	11,0			×	×	×
9,5	12,0			×	×	×
10,0	12,0			×	×	×
10,5	13,0			×	×	×
11,0	13,0			×	×	×
11,5	14,0			×	×	×
12,0	14,0			×	×	×
12,5	15,0			×	×	×
13,0	15,0			×	×	×
13,5	16,0	1,5	$1,5^{+0,5}$ 0	×	×	×
14,0	16,0			×	×	×
14,5	17,0			×	×	×
15	17,0			×	×	×
15,5	18,0			×	×	×
16,0	18,0			×	×	×
17,0	19,0			×	×	×
18,0	20,0			×	×	×
19,0	21,0			×	×	×
20,0	22,0			×	×	×