
Graphical symbols — Public information symbols

Symboles graphiques — Symboles destinés à l'information du public

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007



COPYRIGHT PROTECTED DOCUMENT

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	1
4 General.....	2
4.1 Size.....	2
4.2 Text.....	2
4.3 Arrows.....	2
4.4 Colour and contrast.....	4
4.5 Negation.....	4
5 Meanings and categorization of public information symbols.....	6
5.1 General.....	6
5.2 Meaning	6
5.3 Categorization	6
6 Standardized public information symbols	10
Bibliography	56
Table 1 — Summary of meanings by alphabetical order.....	7
Table 2 — Summary of all public information symbols.....	11
Table 3 — Public information symbols: Public facilities	16
Table 4 — Public information symbols: Transport facilities	33
Table 5 — Public information symbols: Tourism, culture and heritage	43
Table 6 — Public information symbols: Sporting activities	47
Table 7 — Public information symbols: Commercial facilities	48
Table 8 — Public information symbols: Behaviour of the public (excluding safety signs).....	53

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7001 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

This third edition cancels and replaces the second edition (ISO 7001:1990), which has been technically revised. It also incorporates the Amendment ISO 7001:1990/Amd.1:1993.

Introduction

The reason for the publication of this International Standard is the increasing use of non-verbal presentation of information in buildings and other places, and for services used by the public. Graphical symbols should be used where text messages might be a barrier to understanding.

Continued growth in international trade, travel and tourism requires a common method of communication and standardization of public information symbols will help both provider and users, including those with disabilities.

Lack of standardization may lead to confusion.

The use of standardized public information symbols does not replace the need for careful consideration and application of wayfinding and signing schemes; it is recognized that public information symbols will often be used with text in signing systems. This may aid education and comprehension particularly for new symbols and those which have less common usage.

ISO 7001 is intended to be used by all Technical Committees within ISO charged with developing specific public information symbols for their industry, to ensure that there is only one symbol for each meaning. It is also intended that this International Standard be revised regularly to include public information symbols as they are standardized by ISO and which conform to the principles for development as developed by ISO/TC 145/SC 1.

Specific acceptance criteria, procedures and application forms can be found on the ISO/TC 145/SC 1 website, <http://www.iso.org/tc145/sc1>.

The public information symbols in this International Standard have been validated by ISO/TC 145/SC 1 according to procedures of standardization current at the time of publication. Future standardization of public information symbols will be facilitated with suitable evaluation techniques such as the testing outlined in ISO 9186. Acceptance criteria for public information symbol qualification ought to be such that there is confidence that a suitable proportion of the intended audience will understand them. Further design criteria will be added as appropriate and will be approved by ISO/TC 145/SC 1.

Public information symbols given in this International Standard are considered to have achieved a satisfactory degree of comprehension as established by independent testing or as a result of their use and application at an international level.

NOTE The public information symbols given in this International Standard can be reproduced as published. However, it is recognized that there may be particular national characteristics and cultural requirements which may require minor variations. This is acceptable providing the key elements and design intent of the standardized symbol is not compromised.

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007

Graphical symbols — Public information symbols

1 Scope

This International Standard specifies graphical symbols for the purposes of public information.

This International Standard is generally applicable to public information symbols in all locations and all sectors where the public has access. However, it is not applicable to safety signs or to those sectors subject to a regulation which may differ with regard to certain points of this International Standard (for example, traffic signs on the public highway).

This International Standard specifies the symbol originals that may be scaled for reproduction and application purposes.

The symbols may be used in conjunction with text to improve comprehension.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3864-1, *Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs in workplaces and public areas*

ISO 17724, *Graphical symbols — Vocabulary*

ISO 22727:2007, *Graphical symbols — Creation and design of public information symbols — Requirements*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 17724 and the following apply.

3.1

graphical symbol

visually perceptible figure with a particular meaning used to transmit information independently of language

3.2

public information symbol

graphical symbol intended to give information to the general public, the understanding of which is independent of specialist or occupational training

3.3

safety sign

sign giving a general safety message, obtained by a combination of a colour and geometric shape and which, by the addition of a graphical symbol, gives a particular safety message

[ISO 7010:2003, 3.7]

3.4

negation

indication of the absence or opposite of something actual or positive

3.5

meaning

message that a public information symbol is intended to convey

3.6

function

written description of the purpose of the information to be conveyed by a graphical symbol

3.7

image content

written description of the elements of a graphical symbol or safety sign and their relative disposition

4 General

4.1 Size

The public information symbols given in this International Standard are designed to be reproduced in a variety of sizes to suit different applications from, for example, small-scale orientation notices to large-scale wayfinding signs.

4.2 Text

The graphical symbols have been designed with the intention that they can be used on their own to convey the information described in the meaning (except the direction arrow, which cannot be used on its own, see 4.3). However, they may be combined with the relevant text on a sign or notice, etc., if considered appropriate. This might be an advantage with less well established symbols to aid understanding.

4.3 Arrows

The direction arrow (symbol number PI-PF 030) shall only be used in conjunction with another symbol (or a symbol and text) to indicate movement of a person towards something. An example is shown in Figure 1.




Figure 1 — Use of the direction arrow with the relevant symbol to indicate female toilet to the right

The direction arrow shall be used to indicate direction of a person as shown in Figure 2.

	Progress to the right
	Progress to the left
	Progress forward from here Progress forward and through from here Progress forward and up from here
	Progress up to the right Progress forward and across to the right
	Progress down to the right
	Progress up to the left Progress forward and across to the left
	Progress down to the left
	Progress down from here

Figure 2 — Use of direction arrows

The use of all other arrows is given with the relevant graphical symbol and meaning.

4.4 Colour and contrast

The public information symbols given in this International Standard may be reproduced in any colour. However, the combination of safety colours and shapes specified in ISO 3864-1 shall be avoided to ensure there is no confusion between public information symbols and safety signs. This also applies to arrows where the use of green and white shall be avoided to ensure that there is no confusion with the direction arrow, safe condition, used for evacuation routes.

Adequate contrast between the symbol and its background is essential and the symbol should be given a sufficiently large surrounding area to ensure identifiability. All illustrations of graphical symbols in this International Standard have corner marks to give an indication of the minimum area required.

4.5 Negation

Public information symbols shall be negated only for comfort or convenience reasons.

Where the whole activity is to be negated, the negation element shall be a diagonal bar running from top left to bottom right as shown in Figure 3. In order to ensure that there is no confusion with safety signs, there shall not be a surrounding circle. The negation bar shall be placed over the graphical symbol. The graphical symbol shall be designed in such a way that when placed in the template specified in 7.2 of ISO 22727:2007 the negation bar does not obscure critical details.

Where only a graphical symbol element in a public information symbol is to be negated to indicate a particular forbidden action, the negation element shall be a cross as shown in Figure 4. The negation cross shall be placed over the graphical symbol element which is being negated.

The negation bar and the negation cross should normally be red.




Meaning: No baggage trolleys or carts.

Function: To signify that baggage trolleys or carts are not allowed.

Image content: Side view of piece of baggage on trolley or cart and negation bar.

Figure 3 — Example of the use of a negation bar



Meaning: Do not drop trash or litter or rubbish.

Function: To indicate that people should not drop trash or litter or rubbish.

Image content: Front view of human figure, with four representative articles of trash or litter or rubbish falling from their hand and a negation cross over them.

Figure 4 — Example of the use of a negation cross

5 Meanings and categorization of public information symbols

5.1 General

The following summaries (Tables 1 and 2) are provided to facilitate the search for standardized public information symbols.

This International Standard is to be maintained electronically through the use of a database. The indexes of this database are to be used in these overviews as search engines with each standardized public information symbol having a reference number.

5.2 Meaning

Table 1 gives the list of meanings in alphabetical order and provides the reference number.

5.3 Categorization

For the convenience of users, the public information symbols in ISO 7001 have been grouped according to the areas where they are normally expected to be used. However, these groupings are not intended to be exclusive and the use of the public information symbols in other areas, where this is considered appropriate, is not precluded. The public information symbols are categorized as follows:

- PF public facilities;
- TF transport facilities;
- TC tourism, culture and heritage;
- SA sporting activities;
- CF commercial facilities;
- BP behaviour of the public (excluding public safety).

Table 2 summarizes the standardized public information symbols in terms of these categorizations.

Each public information symbol should normally be used to convey only one public information message, and should normally be placed in one category only.

Table 1 — Summary of meanings by alphabetical order

Meaning	Reference number
Accessible elevator or lift	PI PF 031
Accessible toilet or full accessibility	PI PF 006
Accommodation or hotel	PI CF 003
Airport or aircraft	PI TF 001
Arrow – direction arrow	PI PF 030
ATM (automatic teller machine) or cash service or cash dispenser	PI CF 005
Baby care or nursery	PI PF 023
Baggage lockers or coin lockers	PI PF 013
Baggage check or customs	PI TF 018
Baggage reclaim	PI TF 020
Baggage storage or left baggage	PI PF 012
Baggage trolleys or carts	PI PF 018
Bar	PI CF 008
Bath	PI PF 026
Bicycle or cycle facility	PI TF 010
Bicycle or cycle parking	PI TF 021
Boats or port or ships or ferries	PI TF 004
Buffet or coffee shop or café – refreshments	PI CF 002
Bureau-de-change or money/currency exchange	PI CF 004
Bus station or bus stop or buses	PI TF 006
Cable car	PI TF 011
Cable railway or funicular	PI TF 012
Café or coffee shop or buffet – refreshments	PI CF 002
Campsite or camping	PI TC 002
Caravan park or caravans	PI TC 003
Car parking or parking	PI TF 014
Car rental/hire or rent-a-car	PI TF 009
Carts or baggage trolleys	PI PF 018
Cash service or cash dispenser or ATM (automatic teller machine)	PI CF 005
Chair lift	PI TF 013
Check-in or reception	PI PF 008
Cloakroom	PI PF 024
Coffee shop or café or buffet – refreshments	PI CF 002
Coin lockers or baggage lockers	PI PF 013
Conference facilities	PI CF 010
Currency/money exchange or bureau-de-change	PI CF 004
Customs or baggage check	PI TF 018
Cycle or bicycle facility	PI TF 010
Cycle or bicycle parking	PI TF 021
Direction arrow	PI PF 030
Drinking water	PI PF 007
Elevator or lift	PI PF 019
Elevator or lift accessible	PI PF 031

Table 1 (continued)

Meaning	Reference number
Entrance or way in	PI PF 028
Escalator	PI PF 020
Escalator, down	PI PF 033
Escalator, up	PI PF 034
Exit or way out	PI PF 029
Female toilets	PI PF 005
Ferries or port or ships or boats	PI TF 004
Filling station	PI CF 009
Flight arrivals	PI TF 016
Flight connections	PI TF 017
Flight departures	PI TF 015
Full accessibility or toilets – accessible	PI PF 006
Funicular or cable railway	PI TF 012
General sports or sporting activities	PI SA 001
Heliport or helicopters	PI TF 005
Hospital	PI PF 002
Hotel or accommodation	PI CF 003
Immigration or passport control/inspection	PI TF 019
Information	PI PF 001
Left baggage or baggage storage	PI PF 012
Lift or elevator	PI PF 019
Lift or elevator accessible	PI PF 031
Line up or queue in single file	PI BP 003
Line up or queue in threes	PI BP 005
Line up or queue in twos	PI BP 004
Litter bin or trash box or rubbish bin	PI PF 027
Lockers – baggage lockers or coin lockers	PI PF 013
Lost and found or lost property	PI PF 009
Lounge or waiting area	PI PF 014
Mail box or post or post office	PI PF 016
Male toilets	PI PF 004
Metro or underground railway station or trains	PI TF 003
Money/currency exchange or bureau-de-change	PI CF 004
Moving walkway	PI PF 032
Nursery or baby care	PI PF 023
Panorama or viewpoint	PI TC 001
Park – recreational	PI TC 006
Parking or car parking	PI TF 014
Parking – bicycle or cycle parking	PI TF 021
Passport control/inspection or immigration	PI TF 019
Pharmacy	PI CF 007
Picnic area	PI TC 004

Table 1 (continued)

Meaning	Reference number
Play area	PI TC 005
Port or ships or ferries or boats	PI TF 004
Post or post office or mail box	PI PF 016
Quiet please or silence	PI BP 001
Queue or line up in single file	PI BP 003
Queue or line up in threes	PI BP 005
Queue or line up in twos	PI BP 004
Railway – funicular or cable railway	PI TF 012
Railway – underground or metro station or trains	PI TF 003
Railway station or railways or trains	PI TF 002
Ramped access or slope	PI PF 022
Reception or check-in	PI PF 008
Refreshments – coffee shop or café or buffet	PI CF 002
Rent-a-car or car rental/hire	PI TF 009
Restaurant	PI CF 001
Rubbish bin or trash box or litter bin	PI PF 027
Ships or port or ferries or boats	PI TF 004
Shops or shopping	PI CF 006
Shower	PI PF 025
Silence or quiet please	PI BP 001
Slope or ramped access	PI PF 022
Smoking area or smoking allowed	PI PF 015
Sporting activities or general sports	PI SA 001
Stadium	PI SA 002
Stairs	PI PF 021
Stand on the left (or right)	PI BP 002
Station – underground or metro	PI TF 003
Station – railway or trains	PI TF 002
Streetcar or tram stop or streetcars or trams	PI TF 007
Taxi stop or taxis	PI TF 008
Telephone	PI PF 017
Tickets or ticket sales	PI PF 010
Ticket validation	PI PF 011
Toilets – accessible	PI PF 006
Toilets – female	PI PF 005
Toilets – male	PI PF 004
Toilets – unisex	PI PF 003
Trains or railway station or railways	PI TF 002
Trains – underground or metro	PI TF 003
Tram or streetcar stop or trams or streetcars	PI TF 007
Trash box or litter bin or rubbish bin	PI PF 027
Trolleys – baggage trolleys or carts	PI PF 018

Table 1 (continued)

Meaning	Reference number
Underground or metro railway station or trains	PI TF 003
Unisex toilets	PI PF 003
Viewpoint or panorama	PI TC 001
Waiting area or lounge	PI PF 014
Water – drinking water	PI PF 007
Way in or entrance	PI PF 028
Way out or exit	PI PF 029
Zoo	PI TC 007

6 Standardized public information symbols

Tables 3 to 8 give symbol originals in a uniform 70 mm size with corner marks to enable accurate enlargement and reduction scaling. The symbol illustrations are shown without borders in order to allow for consistent reproduction scaling, though the use of borders is encouraged. The symbols should be reproduced exactly as shown in Tables 3 to 8. However, some degree of graphical modification is permitted when national and cultural differences or special application formats need to be considered, provided comprehension of the sign is maintained. Consistent reproduction and use of these symbols will lead to a progressively improved degree of comprehension at the international level.

Tables 3 to 8 present the public information symbol originals according to their category as follows:

- PF Public facilities see Table 3
- TF Transport facilities see Table 4
- TC Tourism, culture and heritage see Table 5
- SA Sporting activities see Table 6
- CF Commercial facilities see Table 7
- BP Behaviour of the public (excluding safety signs) see Table 8

Tables 3 to 8 also give a meaning, function and image content of each symbol.

In cases where the orientation of the symbol is not essential to its meaning, the orientation may be changed.

A graphical symbol should normally be a filled-in form.

Table 2 — Summary of all public information symbols

Symbol Ref. N° Meaning	Category					
	PF	TF	TC	SA	CF	BP
	Public facilities	Transport facilities	Tourism, culture and heritage	Sporting activities	Commercial activities	Behaviour of the public
Symbol						
Ref. N°	PI PF 001	PI TF 001	PI TC 001	PI SA 001	PI CF 001	PI BP 001
Meaning	Information	Airport or aircraft	Viewpoint or panorama	Sporting activities or general sports	Restaurant	Quiet please or silence
Symbol						
Ref. N°	PI PF 002	PI TF 002	PI TC 002	PI SA 002	PI CF 002	PI BP 002
Meaning	Hospital	Railway station or railways or trains	Campsite or camping	Stadium	Refreshments – coffee shop or café or buffet	Stand on the left (or right)
Symbol						
Ref. N°	PI PF 003	PI TF 003	PI TC 003		PI CF 003	PI BP 003
Meaning	Toilets – unisex	Underground or metro railway station or trains	Caravan park or caravans		Hotel or accommodation	Line up or queue in single file
Symbol						
Ref. N°	PI PF 004	PI TF 004	PI TC 004		PI CF 004	PI BP 004
Meaning	Toilets – male	Port or ships or ferries or boats	Picnic area		Money/currency exchange or bureau-de-change	Line up or queue in twos
Symbol						
Ref. N°	PI PF 005	PI TF 005	PI TC 005		PI CF 005	PI BP 005
Meaning	Toilets – female	Heliport or helicopters	Play area		Cash service or cash dispenser or ATM (automatic teller machine)	Line up or queue in threes
Symbol						
Ref. N°	PI PF 006	PI TF 006	PI TC 006		PI CF 006	
Meaning	Full accessibility or toilets – accessible	Bus station or bus stop or buses	Park – recreational		Shops or shopping	

Table 2 (continued)


Symbol Ref. N° Meaning	Category					
	PF	TF	TC	SA	CF	BP
	Public facilities	Transport facilities	Tourism, culture and heritage	Sporting activities	Commercial activities	Behaviour of the public
Symbol						
Ref. N°	PI PF 007	PI TF 007	PI TC 007		PI CF 007	
Meaning	Drinking water	Tram or streetcar stop or trams or streetcars	Zoo		Pharmacy	
Symbol						
Ref. N°	PI PF 008	PI TF 008			PI CF 008	
Meaning	Check-in or reception	Taxi stop or taxis			Bar	
Symbol						
Ref. N°	PI PF 009	PI TF 009			PI CF 009	
Meaning	Lost and found or lost property	Rent-a-car or car rental/hire			Filling station	
Symbol						
Ref. N°	PI PF 010	PI TF 010			PI CF 010	
Meaning	Tickets or ticket sales	Bicycle or cycle facility			Conference facilities	
Symbol						
Ref. N°	PI PF 011	PI TF 011				
Meaning	Ticket validation	Cable car				
Symbol						
Ref. N°	PI PF 012	PI TF 012				
Meaning	Baggage storage or left baggage	Funicular or cable railway				
Symbol						
Ref. N°	PI PF 013	PI TF 013				
Meaning	Baggage lockers or coin lockers	Chair lift				

Table 2 (continued)


Symbol Ref. N° Meaning	Category					
	PF	TF	TC	SA	CF	BP
	Public facilities	Transport facilities	Tourism, culture and heritage	Sporting activities	Commercial activities	Behaviour of the public
Symbol						
Ref. N°	PI PF 014	PI TF 014				
Meaning	Lounge or waiting area	Parking or car parking				
Symbol						
Ref. N°	PI PF 015	PI TF 015				
Meaning	Smoking area or smoking allowed	Flight departures				
Symbol						
Ref. N°	PI PF 016	PI TF 016				
Meaning	Post or post office or mail box	Flight arrivals				
Symbol						
Ref. N°	PI PF 017	PI TF 017				
Meaning	Telephone	Flight connections				
Symbol						
Ref. N°	PI PF 018	PI TF 018				
Meaning	Baggage trolleys or carts	Customs or baggage check				
Symbol						
Ref. N°	PI PF 019	PI TF 019				
Meaning	Elevator or lift	Immigration or passport control/inspection				
Symbol						
Ref. N°	PI PF 020	PI TF 020				
Meaning	Escalator	Baggage reclaim				

Table 2 (continued)


Symbol Ref. N° Meaning	Category					
	PF	TF	TC	SA	CF	BP
	Public facilities	Transport facilities	Tourism, culture and heritage	Sporting activities	Commercial activities	Behaviour of the public
Symbol Ref. N° Meaning	 PI PF 021 Stairs	 PI TF 021 Bicycle or cycle parking				
Symbol Ref. N° Meaning	 PI PF 022 Slope or ramped access					
Symbol Ref. N° Meaning	 PI PF 023 Nursery or baby care					
Symbol Ref. N° Meaning	 PI PF 024 Cloakroom					
Symbol Ref. N° Meaning	 PI PF 025 Shower					
Symbol Ref. N° Meaning	 PI PF 026 Bath					
Symbol Ref. N° Meaning	 PI PF 027 Trash box or litter bin or rubbish bin					

Table 2 (continued)



Symbol Ref. N° Meaning	Category					
	PF	TF	TC	SA	CF	BP
	Public facilities	Transport facilities	Tourism, culture and heritage	Sporting activities	Commercial activities	Behaviour of the public
Symbol Ref. N° Meaning	 PI PF 028 Way in or entrance					
Symbol Ref. N° Meaning	 PI PF 029 Way out or exit					
Symbol Ref. N° Meaning	 PI PF 030 Direction arrow					
Symbol Ref. N° Meaning	 PI PF 031 Accessible elevator or lift					
Symbol Ref. N° Meaning	 PI PF 032 Moving walkway					
Symbol Ref. N° Meaning	 PI PF 033 Escalator, down					
Symbol Ref. N° Meaning	 PI PF 034 Escalator, up					

Table 3 — Public information symbols: Public facilities


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 001 Information		Function	To indicate where information is to be obtained
		Image content	Lower case block letter i
PI PF 002 Hospital		Function	To indicate the location of a hospital
		Image content	Human figure in bed with cross to indicate medical care NOTE The cross may be substituted with another symbol appropriate to the culture of the using country.

Table 3 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 003 Toilets – unisex		Function	To indicate the location of a public toilet for males or females
		Image content	Frontal view of standing male and female human figures
PI PF 004 Toilets – male		Function	To indicate the location of a public toilet for males
		Image content	Frontal view of standing male human figure

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 005 Toilets – female		Function	To indicate the location of a public toilet for females
		Image content	Frontal view of standing female human figure
PI PF 006 Full accessibility or toilets – accessible		Function	To indicate routes and facilities with full accessibility (including the location of an accessible toilet)
		Image content	Side view of human figure in wheelchair

Table 3 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 007 Drinking water		Function	To signify drinkable tap water
		Image content	Tap above glass containing water indicated by wavy lines
PI PF 008 Check-in or reception		Function	To indicate the location of check-in or reception facility
		Image content	Human figure at representation of desk/counter greeting another human figure

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 009 Lost and found or lost property		Function	To indicate the location of lost and found lost property facilities
		Image content	Glove, case and umbrella with label containing question mark
PI PF 010 Tickets or ticket sales		Function	To indicate the location of a facility where tickets may be obtained
		Image content	Hand holding two tickets

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 011 Ticket validation		Function	To indicate the location of ticket validation facility
		Image content	Hand holding ticket being inserted into machine
PI PF 012 Baggage storage or left baggage		Function	To indicate the location of facility for the temporary storage of baggage
		Image content	Four assorted pieces of baggage arranged on two shelves in an orderly fashion

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 013 Baggage lockers or coin lockers		Function	To indicate the location of lockers for the temporary storage of baggage
		Image content	Bag in outline rectangle with key inserted in gap
PI PF 014 Lounge or waiting area		Function	To indicate the location of areas where people may wait
		Image content	Side view of two seated human figures with clock face overhead

Table 3 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 015 Smoking area or smoking allowed		Function	To signify where smoking is allowed
		Image content	Side view of cigarette with smoke
PI PF 016 Post or Post office or mail box		Function	To indicate the location of post or mail facilities
		Image content	Outline of rear view of envelope

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 017 Telephone		Function	To indicate the location of public telephone facilities
		Image content	Side view of telephone receiver
PI PF 018 Baggage trolleys or carts		Function	To indicate the location of baggage trolleys or carts for public use
		Image content	Side view of piece of baggage on trolley or cart

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 019 Elevator or lift		Function	To indicate the location of a public elevator/lift
		Image content	Elevator/lift cage in shaft showing push buttons with human figure in cage. "Up" arrow above cage and "down" arrow below cage
PI PF 020 Escalator		Function	To indicate the location of a public escalator
		Image content	Side view of two human figures on escalator

Table 3 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 021 Stairs		Function	To indicate the location of stairs
		Image content	Side view of two human figures on stairs, one going up and one going down. NOTE Where the stairs are unidirectional, the figure walking up or the figure walking down should be omitted, as appropriate.
PI PF 022 Slope or ramped access		Function	To indicate the location of access facilities via a slope or ramp
		Image content	Side view of walking human figure and human figure in wheelchair going up slope

Table 3 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 023 Nursery or baby care		Function	To indicate the location of baby care facilities
		Image content	Side view of figure bending over baby on flat surface. Baby feeding bottle in outline
PI PF 024 Cloakroom		Function	To indicate the location of cloakroom facilities
		Image content	Coat hanger, bag and hat

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 025 Shower		Function	To indicate the location of public shower facilities
		Image content	Side view of shower head cantilevered over base, with water indicated by lines of dots
PI PF 026 Bath		Function	To indicate the location of baths for the use of the public
		Image content	Side view of human figure in bath

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 027 Trash box or litter bin or rubbish bin		Function	To indicate a receptacle for the acceptance of trash or litter or rubbish being thrown away
		Image content	Front view of human figure adjacent to sectional elevation of trash or litter or rubbish receptacle. Four representative articles of trash or litter or rubbish falling into the receptacle
PI PF 028 Way in or entrance		Function	To indicate and identify the location of an entry point or preferred way to enter
		Image content	Two lines with direction arrow pointing in

Table 3 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 029 Way out or exit		Function	To indicate and identify the location of an exit or preferred way to go out
		Image content	Two lines with direction arrow pointing out
PI PF 030 Direction arrow		Function	To indicate direction of movement of people NOTE Only to be used in conjunction with other symbols.
		Image content	Arrow with Belgian head, with angle at apex of between 84° and 86° NOTE Can be turned through 45° point in different directions. See 4.3.

Table 3 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 031 Accessible elevator or lift		Function	To indicate the location of an accessible public elevator/lift
		Image content	Elevator/lift cage in shaft showing push buttons with human figure in wheelchair and standing human figure in cage. "Up" arrow above cage and "down" arrow below cage
PI PF 032 Moving walkway		Function	To indicate the location of a public moving walkway
		Image content	Side view of two human figures on moving walkway

Table 3 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI PF 033 Escalator, down		Function	To indicate the location of a public escalator where the direction of travel is down
		Image content	Side view of two human figures on an escalator with an arrow indicating downwards travel
PI PF 034 Escalator, up		Function	To indicate the location of a public escalator where the direction of travel is up
		Image content	Side view of two human figures on an escalator with an arrow indicating upwards travel

Table 4 — Public information symbols: Transport facilities



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 001 Airport or aircraft		Function	To indicate the location of an airport or aircraft
		Image content	Aircraft in plan view
PI TF 002 Railway station or railways or trains		Function	To indicate the location of trains
		Image content	Front and side view of train and railway line

Table 4 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 003 Underground or metro railway station or trains		Function	To indicate the location of underground or metro trains
		Image content	Front view of underground or metro train on railway line
PI TF 004 Port or ships or ferries or boats		Function	To indicate the location of shipping services
		Image content	Side view of boat on water

Table 4 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 005 Heliport or helicopters		Function	To indicate the location of helicopters
		Image content	Side view of helicopter
PI TF 006 Bus station or bus stop or buses		Function	To indicate the location of buses
		Image content	Side view of bus

Table 4 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 007 Tram or streetcar stop or trams or streetcars		Function	To indicate the location of trams/streetcars
		Image content	Side view of electric tram/streetcar
PI TF 008 Taxi stop or taxis		Function	To indicate the location of taxis
		Image content	Front view of taxi cab with word TAXI incorporated into the symbol

Table 4 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 009 Rent-a-car or car rental/hire		Function	To indicate the location of car rental/hire facilities
		Image content	Front view of car with key above
PI TF 010 Bicycle or cycle facility		Function	To indicate the location of cycle facilities
		Image content	Side view of human figure wearing safety helmet, riding cycle

Table 4 (continued)



Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 011 Cable car		Function	To indicate the location of cable cars
		Image content	Side view of cable car suspended from inclined cables
PI TF 012 Funicular or cable railway		Function	To indicate the location of a funicular or cable railway
		Image content	Side view of funicular railway car on inclined railway line

Table 4 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 013 Chair lift		Function	To indicate the location of lifts
		Image content	Side view of human figure seated on a chair suspended from an inclined cable
PI TF 014 Parking or car parking		Function	To indicate the location of car parking facilities
		Image content	Sans serif capital letter "P" with front view of car

Table 4 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 015 Flight departures		Function	To indicate the location of flight departures
		Image content	Side view of aircraft taking off from runway
PI TF 016 Flight arrivals		Function	To indicate the location of flight arrivals
		Image content	Side view of aircraft landing on runway

Table 4 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 017 Flight connections		Function	To indicate route and locations for persons making connections between flights
		Image content	Side view of human figure with case walking between aircraft in plan view
PI TF 018 Customs or baggage check		Function	To indicate the location of customs or baggage checking point
		Image content	Human figure wearing peaked cap with arm in open case

Table 4 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TF 019 Immigration or passport control/ inspection		Function	To indicate the location of immigration or passport control point
		Image content	Human figure with peaked cap reading passport
PI TF 020 Baggage reclaim		Function	To indicate the location of baggage reclaim point
		Image content	Side view of human figure lifting bag from conveyor belt

Table 4 (continued)


Reference No. Meaning	Graphical symbol	Symbol function and image content	
		Function	To indicate the location of cycle parking facilities
PI TF 021 Bicycle or cycle parking		Image content	Sans serif capital letter "P" with side view of cycle

Table 5 — Public information symbols: Tourism, culture and heritage




Reference No. Meaning	Graphical symbol	Symbol function and image content	
		Function	To indicate the location of public viewing point
PI TC 001 Viewpoint or panorama		Image content	Side view of human figure looking through binoculars or telescope on stand

Table 5 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TC 002 Campsite or camping		Function To indicate the location of public camping facilities	
		Image content "Wigwam" style tent with tree	
PI TC 003 Caravan park or caravans		Function To indicate the location of public caravan facilities	
		Image content Side view of caravan with tree	

Table 5 (continued)

Reference No. Meaning	Graphical symbol	Symbol function and image content	
PI TC 004 Picnic area		Function	To indicate the location of facilities for picnics
		Image content	Side view of person sitting at a picnic table with tree
PI TC 005 Play area		Function	To indicate the location of a public play area for children
		Image content	Side view of children on see-saw