INTERNATIONAL STANDARD

ISO/IEC 10646-1

First edition
1993-05-01

AMENDMENT 17
1999-07-15

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:
Architecture and Basic Multilingual Plane

AMENDMENT 17: CJK Unified Ideographs Extension A

Technologies de l'information — Jeu universel de caractères codés à plusieurs octets —

Partie 1: Architecture et table multilingue

AMENDEMENT 17: Extension A d'idéogrammes unifiés CJK

Reference number
ISO/IEC 10646-1:1993/Amd.17:1999(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 17 to ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded character sets*.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 17: CJK Unified Ideographs Extension A

Page 6, Figure 2

In the rectangle marked "I-zone" replace the hexadecimal number "4E" *in the top left corner by* "34".

Page 7, Clause 8

In paragraph 2 replace the lines:
A-zone: code positions 0000 0000 to 0000 4DFF
I-zone: code positions 0000 4E00 to 0000 9FFF

by
A-zone: code positions 0000 0000 to 0000 33FF
I-zone: code positions 0000 3400 to 0000 9FFF

In the diagram replace:

- "4E" *by* "34",

-"A-zone (19903 positions)" *by*
"A-zone (13247 positions)",

- "I-zone (20992 positions)" *by*
"I-zone (27648 positions)".

Page 11, Clause 19

In the list of Block names, after the entry CJK COMPATIBLITY, *insert new entry as follows:*

CJK UNIFIED IDEOGRAPHS EXTENSION A
3400 - 4DBF

Page 15, Clause 25, Figure 3

In Figure 3 (see Amendment 5), divide the A-zone horizontally to create a new area corresponding to rows 34 to 4D, and insert in this area the words:

CJK Unified Ideographs Extension A

In Figure 4 (see Amendment 5) delete the part of the figure that extends from row 34 to row 4D.

Page 262, Clause 26

- Replace page 262 with amended page attached here.

- Insert between pages 262 and 263 the 138 pages of tables of ideographs that are attached here.

Page 700, Annex A

In the list of collection number and names, after

80 BRAILLE PATTERNS

insert a new entry as follows:

81 CJK UNIFIED IDEOGRAPHS EXTENSION A
3400 - 4DBF

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

26 CJK unified ideographs

Detailed code tables for:
- CJK Unified Ideographs Extension A (starting at code position 3400), and
- CJK Unified Ideographs (starting at code position 4E00),

are shown on the following pages.

Entries in the code tables for both CJK (Chinese / Japanese / Korean) Unified Ideographs and its Extension A are arranged as follows.

Row/Cell Hex code	C G- Hanzi	- T	J Kanji	K Hanja	V ChuNom
078/000	——	——	——	——	——
4E00	0-523B 0-5027	1-4421 1-3601	0-306C 0-1676	0-6C69 0-7673	1-2121 1-0101

NOTE - Under each ideograph the two lines of numbers indicate the source code positions; the first line shows hexdecimal values, the second line shows decimal values.

The leftmost column of an entry shows the code position in ISO/IEC 10646, giving the code representation both in decimal and in hexadecimal notation.

Each of the other columns shows the graphic symbol for the character, and its coded representation, as specified in a source standard for character sets that is also identified in the table entry. Each of these source standards is assigned to one of five groups indicated by G, T, J, K, or V as shown in the lists below. In each table entry, a separate column is assigned for the corresponding character (if any) from each of those groups of source standards.

An entry in any of the G, T, J, K, or V columns includes a sample graphic symbol from the source character set standard, together with its coded representation in that standard. The first line below the graphic symbol shows the coded representation in hexadecimal notation. The second line shows the coded representation in decimal notation which comprises two digits for section number followed by two digits for position number. Each of the coded representations is prefixed by a one-character source code identification followed by a hyphen. This source code character identifies the coded character set standard from which the character is taken as shown in the lists below.

Hanzi G sources are

G0 GB2312-80

G1 GB12345-90 with 58 Hong Kong and 92 Korean "Idu" characters

G3 GB7589-87 unsimplified forms

G5 GB7590-87 unsimplified forms

G7 General Purpose Hanzi List for Modern Chinese Language, and General List of Simplified Hanzi

GS Singapore Characters

G8 GB8565-88

GE GB16500-95

Hanzi T sources are

T1 TCA-CNS 11643-1992 1st plane

T2 TCA-CNS 11643-1992 2nd plane

T3 TCA-CNS 11643-1992 3rd plane with some additional characters

T4 TCA-CNS 11643-1992 4th plane

T5 TCA-CNS 11643-1992 5th plane

T6 TCA-CNS 11643-1992 6th plane

T7 TCA-CNS 11643-1992 7th plane

TF TCA-CNS 11643-1992 15th plane

Kanji J sources are

J0 JIS X 0208-1990

J1 JIS X 0212-1990

JA Unified Japanese IT Vendors Contemporary Ideographs, 1993

Hanja K sources are

K0 KS C 5601-1987

K1 KS C 5657-1991

K2 PKS C 5700-1 1994

K3 PKS C 5700-2 1994

ChuNom V sources are

V0 TCVN 5773:1993

V1 TCVN 6056:1995

For CJK (Chinese/Japanese/Korean) Ideographs in the BMP, the names shall be algorithmically constructed by appending their two-octet coded representation in hexadecimal notation to "CJK UNIFIED IDEOGRAPH-". For example, the first CJK ideograph character in the BMP has the name "CJK UNIFIED IDEOGRAPH-3400".

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/000 **3400**	北 6-222C 6-0212	北 A-2121 A-0101		
052/001 **3401**	丙 5-3024 5-1604 / 丙 4-2224 4-0204		丙 3-2121 3-0101	
052/002 **3402**		乾 A-2122 A-0102		
052/003 **3403**			个 3-2122 3-0102	
052/004 **3404**		斗 A-2123 A-0103		
052/005 **3405**	乂 6-2123 6-0103	乂 A-2124 A-0104		
052/006 **3406**	月 5-3076 5-1686 / 肖 F-216C F-0176			
052/007 **3407**			夃 3-2123 3-0103	
052/008 **3408**			仝 3-2124 3-0104	
052/009 **3409**			乏 3-2125 3-0105	
052/010 **340A**			去 3-2126 3-0106	
052/011 **340B**			去 3-2127 3-0107	
052/012 **340C**	钅 3-302B 3-1611 / 钅 4-2157 4-0155			
052/013 **340D**			㚔 3-2128 3-0108	
052/014 **340E**			㚘 3-2129 3-0109	
052/015 **340F**			吾 3-212A 3-0110	
052/016 **3410**			㚚 3-212B 3-0111	
052/017 **3411**			㚙 3-212C 3-0112	
052/018 **3412**			㚛 3-212D 3-0113	
052/019 **3413**			㚜 3-212E 3-0114	
052/020 **3414**			㚝 3-212F 3-0115	
052/021 **3415**			㚞 3-2130 3-0116	
052/022 **3416**	乩 3-3032 3-1618 / 乩 4-2336 4-0322			
052/023 **3417**			㚟 3-2131 3-0117	
052/024 **3418**			㚠 3-2132 3-0118	
052/025 **3419**			㚡 3-2133 3-0119	
052/026 **341A**			㚢 3-2134 3-0120	
052/027 **341B**			㚣 3-2135 3-0121	
052/028 **341C**	扒 3-3024 3-1604 / 扒 4-2835 4-0821		扒 3-2136 3-0122	
052/029 **341D**			㚤 3-2137 3-0123	
052/030 **341E**			㚥 3-2138 3-0124	
052/031 **341F**			㚦 3-2139 3-0125	
052/032 **3420**			㚧 3-213A 3-0126	
052/033 **3421**		㚨 3-343B 3-2027		
052/034 **3422**			㚩 3-213C 3-0128	
052/035 **3423**			㚪 3-213B 3-0127	
052/036 **3424**		㚫 3-396D 3-2577		
052/037 **3425**			㚬 3-213D 3-0129	
052/038 **3426**			㚭 3-213E 3-0130	
052/039 **3427**		㚮 A-2125 A-0105		
052/040 **3428**	予 5-3044 5-1636	予 3-2741 3-0733		
052/041 **3429**		㚯 3-286C 3-0876		
052/042 **342A**		㚰 A-2126 A-0106		
052/043 **342B**		㚱 3-2323 3-0303		
052/044 **342C**	㐬 5-334D 5-1945	㐬 4-2337 4-0323	㐬 A-2127 A-0107	
052/045 **342D**		㚲 4-2534 4-0520	㚲 A-2128 A-0108	
052/046 **342E**		㚳 3-4034 3-3220	㚳 A-2129 A-0109	
052/047 **342F**			㚴 A-212A A-0110	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/048 **3430**	仜 4-2159 4-0157	仜 A-212B A-0111		
052/049 **3431**	刽 5-313D 5-1729	刽 3-2175 3-0185		
052/050 **3432**	伏 3-216E 3-0178		伏 3-213F 3-0131	
052/051 **3433**	伉 3-2171 3-0181			
052/052 **3434**	伋 3-2173 3-0183			
052/053 **3435**	仟 S-2269 S-0273			
052/054 **3436**	伲 F-2144 F-0136	伲 A-212C A-0112		
052/055 **3437**	伲 7-2326 7-0306			
052/056 **3438**	伙 7-2321 7-0301	伙 6-234E 6-0346		
052/057 **3439**	伛 3-2271 3-0281			
052/058 **343A**	伙 4-2231 4-0217	伙 A-212D A-0113	伙 3-2144 3-0136	
052/059 **343B**	伢 7-2327 7-0307	伢 3-2269 3-0273		
052/060 **343C**	伴 5-3156 5-1754	伴 3-226A 3-0274		
052/061 **343D**	伙 7-2325 7-0305			
052/062 **343E**	伉 7-2328 7-0308			
052/063 **343F**			佯 3-2142 3-0134	
052/064 **3440**			伕 3-2143 3-0135	
052/065 **3441**	佔 5-2334 5-0320	佔 A-212E A-0114		
052/066 **3442**	侑 3-244A 3-0442	侑 A-212F A-0115		
052/067 **3443**	佻 5-316F 5-1779	佻 3-2447 3-0439	佻 3-2145 3-0137	
052/068 **3444**	侮 3-244D 3-0445			
052/069 **3445**	佐 6-2571 6-0581	佐 A-2130 A-0116		
052/070 **3446**	倪 S-2268 S-0272			
052/071 **3447**	侶 7-223F 7-0231			
052/072 **3448**	侏 7-2323 7-0303			
052/073 **3449**	侧 3-2746 3-0738			
052/074 **344A**	侑 5-2525 5-0505		侑 3-2146 3-0138	
052/075 **344B**	侀 3-3122 3-1702	侀 4-2539 4-0525		
052/076 **344C**	侄 5-3170 5-1780	侄 4-253C 4-0528	侄 3-2147 3-0139	
052/077 **344D**	侏 3-2745 3-0737			
052/078 **344E**	侀 7-232A 7-0310	侀 5-252B 5-0511		
052/079 **344F**	侍 4-253B 4-0527			
052/080 **3450**	侏 3-307C 3-1692	侏 4-2538 4-0524	侏 A-2131 A-0117	
052/081 **3451**	侶 3-2750 3-0748			
052/082 **3452**			侒 A-2132 A-0118	
052/083 **3453**	俊 F-254A F-0542	俊 A-2133 A-0119		
052/084 **3454**	侦 7-2322 7-0302			
052/085 **3455**	俦 7-2324 7-0304			
052/086 **3456**				仲 3-2148 3-0140
052/087 **3457**	侵 5-3223 5-1803	侵 3-2B31 3-1117		
052/088 **3458**	俴 6-2E5A 6-1458	俴 A-2134 A-0120		
052/089 **3459**	侀 3-3135 3-1721	侀 4-2839 4-0825		
052/090 **345A**	俘 3-2B30 3-1116			
052/091 **345B**	侠 S-226C S-0276	侠 5-2821 5-0801		
052/092 **345C**	侙 3-313E 3-1730	侙 4-283A 4-0826		
052/093 **345D**	俦 3-2B2A 3-1110			
052/094 **345E**	俜 5-3226 5-1806	俜 4-2837 4-0823	俜 A-2135 A-0121	
052/095 **345F**	俜 4-283C 4-0828			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/096	堅				
3460	7-232C 7-0312				
052/097				俔	
3461				3-2149 3-0141	
052/098	御				
3462	3-3134 3-1720				
052/099	楙	楙		楙	
3463	S-226D S-0277	5-2B6C 5-1176		3-214A 3-0142	
052/100		苗	苗		
3464		3-3449 3-2041	A-213A A-0126		
052/101	傷	傷			
3465	5-3231 5-1817	3-2F52 3-1550			
052/102	俔	俔	俔	俔	
3466	5-323E 5-1830	4-2B65 4-1169	A-2136 A-0122	3-214B 3-0143	
052/103		倖	倖	倖	
3467		6-3538 6-2124	A-2137 A-0123	3-214C 3-0144	
052/104			俣		
3468			A-2138 A-0124		
052/105	俘				
3469	S-226F S-0279				
052/106			侘		
346A			A-2139 A-0125		
052/107	悆				悆
346B	7-232B 7-0311				0-3034 0-1620
052/108				傚	
346C				3-214D 3-0145	
052/109				俔	
346D				3-214E 3-0146	
052/110	俥	俥			
346E	3-3132 3-1718	4-3045 4-1637			
052/111		偵			
346F		3-343E 3-2030			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/112	像				
3470	3-3448 3-2040				
052/113	係			係	
3471	4-304A 4-1642			3-2150 3-0148	
052/114				倆	
3472				3-214F 3-0147	
052/115	傷	傷		傷	
3473	3-3070 3-1680	4-3638 4-2224		3-2153 3-0151	
052/116	優	優			
3474	5-3260 5-1864	3-3973 3-2583			
052/117	候	候		候	
3475	5-325C 5-1860	4-3632 4-2218		3-2151 3-0149	
052/118	傢	傢			
3476	3-3060 3-1664	4-3637 4-2223			
052/119		僥		僥	
3477		6-4655 6-3853		3-2152 3-0150	
052/120			倚		
3478			A-213B A-0127		
052/121		會	會		
3479		6-497B 6-4191	A-213C A-0128		
052/122		僂			
347A		3-3974 3-2584			
052/123		慟			
347B		3-4035 3-3221			
052/124		傝			
347C		3-4038 3-3224			
052/125	僮	僮			
347D	S-226A S-0274	3-403B 3-3227			
052/126	傷	傷		傷	
347E	5-3267 5-1871	4-3C2C 4-2812		3-2154 3-0152	
052/127	僎	僎			
347F	3-3230 3-1816	4-3C2D 4-2813			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/128	僩	僩		僩	
3480	3-322D 3-1813	4-3C28 4-2808		3-2155 3-0153	
052/129	僩	僩		僩	
3481	3-3227 3-1807	4-3C2A 4-2810		3-2156 3-0154	
052/130	儲	儲			
3482	7-232D 7-0313	5-4457 5-3655			
052/131		貳		貳	
3483		4-4237 4-3428		3-2158 3-0156	
052/132	燃	燃			
3484	3-3235 3-1821	4-4233 4-3419			
052/133	儳	儳		儳	
3485	5-3270 5-1880	4-422E 4-3414		3-2159 3-0157	
052/134	儁	儁			
3486	5-326E 5-1878	3-4578 3-3788			
052/135		儛		儛	
3487		6-5A73 6-5883		3-215A 3-0158	
052/136	儆	儆			
3488	3-322E 3-1814	4-422F 4-3415			
052/137		儻			
3489		3-4573 3-3783			
052/138	儷	儷			
348A	3-3244 3-1836	4-4F59 4-4757			
052/139		儼			
348B		3-4572 3-3782			
052/140		儉			
348C		3-456F 3-3779			
052/141	儸	儸			
348D	5-3272 5-1882	3-4577 3-3787			
052/142	儁	儁			
348E	3-3231 3-1817	4-4232 4-3418			
052/143				儇	
348F				3-215B 3-0159	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/144				儁	
3490				3-215C	
				3-0160	
052/145	儷	儷			
3491	3-3072	4-487B			
	3-1682	4-4091			
052/146	僕	僕			
3492	5-3165	3-4B26			
	5-1769	3-4306			
052/147	僅	僅		僅	
3493	5-3174	3-4B25		3-215D	
	5-1784	3-4305		3-0161	
052/148	囑	囑		囑	
3494	3-323F	4-487D		3-215E	
	3-1831	4-4093		3-0162	
052/149		儸			
3495		3-4B24			
		3-4304			
052/150		儻			
3496		3-4B28			
		3-4308			
052/151		僅			
3497		3-4B2A			
		3-4310			
052/152	儉				
3498	3-3162				
	3-1766				
052/153		儸			
3499		3-5032			
		3-4818			
052/154	儇	儇			
349A	3-3243	4-4F5D			
	3-1835	4-4761			
052/155		儹		儹	
349B		5-5359		3-215F	
		5-5157		3-0163	
052/156	儗	儷		儗	
349C	5-3148	4-4F5B		3-2160	
	5-1740	4-4759		3-0164	
052/157	儽	儽			
349D	5-327B	3-543F			
	5-1891	3-5231			
052/158		儵			
349E		3-5753			
		3-5551			
052/159	儻	儻		儻	
349F	3-3170	4-5A67		3-2162	
	3-1780	4-5871		3-0166	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/160	儸	儸			
34A0	3-3248	4-5A68			
	3-1840	4-5872			
052/161	儵	儵			
34A1	3-3249	4-5F49			
	3-1841	4-6341			
052/162				儥	
34A2				3-2164	
				3-0168	
052/163				儼	
34A3				3-2165	
				3-0169	
052/164	儷	儷		儷	
34A4	5-3253	4-632F		3-2166	
	5-1851	4-6715		3-0170	
052/165		儷			
34A5		3-5C33			
		3-6019			
052/166	儸	儸			
34A6	5-3327	3-5C31			
	5-1907	3-6017			
052/167	儸	儸		儸	
34A7	5-325D	7-5274		3-2167	
	5-1861	7-5084		3-0171	
052/168	儸	儸			
34A8	5-3329	7-574C			
	5-1909	7-5544			
052/169	儸	儸		儸	
34A9	5-332A	4-6A41		3-2168	
	5-1910	4-7433		3-0172	
052/170		鑲			
34AA		3-613C			
		3-6528			
052/171		兀	兀		
34AB		4-2233	A-213D		
		4-0219	A-0129		
052/172	衎	衎			
34AC	S-2431	F-265A			
	S-0417	F-0658			
052/173		兟			
34AD		4-2B69			
		4-1173			
052/174	涿				
34AE	S-2430				
	S-0416				
052/175		糪		糪	
34AF		3-5754		3-216A	
		3-5552		3-0174	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
052/176		仝			
34B0		3-2176			
		3-0186			
052/177				夕	
34B1				3-216B	
				3-0175	
052/178		合		合	
34B2		3-2279		3-273D	
		3-0289		3-0729	
052/179		兩			
34B3		3-2455			
		3-0453			
052/180		缶	缶		
34B4		5-2337	A-213E		
		5-0323	A-0130		
052/181		貝	貝		
34B5		6-257B	A-2140		
		6-0591	A-0132		
052/182		台	台		
34B6		6-257D	A-213F		
		6-0593	A-0131		
052/183		囚			
34B7		3-2456			
		3-0454			
052/184	豕	豕			
34B8	5-313A	3-2B38			
	5-1726	3-1124			
052/185		顛		顛	
34B9		7-4D3D		3-2C76	
		7-4529		3-1286	
052/186		罔			
34BA		3-2A4C			
		3-1044			
052/187	覓	覓			
34BB	3-483A	4-304C			
	3-4026	4-1644			
052/188		兩	兩	兩	
34BC		5-3126	A-2141	3-216C	
		5-1706	A-0133	3-0176	
052/189	暴	暴			
34BD	3-483C	4-363D			
	3-4028	4-2229			
052/190	晁	晁			
34BE	3-483D	4-3C32			
	3-4029	4-2818			
052/191	灪	灪			
34BF	3-483E	4-6A42			
	3-4030	4-7434			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/192 **34C0**			下 3-216D 3-0177	
052/193 **34C1**		𠂉 A-2142 A-0134		
052/194 **34C2**	冦 3-2B3A 3-1126			
052/195 **34C3**	託 5-3373 5-1983	託 3-3978 3-2588	託 A-2143 A-0135	託 3-216E 3-0178
052/196 **34C4**	斃 3-3354 3-1952	斃 4-4922 4-4102		
052/197 **34C5**	汀 3-2150 3-0148			
052/198 **34C6**	沧 S-2239 S-0225			
052/199 **34C7**	沃 3-2321 3-0301			
052/200 **34C8**	沍 3-2458 3-0456			
052/201 **34C9**	活 5-252E 5-0514		活 3-216F 3-0179	
052/202 **34CA**	洞 3-2757 3-0755			
052/203 **34CB**	洪 3-2756 3-0754			
052/204 **34CC**	浄 3-2758 3-0756			
052/205 **34CD**	流 S-2238 S-0224			
052/206 **34CE**	浸 3-325E 3-1862	浸 4-2843 4-0835		
052/207 **34CF**	涊 3-2B3C 3-1128		涊 3-2170 3-0180	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/208 **34D0**	淦 3-2F5D 3-1561			
052/209 **34D1**	淶 3-2F5C 3-1560		淶 3-2171 3-0181	
052/210 **34D2**			淙 3-2172 3-0182	
052/211 **34D3**	淹 4-304D 4-1645			
052/212 **34D4**	涿 3-397B 3-2591			
052/213 **34D5**	滅 3-397C 3-2592			
052/214 **34D6**	澤 5-3365 5-1969	澤 4-3C34 4-2820	澤 3-2173 3-0183	
052/215 **34D7**	潔 3-4579 3-3789	潔 A-2144 A-0136		
052/216 **34D8**	瀉 3-3253 3-1851	瀉 5-3129 5-1709		
052/217 **34D9**			凶 3-2174 3-0184	
052/218 **34DA**	刋 3-3360 3-1964	刋 4-2161 4-0165		
052/219 **34DB**		切 6-2241 6-0233	切 A-2145 A-0137	
052/220 **34DC**		幻 3-217E 3-0194	幻 A-225C A-0260	
052/221 **34DD**	荆 5-342F 5-2015	荆 4-223C 4-0228	荆 A-2146 A-0138	
052/222 **34DE**	韧 5-337E 5-1994	韧 5-2230 5-0216		
052/223 **34DF**	剋 5-5E65 5-6269	剋 4-233E 4-0330		剋 0-3048 0-1640

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/224 **34E0**	刮 5-3435 5-2021	刮 4-233F 4-0331		刮 0-3047 0-1639
052/225 **34E1**	刮 3-6337 3-6723	刮 4-254A 4-0542		
052/226 **34E2**	刮 3-327B 3-1891	刮 4-254C 4-0544		
052/227 **34E3**	刨 3-327A 3-1890	刨 4-2548 4-0540		
052/228 **34E4**	刮 3-3278 3-1888	刮 4-2547 4-0539	刮 3-2176 3-0186	
052/229 **34E5**	刿 S-2264 S-0268			
052/230 **34E6**	刮 3-3279 3-1889			
052/231 **34E7**		剑 3-2B41 3-1133		
052/232 **34E8**	剌 5-343D 5-2029	剌 3-2B45 3-1137		
052/233 **34E9**		剋 3-2B42 3-1134		
052/234 **34EA**			剋 A-2147 A-0139	剋 3-2177 3-0187
052/235 **34EB**	剂 S-2262 S-0266			
052/236 **34EC**		剃 5-2B7C 5-1192	剃 A-2148 A-0140	
052/237 **34ED**		剔 4-3053 4-1651		剔 0-304E 0-1646
052/238 **34EE**		剛 3-2F67 3-1571		
052/239 **34EF**		剭 3-2F69 3-1573		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
052/240 **34F0**			劃 3-2178 3-0188	
052/241 **34F1**	劊 3-3326 3-1906	劊 4-3057 4-1655		
052/242 **34F2**	劓 3-3328 3-1908	劓 4-3058 4-1656	劓 A-2149 A-0141	劓 3-2179 3-0189
052/243 **34F3**	剭 3-3324 3-1904	剭 4-3052 4-1650		
052/244 **34F4**	劑 5-3452 5-2050	劑 5-312C 5-1712		
052/245 **34F5**	劓 5-3453 5-2051	劓 4-3054 4-1652	劓 3-217A 3-0190	
052/246 **34F6**	契 5-344F 5-2047	契 4-3059 4-1657		契 0-304F 0-1647
052/247 **34F7**	剿 5-345C 5-2060	剿 3-3A24 3-2604		
052/248 **34F8**		勰 6-506C 6-4876	勰 3-217D 3-0193	
052/249 **34F9**	劂 3-332B 3-1911	劂 4-3642 4-2234		
052/250 **34FA**	劇 3-332C 3-1912	劇 4-3645 4-2237	劇 3-217B 3-0191	
052/251 **34FB**	劓 5-345B 5-2059	劓 3-3A22 3-2602	劓 3-217C 3-0192	
052/252 **34FC**	劑 3-332E 3-1914	劑 5-3D70 5-2980	劑 3-217E 3-0194	
052/253 **34FD**	劇 5-3461 5-2065	劇 4-4042 3-3234		
052/254 **34FE**	劇 3-3331 3-1917	劇 4-4241 4-3433		
052/255 **34FF**			劑 3-2222 3-0202	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
053/000 **3500**	勰 5-3463 5-2067	勰 4-4243 4-3435	勰 3-2221 3-0201	
053/001 **3501**		勱 4-4242 4-3434	勱 A-214A A-0142	
053/002 **3502**	勰 3-3330 3-1916	勰 4-423C 4-3428		
053/003 **3503**	勞 5-3426 5-2006	勞 3-457D 3-3793		
053/004 **3504**		勰 3-457B 3-3791		
053/005 **3505**	勰 3-3322 3-1902	勰 4-423F 4-3431		
053/006 **3506**	勰 3-332F 3-1915	勰 4-423E 4-3430		
053/007 **3507**	勰 5-343B 5-2027	勰 3-457C 3-3792		
053/008 **3508**	菲 S-2263 S-0267			
053/009 **3509**	勵 S-2267 S-0271			
053/010 **350A**	勰 3-3333 3-1919	勰 4-4923 4-4103		
053/011 **350B**	勰 3-332D 3-1913	勰 4-4F62 4-4766	勰 3-2223 3-0203	
053/012 **350C**	勰 3-3334 3-1920	勰 4-4F61 4-4765	勰 3-2224 3-0204	
053/013 **350D**	勰 3-3335 3-1921	勰 4-4F63 4-4767		
053/014 **350E**		勰 5-613B 5-6527	勰 3-2226 3-0206	
053/015 **350F**	勰 3-3336 3-1922	勰 4-556C 4-5376	勰 3-2225 3-0205	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
053/016 **3510**	勰 7-3E7D 7-3093		勰 3-2227 3-0207	
053/017 **3511**	勰 5-3428 5-2008	勰 4-5F4A 4-6342		
053/018 **3512**	勰 3-3338 3-1924	勰 4-6330 4-6716		勰 3-2228 3-0208
053/019 **3513**	勿 3-333B 3-1927	勿 4-2164 4-0168	勿 A-214B A-0143	
053/020 **3514**				勑 3-222C 3-0212
053/021 **3515**		勩 4-2240 4-0232	勩 A-214C A-0144	
053/022 **3516**				勺 3-222B 3-0211
053/023 **3517**	勦 3-333E 3-1930	勦 4-2344 4-0336	勦 A-214D A-0145	
053/024 **3518**		勘 3-2464 3-0468		
053/025 **3519**	勋 3-3341 3-1933	勋 4-254F 4-0547		
053/026 **351A**		勗 6-296F 6-0979	勗 A-214E A-0146	
053/027 **351B**				勞 3-222D 3-0213
053/028 **351C**		勠 6-2F27 6-1507	勠 A-214F A-0147	
053/029 **351D**	勰 3-3343 3-1935	勰 4-2B75 4-1185		勰 3-222E 3-0214
053/030 **351E**	勳 5-3478 5-2088	勳 3-2F6B 3-1575		
053/031 **351F**			勢 A-2150 A-0148	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/032	勋	勛			
3520	3-3346 3-1938	4-305A 4-1658			
053/033	勋	勛			
3521	3-3349 3-1941	4-364B 4-2243			
053/034	勞	勞			
3522	5-347C 5-2092	3-4622 3-3802			
053/035	勋	勛			
3523	3-334E 3-1946	4-556F 4-5379			
053/036		勳			
3524		3-5443 3-5235			
053/037	勋	勛		勛	
3525	3-3348 3-1940	4-5570 4-5380		3-222F 3-0215	
053/038		勳	勳		
3526		5-5363 5-5167	A-2151 A-0149		
053/039	勋	勛		勛	
3527	5-3472 5-2082	4-5A6E 4-5878		3-2230 3-0216	
053/040	胸	胷			
3528	3-324F 3-1847	4-305C 4-1660			
053/041	匂	匂		匂	
3529	3-3250 3-1848	4-364D 4-2245		3-2231 3-0217	
053/042	匈	匈			
352A	5-3332 5-1918	5-3D78 5-2988			
053/043			旭		
352B			A-2152 A-0150		
053/044		旱	旱		
352C		6-2972 6-0982	A-2153 A-0151		
053/045		暟			
352D		3-3453 3-2051			
053/046	鞴	鞴			
352E	3-6B5D 3-7561	5-7078 5-8088			
053/047	匹	匸			
352F	3-3048 3-1640	4-234B 4-0343			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/048		匛	匛		
3530		6-2638 6-0624	A-2154 A-0152		
053/049	匯	匯	匯		
3531	5-3125 5-1705	4-2B77 4-1187	A-2155 A-0153		
053/050		飢			
3532		3-3A25 3-2605			
053/051		飢	飢		
3533		6-5076 6-4886	A-2156 A-0154		
053/052	異	異	異		
3534	3-3050 3-1648	4-3C3E 4-2830	A-2157 A-0155		
053/053		異	異		
3535		5-446C 5-3676	A-2158 A-0156		
053/054	贛	贛			
3536	3-3052 3-1650	4-6D53 4-7751			
053/055	匝	匝			
3537	5-307C 5-1692	6-2636 6-0622			
053/056	匴	匴			
3538	3-304F 3-1647	4-3650 4-2248			
053/057	协	协			
3539	5-3045 5-1637	3-2158 3-0156			
053/058		卋	卋		
353A		6-2371 6-0381	A-2159 A-0157		
053/059	平	平			
353B	5-3047 5-1639	3-232C 3-0312			
053/060		揮	揮		
353C		6-507A 6-4890	A-215A A-0158		
053/061		卣			
353D		3-2764 3-0768			
053/062		匕	匕	匕	
353E		4-212B 4-0111	A-215B A-0159	3-2234 3-0220	
053/063		卂		卂	
353F		6-213B 6-0127		3-2235 3-0221	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/064		卑		卑	
3540		6-2864 6-0868		3-2236 3-0222	
053/065		刵		刵	
3541		4-2556 4-0554		3-2237 3-0223	
053/066	冷	冷			
3542	5-3052 5-1650	3-2330 3-0316			
053/067		屏	屏		
3543		5-223C 5-0228	A-215C A-0160		
053/068		厓			
3544		3-232E 3-0314			
053/069		厣			
3545		3-246A 3-0474			
053/070	居	居			
3546	5-3053 5-1651	3-2469 3-0473			
053/071	应	应		应	
3547	5-3056 5-1654	3-2468 3-0472		3-2238 3-0224	
053/072	辰	辰			
3548	5-305B 5-1659	3-2768 3-0772			
053/073	合	合			
3549	5-305A 5-1658	6-2A2A 6-1010			
053/074	甫	甫			
354A	5-305C 5-1660	3-2B4C 3-1144			
053/075	金	金			
354B	5-3061 5-1665	3-2F70 3-1580			
053/076	辱	辱		辱	
354C	5-305E 5-1662	4-2B7A 4-1190		3-2239 3-0225	
053/077		雁			
354D		3-2F71 3-1581			
053/078	盂	盂		盂	
354E	3-303F 3-1631	4-3651 4-2249		3-223B 3-0227	
053/079		厤		厤	
354F		6-5122 6-4902		3-223C 3-0228	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
053/080		厲		厲	
3550		5-4C31 5-4417		3-223D 3-0229	
053/081		厨			
3551		3-4624 3-3804			
053/082	厴	厴			
3552	3-3034 3-1620	4-4927 4-4107			
053/083			壓		
3553			A-215D A-0161		
053/084		厵			
3554		3-6070 3-6480			
053/085		厷			
3555		3-215D 3-0161			
053/086		叅			
3556		3-2F72 3-1582			
053/087		厾		厾	
3557		6-3D61 6-2965		3-223E 3-0230	
053/088		叅			
3558		3-3456 3-2054			
053/089	厵	厵		厵	
3559	3-3358 3-1956	4-4929 4-4109		3-223F 3-0231	
053/090		叉	叉		
355A		5-2141 5-0133	A-215E A-0162		
053/091		叉	叉		
355B		3-215F 3-0163	A-215F A-0163		
053/092		叟	叟		
355C		3-2332 3-0318	A-2160 A-0164		
053/093			叟		
355D			A-2161 A-0165		
053/094	厩	厩	厩		
355E	5-3538 5-2124	4-255A 4-0558	A-2162 A-0166		
053/095	叡	叡			
355F	3-335A 3-1958	4-2857 4-0855			

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
053/096		叟			
3560		3-3F78 3-3188			
053/097		叡			
3561		3-4627 3-3807			
053/098	叡	叡			
3562	3-335B 3-1959	4-4756 4-3954			
053/099	合	合	合		
3563	5-3135 5-1721	4-216B 4-0175	A-2163 A-0167		
053/100	叽	叽			
3564	5-3764 5-2368	3-2230 3-0216			
053/101		叭			
3565		3-222C 3-0212			
053/102	吳	吳	吳	吳	
3566	5-3769 5-2373	3-2338 3-0324	A-2164 A-0168	3-2240 3-0232	
053/103	呎	呎	呎		
3567	5-376E 5-2378	3-2336 3-0322	A-2165 A-0169		
053/104	吼				
3568	3-3550 3-2148				
053/105	哔	哔			
3569	5-3771 5-2381	3-246C 3-0476			
053/106	吮	吮		吮	
356A	3-3562 3-2166	4-2351 4-0349		3-2241 3-0233	
053/107		呇			
356B		3-246B 3-0475			
053/108	吆	吆			
356C	5-377E 5-2394	3-2471 3-0481			
053/109	呔	呔		呔	呔
356D	3-355A 3-2158	4-2354 4-0352		3-2242 3-0234	0-3072 0-1682
053/110	吆	吆			
356E	3-355D 3-2161	4-2359 4-0357			
053/111	肉	肉	肉		
356F	5-3134 5-1720	3-2472 3-0482	A-2166 A-0170		

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
053/112	吒	吒			吒
3570	5-3778 5-2388	4-2353 4-0351			0-3077 0-1687
053/113		咤			
3571		3-246F 3-0479			
053/114	咻	咻			
3572	5-3772 5-2382	3-246E 3-0478			
053/115	咻	咻		咽	
3573	5-377D 5-2393	3-247A 3-0490		3-2243 3-0235	
053/116	呎				
3574	S-2351 S-0349	4-2351 4-0349			
053/117		旺	旺		旺
3575		F-2349 F-0341	A-2167 A-0171		0-3121 0-1701
053/118	呖	呖			
3576	5-3773 5-2383	3-2525 3-0505			
053/119	咱	咱			
3577	5-382B 5-2411	3-277A 3-0790			
053/120	啦	啦			啦
3578	5-3830 5-2416	3-276D 3-0777			0-312D 0-1713
053/121	哎	哎	哎	哎	
3579	5-3829 5-2409	4-255D 4-0561	A-2169 A-0173	3-2244 3-0236	
053/122		哕			
357A		3-2776 3-0786			
053/123		杏		杏	
357B		5-2542 5-0534		3-2245 3-0237	
053/124		哟		哟	
357C		6-2A39 6-1025		3-2246 3-0238	
053/125			咦		
357D			A-216A A-0174		
053/126				岦	
357E				3-2247 3-0239	
053/127				香	
357F				3-2D4B 3-1343	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/128	啅	啅			
3580	5-3844	3-2B52			
	5-2436	3-1150			
053/129	唆	唆			
3581	5-383F	3-2B60			
	5-2431	3-1164			
053/130	咦	咦			
3582	5-383C	3-2B5F			
	5-2428	3-1163			
053/131	哢	哢		哢	
3583	5-383E	3-2B62		3-2248	
	5-2430	3-1166		3-0240	
053/132		咻		咻	
3584		3-2B5A		3-2249	
		3-1158		3-0241	
053/133	哦	哦			
3585	5-3837	4-2859			
	5-2423	4-0857			
053/134	啇	啇			
3586	3-3626	4-285C			
	3-2206	4-0860			
053/135		啇			晒
3587		3-2B56			0-3146
		3-1154			0-1738
053/136		耆		耆	
3588		F-295C		3-224C	
		F-0960		3-0244	
053/137	唒				
3589	S-2350				
	S-0348				
053/138	啋				
358A	S-2352				
	S-0350				
053/139				㕣	
358B				3-224A	
				3-0242	
053/140				㕤	
358C				3-224B	
				3-0243	
053/141				㕥	
358D				3-224D	
				3-0245	
053/142				㕦	
358E				3-224E	
				3-0246	
053/143	哩	哩			
358F	3-3636	4-2C25			
	3-2222	4-1205			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/144		異			
3590		3-2F7D			
		3-1593			
053/145	喊	喊			喊
3591	5-3849	4-2B7E			0-3163
	5-2441	4-1194			0-1767
053/146		啼			
3592		3-2F75			
		3-1585			
053/147		峰			
3593		3-2F7C			
		3-1592			
053/148	唔	唔			
3594	3-3630	4-2C21			
	3-2216	4-1201			
053/149	啐	啐			
3595	3-3641	4-2B7D			
	3-2233	4-1193			
053/150		㚢	㚢		
3596		6-357D	A-216B		
		6-2193	A-0175		
053/151		哮			哮
3597		3-3024			0-316A
		3-1604			0-1774
053/152	哖	哖			
3598	S-234B	5-2C43			
	S-0343	5-1235			
053/153				㕧	
3599				3-2250	
				3-0248	
053/154				㕨	
359A				3-2251	
				3-0249	
053/155				㕩	
359B				3-2252	
				3-0250	
053/156				㕪	
359C				3-2253	
				3-0251	
053/157				㕫	
359D				3-2254	
				3-0252	
053/158	唄				
359E	7-2250				
	7-0248				
053/159		唌			
359F		3-345D			
		3-2061			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
053/160		唜			唜
35A0		3-3465			0-3227
		3-2069			0-1807
053/161	唊	唊			
35A1	3-365A	4-306A			
	3-2258	4-1674			
053/162		嘇	嘇		
35A2		5-3670	A-216C		
		5-2280	A-0176		
053/163	唅	唅			唅
35A3	5-386A	3-3463			0-3235
	5-2474	3-2067			0-1821
053/164		啣			
35A4		3-345C			
		3-2060			
053/165	啒	啒			
35A5	3-3654	4-3070			
	3-2252	4-1680			
053/166		啅			
35A6		3-345A			
		3-2058			
053/167	唇	唇		唇	唇
35A7	3-3658	4-3073		3-2256	0-317B
	3-2256	4-1683		3-0254	0-1791
053/168	喙	喙			
35A8	3-365F	4-3071			
	3-2263	4-1681			
053/169	啾	啾			
35A9	3-3649	4-306D			
	3-2241	4-1677			
053/170	喊	喊		喊	
35AA	3-364B	4-306C		3-2257	
	3-2243	4-1676		3-0255	
053/171		唆	唆		唆
35AB		F-3343	A-216D		0-317E
		F-1935	A-0177		0-1794
053/172	嗖				
35AC	S-2354				
	S-0352				
053/173	啑				
35AD	S-2355				
	S-0353				
053/174				唫	
35AE				3-2258	
				3-0256	
053/175				㫐	
35AF				3-225A	
				3-0258	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
053/176 **35B0**			3-225B 3-0259	
053/177 **35B1**			3-225C 3-0260	
053/178 **35B2**			3-225D 3-0261	
053/179 **35B3**			3-225E 3-0262	
053/180 **35B4**	嗋 3-3853 3-2451			
053/181 **35B5**	唄 3-3650 3-2248	唄 4-306F 4-1679		
053/182 **35B6**	嘽 5-3676 5-2286	喘 A-216E A-0178		
053/183 **35B7**	嗹 5-3876 5-2486	嗹 3-3A32 3-2618		
053/184 **35B8**	嘘 3-3665 3-2269	嘘 4-3667 4-2271		
053/185 **35B9**	嗌 5-3922 5-2502	嗌 3-3A35 3-2621	嗌 3-225F 3-0263	嗌 0-324F 0-1847
053/186 **35BA**	嗇 5-3870 5-2480	嗇 3-3A2C 3-2612		
053/187 **35BB**	嗉 3-3676 3-2286	嗉 4-365E 4-2262		
053/188 **35BC**	嗸 5-3871 5-2481	嗸 4-3659 4-2257		嗸 0-3249 0-1841
053/189 **35BD**		嗊 3-3A39 3-2625		嗊 0-3240 0-1832
053/190 **35BE**		嗢 3-3A3E 3-2630		
053/191 **35BF**	嘟 5-385A 5-2458	嘟 3-3A2D 3-2613		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
053/192 **35C0**	嗹 3-366A 3-2274	嗹 4-3660 4-2264	嗹 3-2260 3-0264	
053/193 **35C1**	嗶 5-3879 5-2489	嗶 3-3A3D 3-2629	嗶 A-216F A-0179	嗶 3-2261 3-0265
053/194 **35C2**		嗋 4-365F 4-2263		嗋 0-324E 0-1846
053/195 **35C3**	嗋 5-392A 5-2510	嗋 3-3A37 3-2623		
053/196 **35C4**	嗶 3-3668 3-2272	嗶 6-4739 6-3925		
053/197 **35C5**	嗹 S-2356 S-0354	嗹 5-3679 5-2289		
053/198 **35C6**		嘩 5-367A 5-2290	嘩 A-2170 A-0180	
053/199 **35C7**		嗄 3-3A30 3-2616	嗄 A-2171 A-0181	
053/200 **35C8**	嗹 5-392B 5-2511	嗹 4-3658 4-2256		嗹 0-323E 0-1830
053/201 **35C9**	嗇 3-326D 3-1877	嗇 4-3665 4-2269		
053/202 **35CA**	嗣 3-3667 3-2271	嗣 4-3663 4-2267		
053/203 **35CB**		嗅 3-3A41 3-2633		
053/204 **35CC**		嗧 5-366E 5-2278	嗧 3-2263 3-0267	
053/205 **35CD**		嗜 3-3A3F 3-2631		
053/206 **35CE**	嗪 S-234D S-0345			
053/207 **35CF**	嗹 3-3664 3-2268			

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
053/208 **35D0**	嗲 3-3A3A 3-2626			
053/209 **35D1**	嗹 3-366B 3-2275			嗹 0-3238 0-1824
053/210 **35D2**	嗹 3-3671 3-2281			
053/211 **35D3**	嗹 3-366E 3-2278	嗹 5-3E39 5-3025		
053/212 **35D4**	嗹 3-367B 3-2291	嗹 4-3C4A 4-2842	嗹 A-2172 A-0182	
053/213 **35D5**	嗹 3-3678 3-2288	嗹 4-3C46 4-2838		
053/214 **35D6**		嗹 3-404F 3-3247	嗹 A-2173 A-0183	嗹 0-3231 0-1817
053/215 **35D7**	嗹 3-3938 5-2524	嗹 5-3E3D 5-3029		
053/216 **35D8**	嗹 3-3679 3-2289	嗹 4-3C47 4-2839		
053/217 **35D9**	嗹 3-3573 3-2183	嗹 4-3C4C 4-2844		嗹 0-3261 0-1865
053/218 **35DA**		嗹 3-404D 3-3245		嗹 0-3266 0-1870
053/219 **35DB**	嗹 5-3932 5-2518	嗹 3-4050 3-3248	嗹 A-2174 A-0184	
053/220 **35DC**		嗹 6-5132 6-4918	嗹 3-2264 3-0268	嗹 0-3262 0-1866
053/221 **35DD**	嗹 S-2348 S-0340			
053/222 **35DE**	嗹 S-234A S-0342			
053/223 **35DF**			嗹 3-2265 3-0269	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G	T	Kanji	Hanja	ChuNom
053/224				3-2266	
35E0				3-0270	
053/225				3-226C	
35E1				3-0276	
053/226	3-3579	4-4252			0-3324
35E2	3-2189	4-3450			0-1904
053/227		3-4632			
35E3		3-3818			
053/228	5-393C	4-462F	A-2175	3-2267	
35E4	5-2528	3-3815	A-0185	3-0271	
053/229	5-3934	3-462D		3-2268	
35E5	5-2520	3-3813		3-0272	
053/230	3-3724	4-424F		3-2269	
35E6	3-2304	4-3447		3-0273	
053/231	3-372E	4-424A			
35E7	3-2314	4-3442			
053/232	3-3725	4-4255			
35E8	3-2305	4-3453			
053/233		3-462B			
35E9		3-3811			
053/234		3-4B3A			
35EA		3-4326			
053/235	5-393F	4-4253	A-2176		
35EB	5-2531	4-3451	A-0186		
053/236	5-3C69	4-4256		3-226A	
35EC	5-2673	4-3454		3-0274	
053/237	3-372C	4-4251			
35ED	3-2312	4-3449			
053/238				3-226B	
35EE				3-0275	
053/239				3-226D	
35EF				3-0277	

Row/Cell	C		J	K	V
Hex Code	G	T	Kanji	Hanja	ChuNom
053/240	3-355C	5-4522			
35F0	3-2160	5-3702			
053/241	3-3734	4-4930			
35F1	3-2320	4-4116			
053/242	3-364C	4-492C		3-226E	
35F2	3-2244	4-4112		3-0278	
053/243		3-4B42			
35F3		3-4334			
053/244	5-3856	4-492D		3-226F	0-3338
35F4	5-2454	4-4113		3-0279	0-1924
053/245	5-394F	3-4B36			
35F5	5-2547	3-4322			
053/246		7-214E		3-2272	
35F6		7-0146		3-0282	
053/247	S-234F				
35F7	S-0347				
053/248				3-2270	
35F8				3-0280	
053/249				3-2271	
35F9				3-0281	
053/250	3-3730				
35FA	3-2316				
053/251	3-3623	4-4F6B			
35FB	3-2203	4-4775			
053/252	3-356B	4-4F6C			
35FC	3-2175	4-4776			
053/253	S-2358	3-5041			
35FD	S-0356	3-4833			
053/254	3-373C	4-4F67			
35FE	3-2328	4-4771			
053/255	3-365B	4-4F6A			
35FF	3-2259	4-4774			

Row/Cell	C		J	K	V
Hex Code	G	T	Kanji	Hanja	ChuNom
054/000	3-3733	4-4F6F			
3600	3-2319	4-4779			
054/001		3-503C			
3601		3-4828			
054/002		3-503A			
3602		3-4826			
054/003	S-2349				
3603	S-0341				
054/004	3-373E			3-2273	
3604	3-2330			3-0283	
054/005	7-3737			3-2275	
3605	7-2323			3-0285	
054/006	3-3745	4-5572			
3606	3-2337	4-5382			
054/007	3-5446				0-3360
3607	3-5238				0-1964
054/008	3-3746	4-5573			
3608	3-2338	4-5383			
054/009	3-3566	4-4F6D			
3609	3-2170	4-4777			
054/010	3-3748	5-6140			
360A	3-2340	5-6532			
054/011	5-3861	4-5A70			0-3367
360B	5-2465	4-5880			0-1971
054/012	5-396C	3-5756			
360C	5-2576	3-5554			
054/013	5-396D	6-6145			
360D	5-2577	5-6537			
054/014	7-2249				
360E	7-0241				
054/015				3-2276	
360F				3-0286	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
054/016 **3610**	噘 3-3677 3-2287 噭 4-5F4C 4-6344			
054/017 **3611**	嚁 5-6759 5-7157		嚁 3-2277 3-0287	
054/018 **3612**			虌 3-2278 3-0288	
054/019 **3613**	囆 3-3738 3-2324 囅 5-6B73 5-7583			囅 0-3372 0-1982
054/020 **3614**	囋 3-5C35 3-6021			
054/021 **3615**	嚂 3-5E27 3-6207			
054/022 **3616**	噸 3-374C 3-2344 噸 4-6632 4-7018			噸 0-337E 0-1994
054/023 **3617**	嚾 3-3750 3-2348		嚾 3-2279 3-0289	
054/024 **3618**			讋 3-227A 3-0290	
054/025 **3619**	嚴 5-384B 5-2443 嚴 3-602E 3-6414		嚴 3-227B 3-0291	
054/026 **361A**	嚾 5-3965 5-2569 嚾 3-602D 3-6413			
054/027 **361B**	嚨 3-372A 3-2310 嚨 4-6C6C 4-7676			
054/028 **361C**	鬱 7-622F 7-6615	鬱 A-2177 A-0187		
054/029 **361D**	叉 5-3975 5-2585 叉 3-2232 3-0218			
054/030 **361E**	囧 3-2221 3-0201			
054/031 **361F**	囲 3-233D 3-0329			
054/032 **3620**	凶 5-2553 5-0551		凶 3-227C 3-0292	
054/033 **3621**	甲 3-277E 3-0794			
054/034 **3622**	光 3-2B64 3-1168	囥 A-2178 A-0188		
054/035 **3623**	冒 5-397B 5-2591 冒 3-3026 3-1606			
054/036 **3624**	淵 3-375D 3-2361 淵 4-4258 4-3456			
054/037 **3625**	鰯 3-375E 3-2362 鰯 4-6332 4-6718			
054/038 **3626**	功 3-2233 3-0219			
054/039 **3627**	孚 5-3565 5-2169 孚 3-252E 3-0514			
054/040 **3628**	坲 3-3368 3-1972 坲 4-235F 4-0363			坲 0-3432 0-2018
054/041 **3629**	毗 5-355D 5-2161 毗 3-2539 3-0525			
054/042 **362A**	毛 5-355E 5-2162 毛 3-253A 3-0526		毛 3-227D 3-0293	
054/043 **362B**	坪 5-355B 5-2159 坪 4-235E 4-0362	坪 A-2179 A-0189		
054/044 **362C**	均 3-253D 3-0529			
054/045 **362D**	坳 3-253F 3-0531			
054/046 **362E**	圻 7-232E 7-0314			
054/047 **362F**	坊 3-253B 3-0527			
054/048 **3630**	抖 3-2534 3-0520			
054/049 **3631**	坤 3-2827 3-0807			
054/050 **3632**	垉 3-3379 3-1989 垉 4-256D 4-0577	垉 A-217A A-0190		
054/051 **3633**	垄 3-282B 3-0811			
054/052 **3634**	垐 3-282C 3-0812	垐 A-217B A-0191		
054/053 **3635**	垢 3-3370 3-1980			
054/054 **3636**	垞 3-2B76 3-1186			
054/055 **3637**	垟 S-236C S-0376 垟 6-2F65 6-1569			
054/056 **3638**	垄 3-2B74 3-1184			
054/057 **3639**	垄 3-2B75 3-1185			
054/058 **363A**	垵 3-2B73 3-1183			
054/059 **363B**	垌 3-2B6F 3-1179			
054/060 **363C**	垮 S-2369 S-0373			
054/061 **363D**				栽 3-2321 3-0301
054/062 **363E**				垵 3-2322 3-0302
054/063 **363F**	埕 5-362C 5-2212 埕 3-3029 3-1609			埕 3-2324 3-0304

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
054/064 **3640**	堽 3-3433 3-2019	堽 4-2C2F 4-1215		
054/065 **3641**	垵 5-362E 5-2214	垵 4-2C31 4-1217		
054/066 **3642**	悅 5-3631 5-2217	悅 3-302D 3-1613		
054/067 **3643**		垹 3-302C 3-1612		
054/068 **3644**		垜 3-302E 3-1614	垜 A-217C A-0192	
054/069 **3645**		垠 3-3031 3-1617		
054/070 **3646**			垓 3-2323 3-0303	
054/071 **3647**		冢 3-346C 3-2076		
054/072 **3648**	虓 S-236A S-0374	虓 3-346D 3-2077		
054/073 **3649**		典 3-3473 3-2083	典 3-2326 3-0306	
054/074 **364A**		塛 3-346A 3-2074	塛 3-2325 3-0305	
054/075 **364B**	棋 7-232F 7-0315	棋 F-3357 F-4955		
054/076 **364C**	埭 7-2331 7-0317			
054/077 **364D**	埱 3-3447 3-2039	埱 4-3121 4-1701		
054/078 **364E**		堿 4-366B 4-2275		
054/079 **364F**	塭 5-364A 5-2242	塭 3-3A46 3-2638		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
054/080 **3650**	埱 3-344E 3-2046	埱 4-366E 4-2278		
054/081 **3651**		壘 3-3A51 3-2649		
054/082 **3652**		垔 6-474E 6-3946	垔 3-2327 3-0307	
054/083 **3653**		垚 3-3A48 3-2640		
054/084 **3654**	堷 3-3364 3-1968		堷 3-232A 3-0310	
054/085 **3655**		堳 3-3A4D 3-2645		
054/086 **3656**			堣 3-2328 3-0308	
054/087 **3657**			堰 3-2329 3-0309	
054/088 **3658**	塶 3-344C 3-2044			
054/089 **3659**	塗 3-3463 3-2067	塗 4-3C59 4-2857		
054/090 **365A**	墡 3-3462 3-2066	墡 4-3C5B 4-2859		
054/091 **365B**		塼 3-4053 3-3251		
054/092 **365C**	臺 5-7964 5-8968	臺 3-4055 3-3253		
054/093 **365D**	墫 5-365D 5-2261	墫 4-3C56 4-2854	墫 3-232B 3-0311	
054/094 **365E**		塠 4-3C58 4-2856		
054/095 **365F**	塑 3-3465 3-2069			

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
054/096 **3660**	墅 5-3662 5-2266	墅 4-425E 4-3462	墅 3-232C 3-0312	
054/097 **3661**	墜 3-336A 3-1974	墜 4-425D 4-3461		
054/098 **3662**	墦 5-3653 5-2251	墦 4-425B 4-3459	墦 3-232D 3-0313	
054/099 **3663**		墀 3-463B 3-3827		
054/100 **3664**	墟 5-3666 5-2270	墟 4-425F 4-3463		墟 0-345C 0-2060
054/101 **3665**		墬 3-4639 3-3825		
054/102 **3666**	斜 3-346C 3-2076			
054/103 **3667**		墨 7-216A 7-0174	墨 3-232F 3-0315	
054/104 **3668**		墽 3-4B52 3-4350		
054/105 **3669**	墝 5-366F 5-2279	墝 3-4B48 3-4340		
054/106 **366A**	墟 3-3470 3-2080	墟 4-4933 4-4119		
054/107 **366B**	墏 5-3670 5-2280	墏 3-4B4A 3-4342	墏 3-232E 3-0314	
054/108 **366C**	墊 5-3665 5-2269	墊 3-4B4E 3-4346		
054/109 **366D**		壢 F-4E25 F-4605	壢 3-2330 3-0316	
054/110 **366E**		墖 F-4E2E F-4614	墖 3-2331 3-0317	墖 0-3461 0-2065
054/111 **366F**		墊 4-492A 4-4110		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
054/112 **3670**	墾 3-5044 3-4836			
054/113 **3671**	虌 3-3478 3-2088	虌 4-4F78 4-4788		
054/114 **3672**	壅 5-3678 5-2288	壅 3-5047 3-4839		
054/115 **3673**	撼 5-3675 5-2285	撼 3-5042 3-4834		
054/116 **3674**		擔 3-5043 3-4835		擔 0-3469 0-2073
054/117 **3675**		壇 3-5046 3-4838		
054/118 **3676**	薹 5-335C 5-1960	薹 3-5045 3-4837		
054/119 **3677**	壏 3-347C 3-2092	壏 4-557C 4-5392	壏 3-2333 3-0319	
054/120 **3678**		壠 3-544D 3-5245		
054/121 **3679**		壟 3-544A 3-5242		
054/122 **367A**	壗 5-3660 5-2264	壗 4-557B 4-5391	壗 3-2334 3-0320	
054/123 **367B**		壟 7-3F30 7-3116	壟 A-217E A-0194	
054/124 **367C**		壛 3-575D 3-5561		
054/125 **367D**			壞 3-2335 3-0321	
054/126 **367E**		壆 7-4644 7-3836	壆 3-2336 3-0322	
054/127 **367F**			壩 3-2338 3-0324	
054/128 **3680**	壧 5-6B76 5-7586		壧 3-2337 3-0323	
054/129 **3681**	蟯 5-375A 5-2358	蟯 3-6072 3-6482		
054/130 **3682**	壤 3-347D 3-2093	壤 4-6C6E 4-7678		
054/131 **3683**	壺 5-367D 5-2293	壺 5-373C 5-2328		
054/132 **3684**		壹 3-4D41 3-4533		
054/133 **3685**		奎 3-2B78 3-1188		
054/134 **3686**			夏 A-2221 A-0201	
054/135 **3687**	奭 3-3A36 3-2622	奭 4-2861 4-0865		奭 3-2339 3-0325
054/136 **3688**			奸 A-2222 A-0202	
054/137 **3689**		奐 5-2558 5-0556	奐 A-2223 A-0203	
054/138 **368A**	奴 3-3A31 3-2617	奴 4-3677 4-2287		
054/139 **368B**	奶 3-3A32 3-2618	奶 4-4260 4-3464		
054/140 **368C**		奘 3-4647 3-3839		
054/141 **368D**	奨 3-3A33 3-2619	奨 4-5A7A 4-5890		
054/142 **368E**		奇 3-223A 3-0226		
054/143 **368F**		奔 3-2346 3-0338		
054/144 **3690**		奔 3-2348 3-0340		
054/145 **3691**			灵 A-2224 A-0204	
054/146 **3692**	夾 3-352A 3-2110	夾 4-2365 4-0369		
054/147 **3693**		奈 3-254A 3-0542		柰 3-233A 3-0326
054/148 **3694**	奉 3-3530 3-2116	奉 4-2571 4-0581		
054/149 **3695**		奔 5-2559 5-0557	奔 A-2225 A-0205	奔 3-233C 3-0328
054/150 **3696**	臭 5-5C55 3-6053	臭 4-2577 4-0587		
054/151 **3697**	奩 3-352C 3-2112	奩 4-2573 4-0583		
054/152 **3698**	扶 5-3734 5-2320	扶 4-2578 4-0588		扶 3-233B 3-0327
054/153 **3699**			契 A-2226 A-0206	
054/154 **369A**		奢 3-2B7D 3-1193		
054/155 **369B**	奮 3-3532 3-2118			
054/156 **369C**	奚 3-3534 3-2120	奚 4-3125 4-1705		
054/157 **369D**	奮 5-3741 5-2333	奮 6-3E42 6-3034		
054/158 **369E**	森 5-3740 5-2332	森 3-347A 3-2090		
054/159 **369F**		奐 3-3A55 3-2653		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
054/160	奩	奩	奩		
36A0	3-353A 3-2126	4-3C5C 4-2860	A-2227 A-0207		
054/161		䎽			
36A1		3-503E 3-4830			
054/162	伎	伎			
36A2	5-314C 5-1744	3-2174 3-0184			
054/163		妾			
36A3		3-234C 3-0344			
054/164	妓	妓			
36A4	5-3F3E 5-3130	3-234A 3-0342			
054/165		妤			
36A5		4-2256 4-0254			
054/166		妡			
36A6		4-2259 4-0257			
054/167	妿	妿		妿	
36A7	5-3F41 5-3133	4-2255 4-0253		3-233D 3-0329	
054/168		妦			
36A8		3-2349 3-0341			
054/169		姘			
36A9		3-2552 3-0550			
054/170		妦			
36AA		3-2557 3-0555			
054/171		姟			
36AB		3-2550 3-0548			
054/172		妁			
36AC		3-254F 3-0547			
054/173		妩			
36AD		3-254D 3-0545			
054/174		妩			
36AE		3-2554 3-0552			
054/175	姒				
36AF	7-2335 7-0321				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
054/176	妕	妕			
36B0	5-3F51 5-3149	3-2831 3-0817			
054/177		妘		妘	
36B1		3-283B 3-0827		3-233E 3-0330	
054/178	姑	姑			
36B2	3-3C37 3-2823	4-257B 4-0591			
054/179		妯			
36B3		3-2842 3-0834			
054/180		妦			
36B4		3-2832 3-0818			
054/181		妤			
36B5		3-283A 3-0826			
054/182		妲			
36B6		3-2843 3-0835			
054/183		妳			
36B7		3-2847 3-0839			
054/184		妢			
36B8		3-2834 3-0820			
054/185		妳			
36B9		4-2621 4-0601			
054/186		妤			
36BA		3-2844 3-0836			
054/187	要	要	要	要	
36BB	5-5A24 5-5804	3-283E 3-0830	A-2228 A-0208	3-233F 3-0331	
054/188		妲			
36BC		3-2836 3-0822			
054/189		妥			
36BD		3-283C 3-0828			
054/190	妮	妮		妮	
36BE	S-2329 S-0309	5-255D 5-0561		3-2340 3-0332	
054/191	妼	妼			
36BF	7-2332 7-0318	3-2839 3-0825			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
054/192	姶				
36C0	7-2334 7-0320				
054/193		妦			
36C1		3-2830 3-0816			
054/194	妲	妲		妲	
36C2	5-3F69 5-3173	4-286D 4-0877		3-2341 3-0333	
054/195	妾	妾			
36C3	3-3C44 3-2836	4-2869 4-0873			
054/196	妳	妳		妳	
36C4	5-3F6E 5-3178	3-2B7E 3-1194		3-2342 3-0334	
054/197	妲	妲		妲	
36C5	5-3F5D 5-3161	3-2C22 3-1202		3-2343 3-0335	
054/198				妹	
36C6				3-2344 3-0336	
054/199	妣				
36C7	S-232A S-0310				
054/200	姥				
36C8	S-2330 S-0316				
054/201	妵	妵			
36C9	S-2328 S-0308	F-2A2A F-1010			
054/202	妹	妹			
36CA	5-3F6A 5-3174	4-2867 4-0871			
054/203				妳	
36CB				3-2345 3-0337	
054/204				姅	
36CC				3-2346 3-0338	
054/205	姺	姺			
36CD	5-3F62 5-3166	3-303F 3-1631			
054/206		妲			
36CE		3-3042 3-1634			
054/207		妹			
36CF		3-303D 3-1629			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
054/208	娕		娕	
36D0	3-3049 3-1641		3-2347 3-0339	
054/209	娶 娮			
36D1	5-3F77 5-3187	3-3047 3-1639		
054/210	婟 婟	婟		
36D2	3-3C60 3-2864	4-2C3B 4-1227	A-2229 A-0209	
054/211	婑			
36D3		3-3043 3-1635		
054/212	婰			
36D4		3-3050 3-1648		
054/213	婄			
36D5		3-304C 3-1644		
054/214	婈			
36D6		3-3044 3-1636		
054/215	婭 婭			
36D7	3-3C67 3-2871	4-2C3F 4-1231		
054/216	婷 婷			
36D8	3-3C5D 3-2861	4-2C3A 4-1226		
054/217	婢			
36D9		3-3039 3-1625		
054/218	婤 婤			
36DA	3-3C6B 3-2875	4-2C3C 4-1228		
054/219	媦			
36DB		3-3051 3-1649		
054/220	媐			
36DC		3-3046 3-1638		
054/221	媢			
36DD		3-3041 3-1633		
054/222	婞			
36DE		3-303A 3-1626		
054/223	娩			
36DF	S-2327 S-0307			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
054/224	婤			
36E0	S-2331 S-0317			
054/225	婉		婉	
36E1	F-2E6B F-1475		3-2348 3-0340	
054/226	婈 婈			
36E2	S-232B S-0311	F-2E78 F-1488		
054/227	娟			
36E3	7-2336 7-0322			
054/228	婀			
36E4	7-2337 7-0323			
054/229	婚 婚			
36E5	3-3D2C 3-2912	4-3129 4-1709		
054/230	婻			
36E6		3-3526 3-2106		
054/231	婠			
36E7		3-352D 3-2113		
054/232	婈			
36E8		3-3521 3-2101		
054/233	婠			
36E9		3-3536 3-2122		
054/234	婘 婘			婘
36EA	3-3C79 3-2889	4-3128 4-1708		0-3479 0-2089
054/235	媒 媒			
36EB	5-4025 5-3205	3-352C 3-2112		
054/236	婕			
36EC		3-3523 3-2103		
054/237	婧			
36ED		3-3525 3-2105		
054/238	婆			
36EE		3-3A71 3-2681		
054/239	媳 媳			
36EF	5-4038 5-3224	3-3A67 3-2671		

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
054/240	婚 婚			
36F0	5-4041 5-3233	3-3A74 3-2684		
054/241	媓 媓			
36F1	5-4034 5-3220	3-3A64 3-2668		
054/242	媜			
36F2		3-3A76 3-2686		
054/243	嫈 嫈			
36F3	5-403B 5-3227	3-3A6C 3-2676		
054/244	媚 媚			
36F4	5-4042 5-3234	3-3A6A 3-2674		
054/245	媾			
36F5		3-3A65 3-2669		
054/246	媕			嫧
36F6		5-374E 5-2346		3-2349 3-0341
054/247	婪	婪		
36F7	3-3A6E 3-2678	A-222A A-0210		
054/248	媗 媗			
36F8	5-402D 5-3213	5-3746 5-2338		
054/249	媦 媦			
36F9	3-3D37 3-2923	4-367E 4-2294		
054/250	嫜 嫜			
36FA	5-403A 5-3226	3-3A6F 3-2679		
054/251	媸			
36FB		3-3A5F 3-2663		
054/252	嫟 嫟			
36FC	3-3D36 3-2922	4-367D 4-2293		
054/253	媠			
36FD		3-3A70 3-2680		
054/254	媙			
36FE		3-3A5D 3-2661		
054/255	嫦			
36FF	S-232E S-0314			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
055/000 **3700**	媚 S-232F S-0315			
055/001 **3701**	嫸 S-232D S-0313	嫸 F-3A3C F-2628		
055/002 **3702**		嫳 3-3A6D 3-2677		
055/003 **3703**		嫸 3-3A69 3-2673		
055/004 **3704**		嫾 3-3A68 3-2672		
055/005 **3705**	嬇 3-3D47 3-2939	嬇 4-3C5F 4-2863		
055/006 **3706**		嫺 3-4062 3-3266		
055/007 **3707**	嫸 3-3D43 3-2935	嫸 4-3C61 4-2865		
055/008 **3708**		嫈 3-406E 3-3278		
055/009 **3709**		嫸 3-406D 3-3277		
055/010 **370A**		嫟 3-4068 3-3272		
055/011 **370B**		嫸 3-4063 3-3267		
055/012 **370C**	嫁 3-4F2F 3-4715	嫁 4-3C64 4-2868		
055/013 **370D**	嫝 5-4052 5-3250	嫝 3-4065 3-3269		
055/014 **370E**	嫕 5-4050 5-3248	嫕 4-3C63 4-2867	嫕 3-234A 3-0342	
055/015 **370F**	嫧 5-3F7A 5-3190	嫧 3-4070 3-3280	嫧 3-234B 3-0343	
055/016 **3710**		嫸 3-406B 3-3275		
055/017 **3711**	嫂 5-4053 5-3251	嫂 3-406F 3-3279	嫂 3-234C 3-0344	
055/018 **3712**		嫻 3-406C 3-3276		
055/019 **3713**		嫸 3-4069 3-3273		
055/020 **3714**	嫈 S-232C S-0312			
055/021 **3715**		嫺 3-464B 3-3843		
055/022 **3716**	嫸 5-4057 5-3255	嫸 4-4267 4-3471	嫸 3-234D 3-0345	
055/023 **3717**	嫸 3-3D2A 3-2910	嫸 4-426C 4-3476		
055/024 **3718**	嫸 3-3D4D 3-2945	嫸 4-4268 4-3472	嫸 3-234E 3-0346	
055/025 **3719**		嫸 4-4266 4-3470		
055/026 **371A**		嫸 3-4649 3-3841		
055/027 **371B**		嫸 3-4652 3-3850		
055/028 **371C**		嫸 3-4651 3-3849		
055/029 **371D**	嫸 3-3D50 3-2948	嫸 4-426B 4-3475		
055/030 **371E**	嫳 3-3C7A 3-2890	嫳 4-426D 4-3477	嫳 3-2350 3-0348	
055/031 **371F**	嫩 7-2338 7-0324			
055/032 **3720**		嫸 3-464D 3-3845		
055/033 **3721**		嫸 3-464E 3-3846		
055/034 **3722**	嫂 3-3D3D 3-2929	嫂 4-4269 4-3473		
055/035 **3723**	嫸 3-3D5B 3-2959	嫸 4-493C 4-4128		
055/036 **3724**	嫸 3-3D54 3-2952	嫸 4-493A 4-4126		
055/037 **3725**		嫸 3-4B59 3-4357		
055/038 **3726**		嫸 3-4B57 3-4355		
055/039 **3727**	嫰 3-3D55 3-2953	嫰 4-4940 4-4132		
055/040 **3728**		嫸 3-4B55 3-4353		
055/041 **3729**		嫸 3-5052 3-4850		
055/042 **372A**	嫳 5-4068 5-3272	嫳 3-5055 3-4853		
055/043 **372B**	嫸 S-2334 S-0320	嫸 4-5021 4-4801		
055/044 **372C**	嫸 S-2335 S-0321	嫸 F-542A F-5210		
055/045 **372D**			嫸 3-2351 3-0349	
055/046 **372E**	嫸 3-3D45 3-2937	嫸 4-5622 4-5402	嫸 3-2352 3-0350	
055/047 **372F**	嫸 5-406D 5-3277	嫸 4-5624 4-5404	嫸 3-2353 3-0351	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
055/048	嬥	嬥			
3730	5-3F58	3-575F			
	5-3156	3-5563			
055/049		嬪			
3731		3-5760			
		3-5564			
055/050	嬮	嬮			
3732	3-3D67	4-5F54			
	3-2971	4-6352			
055/051		嬛		嬛	
3733		5-675E		3-2354	
		5-7162		3-0352	
055/052		嬙			
3734		3-5A30			
		3-5816			
055/053		嬠			
3735		3-5A32			
		3-5818			
055/054		嬈			
3736		3-5C37			
		3-6023			
055/055	孌	孌		孌	
3737	5-402A	4-6335		3-2355	
	5-3210	4-6721		3-0353	
055/056	孌	孌		孌	
3738	5-4071	3-5C38		3-2356	
	5-3281	3-6024		3-0354	
055/057	孍	孍			
3739	3-3D6A	4-6637			
	3-2974	4-7023			
055/058	孈	孈		孈	
373A	3-3D65	4-6665		3-2357	
	3-2969	4-7269		3-0355	
055/059		孌			
373B		3-6162			
		3-6566			
055/060	孍	孍			
373C	5-406A	3-6163			
	5-3274	3-6567			
055/061	孕	孕			
373D	5-415F	3-234E			
	5-3363	3-0346			
055/062		孓	孓		
373E		6-2678	A-222B		
		6-0688	A-0211		
055/063	孖	孖			
373F	3-3D6F	4-236D			
	3-2979	4-0377			
055/064	毋	毋			
3740	5-545F	3-2849			
	5-5263	3-0841			
055/065	孛	孛		孛	
3741	5-4124	4-2870		3-2358	
	5-3304	4-0880		3-0356	
055/066	孮	孮			
3742	3-3D70	4-2C41			
	3-2980	4-1233			
055/067	孯	孯			
3743	5-4127	3-3054			
	5-3307	3-1652			
055/068		孰			
3744		3-3A7D			
		3-2693			
055/069	孰	孰		孰	
3745	3-4F30	4-3C67		3-2359	
	3-4716	4-2871		3-0357	
055/070				孺	
3746				3-235A	
				3-035B	
055/071		孱	孱		
3747		7-2D2D	A-223C		
		7-1313	A-0212		
055/072		孿			
3748		3-613D			
		3-6529			
055/073	宀				
3749	3-3B36				
	3-2722				
055/074		孓			
374A		3-223C			
		3-0228			
055/075			孑		
374B			A-222D		
			A-0213		
055/076	孓	孓			
374C	5-3D70	3-234F			
	5-2980	3-0347			
055/077		写		写	
374D		6-2679		3-235B	
		6-0689		3-0359	
055/078		乏		乏	
374E		3-2559		3-235D	
		3-0557		3-0361	
055/079	夻	夻		夻	
374F	5-3D75	4-2370		3-235C	
	5-2985	4-0380		3-0360	
055/080		宓			
3750		3-255B			
		3-0559			
055/081		宇	宇		
3751		6-267A	A-222E		
		6-0690	A-0214		
055/082		宎			
3752		3-284F			
		3-0847			
055/083		容		容	
3753		5-286E		3-235E	
		5-0878		3-0362	
055/084	宭	宭		宭	
3754	5-3D7D	3-2C30		3-235F	
	5-2993	3-1216		3-0363	
055/085		宴			
3755		3-2C31			
		3-1217			
055/086		宷			
3756		3-2C33			
		3-1219			
055/087	宸	宸		宸	
3757	3-3B3E	4-2C42		3-2360	
	3-2730	4-1234		3-0364	
055/088		宣	宣		
3758		5-2C7C	A-222F		
		5-1292	A-0215		
055/089		実	実		
3759		6-365D	A-2230		
		6-2261	A-0216		
055/090				寔	
375A				3-2361	
				3-0365	
055/091		宿			
375B		3-3542			
		3-2134			
055/092		寉		寉	
375C		3-353D		3-2363	
		3-2129		3-0367	
055/093		寐			
375D		3-353E			
		3-2130			
055/094	宲	宲			
375E	3-3B3A	4-312E			
	3-2726	4-1714			
055/095		寬	寬		
375F		6-3E5A	A-2231		
		6-3058	A-0217		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
055/096 **3760**	冥 3-3540 3-2132	冥 A-2232 A-0218	冥 3-2362 3-0366	
055/097 **3761**		冣 A-2233 A-0219	冣 3-2364 3-0368	
055/098 **3762**	寓 5-3E2E 5-3014	寓 3-3B21 3-2701	寓 3-2365 3-0369	
055/099 **3763**	奠 3-3B41 3-2733	奠 4-3722 4-2302		
055/100 **3764**	冪 5-3E31 5-3017	冪 4-3C6A 4-2874	冪 3-2366 3-0370	
055/101 **3765**	冧 3-3B45 3-2737	冧 4-3C6C 4-2876		
055/102 **3766**	冩 3-3B44 3-2736	冩 4-3C6F 4-2879		
055/103 **3767**		塞 3-4077 3-3287		
055/104 **3768**			袁 3-2367 3-0371	
055/105 **3769**	康 3-3B47 3-2739	康 4-4274 4-3484		
055/106 **376A**	冱 3-3B3C 3-2728	冱 4-4275 4-3485		
055/107 **376B**		隆 3-4B60 3-4364	隆 3-2369 3-0373	
055/108 **376C**	冴 3-3B46 3-2738	冴 4-4277 4-3487		
055/109 **376D**	寔 5-3E39 5-3025	寔 4-4943 4-4135	寔 A-2234 A-0220	
055/110 **376E**	冀 3-3B49 3-2741	冀 4-4945 4-4137		
055/111 **376F**	冪 5-3D7B 5-2991	冪 4-4946 4-4138	冪 3-2368 3-0372	
055/112 **3770**	冪 5-3E3C 5-3028	冪 4-5A7D 4-5893	冪 3-236A 3-0374	
055/113 **3771**	冪 5-3E3F 5-3031	冪 5-3E2B 3-6211		
055/114 **3772**		冪 7-6235 7-6621	冪 3-236B 3-0375	
055/115 **3773**			朮 3-236C 3-0376	
055/116 **3774**		冲 4-2371 4-0381		
055/117 **3775**	导 5-4A38 5-4224	导 4-2626 4-0606	导 3-236D 3-0377	
055/118 **3776**		罕 6-3668 6-2272	罕 3-236E 3-0378	
055/119 **3777**		尋 3-3B22 3-2702		
055/120 **3778**	覓 5-4078 5-3288	覓 4-2C4C 4-1244	覓 A-2235 A-0221	
055/121 **3779**	冤 3-3D6D 3-2977	冤 6-3E64 6-3068		
055/122 **377A**	剹 5-407A 5-3290	剹 4-4278 4-3488	剹 3-236F 3-0379	
055/123 **377B**		勤 5-4C63 5-4467	勤 3-2370 3-0380	
055/124 **377C**	冠 5-3749 5-2341	冠 4-225D 4-0261	冠 3-2371 3-0381	
055/125 **377D**	冰 3-3540 3-2132	冰 4-2374 4-0384		
055/126 **377E**	冼 3-3541 3-2133	冼 4-2628 4-0608		
055/127 **377F**	冲 5-374B 5-2343	冲 4-2627 4-0607	冲 3-2372 3-0382	
055/128 **3780**	冼 5-374D 5-2345	冼 4-2874 4-0884	冼 3-2373 3-0383	
055/129 **3781**	冠 5-374E 5-2346	冠 4-2875 4-0885		
055/130 **3782**	冷 3-3544 3-2136	冷 4-2C4D 4-1245		
055/131 **3783**		凩 5-3175 5-1785	凩 3-2374 3-0384	
055/132 **3784**	掩 3-3545 3-2137	掩 4-3133 4-1719		
055/133 **3785**		冨 5-3173 5-1783	冨 3-2375 3-0385	
055/134 **3786**	掎 5-374F 5-2347	掎 4-3132 4-1718	掎 3-2376 3-0386	
055/135 **3787**	冕 3-3546 3-2138	冕 4-3728 4-2308		
055/136 **3788**	冤 3-3548 3-2140	冤 4-3729 4-2309		
055/137 **3789**	冦 3-3547 3-2139	冦 4-3C71 4-2881		
055/138 **378A**	凱 3-3549 3-2141	凱 4-4279 4-3489		
055/139 **378B**	尽 5-3E4A 5-3042	尽 3-2240 3-0232		
055/140 **378C**		孱 3-2353 3-0351		
055/141 **378D**			夙 A-2236 A-0222	
055/142 **378E**	屈 3-3B50 3-2748			
055/143 **378F**	屋 3-3B4F 3-2747	屋 4-262A 4-0610		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
055/144	3790	5-3E51 5-3049	3-2852 3-0850			
055/145	3791		3-2853 3-0851			
055/146	3792	3-3B54 3-2752	4-2879 4-0889			
055/147	3793	3-3B55 3-2753	4-2878 4-0888			
055/148	3794	5-3E56 5-3054	3-2C39 3-1225			
055/149	3795	5-3E55 5-3053	3-2C38 3-1224			
055/150	3796	5-3E53 5-3051	3-2C36 3-1222			
055/151	3797	3-3B57 3-2755	4-2C4E 4-1246		3-2378 3-0388	
055/152	3798	3-3B59 3-2757	6-3E6B 6-3075			
055/153	3799		3-3545 3-2137			
055/154	379A	3-3B5B 3-2759	4-372B 4-2311			
055/155	379B	5-3E61 5-3065	5-3766 5-2370			
055/156	379C	3-3B5D 3-2761	4-427D 4-3493			
055/157	379D				3-2379 3-0389	
055/158	379E	3-3B4E 3-2746				
055/159	379F	3-3B5F 3-2763	4-494A 4-4142		3-237A 3-0390	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
055/160	37A0	3-3B5E 3-2762				
055/161	37A1		3-5A37 3-5823			
055/162	37A2	5-3F33 5-3119	3-2162 3-0166			
055/163	37A3		4-2377 4-0387		3-237B 3-0391	
055/164	37A4		3-2242 3-0234			
055/165	37A5	5-3A55 5-2653	3-2243 3-0235			
055/166	37A6	5-3A56 5-2654	3-2241 3-0233			
055/167	37A7	5-3A57 5-2655	3-2244 3-0236			
055/168	37A8		3-2356 3-0354			
055/169	37A9		4-2261 4-0265			
055/170	37AA		5-2251 5-0249	A-2237 A-0223		
055/171	37AB		4-237B 4-0391			
055/172	37AC		5-2250 5-0248	A-2238 A-0224		
055/173	37AD		3-2357 3-0355			
055/174	37AE			A-2239 A-0225		
055/175	37AF		3-2358 3-0356			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
055/176	37B0	3-3846 3-2438	4-2378 4-0388			
055/177	37B1	3-3845 3-2437	4-2379 4-0389		3-237C 3-0392	
055/178	37B2		3-2560 3-0564			
055/179	37B3		5-2370 5-0380		3-2421 3-0401	
055/180	37B4		5-2374 5-0384	A-223A A-0226		
055/181	37B5		3-2564 3-0568			
055/182	37B6		3-2565 3-0569			
055/183	37B7		4-2376 4-0386	A-223B A-0227		
055/184	37B8				3-2422 3-0402	
055/185	37B9		3-285B 3-0859			
055/186	37BA		6-2A7B 6-1091	A-223C A-0228		
055/187	37BB	3-3856 3-2454	4-2631 4-0617	A-223D A-0229		
055/188	37BC		4-2632 4-0618	A-223E A-0230		
055/189	37BD	3-3852 3-2450	4-262E 4-0614			
055/190	37BE	5-3A6D 5-2677	3-2856 3-0854			
055/191	37BF		6-2A76 6-1086	A-223F A-0231		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
055/192 37C0	丕 3-2859 3-0857			
055/193 37C1	岍 3-285A 3-0858	岍 A-2240 A-0232		
055/194 37C2	岵 3-385F 3-2463			
055/195 37C3	峒 5-256E 5-0578		峒 3-2423 3-0403	
055/196 37C4	峊 3-2C3A 3-1226			
055/197 37C5	峴 3-3869 3-2473	峴 4-287B 4-0891		
055/198 37C6	峿 S-2122 S-0102			
055/199 37C7	崉 3-3878 3-2488	崉 4-2C5B 4-1259		
055/200 37C8	崘 3-3874 3-2484	崘 4-2C53 4-1251		
055/201 37C9	崞 3-387E 3-2494	崞 4-2C51 4-1249		
055/202 37CA	崙 3-3060 3-1664			
055/203 37CB	崚 3-387C 3-2492	崚 4-2C5F 4-1263		
055/204 37CC	崡 3-3873 3-2483	崡 4-2C55 4-1253		
055/205 37CD	崗 3-305C 3-1660			
055/206 37CE	崥 3-3879 3-2489	崥 4-2C5A 4-1258		
055/207 37CF	崳 3-387A 3-2490	崳 4-2C5E 4-1262		
055/208 37D0	嵉 3-3861 3-2465	嵉 4-2C57 4-1255		
055/209 37D1	嵒 3-305D 3-1661			
055/210 37D2	嵓 6-367C 6-2292	嵓 A-2242 A-0234		
055/211 37D3	嵛 5-2D2E 5-1314		嵛 3-2426 3-0406	
055/212 37D4	嵫 3-3065 3-1669			
055/213 37D5			嵱 3-2425 3-0405	
055/214 37D6	嵞 3-3870 3-2480	嵞 4-2C54 4-1252		
055/215 37D7	嵷 3-3556 3-2154			
055/216 37D8	嵸 3-3549 3-2141			
055/217 37D9	嵼 3-3925 3-2505	嵼 4-3137 4-1723		
055/218 37DA	嵿 3-354C 3-2144			
055/219 37DB	嶂 5-3B3A 5-2726	嶂 4-313D 4-1729	嶂 A-2243 A-0235	
055/220 37DC	嶁 6-3E75 6-3085	嶁 A-2244 A-0236		
055/221 37DD	嶆 3-354D 3-2145			
055/222 37DE	嶋 3-384D 3-2445	嶋 4-3139 4-1725		
055/223 37DF	嶓 6-3E78 6-3088	嶓 A-2245 A-0237		
055/224 37E0	嶇 3-3550 3-2148			
055/225 37E1		嶓 A-2247 A-0239		
055/226 37E2	嶕 F-343F F-2031	嶕 A-2246 A-0238		
055/227 37E3			嶚 3-2427 3-0407	
055/228 37E4	嶘 3-392F 3-2515			
055/229 37E5	嶙 3-3553 3-2151			
055/230 37E6	嶟 5-3B25 5-2705	嶟 3-3B2F 3-2715		
055/231 37E7	嶠 5-3B4B 5-2743	嶠 3-3B32 3-2718	嶠 A-2248 A-0240	
055/232 37E8	嶢 3-3B29 3-2709			
055/233 37E9	嶪 4-3732 4-2318			
055/234 37EA	嶬 3-393A 3-2526	嶬 4-3734 4-2320		
055/235 37EB	嶲 3-3B35 3-2721			
055/236 37EC	嶷 3-393D 3-2529	嶷 4-3C72 4-2882		嶷 3-2429 3-0409
055/237 37ED	嶼 5-3B54 5-2752	嶼 3-3B30 3-2716		
055/238 37EE			嶾 3-2428 3-0408	
055/239 37EF	嵉 3-3B2C 3-2712			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
055/240	嶄	嶄		嶄	
37F0	5-3B64	4-3C76		3-242A	
	5-2768	4-2886		3-0410	
055/241	嵼	嵼		嵼	
37F1	5-3B63	4-3C73		3-242B	
	5-2767	4-2883		3-0411	
055/242	嶸	嶸			
37F2	3-3949	4-3C7E			
	3-2541	4-2894			
055/243		嶗		嶗	
37F3		5-3E6D		3-242E	
		5-3077		3-0414	
055/244	嵬	嵬		嵬	
37F4	5-3B4F	4-3D21		3-242C	
	5-2747	4-2901		3-0412	
055/245		嵞	嵞		
37F5		6-5234	A-2249		
		6-5020	A-0241		
055/246	嵓	嵓			
37F6	5-3B5A	3-407B			
	5-2758	3-3291			
055/247	嵁				
37F7	3-3935				
	3-2521				
055/248	嵥	嵥			
37F8	3-394B	4-3C77			
	3-2543	4-2887			
055/249	嶚	嶚			
37F9	3-394F	4-4322			
	3-2547	4-3502			
055/250		嶁		嶁	
37FA		6-5C44		3-242F	
		6-6036		3-0415	
055/251	嶄	嶄	嶄		
37FB	5-3B3B	4-432D	A-224A		
	5-2727	4-3513	A-0242		
055/252	嶪	嶪			
37FC	3-3947	4-432A			
	3-2539	4-3510			
055/253	嶕	嶕	嶕	嶕	
37FD	3-3952	4-4321	A-224B	3-2431	
	3-2550	4-3501	A-0243	3-0417	
055/254		嶜			
37FE		3-4655			
		3-3853			
055/255	嶜	嶜			
37FF	3-3948	4-4324			
	3-2540	4-3504			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/000		嶋	嶋		
3800		3-465B	A-224C		
		3-3859	A-0244		
056/001	嶩	嶩			
3801	5-3B44	3-4658			
	5-2736	3-3856			
056/002	嶦	嶦			
3802	3-3946	4-432E			
	3-2538	4-3514			
056/003				嶪	
3803				3-2432	
				3-0418	
056/004	嶪	嶪			
3804	5-3B68	3-4657			
	5-2772	3-3855			
056/005	嶫	嶫			
3805	3-395F	4-4950			
	3-2563	4-4148			
056/006	嶬	嶬			
3806	3-392E	4-494C			
	3-2514	4-4144			
056/007	嶩	嶩			
3807	3-3961	5-4C6C			
	3-2565	5-4476			
056/008		嶬			
3808		3-4B62			
		3-4366			
056/009	嶦	嶦	嶦	嶦	
3809	5-3B72	5-4C68	A-224D	3-2433	
	5-2782	5-4472	A-0245	3-0419	
056/010	嶁	嶁		嶁	
380A	5-3B65	4-494B		3-2435	
	5-2769	4-4143		3-0421	
056/011	嶨	嶨			
380B	5-3B6D	4-4953			
	5-2777	4-4151			
056/012	嶇	嶇	嶇		
380C	5-3B6A	3-4B64	A-224E		
	5-2774	3-4368	A-0246		
056/013	嶌	嶌			
380D	5-3B6E	4-494F			
	5-2778	4-4147			
056/014	嶍	嶍	嶍		
380E	3-395D	4-494D	A-224F		
	3-2561	4-4145	A-0247		
056/015	嶂	嶂			
380F	5-3A7A	3-4B61			
	5-2690	3-4365			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/016		嶜	嶜		
3810		4-4954	A-2250		
		4-4152	A-0248		
056/017	嶵	嶵			
3811	3-3969	4-5026			
	3-2573	4-4806			
056/018	嶰	嶰			
3812	3-3968	4-5027			
	3-2572	4-4807			
056/019	嶭	嶭			
3813	3-3966	4-5628			
	3-2570	4-5408			
056/020	嶐	嶐			
3814	3-396D	4-5025			
	3-2577	4-4805			
056/021		嶡	嶡		
3815		5-5436	A-2251		
		5-5222	A-0249		
056/022		嶬	嶬		
3816		3-5059	A-2252		
		3-4857	A-0250		
056/023		嶼	嶼		
3817		7-2D4C	A-2253		
		7-1344	A-0251		
056/024		嶼			
3818		3-545A			
		3-5258			
056/025	嶁	嶁			
3819	S-2125	3-5456			
	S-0105	3-5254			
056/026	嶵	嶵			
381A	3-385E	5-5B3C			
	3-2462	5-5928			
056/027	嶩	嶩			
381B	3-3965	4-5627			
	3-2569	4-5407			
056/028		嶷			
381C		3-5458			
		3-5256			
056/029		嶸	嶸		
381D		7-3F44	A-2254		
		7-3136	A-0252		
056/030				嶸	
381E				3-243B	
				3-0427	
056/031				嶸	
381F				3-243C	
				3-0428	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/032	嚧	嚧			
3820	3-3853 3-2451	4-5F5A 4-6358			
056/033	嚷	嚷			
3821	3-3944 3-2536	5-6763 5-7167			
056/034	襄	襄			
3822	3-3971 3-2581	5-6764 5-7168			
056/035	嚦				
3823	3-3844 3-2436				
056/036	嚷				
3824	S-2121 S-0101				
056/037	嚽	嚽			
3825	3-3976 3-2586	4-663A 4-7026			
056/038		嚴			
3826		3-5E2C 3-6212			
056/039	嚨	嚨		嚨	
3827	3-3977 3-2587	4-6868 4-7272		3-243D 3-0429	
056/040		嚽		嚽	
3828		5-7B3D 5-9129		3-243E 3-0430	
056/041		亢			
3829		3-235B 3-0359			
056/042		王	王		
382A		6-216E 6-0178	A-2255 A-0253		
056/043				奘	
382B				3-243F 3-0431	
056/044				奘	
382C				3-2440 3-0432	
056/045	玨	玨			
382D	5-3551 5-2149	3-3B38 3-2724			
056/046		靼			
382E		4-4955 4-4153			
056/047		吕	吕	吕	
382F		3-2245 3-0237	A-2256 A-0254	3-2441 3-0433	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/048				智	
3830				3-2444 3-0436	
056/049	冕	冕		冕	
3831	5-3E72 5-3082	4-3142 4-1734		3-2443 3-0435	
056/050	帇	帇			
3832	5-3A22 5-2602	3-2246 3-0238			
056/051				令	
3833				3-2445 3-0437	
056/052	帇	帇			
3834	3-3761 3-2365	4-2265 4-0269			
056/053	帚	帚			
3835	3-3760 3-2364	4-2266 4-0270			
056/054		帆			
3836		3-235D 3-0361			
056/055	帴	帴			
3837	3-375F 3-2363	4-2422 4-0402			
056/056	帧	帙			
3838	3-3762 3-2366	4-2424 4-0404			
056/057	帢	帢			
3839	5-3A25 5-2605	3-2569 3-0573			
056/058	帊	帊		帊	
383A	3-3764 3-2368	4-2421 4-0401		3-2446 3-0438	
056/059		帟			
383B		3-256A 3-0574			
056/060		师	师		
383C		F-2425 F-0405	A-2257 A-0255		
056/061	帾	帾			
383D	3-3769 3-2373	4-2636 4-0622			
056/062	帑	帑			
383E	3-376A 3-2374	4-2637 4-0623			
056/063	帑	帑			
383F	3-376D 3-2377	4-2925 4-0905			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/064	帎	帎		帎	
3840	5-407C 5-3292	4-2425 4-0405		3-2447 3-0439	
056/065	帴	帴		帴	
3841	5-3A2D 5-2613	4-2922 4-0902		3-2448 3-0440	
056/066	帑	帑			
3842	3-376C 3-2376	4-2924 4-0904			
056/067		帗		帗	
3843		6-3063 6-1667		3-2449 3-0441	
056/068	帕	帕			
3844	5-3A31 5-2617	3-2C47 3-1239			
056/069	帾	帾			
3845	3-376F 3-2379	4-2923 4-0903			
056/070	帗	帗			
3846	5-3A32 5-2618	4-2921 4-0901			
056/071	幟	幟			
3847	3-3774 3-2384	4-2C66 4-1270			
056/072	帴	帴		帴	
3848	5-3A38 5-2624	4-2C68 4-1272		3-244A 3-0442	
056/073	帗	帗			
3849	3-377E 3-2394	4-3147 4-1739			
056/074	帼	帼		帼	
384A	5-3A3A 5-2626	4-3148 4-1740		3-244C 3-0444	
056/075	帷	帷		帷	
384B	3-377A 3-2390	4-3145 4-1737		3-244D 3-0445	
056/076		幁	幁		
384C		4-3149 4-1741	A-2258 A-0256		
056/077	帛				
384D	S-223B S-0227				
056/078		帹			
384E		3-355C 3-2160			
056/079	幗	幗		幗	
384F	5-3A3E 5-2630	4-373B 4-2327		3-244E 3-0446	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
056/080	幀	幀			
3850	3-3829 3-2409	4-3736 4-2322			
056/081	幋	幋			
3851	3-3825 3-2405	4-373D 4-2329			
056/082	幘	幘			
3852	3-3827 3-2407	4-373A 4-2326			
056/083	幝	幝			
3853	5-3A33 5-2619	3-3B3C 3-2728			
056/084	幟	幟			
3854	3-382A 3-2410	4-373C 4-2328			
056/085		幒		幒	
3855		3-3B39 3-2725		3-244F 3-0447	
056/086	幢	幢			
3856	3-3826 3-2406	4-3739 4-2325			
056/087	幡	幡			
3857	3-382D 3-2413	4-3D28 4-2908			
056/088	幩	幩			
3858	3-382F 3-2415	4-3D23 4-2903			
056/089	幗	幗			
3859	3-382C 3-2412	4-3D27 4-2907			
056/090	幙	幙			
385A	3-382B 3-2411	4-3D26 4-2906			
056/091	幌	幌			
385B	3-3823 3-2403	4-3D29 4-2909			
056/092	幘	幘			
385C	3-3835 3-2421	4-4333 4-3519			
056/093	幯	幯			
385D	3-382E 3-2414	4-4332 4-3518			
056/094	幞	幞	幞		
385E	3-3828 3-2408	4-4331 4-3517	A-2259 A-0257		
056/095	幘	幘			
385F	3-3832 3-2418	4-432F 4-3515			
056/096	幔	幔			
3860	5-3A4D 5-2645	3-4B6E 3-4378			
056/097	幗				
3861	3-3836 3-2422				
056/098		幔	幔		
3862		3-4B6F 3-4379	A-225A A-0258		
056/099		幟	幟		
3863		4-5029 4-4809	A-225B A-0259		
056/100				幙	
3864				3-2452 3-0450	
056/101	幯	幯		幯	
3865	5-3A50 5-2648	4-562D 4-5413		3-2453 3-0451	
056/102	幩	幩		幩	
3866	5-3A45 5-2637	4-562B 4-5411		3-2454 3-0452	
056/103	幔	幔			
3867	3-383C 3-2428	4-633B 4-6727			
056/104	幟	幟		幟	
3868	5-3A52 5-2650	4-633A 4-6726		3-2456 3-0454	
056/105		幫			
3869		3-5F44 3-6336			
056/106	幯	幯			
386A	3-383D 3-2429	4-686B 4-7275			
056/107		幂	幂		
386B		6-4844 6-4036	A-225D A-0261		
056/108			幾		
386C			A-225E A-0262		
056/109	幋	幋			
386D	5-415D 5-3361	3-465E 3-3862			
056/110	幾	幾			
386E	3-3252 3-1850	4-502B 4-4811			
056/111	庀	庀			
386F	5-3C7A 5-2890	3-2360 3-0364			
056/112		庠			
3870		3-235F 3-0363			
056/113		庆		庆	
3871		3-235E 3-0362		3-2457 3-0455	
056/114	戺	戺			
3872	5-3C7D 5-2893	3-256C 3-0576			
056/115		底	底		
3873		6-2747 6-0739	A-225F A-0263		
056/116		庇			庇
3874		4-2638 4-0624			0-3544 0-2136
056/117	庴	庴			
3875	3-3A45 3-2637	4-263D 4-0629			
056/118	庁	庁			
3876	3-3A43 3-2635	4-263B 4-0627			
056/119	床	床			
3877	7-2339 7-0325	5-2626 5-0606			
056/120	庫	庫		庫	
3878	3-3A44 3-2636	4-263C 4-0628		3-2458 3-0456	
056/121	庣	庣			
3879	5-3D23 5-2903	3-2864 3-0868			
056/122	庣	庣			
387A	3-3A41 3-2633	4-263A 4-0626			
056/123	庐	庐			
387B	5-3D24 5-2904	3-2866 3-0870			
056/124	庾	庾			
387C	3-3A4A 3-2642	F-2F38 F-1524			
056/125		庫	庫		
387D		3-2C49 3-1241	A-2260 A-0264		
056/126		庱			
387E		3-2C4A 3-1242			
056/127	庞	庞		庞	
387F	5-3D2C 5-2912	4-292A 4-0910		3-2459 3-0457	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
056/128 **3880**	庚 3-3A48 3-2640	庚 5-2926 5-0906		
056/129 **3881**	庲 5-3D2A 5-2910	庲 4-2929 4-0909	庲 3-245A 3-0458	
056/130 **3882**	庴 3-3A4B 3-2643	庴 4-2928 4-0908		
056/131 **3883**	庱 3-3A58 3-2656	庱 4-2C6B 4-1275		
056/132 **3884**	庢 5-3D2E 5-2914	庢 4-2C6D 4-1277	庢 3-245B 3-0459	
056/133 **3885**	庳 3-3A50 3-2648	庳 4-2C6C 4-1276		
056/134 **3886**		庫 3-306D 3-1677	庫 3-245E 3-0462	
056/135 **3887**			言 3-245F 3-0463	
056/136 **3888**	庵 5-3D35 5-2921	庵 3-355E 3-2162	庵 A-2261 A-0265	
056/137 **3889**	庶 3-3A60 3-2664	庶 4-314E 4-1746		
056/138 **388A**	庸 3-3A5C 3-2660	庸 4-314C 4-1744		
056/139 **388B**	庹 3-3A61 3-2665	庹 4-314F 4-1747	庹 A-2262 A-0266	庹 3-2462 3-0466
056/140 **388C**		庵 3-355D 3-2161		
056/141 **388D**	庾 3-3A5B 3-2659	庾 5-3829 5-2409		
056/142 **388E**	庸 3-3A64 3-2668	庸 4-3740 4-2332		
056/143 **388F**	庾 3-3A67 3-2671	庾 4-3741 4-2333	廋 3-2464 3-0468	
056/144 **3890**		廊 3-3B41 3-2733		
056/145 **3891**		廑 5-3F21 5-3101	廑 A-2263 A-0267	
056/146 **3892**	廬 3-3A6C 3-2676	廬 4-4336 4-3522		
056/147 **3893**	廧 5-3D43 5-2935	廧 3-465F 3-3863		
056/148 **3894**	廔 3-3A3F 3-2631	廔 4-4339 4-3525		
056/149 **3895**		廱 4-433A 4-3526	廱 A-2264 A-0268	
056/150 **3896**	廩 3-3A70 3-2680	廩 4-495B 4-4159		
056/151 **3897**		廚 4-495C 4-4160		
056/152 **3898**		廡 3-4B71 3-4381		
056/153 **3899**	廞 5-3D45 5-2937	廞 3-505D 3-4861		
056/154 **389A**	廣 3-3A5F 3-2663	廣 4-502C 4-4812		
056/155 **389B**	廒 3-3A57 3-2655	廒 4-502E 4-4814		
056/156 **389C**		廩 5-5442 5-5234	廩 A-2265 A-0269	
056/157 **389D**	廕 3-3A71 3-2681	廕 4-5F5E 4-6362		廕 3-2466 3-0470
056/158 **389E**	廯 5-3D4A 5-2942	廯 4-633C 4-6728		廯 3-2467 3-0471
056/159 **389F**	廷 3-335C 3-1960	廷 4-2429 4-0409		
056/160 **38A0**		廻 3-286A 3-0874		
056/161 **38A1**		弊 3-4662 3-3866	弊 A-2267 A-0271	
056/162 **38A2**			弊 A-2268 A-0272	
056/163 **38A3**		弊 7-2D5B 7-1359	弊 A-2269 A-0273	
056/164 **38A4**				栻 3-2468 3-0472
056/165 **38A5**	戚 3-354D 3-2145	戚 4-292B 4-0911		
056/166 **38A6**	戙 3-354E 3-2146	戙 4-3D2D 4-2913		
056/167 **38A7**		弓 6-2179 6-0189	弓 A-226A A-0274	
056/168 **38A8**	弋 3-3B62 3-2766	弋 4-226A 4-0274		
056/169 **38A9**	弥 5-3E74 5-3084	弥 3-2363 3-0367		
056/170 **38AA**		弓 3-2364 3-0368		
056/171 **38AB**	弘 7-233D 7-0329			
056/172 **38AC**		弦 3-2570 3-0580		
056/173 **38AD**	弢 S-2440 S-0432			
056/174 **38AE**		弛 3-286F 3-0879		弛 3-246A 3-0474
056/175 **38AF**	弧 3-3B6A 3-2774	弧 4-2640 4-0632		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
056/176 **38B0**	3-3B6D 3-2777	4-2641 4-0633		
056/177 **38B1**			3-246C 3-0476	
056/178 **38B2**	3-2C4E 3-1246			
056/179 **38B3**	7-233B 7-0327	4-292D 4-0913		
056/180 **38B4**	6-307A 6-1690	A-226B A-0275		
056/181 **38B5**	5-3E7A 5-3090	4-292E 4-0914	3-246D 3-0477	
056/182 **38B6**	3-2C4F 3-1247			
056/183 **38B7**	7-233A 7-0326			
056/184 **38B8**	5-3E7D 5-3093	4-2C71 4-1281	3-246E 3-0478	
056/185 **38B9**			3-246F 3-0479	
056/186 **38BA**	7-233C 7-0328	5-3246 5-1838		
056/187 **38BB**	3-3B72 3-2782	4-3151 4-1749		
056/188 **38BC**	5-3E7C 5-3092	4-2C72 4-1282	3-2471 3-0481	
056/189 **38BD**	3-3B46 3-2738			
056/190 **38BE**	5-3F23 5-3103	3-3B43 3-2735		
056/191 **38BF**			3-2472 3-0482	
056/192 **38C0**	5-3F29 5-3109	A-226C A-0276		
056/193 **38C1**	3-3B75 3-2785	4-3D2F 4-2915		
056/194 **38C2**	3-3B76 3-2786	4-3D2E 4-2914		
056/195 **38C3**	6-524D 6-5045	A-226D A-0277		
056/196 **38C4**	3-3B77 3-2787	4-495D 4-4161		
056/197 **38C5**	3-3B78 3-2788	4-495F 4-4163	3-2473 3-0483	
056/198 **38C6**	5-3F25 5-3105	3-5E2E 3-6214		
056/199 **38C7**	3-3B4A 3-2742	4-2642 4-0634		
056/200 **38C8**	3-3B4B 3-2743	4-5031 4-4817		
056/201 **38C9**	6-2470 6-0480	A-226E A-0278		
056/202 **38CA**			3-2474 3-0484	
056/203 **38CB**	3-2873 3-0883			
056/204 **38CC**	5-3C59 5-2857	4-2643 4-0635	3-2475 3-0485	
056/205 **38CD**	3-2872 3-0882			
056/206 **38CE**	5-5B5A 5-5958	3-3564 3-2168		
056/207 **38CF**	3-3B48 3-2740			
056/208 **38D0**	3-3B49 3-2741			
056/209 **38D1**	3-3A2D 3-2613	4-433B 4-3527	3-2476 3-0486	
056/210 **38D2**	3-3A2E 3-2614	4-4961 4-4165		
056/211 **38D3**	3-505F 3-4863			
056/212 **38D4**	5-3C25 5-2805	3-224B 3-0243		
056/213 **38D5**			3-2477 3-0487	
056/214 **38D6**			3-2478 3-0488	
056/215 **38D7**			3-2479 3-0489	
056/216 **38D8**	6-2B3E 6-1130	A-226F A-0279		
056/217 **38D9**	5-3C2A 5-2810	3-2874 3-0884		
056/218 **38DA**	3-397B 3-2591	4-2932 4-0918		
056/219 **38DB**	5-3C33 5-2819	4-2934 4-0920		
056/220 **38DC**	3-2C52 3-1250			
056/221 **38DD**	7-233E 7-0330	5-292F 5-0915		
056/222 **38DE**	5-2933 5-0919	A-2270 A-0280		
056/223 **38DF**	3-2C53 3-1251			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
056/224 38E0	6-3125 6-1705	A-2271 A-0281		
056/225 38E1			3-247B 3-0491	
056/226 38E2	5-2D47 5-1339	A-2272 A-0282		
056/227 38E3	F-2F3E F-1530		3-247C 3-0492	
056/228 38E4	5-3C28 5-2808	4-3154 4-1752	3-247D 3-0493	
056/229 38E5	3-3566 3-2170	A-2273 A-0283	3-247E 3-0494	
056/230 38E6	3-3567 3-2171			
056/231 38E7			3-2521 3-0501	
056/232 38E8			3-2522 3-0502	
056/233 38E9			3-2523 3-0503	
056/234 38EA		A-2274 A-0284		
056/235 38EB	5-3C40 5-2832	4-3749 4-2341	3-2524 3-0504	
056/236 38EC	3-3B4A 3-2742			
056/237 38ED	5-3C41 5-2833	4-3748 4-2340	3-2525 3-0505	
056/238 38EE			3-2526 3-0506	
056/239 38EF	3-3A26 3-2606	4-3D33 4-2919		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
056/240 38F0	3-3A28 3-2608	5-4569 5-3773		
056/241 38F1	3-3A21 3-2601	4-433D 4-3529	A-2275 A-0285	
056/242 38F2		6-5C67 6-6071	A-2276 A-0286	
056/243 38F3			3-2527 3-0507	
056/244 38F4			3-2528 3-0508	
056/245 38F5	5-3C30 5-2816	3-5060 3-4864		
056/246 38F6	3-3A2B 3-2611	4-5034 4-4820		
056/247 38F7		4-562F 4-5415	3-2529 3-0509	
056/248 38F8			3-252A 3-0510	
056/249 38F9			3-252B 3-0511	
056/250 38FA		6-217E 6-0194	A-2277 A-0287	
056/251 38FB	5-5269 5-5073	3-2365 3-0369		
056/252 38FC		3-2368 3-0372	A-2278 A-0288	3-252C 3-0512
056/253 38FD		4-2431 4-0417		
056/254 38FE		5-2267 5-0271		3-252E 3-0514
056/255 38FF	3-5133 3-4919	4-2270 4-0280		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
057/000 3900			3-252F 3-0515	
057/001 3901		3-287B 3-0891		
057/002 3902		3-287D 3-0893		
057/003 3903	5-5351 5-5149	3-2579 3-0589		
057/004 3904	3-513A 3-4926	4-242E 4-0414		
057/005 3905	5-427C 5-3492	3-287C 3-0892	A-2279 A-0289	
057/006 3906	5-534C 5-5144	4-2430 4-0416		3-2530 3-0516
057/007 3907	3-513D 3-4929	4-2433 4-0419		
057/008 3908		3-2573 3-0583		
057/009 3909	3-513C 3-4928	4-242F 4-0415		
057/010 390A	5-534D 5-5145	4-2432 4-0418		3-2531 3-0517
057/011 390B		3-2624 3-0604		
057/012 390C		3-2879 3-0889		
057/013 390D	5-526C 5-5076	4-2935 4-0921		
057/014 390E	3-5074 3-4884	4-2937 4-0923		
057/015 390F	3-514A 3-4942	4-264D 4-0645		3-2532 3-0518

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
057/016 **3910**	忐 3-2C59 3-1257			
057/017 **3911**	怗 3-2924 3-0904			
057/018 **3912**	怿 4-2648 4-0640		怿 3-2534 3-0520	
057/019 **3913**	怵 5-5359 5-5157	怵 3-2923 3-0903		怵 0-355E 0-2162
057/020 **3914**	怤 5-535E 5-5162	怤 4-264E 4-0646	怤 3-2535 3-0521	
057/021 **3915**	怞 3-514F 3-4947	怞 4-264C 4-0644	怞 3-2536 3-0522	怞 0-3565 0-2169
057/022 **3916**	怜 5-5362 5-5166	怜 4-2646 4-0638	怜 3-2537 3-0523	
057/023 **3917**		恭 F-2A3E F-1030	恭 A-227A A-0290	
057/024 **3918**	怠 7-2241 7-0233			
057/025 **3919**		恩 3-2C58 3-1256		
057/026 **391A**		恆 4-2941 4-0933	恆 A-227B A-0291	
057/027 **391B**		恇 3-2C62 3-1266		
057/028 **391C**		恢 4-293C 4-0928	恢 3-253E 3-0530	
057/029 **391D**	恍 3-5167 3-4971	恍 4-2649 4-0641	恍 3-2538 3-0524	
057/030 **391E**	恇 5-5372 5-5182	恇 4-2939 4-0925	恇 3-253D 3-0529	
057/031 **391F**		患 3-307D 3-1693		
057/032 **3920**	烈 6-3754 6-2352	烈 A-227C A-0292		
057/033 **3921**	恻 3-515A 3-4958	恻 4-293D 4-0929	恻 3-2539 3-0525	恻 0-356C 0-2176
057/034 **3922**	悐 5-2935 5-0921	悐 A-227D A-0293		
057/035 **3923**	恙 3-5075 3-4885	恙 4-2D28 4-1308		
057/036 **3924**	悚 3-515D 3-4961	悚 4-2948 4-0940		
057/037 **3925**	恢 3-5166 3-4970	恢 4-293A 4-0926	恢 3-253B 3-0527	
057/038 **3926**	悚 3-5157 3-4955	悚 4-293B 4-0927		
057/039 **3927**		悊 4-2940 4-0932	悊 3-253C 3-0528	
057/040 **3928**	恟 5-5367 5-5171	恟 3-2C55 3-1253		
057/041 **3929**	急 6-375A 6-2358	急 A-227E A-0294		
057/042 **392A**	恕 3-307C 3-1692			
057/043 **392B**		息 A-2321 A-0301		
057/044 **392C**	悎 5-5366 5-5170	悎 3-2C5E 3-1262		
057/045 **392D**	恔 7-233F 7-0331			
057/046 **392E**	狷 3-5077 3-4887	狷 4-315B 4-1759	狷 3-2540 3-0532	
057/047 **392F**		悶 5-2D5A 5-1358	悶 A-2322 A-0302	
057/048 **3930**	悊 5-527C 5-5092	悊 3-3573 3-2183		
057/049 **3931**	恒 3-5171 3-4981	恒 4-2D22 4-1302		
057/050 **3932**	悤 5-5273 5-5083	悤 3-3569 3-2173		
057/051 **3933**		悟 3-3075 3-1685		悟 0-356D 0-2177
057/052 **3934**	恍 3-516F 3-4979	恍 4-2D23 4-1303		
057/053 **3935**		恣 3-3570 3-2180	恣 A-2323 A-0303	
057/054 **3936**	悚 3-5172 3-4982	悵 4-2D24 4-1304		
057/055 **3937**		恰 3-3077 3-1687		
057/056 **3938**	悚 3-516E 3-4978	悚 6-375E 6-2362		
057/057 **3939**	悚 5-5375 5-5185	悚 3-3124 3-1704		
057/058 **393A**	慌 5-5371 5-5181	慌 4-2D2B 4-1311	慌 A-2324 A-0304	
057/059 **393B**	恕 3-5078 3-4888	恕 4-315A 4-1758		
057/060 **393C**				恤 3-2543 3-0535
057/061 **393D**	悸 7-2343 7-0335			
057/062 **393E**	悚 3-523B 3-5027	悚 4-315C 4-1760		悚 3-2544 3-0536
057/063 **393F**	悗 3-5229 3-5009	悗 4-3162 4-1766		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/064	愩	愩	愩		
3940	5-537A 5-5190	3-356B 3-2175	A-2325 A-0305		
057/065		悳	悳	悳	
3941		6-486F 6-4079	A-2326 A-0306	3-2545 3-0537	
057/066	惇	惇			
3942	3-522A 3-5010	4-3163 4-1767			
057/067		悶			
3943		3-3575 3-2185			
057/068	愣	愣			
3944	3-5225 3-5005	4-3160 4-1764			
057/069	愼	愼			
3945	3-5232 3-5018	5-325B 5-1859			
057/070	悚	悚			
3946	3-523C 3-5028	4-315D 4-1761			
057/071		悽			
3947		3-356C 3-2176			
057/072	慛	慛			
3948	5-5323 5-5103	3-3B4E 3-2746			
057/073		愔			
3949		4-316C 4-1776			
057/074	慚	慚		慚	
394A	5-537E 5-5194	4-3167 4-1771		3-2546 3-0538	
057/075		慾			
394B		3-3B4C 3-2744			
057/076		慵	慵		
394C		3-356D 3-2177	A-2327 A-0307		
057/077	慦	慦			
394D	5-5379 5-5189	3-3577 3-2187			
057/078		愁			
394E		3-3B57 3-2755			
057/079	愩	愩		愩	
394F	3-522E 3-5014	4-3164 4-1768		3-2547 3-0539	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/080		慾	慾		
3950		6-4875 6-4085	A-2328 A-0308		
057/081	慁	慁			
3951	5-5321 5-5101	3-3B53 3-2751			
057/082	慡	慡			
3952	3-5231 3-5017	4-3166 4-1770			
057/083	慪	慪			
3953	3-5228 3-5008	4-315E 4-1762			
057/084	惰	惰			
3954	S-2129 S-0109	5-2D57 5-1355			
057/085		慫			
3955		3-3B52 3-2750			
057/086		脥		脥	
3956		5-3842 5-2434		3-254E 3-0546	
057/087	慢				
3957	7-2344 7-0336				
057/088				惏	
3958				3-254A 3-0542	
057/089				忠	
3959				3-254F 3-0547	
057/090	慦	慦		慦	
395A	5-537C 5-5192	4-316A 4-1774		3-254C 3-0544	
057/091	慬	慬		慬	
395B	3-523E 3-5030	5-3848 5-2440		3-254D 3-0545	
057/092	慣	慣		慣	
395C	3-5245 3-5037	4-3756 4-2354		3-2550 3-0548	
057/093	慲	慲		慲	
395D	5-5433 5-5219	4-3750 4-2348		3-2553 3-0551	
057/094	慘	慘			
395E	5-5431 5-5217	3-3B5C 3-2760			
057/095	慘	慘			
395F	3-5251 3-5049	4-3759 4-2357			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/096	慣	慣	慣	慣	
3960	5-5435 5-5221	3-3B5F 3-2763	A-2329 A-0309	3-2554 3-0552	
057/097	慲	慲			
3961	3-524F 3-5047	4-3754 4-2352			
057/098	慆	慆		慆	
3962	3-524C 3-5044	4-374E 4-2346		3-2555 3-0553	
057/099		慶	慶		
3963		5-3F32 5-3118	A-232A A-0310		
057/100		愁	愁		
3964		3-4125 3-3305	A-232B A-0311		
057/101	慲	慲		慲	慲
3965	5-542A 5-5210	4-3755 4-2353		3-2557 3-0555	0-3631 0-2217
057/102		慝	慝		
3966		4-3D3E 4-2930	A-232C A-0312		
057/103		愩			
3967		3-3B60 3-2764			
057/104	慧	慧			
3968	3-507E 3-4894	4-3D37 4-2923			
057/105		慗	慗	慗	
3969		5-3258 5-1856	A-232D A-0313	3-2559 3-0557	
057/106	慺				
396A	7-2340 7-0332				
057/107		愩			
396B		3-3B5B 3-2759			
057/108		慲		慲	
396C		3-4126 3-3306		3-255B 3-0559	
057/109		慷			
396D		3-412D 3-3313			
057/110	慵	慵		慵	
396E	3-514B 3-4943	4-3D3B 4-2927		3-2563 3-0567	
057/111	慶	慶		慶	
396F	3-4C39 3-4425	4-4343 4-3535		3-255D 3-0561	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/112	嗖			嗖	
3970	5-3F42			3-255E	
	5-3134			3-0562	
057/113	慛	慛			
3971	6-5269	A-232E			
	6-5073	A-0314			
057/114	憃	憃			
3972	3-4667	A-232F			
	3-3871	A-0315			
057/115	愿	愿	愿	愿	
3973	3-5253	4-3D3A	A-2330	3-2562	
	3-5051	4-2926	A-0316	3-0566	
057/116	慮	慮			
3974	3-5256	4-3D3C			
	3-5054	4-2928			
057/117	慖	慖		慖	
3975	5-543F	3-4130		3-255F	
	5-5231	3-3316		3-0563	
057/118	寒	寒			
3976	5-5335	3-4665			
	5-5121	3-3869			
057/119	慞	慞			
3977	3-3A69	4-4342			
	3-2673	4-3534			
057/120		踠			
3978		4-4350			
		4-3548			
057/121		慦			
3979		3-4666			
		3-3870			
057/122		慊			
397A		3-412F			
		3-3315			
057/123	慼				
397B	S-212B				
	S-0111				
057/124	憮	憮		憮	
397C	5-5446	4-4348		3-2564	
	5-5238	4-3540		3-0568	
057/125	憤	憤		憤	
397D	3-5223	4-4347		3-2565	
	3-5003	4-3539		3-0569	
057/126	慿	慿		慿	
397E	5-5439	4-4349		3-2566	
	5-5225	4-3541		3-0570	
057/127		慦			
397F		3-4B7D			
		3-4393			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/128	慠	慬		慠	
3980	5-5440	4-434D		3-2567	
	5-5232	4-3545		3-0571	
057/129	憲	憲		憲	
3981	5-527A	4-4965		3-2568	
	5-5090	4-4169		3-0572	
057/130		慫			
3982		3-4C22			
		3-4402			
057/131	慬	慬		慬	
3983	5-5370	3-4669		3-2569	
	5-5180	3-3873		3-0573	
057/132		慼			
3984		3-4B7B			
		3-4391			
057/133	慦	慦		慦	
3985	5-5426	4-434A		3-256A	
	5-5206	4-3542		3-0574	
057/134	慷	慷		慷	慷
3986	3-525E	4-434C		3-256B	0-3641
	3-5062	4-3544		3-0575	0-2233
057/135	慮	慮			
3987	3-5260	4-4346			
	3-5064	4-3536			
057/136	慍				
3988	7-2341				
	7-0333				
057/137		憶			憶
3989		3-4C27			0-364B
		3-4407			0-2243
057/138	慹	慹		慹	
398A	5-536C	4-4B78		3-256D	
	5-5176	3-4388		3-0577	
057/139	慵	慵			
398B	3-525D	4-434B			
	3-5061	4-3543			
057/140	慶	慶			
398C	3-5129	4-5038			
	3-4909	4-4824			
057/141	慲	慲			
398D	5-5455	3-4C2A			
	5-5253	3-4410			
057/142	慧	慧		慧	
398E	3-5227	4-4967		3-256E	
	3-5007	4-4171		3-0578	
057/143	慐	慐		慐	
398F	3-526E	4-4969		3-256F	
	3-5078	4-4173		3-0579	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
057/144	憒	憒			
3990	3-523F	4-4968			
	3-5031	4-4172			
057/145	慼	慼			
3991	3-5262	4-496B			
	3-5066	4-4175			
057/146	慪	慪			
3992	3-5269	7-227C			
	3-5073	7-0292			
057/147	憐	憐		憐	
3993	3-526B	4-496D		3-2571	
	3-5075	4-4177		3-0581	
057/148		慰			
3994		3-5069			
		3-4873			
057/149	慬	慬		慬	
3995	3-5263	4-496C		3-256C	
	3-5067	4-4176		3-0576	
057/150	憫	憫			憫
3996	5-5378	3-4C26			0-364A
	5-5188	3-4406			0-2242
057/151	慭	慭			
3997	3-5272	4-5039			
	3-5082	4-4825			
057/152		憼	憼		
3998		5-5B4C	A-2331		
		5-5944	A-0317		
057/153	憑				
3999	S-2127				
	S-0107				
057/154	辯	辯		辯	
399A	5-7335	4-5B23		3-2573	
	5-8321	4-5903		3-0583	
057/155		戀	戀		
399B		4-5B29	A-2332		
		4-5909	A-0318		
057/156	慶	慶			
399C	3-5271	4-5636			
	3-5081	4-5422			
057/157	貌	貌			
399D	3-512C	4-5B25			
	3-4912	4-5905			
057/158		憲	憲		
399E		3-5767	A-2334		
		3-5571	A-0320		
057/159	貗	貗			
399F	3-512B	4-5B24			
	3-4911	4-5904			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
057/160	5-5364	F-5A29			
39A0	5-5168	F-5809			
057/161		3-5766			
39A1		3-5570			
057/162	5-5356	4-503A		3-2575	
39A2	5-5154	4-4826		3-0585	
057/163		5-6778	A-2335		
39A3		5-7188	A-0321		
057/164		4-6343	A-2336		
39A4		4-6735	A-0322		
057/165	3-527D	4-5F64	A-2337		
39A5	3-5093	4-6368	A-0323		
057/166	3-5261	5-6773			
39A6	3-5065	5-7183			
057/167		7-472C		3-2576	
39A7		7-3912		3-0586	
057/168		3-5E30		3-2577	
39A8		3-6216		3-0587	
057/169	5-5451	4-6342		3-2578	
39A9	5-5249	4-6734		3-0588	
057/170	3-527E	4-6340			
39AA	3-5094	4-6732			
057/171	5-545B	3-5F47			
39AB	5-5259	3-6339			
057/172	3-522F	4-686C			
39AC	3-5015	4-7276			
057/173		3-6178			
39AD		3-6588			
057/174		3-236A	A-2338	3-257E	
39AE		3-0374	A-0324	3-0594	
057/175		3-2626			
39AF		3-0606			
057/176	5-4825	4-2654		3-2622	
39B0	5-4005	4-0652		3-0602	
057/177			A-2339		
39B1			A-0325		
057/178		6-2B52	A-233A		
39B2		6-1150	A-0326		
057/179				3-2623	
39B3				3-0603	
057/180	5-482A	4-2D2F		3-2624	
39B4	5-4010	4-1315		3-0604	
057/181	3-4631	4-2D30			
39B5	3-3817	4-1316			
057/182		5-2D5D	A-233B		
39B6		5-1361	A-0327		
057/183		3-357A			
39B7		3-2190			
057/184	5-4831	3-3B65			
39B8	5-4017	3-2769			
057/185	5-4824	4-3D42		3-2626	
39B9	5-4004	4-2934		3-0606	
057/186	3-4636	4-4354			
39BA	3-3822	4-3552			
057/187		5-4D37		3-2628	
39BB		5-4523		3-0608	
057/188	5-4839	3-4C2B			
39BC	5-4025	3-4411			
057/189		3-5462		3-262A	
39BD		3-5266		3-0610	
057/190		6-276E	A-233C	3-262B	
39BE		6-0778	A-0328	3-0611	
057/191	3-506C	4-2655			
39BF	3-4876	4-0653			
057/192	3-506A	4-2656		3-262C	
39C0	3-4874	4-0654		3-0612	
057/193	3-506D	4-294D			
39C1	3-4877	4-0945			
057/194		3-2C64			
39C2		3-1268			
057/195	5-4B52	4-217B		3-262D	
39C3	5-4350	4-0191		3-0613	
057/196	5-4B51	4-217A		3-262E	
39C4	5-4349	4-0190		3-0614	
057/197		3-224F			0-3671
39C5		3-0247			0-2281
057/198	3-4958	4-2274			
39C6	3-4156	4-0284			
057/199		4-2273			
39C7		4-0283			
057/200	5-4B57	4-2275	A-233D		
39C8	5-4355	4-0285	A-0329		
057/201	3-4966	4-243A			
39C9	3-4170	4-0426			
057/202	3-4961	4-2436		3-262F	
39CA	3-4165	4-0422		3-0615	
057/203		3-262C			
39CB		3-0612			
057/204	5-4B5E	3-262D			
39CC	5-4362	3-0613			
057/205	5-4B65	3-2630			0-3728
39CD	5-4369	3-0616			0-2308
057/206	5-4B59	3-262B			
39CE	5-4357	3-0611			
057/207	7-2243				
39CF	7-0235				

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
057/208 **39D0**	掫 7-224B 7-0243			
057/209 **39D1**	抋 7-2345 7-0337			
057/210 **39D2**	抗 3-4A22 3-4202	抗 4-2658 4-0656	抗 3-2630 3-0616	
057/211 **39D3**	抓 5-4B6F 5-4379	抓 3-292D 3-0913	抓 3-2631 3-0617	
057/212 **39D4**	抚 3-4977 3-4187	抚 5-263A 5-0626		
057/213 **39D5**		抑 3-292C 3-0912		
057/214 **39D6**	抁 5-4B72 5-4382	抁 3-2938 3-0924	抁 3-2632 3-0618	
057/215 **39D7**	批 3-4A2B 3-4211	批 4-2955 4-0953	批 3-2633 3-0619	
057/216 **39D8**	掌 3-494C 3-4144	掌 4-2D33 4-1319		
057/217 **39D9**	抦 3-4A24 3-4204	抦 4-2659 4-0657		
057/218 **39DA**		抳 3-292B 3-0911		
057/219 **39DB**	挙 S-2240 S-0232			
057/220 **39DC**	捱 S-2242 S-0234			
057/221 **39DD**	挙 S-2249 S-0241			
057/222 **39DE**		抜 A-233E A-0330		
057/223 **39DF**	扛 7-2244 7-0236			
057/224 **39E0**			捈 3-2634 3-0620	
057/225 **39E1**	挄 3-4A33 3-4219	挄 4-294E 4-0946	挄 3-2635 3-0621	
057/226 **39E2**	捆 5-4C21 5-4401	捆 4-2954 4-0952	捆 3-2637 3-0623	
057/227 **39E3**		挀 3-2C66 3-1270		
057/228 **39E4**		挍 3-2927 3-0907		
057/229 **39E5**		挊 3-2C67 3-1271		
057/230 **39E6**	掏 5-4C26 5-4406	掏 3-2C69 3-1273	掏 3-2638 3-0624	
057/231 **39E7**		挸 4-2D3C 4-1328		
057/232 **39E8**		掂 3-2C71 3-1281	掂 A-233F A-0331	
057/233 **39E9**	掬 3-4A30 3-4216	掬 4-2956 4-0954	掬 3-2639 3-0625	
057/234 **39EA**	挽 5-4C25 5-4405	挽 3-2C68 3-1272	挽 3-263A 3-0626	
057/235 **39EB**	掀 3-4A28 3-4208	掀 4-2952 4-0950		
057/236 **39EC**	挙 3-494B 3-4143	挙 4-2D32 4-1318		
057/237 **39ED**	挙 3-494A 3-4142	挙 4-2D31 4-1317		
057/238 **39EE**		挹 3-2C6A 3-1274		
057/239 **39EF**		挫 3-2C65 3-1269		
057/240 **39F0**	拆 7-2346 7-0338			
057/241 **39F1**		舒 3-3134 3-1720		
057/242 **39F2**		探 3-312A 3-1710		
057/243 **39F3**	挈 5-4B44 5-4336	挈 3-357B 3-2191		
057/244 **39F4**		挋 3-3131 3-1717		
057/245 **39F5**		捂 3-313A 3-1726		
057/246 **39F6**	搼 5-4C3B 5-4427	搼 4-2D3B 4-1327	搼 3-263B 3-0627	
057/247 **39F7**		捂 3-312D 3-1713		
057/248 **39F8**		揨 3-312B 3-1711		
057/249 **39F9**	揑 3-4A51 3-4249	揑 4-317C 4-1792	揑 3-263D 3-0629	
057/250 **39FA**	揩 3-4A5E 3-4262	揩 4-3221 4-1801		
057/251 **39FB**	揲 5-4C4A 5-4442	揲 4-317B 4-1791	揲 3-263E 3-0630	
057/252 **39FC**		揸 3-362C 3-2212	揸 3-263F 3-0631	揸 0-3768 0-2372
057/253 **39FD**		掴 6-4032 6-3218	掴 A-2340 A-0332	
057/254 **39FE**	揔 3-4A56 3-4254	揔 4-3225 4-1805	揔 3-2640 3-0632	揔 0-376E 0-2378
057/255 **39FF**		揌 3-362F 3-2215		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/000 3A00	揀 3-3630 3-2216			
058/001 3A01	揖 5-4C47 5-4439	揖 4-3179 4-1789	揖 3-2641 3-0633	
058/002 3A02	揀 5-4B6B 5-4375	揀 3-357E 3-2194		揀 0-376C 0-2376
058/003 3A03	揨 3-4A57 3-4255	揨 4-3171 4-1781		
058/004 3A04	揚 5-4C52 5-4450	揚 3-3625 3-2205	揚 3-2642 3-0634	
058/005 3A05	揇 3-4A38 3-4224	揇 4-317E 4-1794		
058/006 3A06	揪 3-4A4C 3-4244	揪 4-317A 4-1790		
058/007 3A07	揫 5-4B48 5-4340	揫 3-3B6B 3-2775		
058/008 3A08	揩 3-362A 3-2210			
058/009 3A09	揖 3-4A77 3-4287	揖 4-376E 4-2378		
058/010 3A0A	揜 3-4A65 3-4269	揜 4-3762 4-2366		
058/011 3A0B	揭 5-4C45 5-4437	揭 3-3621 3-2201	揭 A-2341 A-0333	
058/012 3A0C	毅 3-4F34 3-4720	毅 4-3D45 4-2937		
058/013 3A0D	揫 5-4B49 5-4341	揫 3-4131 3-3317	揫 3-2643 3-0635	
058/014 3A0E	揆 3-4A67 3-4271	揆 4-3764 4-2368	揆 3-2644 3-0636	
058/015 3A0F	揰 3-3B6A 3-2774			
058/016 3A10	揪 3-4A6C 3-4276	揪 4-376B 4-2375		
058/017 3A11	揆 3-4A70 3-4280	揆 4-3768 4-2372	揆 3-2647 3-0639	
058/018 3A12	揲 3-4A68 3-4272	揲 4-3765 4-2369		
058/019 3A13	揮 3-3B6C 3-2776			
058/020 3A14	揵 5-4C5E 5-4462	揵 3-3B69 3-2773		揵 0-3821 0-2401
058/021 3A15	揾 4-3770 4-2380			
058/022 3A16	揿 3-4A7C 3-4292	揿 4-3761 4-2365		
058/023 3A17	揶 3-3B6E 3-2778	揶 A-2342 A-0334		
058/024 3A18	揸 5-4C5F 5-4463			揸 0-375C 0-2360
058/025 3A19	揉 3-4A7E 3-4294	揉 4-3D50 4-2948	揉 3-2649 3-0641	
058/026 3A1A	揎 3-4A63 3-4267	揎 4-3D4F 4-2947		
058/027 3A1B	揑 5-4B70 5-4380	揑 3-4137 3-3323		
058/028 3A1C	揍 5-4D24 5-4504	揍 4-3D4C 4-2944	揍 3-264A 3-0642	
058/029 3A1D	揗 3-4B25 3-4305	揗 4-3D4A 4-2942		
058/030 3A1E	揀 5-4C7A 5-4490	揀 3-4135 3-3321		
058/031 3A1F	揎 3-413B 3-3327			
058/032 3A20	揑 5-4D33 5-4519	揑 4-3D48 4-2940	揑 3-264C 3-0644	
058/033 3A21	揜 3-4A7D 3-4293	揜 4-3D4E 4-2946		
058/034 3A22	揮 5-4D36 5-4522	揮 3-413C 3-3328		揮 0-3838 0-2424
058/035 3A23	揚 5-4D2A 5-4510	揚 3-414A 3-3342	揚 3-264B 3-0643	
058/036 3A24	揔 3-4143 3-3335			
058/037 3A25	揀 5-4C42 5-4434	揀 3-413F 3-3331		
058/038 3A26	揫 3-4147 3-3339			
058/039 3A27	揎 3-4140 3-3332			
058/040 3A28	揑 5-4D2D 5-4513	揑 3-4146 3-3338		
058/041 3A29	揑 3-4141 3-3333			
058/042 3A2A	揑 3-4139 3-3325			
058/043 3A2B	揑 S-2244 S-0236			
058/044 3A2C	揑 7-2347 7-0339			
058/045 3A2D	揑 3-4B37 3-4323	揑 4-4358 4-3556	揑 3-264D 3-0645	
058/046 3A2E	揑 3-4B33 3-4319	揑 4-4361 4-3565		
058/047 3A2F	揑 6-5D32 6-6118	揑 A-2343 A-0335		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
058/048	擩	擩			
3A30	5-4D2F 5-4515	3-4679 3-3889			
058/049		擒			
3A31		3-472E 3-3914			
058/050		揲			
3A32		3-472D 3-3913			
058/051	揭	揭		揭	
3A33	5-4D44 5-4536	4-4356 4-3554		3-264E 3-0646	
058/052		揳			
3A34		3-467C 3-3892			
058/053		揂			
3A35		3-4727 3-3907			
058/054	揶	揶	揶	揶	揶
3A36	5-4B63 5-4367	3-472F 3-3915	A-2344 A-0336	3-264F 3-0647	0-3845 0-2437
058/055	揋	揋			
3A37	3-4B29 3-4309	4-435C 4-3560			
058/056		揊			
3A38		3-4677 3-3887			
058/057	揎	揎			
3A39	3-4B27 3-4307	5-4625 5-3805			
058/058	揣	揣			
3A3A	5-4C7E 5-4494	3-467D 3-3893			
058/059	揫	揫	揫	揫	
3A3B	5-4B46 5-4338	4-4975 4-4185	A-2345 A-0337	3-2650 3-0648	
058/060		揿			
3A3C		3-4C36 3-4422			
058/061	揂	揂			
3A3D	3-4B2B 3-4311	4-4364 4-3568			
058/062		揉		揉	
3A3E		5-4623 5-3803		3-2652 3-0650	
058/063		搋	搋		
3A3F		3-472B 3-3911	A-2346 A-0338		

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
058/064		搗			
3A40		3-472C 3-3912			
058/065				摧	
3A41				3-2653 3-0651	
058/066				搦	
3A42				3-2654 3-0652	
058/067	搛	搛		搛	
3A43	5-4D56 5-4554	4-4A24 4-4204		3-2657 3-0655	
058/068	揌	揌			
3A44	5-4D52 5-4550	3-4C33 3-4419			
058/069		擂		擂	
3A45		7-233A 7-0326		3-2655 3-0653	
058/070	揰	揰			
3A46	3-4B43 3-4335	4-4979 4-4189			
058/071	擉	擉		擉	
3A47	5-4C49 5-4441	4-497A 4-4190		3-2656 3-0654	
058/072	揹	揹			
3A48	3-4B46 3-4338	4-4976 4-4186			
058/073	揜	揜			
3A49	3-4B40 3-4332	4-4A28 4-4208			
058/074	揥	揥			
3A4A	3-4B41 3-4333	4-4A22 4-4202			
058/075	揀	揀			
3A4B	3-4A5D 3-4261	5-4D3A 5-4526			
058/076	攢	攢		攢	
3A4C	5-4C76 5-4486	4-497E 4-4194		3-2659 3-0657	
058/077		揀	揀		
3A4D		5-4D3E 5-4530	A-2347 A-0339		
058/078	揃	揃			
3A4E	5-4D4F 5-4547	3-4C3C 3-4428			
058/079	揑				
3A4F	7-2348 7-0340				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
058/080	撙	撙		撙	
3A50	5-4D53 5-4551	4-4A23 4-4203		3-2658 3-0656	
058/081	揥				
3A51	3-4B39 3-4325				
058/082	揉	揉			揉
3A52	5-4D60 5-4564	3-5074 3-4884			0-3868 0-2472
058/083	擊	擊			
3A53	3-4952 3-4150	4-5639 4-5425			
058/084	撥	撥			
3A54	3-4B4C 3-4344	4-5045 4-4837			
058/085		撦			
3A55		3-5073 3-4883			
058/086		擅			
3A56		3-506E 3-4878			
058/087		攜			
3A57		3-5078 3-4888			
058/088		撱			
3A58		3-5072 3-4882			
058/089	撾	撾			
3A59	5-4D66 5-4570	3-5071 3-4881			
058/090		擩		擩	
3A5A		3-5465 3-5269		3-265B 3-0659	
058/091	擃	擃			
3A5B	5-4C22 5-4402	3-546A 3-5274			
058/092	擖	擖	擖		擖
3A5C	5-4D25 5-4505	3-5468 3-5272	A-2348 A-0340		0-3875 0-2485
058/093	擙	擙		擙	
3A5D	5-4D6C 5-4576	3-5463 3-5267		3-265F 3-0663	
058/094		擡			
3A5E		3-5466 3-5270			
058/095	攆			攆	
3A5F	3-4B52 3-4350			3-2660 3-0664	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/096 **3A60**	攡 攡 3-4B55 4-5B2D 3-4353 4-5913			
058/097 **3A61**	攞 3-5769 3-5573			攞 0-387D 0-2493
058/098 **3A62**	攦 攦 3-4B4E 4-5B32 3-4346 4-5918			攦 0-3923 0-2503
058/099 **3A63**	攆 攆 5-4D5A 4-5B30 5-4558 4-5916		攆 3-2661 3-0665	
058/100 **3A64**	攍 攍 3-4B53 4-5B2E 3-4351 4-5914		攍 3-2662 3-0666	
058/101 **3A65**	攕 3-576F 3-5579			
058/102 **3A66**	攜 3-5771 3-5581		攜 3-2663 3-0667	
058/103 **3A67**	攝 攝 3-4B54 4-5B31 3-4352 4-591/			攝 0-387A 0-2490
058/104 **3A68**	攁 攁 5-4D70 3-5768 5-4580 3-5572			
058/105 **3A69**	攂 攂 3-4B42 4-5B2F 3-4334 4-5915			
058/106 **3A6A**	攇 3-5772 3-5582			
058/107 **3A6B**	攢 攢 3-4A6E F-5E73 3-4278 F-6283			
058/108 **3A6C**	攕 3-5A3D 3-5829			
058/109 **3A6D**	攐 攐 5-4C58 3-5A3E 5-4456 3-5830		攐 3-2664 3-0668	
058/110 **3A6E**		攣 A-2349 A-0341		
058/111 **3A6F**	攥 攥 5-4D7B 4-6347 5-4591 4-6739		攥 3-2666 3-0670	
058/112 **3A70**	攦 攦 5-4D75 3-5C40 5-4585 3-6032			
058/113 **3A71**	攡 攡 3-4B5A 4-6346 3-4358 4-6738		攡 3-2667 3-0671	
058/114 **3A72**	攫 5-7024 5-8004		攫 3-2668 3-0672	
058/115 **3A73**	攩 攩 7-224C 3-5E32 7-0244 3-6218		攩 3-2669 3-0673	
058/116 **3A74**	攭 攭 3-4B5C 4-6640 3-4360 4-7032		攭 3-2665 3-0669	
058/117 **3A75**	攦 攦 5-4D5F 3-6031 5-4563 3-6417		攦 3-266B 3-0675	
058/118 **3A76**	攬 攬 5-4D3E 4-6A49 5-4530 4-7441		攬 3-266C 3-0676	
058/119 **3A77**	攩 攩 3-4B4B 4-6A48 3-4343 4-7440			
058/120 **3A78**			攬 3-266D 3-0677	
058/121 **3A79**	攧 攧 3-4B4D 5-792A 3-4345 5-8910			
058/122 **3A7A**	攲 攲 3-4639 4-265B 3-3825 4-0659			
058/123 **3A7B**	攲 攲 5-4640 4-2D40 5-3832 4-1332		攲 3-266E 3-0678	
058/124 **3A7C**	攴 攴 5-4641 4-2D3F 5-3833 4-1331		攴 3-266F 3-0679	
058/125 **3A7D**	攷 攷 5-4643 4-3227 5-3835 4-1807	攷 A-234A A-0342	攷 3-2670 3-0680	
058/126 **3A7E**	攺 攺 3-4369 4-3D54 3-3573 4-2952			
058/127 **3A7F**	攵 攵 3-473B 4-2440 3-3927 4-0432			
058/128 **3A80**	攸 3-263A 3-0626			
058/129 **3A81**	攴 3-467B 3-3891			
058/130 **3A82**	攴 5-4E47 5-4639			攴 3-2671 3-0681
058/131 **3A83**	攷 3-467C 3-3892			
058/132 **3A84**	敷 敷 3-473C 4-295D 3-3928 4-0961			敷 3-2673 3-0683
058/133 **3A85**	叟 3-2C75 3-1285	叟 A-234B A-0343	叟 3-2674 3-0684	
058/134 **3A86**	攺 3-467E 3-3894			
058/135 **3A87**	攸 3-313E 3-1730			
058/136 **3A88**	攴 3-4721 3-3901			攴 3-2676 3-0686
058/137 **3A89**	啟 6-382B 6-2411	啟 A-234C A-0344		
058/138 **3A8A**	敲 3-4726 3-3906			
058/139 **3A8B**	敲 敲 5-4876 3-3633 5-4086 3-2219			
058/140 **3A8C**	敲 5-4878 5-4088			敲 3-2677 3-0687
058/141 **3A8D**	教 教 5-493B 3-3635 5-4127 3-2221			教 3-2678 3-0688
058/142 **3A8E**	敓 3-4722 3-3902			
058/143 **3A8F**	敽 敽 3-472B 4-3779 3-3911 4-2389			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
058/144	殿			
3A90	3-472D 3-3913			
058/145	敲 敳		敳	
3A91	3-4728 4-3775 3-3908 4-2385		3-2679 3-0689	
058/146	殴 殴		殴	
3A92	3-472A 4-3778 3-3910 4-2388		3-267A 3-0690	
058/147	毃 毃		毃	
3A93	5-487D 4-3777 5-4093 4-2387		3-267B 3-0691	
058/148	椵		樧	
3A94	5-4879 5-4089		3-267C 3-0692	
058/149	敲 敲			
3A95	3-4729 4-3776 3-3909 4-2386			
058/150	敲 敲			
3A96	3-472F 5-387C 3-3915 5-2492			
058/151	敲			
3A97	3-472C 3-3912			
058/152		敛		
3A98		A-234D A-0345		
058/153	敷			
3A99	3-4741 3-3933			
058/154	散			
3A9A	3-3B77 3-2787			
058/155	敲			
3A9B	3-4730 3-3916			
058/156	敲		敲	
3A9C	5-4926 5-4106		3-267E 3-0694	
058/157	敲 敲		敲	
3A9D	3-4731 4-3D59 3-3917 4-2957		3-2721 3-0701	
058/158	敲 敲		敲	
3A9E	5-4925 4-3D5B 5-4105 4-2959		3-2722 3-0702	
058/159	敲	敲		
3A9F	3-414C 3-3344	A-234E A-0346		

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
058/160	敲 敲			
3AA0	3-4734 4-4366 3-3920 4-3570			
058/161	敲 敲			
3AA1	3-4735 5-4630 3-3921 5-3816			
058/162	敷			
3AA2	3-4733 3-3919			
058/163	敲 敲			
3AA3	3-7B6F 4-4369 3-9179 4-3573			
058/164	斀 斀			
3AA4	3-473E 4-4A2B 3-3930 4-4211			
058/165	斀 斀			
3AA5	3-4736 4-4A2A 3-3922 4-4210			
058/166	敥 敥		敥	
3AA6	3-4747 4-4A29 3-3939 4-4209		3-2724 3-0704	
058/167			敲	
3AA7			3-2725 3-0705	
058/168	敲 敲		敲	
3AA8	5-492D 4-5049 5-4113 4-4841		3-2727 3-0707	
058/169	斀 斀			
3AA9	3-472E 4-504C 3-3914 4-4844			
058/170	毃			
3AAA	3-4737 3-3923			
058/171	斀			
3AAB	3-5773 3-5583			
058/172	斀		斀	
3AAC	3-4739 3-3925		3-2728 3-0708	
058/173	斀 斀		斀	
3AAD	3-467D 4-634C 3-3893 4-6744		3-2729 3-0709	
058/174	斀 斀			
3AAE	3-473A 4-6643 3-3926 4-7035			
058/175	斋			
3AAF	3-263B 3-0627			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
058/176	亲 亲			
3AB0	6-382C 6-2412	A-2350 A-0348		
058/177	斒			
3AB1	3-414F 3-3347			
058/178			斗	
3AB2			3-272B 3-0711	
058/179			斗	
3AB3			3-272C 3-0712	
058/180	料			
3AB4	3-293A 3-0926			
058/181	料 料			
3AB5	3-5063 4-2961 3-4867 4-0965			
058/182	斟			
3AB6	3-3141 3-1733			
058/183	斗 斗			
3AB7	5-6D73 3-392B 5-7783 3-2511			
058/184	斟			
3AB8	3-3B78 3-2788			
058/185	斠 斠			
3AB9	3-5066 4-4A2E 3-4870 4-4214			
058/186	斟 斟		斟	
3ABA	3-5068 4-563E 3-4872 4-5430		3-272E 3-0714	
058/187	斆 斆			
3ABB	3-5064 4-6A4B 3-4868 4-7443			
058/188	听 听			
3ABC	3-4C34 4-2962 3-4420 4-0966			
058/189		昕		
3ABD		A-2351 A-0349		
058/190	斫 斫		斫	
3ABE	5-4E60 4-2D49 5-4664 4-1341		3-2730 3-0716	
058/191		斫 斫		
3ABF		6-3830 A-2352 6-2416 A-0350		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd.17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/192 3AC0	斮 6-4961 6-4165	斮 A-2353 A-0351		
058/193 3AC1	斷 6-5D51 6-6149		斷 3-2732 3-0718	
058/194 3AC2	斸 5-4D4B 5-4543		斸 3-2733 3-0719	
058/195 3AC3	旀 5-507C 5-4892	旀 3-2371 3-0381		
058/196 3AC4	旉 6-2B70 6-1180	旉 A-2354 A-0352		
058/197 3AC5	旍 6-3834 6-2420		旍 3-2738 3-0724	
058/198 3AC6			旀 3-2735 3-0721	
058/199 3AC7			旲 3-2736 3-0722	
058/200 3AC8			旹 3-2737 3-0723	
058/201 3AC9			旐 3-2739 3-0725	
058/202 3ACA	旕 5-5125 5-4905	旕 3-363B 3-2227		
058/203 3ACB	旖 S-2424 S-0404	旖 3-363E 3-2230		
058/204 3ACC			旋 3-273A 3-0726	
058/205 3ACD	旐 3-4F48 3-4740	旐 4-3D65 4-2969		
058/206 3ACE	旛 5-5129 5-4909	旛 4-4A30 4-4216	旛 3-273B 3-0727	
058/207 3ACF	旞 5-512A 5-4910	旞 4-4A31 4-4217	旞 3-273C 3-0728	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/208 3AD0	昆 5-494B 5-4143	昆 4-2278 4-0288	昆 A-2355 A-0353	
058/209 3AD1	昉 4-2279 4-0289	昉 A-2356 A-0354		
058/210 3AD2	昇 5-4A37 5-4223	昇 4-2443 4-0435	昇 3-273E 3-0730	
058/211 3AD3	昅 3-263C 3-0628		昅 3-273F 3-0731	
058/212 3AD4	昊 3-263F 3-0631			
058/213 3AD5	晃 3-263E 3-0630	晃 A-2357 A-0355		
058/214 3AD6		晉 A-2358 A-0356		
058/215 3AD7	晕 3-2640 3-0632			
058/216 3AD8	晉 5-4952 5-4150	晉 3-293F 3-0931		
058/217 3AD9	昳 3-293D 3-0929			
058/218 3ADA	晉 3-4753 3-3951	晉 4-2663 4-0667	晉 3-2740 3-0732	
058/219 3ADB	晲 5-294F 5-0947	晲 A-2359 A-0357		
058/220 3ADC	晶 4-2963 4-0967		晶 3-2742 3-0734	
058/221 3ADD	晲 3-2C7B 3-1291		晲 3-2745 3-0737	
058/222 3ADE	晷 4-2964 4-0968	晷 A-235A A-0358		
058/223 3ADF	昭 3-475D 3-3961	昭 4-2965 4-0969	昭 3-2743 3-0735	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/224 3AE0	晔 3-2C78 3-1288	晔 A-235B A-0359		
058/225 3AE1	晷 3-2D26 3-1306			
058/226 3AE2			昳 3-2744 3-0736	
058/227 3AE3	黽 S-212D S-0113			
058/228 3AE4	暑 6-3167 6-1771	暑 A-235C A-0360		
058/229 3AE5	昭 5-4965 5-4169	昭 4-2D4C 4-1344		
058/230 3AE6	晚 4-323B 4-1827	晚 A-235D A-0361		
058/231 3AE7	暑 4-2D4B 4-1343			
058/232 3AE8		晙 A-235E A-0362		
058/233 3AE9	晉 3-3147 3-1739			
058/234 3AEA	春 6-3837 6-2423	春 A-235F A-0363		
058/235 3AEB	显 3-314A 3-1742			
058/236 3AEC	晌 S-212F S-0115	晌 F-2F6E F-1578		
058/237 3AED			晕 3-2748 3-0740	
058/238 3AEE	晳 4-2D4D 4-1345			
058/239 3AEF	晃 6-4051 6-3249	晃 A-2361 A-0365		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
058/240 **3AF0**	眼 3-476D 3-3977	眼 4-3236 4-1822	眼 3-2749 3-0741	
058/241 **3AF1**	暴 3-4768 3-3972	暴 4-323A 4-1826		
058/242 **3AF2**	晫 3-476A 3-3974	晫 4-3237 4-1823		
058/243 **3AF3**		脣 3-3643 3-2235	脣 A-2362 A-0366	
058/244 **3AF4**		曂 6-404F 6-3247	曂 A-2363 A-0367	
058/245 **3AF5**		晡 3-3C22 3-2802		
058/246 **3AF6**	晞 5-4974 5-4184	晞 4-377E 4-2394	晞 A-2364 A-0368	
058/247 **3AF7**	暮 5-496F 5-4179	暮 3-3B7A 3-2790	暮 A-2365 A-0369	
058/248 **3AF8**		暕 3-3B7B 3-2791		
058/249 **3AF9**	昿 3-4774 3-3984	昿 4-3825 4-2405		
058/250 **3AFA**		晉 3-3C27 3-2807		
058/251 **3AFB**		暺 4-3822 4-2402		暺 0-394D 0-2545
058/252 **3AFC**		暩 6-4973 6-4183	暩 A-2366 A-0370	暩 0-3953 0-2551
058/253 **3AFD**	暴 5-4975 5-4185	暵 3-3C21 3-2801		
058/254 **3AFE**			晌 3-274A 3-0742	晌 0-3951 0-2549
058/255 **3AFF**			晞 3-274B 3-0743	
059/000 **3B00**			暻 3-274C 3-0744	
059/001 **3B01**		晷 6-533D 6-5129	晷 A-2367 A-0371	
059/002 **3B02**		暪 5-3F62 5-3166	暪 3-274D 3-0745	
059/003 **3B03**		暔 3-4152 3-3350		
059/004 **3B04**		暴 3-4157 3-3355		
059/005 **3B05**	暑 5-4A3D 5-4229	暑 3-415A 3-3358		
059/006 **3B06**		暦 3-4155 3-3353		
059/007 **3B07**		暥 3-4153 3-3351		
059/008 **3B08**		暘 3-415C 3-3360	暘 3-274E 3-0746	
059/009 **3B09**		暸 3-4158 3-3356		
059/010 **3B0A**	暵 3-477E 3-3994	暵 4-3D68 4-2972	暵 A-2368 A-0372	
059/011 **3B0B**	暌 3-477D 3-3993	暌 4-3D67 4-2971		
059/012 **3B0C**		暑 3-4154 3-3352		
059/013 **3B0D**	暲 5-497E 5-4194	暲 3-4738 3-3924		
059/014 **3B0E**	暴 5-4A25 5-4205	暴 4-436E 4-3578	暴 3-2750 3-0748	
059/015 **3B0F**		暡 3-4732 3-3918		
059/016 **3B10**	曋 5-497D 5-4193	曋 3-4736 3-3922		
059/017 **3B11**	曊 S-212E S-0114			
059/018 **3B12**		曍 5-4D53 5-4551		曍 3-2751 3-0749
059/019 **3B13**	曋 3-482B 3-4011	曋 4-4A32 4-4218		
059/020 **3B14**		曓 3-4C42 3-4434		
059/021 **3B15**		曄 3-4C45 3-4437		
059/022 **3B16**				曒 3-2752 3-0750
059/023 **3B17**	曕 5-4A2D 5-4213	曕 4-5052 4-4850		
059/024 **3B18**	曉 3-4778 3-3988	曉 4-5051 4-4849		曉 3-2753 3-0751
059/025 **3B19**		曎 3-5121 3-4901		
059/026 **3B1A**	曒 3-4832 3-4018	曒 5-4D50 5-4548	曒 A-2369 A-0373	曒 3-2754 3-0752
059/027 **3B1B**		曖 3-507B 3-4891		
059/028 **3B1C**		曞 3-507C 3-4892	曞 A-236A A-0374	
059/029 **3B1D**		曾 4-5053 4-4851	曾 A-236B A-0375	
059/030 **3B1E**		曷 7-2E5A 7-1458		曷 3-2756 3-0754
059/031 **3B1F**	朁 3-3058 3-1656			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
059/032 **3B20**	5-4A32 5-4218 瞰 / 3-5473 3-5283 瞰			
059/033 **3B21**	3-546E 3-5278 曉			
059/034 **3B22**	4-5640 4-5432 曦	A-236C A-0376 曦	3-2755 3-0753 曦	
059/035 **3B23**	3-4763 3-3967 瞰 / 4-5B40 4-5932 瞰			
059/036 **3B24**	3-4836 3-4022 曒			
059/037 **3B25**	5-4A33 5-4219 暴 / 4-5B41 4-5933 暴	A-236D A-0377 暴		
059/038 **3B26**	5-4A30 5-4216 曩 / 4-5B3F 4-5931 曩	A-236E A-0378 曩		
059/039 **3B27**	7-3F76 7-3186 暴	A-2622 A-0602 暴		
059/040 **3B28**			3-2757 3-0755 嚇	
059/041 **3B29**	3-5A40 3-5832 曦			
059/042 **3B2A**	3-5A41 3-5833 曇			
059/043 **3B2B**	5-4A34 5-4220 瞢 / 3-5C44 3-6036 瞢			
059/044 **3B2C**	3-5F4C 3-6344 曮			
059/045 **3B2D**	5-4A35 5-4221 曮 / 3-5F4D 3-6345 曮			
059/046 **3B2E**	3-4828 3-4008 囊 / 5-756E 5-8578 囊			
059/047 **3B2F**	5-756D 5-8577 曮		3-2758 3-0756 曮	
059/048 **3B30**	3-2374 3-0384 曳	A-236F A-0379 曳		
059/049 **3B31**	4-5056 4-4854 嚳		3-2759 3-0757 嚳	
059/050 **3B32**	3-5474 3-5284 囓			
059/051 **3B33**	3-2944 3-0936 朁		3-275B 3-0759 朁	
059/052 **3B34**	3-314E 3-1746 朊		3-275C 3-0760 朊	
059/053 **3B35**	5-2E25 5-1405 胶	A-2370 A-0380 胶		
059/054 **3B36**	3-3649 3-2241 朏	A-2371 A-0381 朏		
059/055 **3B37**	S-2146 S-0138 胭			
059/056 **3B38**	3-3C28 3-2808 朧			
059/057 **3B39**	S-2140 S-0132 朮 / 4-3A43 4-2635 朮			
059/058 **3B3A**			3-275E 3-0762 勝	
059/059 **3B3B**	5-4645 5-3837 朖		3-275F 3-0763 朖	
059/060 **3B3C**	5-4D58 5-4556 朡	A-2372 A-0382 朡		
059/061 **3B3D**	S-2142 S-0134 朊			
059/062 **3B3E**	S-2141 S-0133 腎			
059/063 **3B3F**	3-5125 3-4905 朡		3-2761 3-0765 朡	
059/064 **3B40**	S-2145 S-0137 朧			
059/065 **3B41**	5-433B 5-3527 朽	3-2376 3-0386 朽		
059/066 **3B42**	3-2643 3-0635 朴			
059/067 **3B43**	4-2448 4-0440 杴	A-2374 A-0384 杴		
059/068 **3B44**	3-2646 3-0638 朽			
059/069 **3B45**			3-2763 3-0767 杗	
059/070 **3B46**			3-2764 3-0768 朵	
059/071 **3B47**	5-434F 5-3547 枌	3-294B 3-0943 枌		
059/072 **3B48**	5-434D 5-3545 枺	3-2946 3-0938 枺		
059/073 **3B49**	5-6748 5-7140 茉	F-274C F-0744 茉		3-2765 3-0769 茉
059/074 **3B4A**	5-4346 5-3538 枴	3-2950 3-0948 枴		
059/075 **3B4B**	3-294D 3-0945 桿			
059/076 **3B4C**	5-2651 5-0649 杵	A-2375 A-0385 杵		
059/077 **3B4D**	S-2177 S-0187 柒			
059/078 **3B4E**	7-2225 7-0205 栩			
059/079 **3B4F**	7-234A 7-0342 桿			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
059/080 **3B50**			耒 3-2766 3-0770	
059/081 **3B51**	朱 3-2D28 3-1308			
059/082 **3B52**	朷 5-4359 5-3557	朸 3-2D2C 3-1312		
059/083 **3B53**	枏 4-296F 4-0979			
059/084 **3B54**	枰 3-4075 3-3285	枰 4-296C 4-0976		
059/085 **3B55**	枯 5-4351 5-3549	枯 3-2D29 3-1309	枯 A-2377 A-0387	
059/086 **3B56**	枻 S-216C S-0176			
059/087 **3B57**			盍 3-2768 3-0772	
059/088 **3B58**	柙 5-436D 5-3577	柙 4-2D57 4-1355	柙 3-2769 3-0773	
059/089 **3B59**	柿 5-4362 5-3566	柿 4-2D51 4-1349	柿 A-2378 A-0388	
059/090 **3B5A**	栀 3-4132 3-3318	栀 4-2D54 4-1352		
059/091 **3B5B**	栔 3-4137 3-3323	栔 4-2D58 4-1356		
059/092 **3B5C**	械 5-4361 5-3565	械 3-3152 3-1750		
059/093 **3B5D**	梵 5-2E2B 5-1411	梵 A-2379 A-0389		
059/094 **3B5E**	栲 4-2D52 4-1350			
059/095 **3B5F**	恭 4-2D5B 4-1359		棻 3-276A 3-0774	
059/096 **3B60**	栈 3-3155 3-1753			
059/097 **3B61**	栴 3-4136 3-3322	栴 4-2D56 4-1354		
059/098 **3B62**	栟 3-3151 3-1749		栟 3-276B 3-0775	
059/099 **3B63**	栖 S-2169 S-0173			
059/100 **3B64**	栲 7-2349 7-0341			
059/101 **3B65**	栻 7-2352 7-0350			
059/102 **3B66**			栊 3-276C 3-0776	
059/103 **3B67**	桀 S-213D S-0129		桀 3-276D 3-0777	
059/104 **3B68**	栘 5-4368 5-3572	栘 3-3659 3-2257	栘 3-276E 3-0778	
059/105 **3B69**	栽 3-4160 3-3364	栽 4-3243 4-1835		
059/106 **3B6A**	栕 7-234F 7-0347	栕 3-364A 3-2242		
059/107 **3B6B**	栘 5-4423 5-3603	栘 3-364F 3-2247		
059/108 **3B6C**	栄 5-3279 5-1889		栄 3-276F 3-0779	
059/109 **3B6D**	栩 3-415A 3-3358	栩 4-3242 4-1834	栩 A-237A A-0390	
059/110 **3B6E**	栲 4-3246 4-1838		栲 3-2770 3-0780	
059/111 **3B6F**	栩 3-4148 3-3340	栩 4-3241 4-1833		
059/112 **3B70**	柴 5-4867 5-4071	柴 4-3834 4-2420	柴 3-2771 3-0781	
059/113 **3B71**	栔 3-3658 3-2256			
059/114 **3B72**	栺 3-365D 3-2261		栺 3-2772 3-0782	栺 0-3A24 0-2604
059/115 **3B73**	栲 S-216D S-0177			
059/116 **3B74**			桛 A-237B A-0391	
059/117 **3B75**	栩 7-234C 7-0344			
059/118 **3B76**	栲 7-2351 7-0349			
059/119 **3B77**	栲 7-2353 7-0351			
059/120 **3B78**	桧 5-4443 5-3635	桧 4-382F 4-2415	桧 A-237C A-0392	桧 3-2773 3-0783
059/121 **3B79**	桄 3-3C2E 3-2814			
059/122 **3B7A**	桦 3-4170 3-3380	桦 4-382C 4-2412		桦 3-2774 3-0784
059/123 **3B7B**	梢 5-4439 5-3625	梢 3-3C3F 3-2831	梢 A-237D A-0393	
059/124 **3B7C**	梠 5-444B 5-3643	梠 3-3C30 3-2816		
059/125 **3B7D**	梔 3-417D 3-3393	梔 4-382A 4-2410		
059/126 **3B7E**	梱 5-3933 5-2519			梱 3-2776 3-0786
059/127 **3B7F**	梁 3-4175 3-3385	梁 4-382D 4-2413		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
059/128 **3B80**	3-3C2C 3-2812			
059/129 **3B81**	5-3939 5-2525		3-2777 3-0787	
059/130 **3B82**	3-4174 3-3384			
059/131 **3B83**	5-443D 5-3629		3-2778 3-0788	
059/132 **3B84**	4-3837 4-2423		3-2779 3-0789	
059/133 **3B85**	3-3C36 3-2822			
059/134 **3B86**	3-3C43 3-2835			
059/135 **3B87**	3-3C2B 3-2811			
059/136 **3B88**	3-3C2D 3-2813	A-237E A-0394		0-3A34 0-2620
059/137 **3B89**	S-216A S-0174			
059/138 **3B8A**		A-2421 A-0401		
059/139 **3B8B**	4-3D78 4-2988	A-2422 A-0402		
059/140 **3B8C**	5-4457 5-3655			
059/141 **3B8D**	3-4166 3-3370			
059/142 **3B8E**	3-4170 3-3380			
059/143 **3B8F**	5-4451 5-3649		3-277D 3-0793	
059/144 **3B90**	3-4239 3-3425			
059/145 **3B91**	3-4241 3-3433			
059/146 **3B92**	5-4455 5-3653			
059/147 **3B93**	3-4169 3-3373			
059/148 **3B94**	5-4460 5-3664			0-3A43 0-2635
059/149 **3B95**	3-4238 3-3424		3-2821 3-0801	
059/150 **3B96**	5-444D 5-3645			
059/151 **3B97**	5-4476 5-3686		3-2822 3-0802	
059/152 **3B98**	3-4162 3-3366			
059/153 **3B99**	5-445F 5-3663			
059/154 **3B9A**	5-445A 5-3658			
059/155 **3B9B**	3-4161 3-3365	A-2423 A-0403		
059/156 **3B9C**	3-415F 3-3363			
059/157 **3B9D**	3-4247 3-3439			
059/158 **3B9E**	3-4249 3-3441			
059/159 **3B9F**	3-4160 3-3364			
059/160 **3BA0**	7-2350 7-0348			
059/161 **3BA1**	3-425A 3-3458			
059/162 **3BA2**	3-4245 3-3437			
059/163 **3BA3**	3-4167 3-3371			
059/164 **3BA4**	5-4533 5-3719	F-4855 F-4053		
059/165 **3BA5**	3-4273 3-3483	4-4424 4-3604		
059/166 **3BA6**	3-425D 3-3461	4-4375 4-3585		
059/167 **3BA7**	3-4064 3-3268	4-4421 4-3601		
059/168 **3BA8**	3-4262 3-3466	4-437C 4-3592		3-2824 3-0804
059/169 **3BA9**	5-4528 5-3708	3-473F 3-3931		
059/170 **3BAA**	3-4255 3-3453	4-4378 4-3588		3-2825 3-0805
059/171 **3BAB**	3-426F 3-3479	4-4373 4-3583		
059/172 **3BAC**	3-4741 3-3933			
059/173 **3BAD**	5-4537 5-3723	4-4374 4-3584		3-2826 3-0806
059/174 **3BAE**	5-4477 5-3687	3-474A 3-3942		3-2827 3-0807
059/175 **3BAF**	3-4263 3-3467	4-437D 4-3593		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
059/176	櫆	櫆		櫆	
3BB0	3-4265 3-3469	4-437E 4-3594		3-2828 3-0808	
059/177	橆	橆			
3BB1	5-444F 5-3647	4-437A 4-3590			
059/178	檭	檭			
3BB2	3-4078 3-3288	4-4422 4-3602			
059/179		櫨			
3BB3		3-474F 3-3947			
059/180		櫏			
3BB4		3-4740 3-3932			
059/181	櫛	櫛	櫛		
3BB5	5-452E 5-3714	4-4425 4-3605	A-2424 A-0404		
059/182	櫚	櫚	櫚		
3BB6	5-4530 5-3716	4-4371 4-3581	A-2425 A-0405		
059/183	檜	檜			
3BB7	S-2173 S-0183	5-464B 5-3843			
059/184		櫟			
3BB8		3-4749 3-3941			
059/185	檄	檄		檄	
3BB9	5-4525 5-3705	4-3D72 4-2962		3-2829 3-0809	
059/186		櫳			
3BBA		3-4750 3-3948			
059/187			櫻		
3BBB			A-2426 A-0406		
059/188	櫛	櫺			
3BBC	S-2172 S-0182	F-4852 F-4050			
059/189				櫝	
3BBD				3-282C 3-0812	
059/190	櫜				
3BBE	3-4270 3-3480				
059/191	櫟	櫟			
3BBF	5-4367 5-3571	3-4C4E 3-4446			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
059/192	櫩	櫩			
3BC0	3-4328 3-3508	5-4D6D 5-4577			
059/193	櫰	櫰			
3BC1	7-234E 7-0346	4-4A3A 4-4226			
059/194	櫧	櫧			
3BC2	5-444E 5-3646	3-4C4C 3-4444			
059/195		榛	榛	榛	
3BC3		5-4D61 5-4565	A-2427 A-0407	3-282F 3-0815	
059/196		蓁			
3BC4		3-4C53 3-4451			
059/197	櫞	櫞			
3BC5	3-4325 3-3505	4-4A37 4-4223			
059/198	橦	橦		橦	
3BC6	3-413E 3-3330	4-4A36 4-4222		3-2830 3-0816	
059/199		櫟			
3BC7		3-4C5D 3-4461			
059/200		櫪			
3BC8		3-4C58 3-4456			
059/201		櫧		櫧	
3BC9		7-236F 7-0379		3-2831 3-0817	
059/202	檣	檣			
3BCA	3-4276 3-3486	4-4A38 4-4224			
059/203	顈	顈			
3BCB	3-6073 3-6483	4-4A42 4-4234			
059/204		櫯			
3BCC		3-4C5A 3-4458			
059/205	櫎	櫎			
3BCD	5-4469 5-3673	3-4C5C 3-4460			
059/206		櫛			
3BCE		3-4C48 3-4440			
059/207	檠	檠			
3BCF	5-4539 5-3725	3-4C55 3-4453			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
059/208	隩	隩			
3BD0	5-454F 5-3747	3-5143 3-4935			
059/209				櫘	
3BD1				3-2832 3-0818	
059/210				櫬	
3BD2				3-2833 3-0819	
059/211		檮			
3BD3		3-5142 3-4934			
059/212	轟	轟			
3BD4	3-4335 3-3521	4-5060 4-4864			
059/213	櫸	櫸			
3BD5	3-4330 3-3516	4-505A 4-4858			
059/214		櫼		櫼	
3BD6		3-5137 3-4923		3-2835 3-0821	
059/215		欄		欄	
3BD7		3-5130 3-4916		3-2836 3-0822	
059/216	欽	欽			
3BD8	3-432F 3-3515	4-5059 4-4857			
059/217	櫲	櫲		櫲	
3BD9	3-433A 3-3526	4-4A39 4-4225		3-2834 3-0820	
059/218	欓	欓		欓	
3BDA	5-4560 5-3764	3-513F 3-4931		3-2837 3-0823	
059/219		櫮			
3BDB		3-512A 3-4910			
059/220		欒			
3BDC		3-513D 3-4929			
059/221	欐	欐		欐	欐
3BDD	3-4348 3-3540	4-5649 4-5441		3-2838 3-0824	0-3A62 0-2666
059/222		欘			
3BDE		3-5133 3-4919			
059/223		欝			
3BDF		3-5139 3-4925			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
059/224 **3BE0**	樶 3-4C4B 3-4443			
059/225 **3BE1**	貌 3-4336 3-3522 貌 4-505E 4-4862			
059/226 **3BE2**	樊 5-456B 5-3775 樊 3-512D 3-4913	樊 A-2429 A-0409		
059/227 **3BE3**	榮 4-5064 4-4868			
059/228 **3BE4**	棘 3-5135 3-4921			
059/229 **3BE5**	棘 5-3027 5-1607 棘 3-5134 3-4920			
059/230 **3BE6**	棋 3-5136 3-4922			
059/231 **3BE7**	棹 S-2168 S-0172			
059/232 **3BE8**	標 7-234D 7-0345			
059/233 **3BE9**	殧 3-4342 3-3534			
059/234 **3BEA**	棦 5-4573 5-3783 棦 3-5522 3-5302			
059/235 **3BEB**	樓 3-4347 3-3539 樓 4-5648 4-5440			
059/236 **3BEC**	建 5-4556 5-3754 建 3-547E 3-5294	建 A-242A A-0410		
059/237 **3BED**	樸 3-5525 3-5305			
059/238 **3BEE**	樕 3-547D 3-5293			
059/239 **3BEF**	櫝 5-452B 5-3711 櫝 4-564B 4-5443		櫝 3-2839 3-0825	
059/240 **3BF0**	櫃 7-3855 7-2453	櫃 A-242B A-0411		
059/241 **3BF1**	棗 3-4346 3-3538 棗 5-5B68 5-5972			
059/242 **3BF2**	標 5-456E 5-3778 標 3-5477 3-5287		標 3-283B 0-0827	標 0-3A5C 0-2660
059/243 **3BF3**	樴 5-4553 5-3751 樴 3-5526 3-5306	樴 A-242C A-0412		
059/244 **3BF4**	榕 S-216B S-0175			
059/245 **3BF5**	橦 3-5479 3-5289			
059/246 **3BF6**	櫻 S-2176 S-0186 櫻 3-5528 3-5308			
059/247 **3BF7**	樸 3-4353 3-3551 樸 4-5B48 4-5940			樸 0-3A65 0-2669
059/248 **3BF8**	橨 5-4374 5-3584 橨 4-5B44 4-5936	橨 A-242D A-0413		
059/249 **3BF9**	櫥 3-577C 3-5592			
059/250 **3BFA**	檢 5-4355 5-3553 檢 4-5B4A 4-5942		檢 3-283C 3-0828	
059/251 **3BFB**	豪 3-4350 3-3548 豪 4-5B49 4-5941		豪 3-283D 3-0829	
059/252 **3BFC**	檯 S-2174 S-0184			
059/253 **3BFD**			檳 3-283E 3-0830	
059/254 **3BFE**	槽 3-434F 3-3547 槽 4-5F6F 4-6379			
059/255 **3BFF**	櫪 3-435A 3-3558 櫪 4-5F73 4-6383			櫪 0-3A69 0-2673
060/000 **3C00**	櫟 3-5A49 3-5841			
060/001 **3C01**	櫘 3-4357 3-3555 櫘 4-5F70 4-6380			櫘 0-3A67 0-2671
060/002 **3C02**	櫙 3-4229 3-3409 櫙 4-5F6E 4-6378			
060/003 **3C03**	櫸 3-4359 3-3557 櫸 4-5F72 4-6382			
060/004 **3C04**	機 3-423F 3-3431 機 4-5F75 4-6385			
060/005 **3C05**	櫛 3-5A4C 3-5844			
060/006 **3C06**	櫜 3-5A4B 3-5843			
060/007 **3C07**	櫼 5-4628 5-3808 櫼 F-6253 F-6651			
060/008 **3C08**	櫧 3-5A4A 3-5842			
060/009 **3C09**	櫦 3-5C4C 3-6044			
060/010 **3C0A**	櫝 3-5C46 3-6038			
060/011 **3C0B**	櫇 5-4574 5-3784 櫇 4-6351 4-6749			
060/012 **3C0C**	權 5-462F 5-3815 權 4-634F 4-6747			權 3-2844 3-0836
060/013 **3C0D**	龕 5-586D 5-5677 龕 3-5C48 3-6040			龕 3-2840 3-0832
060/014 **3C0E**	欉 3-5C4D 3-6045			
060/015 **3C0F**	欉 5-4631 5-3817 欉 4-6354 4-6752	欉 A-242E A-0414		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/016 3C10	欘 3-5C4B 3-6043		欘 3-2841 3-0833	
060/017 3C11	欒 3-5C45 3-6037			
060/018 3C12	欐 F-653E F-6930		欐 3-2843 3-0835	
060/019 3C13		欟 A-242F A-0415		
060/020 3C14	欒 5-7027 5-8007		欒 3-2845 3-0837	
060/021 3C15	欝 3-5E36 3-6222			
060/022 3C16	欖 3-5C4A 3-6042		欖 3-2842 3-0834	
060/023 3C17	欟 3-5F50 3-6348			
060/024 3C18	欒 3-4361 3-3565	欒 4-686E 4-7278		
060/025 3C19	欟 3-6035 3-6421			
060/026 3C1A	欟 3-6033 3-6419		欟 3-2847 3-0839	
060/027 3C1B	欒 3-6034 3-6420			
060/028 3C1C			欟 3-2848 3-0840	
060/029 3C1D	欠 5-2448 5-0440		欠 3-284A 3-0842	
060/030 3C1E	欯 6-2830 6-0816	欯 A-2430 A-0416		
060/031 3C1F	欽 3-4C22 3-4402	欽 4-266D 4-0677		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/032 3C20	欠 5-2656 5-0654		欠 3-284B 3-0843	
060/033 3C21	欣 3-4E31 3-4617	欣 4-2670 4-0680		
060/034 3C22	欯 3-4E30 3-4616	欯 4-266C 4-0676	欯 3-284C 3-0844	
060/035 3C23	欱 3-4E3F 3-4631	欱 4-2D60 4-1364	欱 3-284D 3-0845	
060/036 3C24	欭 3-4E35 3-4621	欭 4-2970 4-0980		
060/037 3C25	欱 3-4E34 3-4620	欱 4-2971 4-0981		
060/038 3C26		欵 6-3178 6-1788	欵 3-284E 3-0846	
060/039 3C27	欫 3-4E39 3-4625	欫 4-2974 4-0984		
060/040 3C28	欯 3-4E36 3-4622	欯 4-2973 4-0983		
060/041 3C29		欮 5-2E2E 5-1414	欮 3-284F 3-0847	
060/042 3C2A	欯 3-4E3A 3-4626	欯 4-2D5D 4-1361		
060/043 3C2B	欯 3-4E41 3-4633	欯 4-2D61 4-1365	欯 3-2850 3-0848	
060/044 3C2C	欯 3-4E43 3-4635	欯 4-2D62 4-1366		
060/045 3C2D	欯 3-4E3D 3-4629	欯 4-2D5E 4-1362	欯 A-2431 A-0417	
060/046 3C2E	欯 5-6E39 5-7825	欯 3-3661 3-2265	欯 A-2432 A-0418	
060/047 3C2F	欯 3-6E44 3-7836	欯 4-3248 4-1840		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/048 3C30	欯 3-4E3E 3-4630	欯 4-3249 4-1841	欯 3-2852 3-0850	
060/049 3C31		欯 6-406E 6-3278	欯 A-2433 A-0419	
060/050 3C32	欯 3-4E48 3-4640	欯 4-383B 4-2427		
060/051 3C33	欯 3-4E3C 3-4628	欯 4-3839 4-2425		
060/052 3C34		欯 3-3C46 3-2838		
060/053 3C35		欯 5-3943 5-2535	欯 3-2853 3-0851	
060/054 3C36	欯 3-4E4B 3-4643	欯 4-383C 4-2428		
060/055 3C37	欯 3-4E49 3-4641	欯 6-3864 6-2468		
060/056 3C38			欽 A-2434 A-0420	
060/057 3C39	欯 3-4E50 3-4648	欯 4-3E21 4-3001		
060/058 3C3A	欯 3-4E53 3-4651	欯 4-3D7C 4-2992	欯 3-2855 3-0853	
060/059 3C3B	欯 3-4E4D 3-4645	欯 4-3D7B 4-2991		
060/060 3C3C	欯 3-4E47 3-4639	欯 4-3D7D 4-2993	欯 3-2856 3-0854	
060/061 3C3D	欯 3-4E4F 3-4647	欯 4-3D7E 4-2994	欯 3-2857 3-0855	
060/062 3C3E	欯 3-4E51 3-4649	欯 4-3E22 4-3002		
060/063 3C3F		欯 3-4752 3-3950		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/064 3C40	6-5D77 6-6187		3-2859 3-0857	
060/065 3C41	3-4E55 3-4653 / 4-442A 4-3610			
060/066 3C42	5-503A 5-4826 / 4-4A4C 4-4244		3-285A 3-0858	
060/067 3C43	3-4C68 3-4472			
060/068 3C44	5-7A2F 5-9015 / 4-5066 4-4870		3-285B 3-0859	
060/069 3C45	4-5067 4-4871	A-2435 A-0421		
060/070 3C46	5-503F 5-4831 / 4-564F 4-5447		3-285C 3-0860	
060/071 3C47	3-4E57 3-4655 / 4-564E 4-5446			
060/072 3C48	3-552A 3-5310			
060/073 3C49	3-552C 3-5312			
060/074 3C4A	3-4E5A 3-4658 / 4-5F77 4-6387		3-285F 3-0863	
060/075 3C4B	7-4E22 7-4602	A-2436 A-0422		
060/076 3C4C	3-4E54 3-4652 / 4-6871 4-7281			
060/077 3C4D	5-7577 5-8587		3-2860 3-0864	
060/078 3C4E	5-5040 5-4832 / 5-792F 5-8915		3-2861 3-0865	
060/079 3C4F	6-2525 6-0505	A-2437 A-0423	3-2862 3-0866	
060/080 3C50			3-2863 3-0867	
060/081 3C51			3-2864 3-0868	
060/082 3C52	3-2D3E 3-1330			
060/083 3C53			3-2865 3-0869	
060/084 3C54	3-2B7B 3-1191			
060/085 3C55	5-4868 5-4072 / 3-3C48 3-2840	A-2438 A-0424		
060/086 3C56	3-467A 3-3890 / 4-383F 4-2431			
060/087 3C57	5-465F 5-3863		3-2866 3-0870	
060/088 3C58	3-5824 3-5604			
060/089 3C59	5-4735 5-3921 / 4-227C 4-0292		3-2867 3-0871	
060/090 3C5A	5-473A 5-3926 / 3-2957 3-0955			
060/091 3C5B	5-2662 5-0666		3-2868 3-0872	
060/092 3C5C	3-4475 3-3685 / 4-2675 4-0685			
060/093 3C5D		A-2439 A-0425		
060/094 3C5E	5-4742 5-3934 / 3-2D3F 3-1331			
060/095 3C5F	5-4744 5-3936 / 3-2D41 3-1333		3-286A 3-0874	
060/096 3C60	5-473D 5-3929 / 3-2D40 3-1332		3-286B 3-0875	
060/097 3C61	3-3169 3-1773			
060/098 3C62	3-3663 3-2267			
060/099 3C63	3-447A 3-3690 / 4-324A 4-1842			
060/100 3C64	3-447D 3-3693 / 4-3845 4-2437			
060/101 3C65	3-447C 3-3692 / 4-3844 4-2436			
060/102 3C66	3-4521 3-3701 / 4-3846 4-2438		3-286C 3-0876	
060/103 3C67	3-4525 3-3705 / 4-3842 4-2434			
060/104 3C68	5-474C 5-3944 / 3-3C4A 3-2842			
060/105 3C69	S-2376 S-0386			
060/106 3C6A	5-4751 5-3949 / 3-4223 3-3403		3-286E 3-0878	
060/107 3C6B	5-474D 5-3945 / 4-3E23 4-3003		3-286D 3-0877	
060/108 3C6C	3-452B 3-3711 / 4-3E24 4-3004			
060/109 3C6D	5-474F 5-3947 / 3-4224 3-3404			
060/110 3C6E	7-2221 7-0201			
060/111 3C6F	5-4745 5-3937 / 4-4432 4-3618		3-286F 3-0879	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/112 3C70	殭 5-4660 5-3864		殭 3-2870 3-0880	
060/113 3C71	殗 3-452C 3-3712	殗 4-4433 4-3619		
060/114 3C72	殧 3-452E 3-3714	殧 4-4430 4-3616		
060/115 3C73	慕 5-4755 5-3953	慕 4-4A50 4-4248	慕 3-2871 3-0881	
060/116 3C74	殰 3-447B 3-3691	殰 4-4A4F 4-4247	殰 3-2872 3-0882	
060/117 3C75	殰 3-4527 3-3707	殰 4-506B 4-4875		
060/118 3C76	殭 3-4531 3-3717	殭 4-506A 4-4874		
060/119 3C77			殪 3-2873 3-0883	
060/120 3C78	殬 3-4533 3-3719	殬 4-5651 4-5449	殬 3-2874 3-0884	
060/121 3C79	殮 3-4474 3-3684	殮 4-6355 4-6753		
060/122 3C7A	殰 3-5C4E 3-6046			
060/123 3C7B	殲 3-4534 3-3720	殲 5-7578 5-8588		
060/124 3C7C	殳 5-244E 5-0446		殳 3-2875 3-0885	
060/125 3C7D	殼 3-4F28 3-4708	殼 4-2678 4-0688	殼 3-2876 3-0886	
060/126 3C7E	殺 3-4F2A 3-4710	殺 4-2D64 4-1368		
060/127 3C7F	殼 5-5063 5-4867	殼 3-316B 3-1775		
060/128 3C80	殿 3-6F2A 3-7910	殿 4-324F 4-1847	殿 3-2877 3-0887	
060/129 3C81	毀 3-4F2D 3-4713	毀 4-3849 4-2441		
060/130 3C82	毄 3-4F2C 3-4712	毄 4-384A 4-2442		
060/131 3C83	毄 5-506A 5-4874	毄 4-384B 4-2443	毄 3-2879 3-0889	
060/132 3C84		毅 3-4225 3-3405		
060/133 3C85	毅 3-4F36 3-4722	毅 4-4435 4-3621	毅 3-287A 3-0890	
060/134 3C86		毊 3-5147 3-4939		
060/135 3C87		毊 3-5148 3-4940		
060/136 3C88	磬 5-506F 5-4879	磬 4-506E 4-4878		
060/137 3C89	毄 3-4F3D 3-4729	毄 4-5653 4-5451		
060/138 3C8A		毄 3-5825 3-5605	毄 A-243A A-0426	
060/139 3C8B	毘 3-326E 3-1878	毘 4-297B 4-0991		
060/140 3C8C		毬 3-237B 3-0391		
060/141 3C8D	毛 3-4365 3-3569	毛 4-2679 4-0689	毛 3-287D 3-0893	
060/142 3C8E	毛 5-4E29 5-4609	毛 3-295B 3-0959		
060/143 3C8F	毗 3-4C2B 3-4411	毗 4-267A 4-0690		
060/144 3C90	毡 S-2434 S-0420			
060/145 3C91	毡 S-2433 S-0419	毡 F-275B F-0759		
060/146 3C92		毡 3-2D43 3-1335		
060/147 3C93	毹 3-4B60 3-4364	毹 4-2D66 4-1370		
060/148 3C94	毛 3-7436 3-8422	毛 4-3252 4-1850		
060/149 3C95	毛 3-4B64 3-4368	毛 4-3254 4-1852		
060/150 3C96	毗 3-4B63 3-4367	毗 4-3253 4-1851		
060/151 3C97	毛 3-4B65 3-4369	毛 4-3255 4-1853		
060/152 3C98		貶 3-3667 3-2271		
060/153 3C99	毓 3-4B66 3-4370	毓 4-2D67 4-1371		
060/154 3C9A	毫 3-4B67 3-4371	毫 4-3251 4-1849		
060/155 3C9B		氅 5-395B 5-2559	氅 A-243B A-0427	氅 3-2921 3-0901
060/156 3C9C		毡 3-3C4C 3-2844		
060/157 3C9D	毹 5-4E32 5-4618	毹 4-384F 4-2447	毹 A-243C A-0428	
060/158 3C9E	毛 3-4B69 3-4373	毛 4-384C 4-2444		
060/159 3C9F	毡 3-4B68 3-4372	毡 4-3E29 4-3009		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/160 **3CA0**	鞷 3-4227 3-3407			
060/161 **3CA1**	靰 3-4B6D 3-4377	耗 4-3E28 4-3008		
060/162 **3CA2**	靱 3-4B72 3-4382	靡 4-3E27 4-3007		
060/163 **3CA3**	靽 3-4B70 3-4380	靼 4-443F 4-3631		
060/164 **3CA4**	靾 3-4B75 3-4385	靿 4-4438 4-3624		
060/165 **3CA5**	鞀 3-4B76 3-4386	鞁 4-4439 4-3625		
060/166 **3CA6**	鞔 5-733D 5-8329	鞔 4-443A 4-3626	鞔 3-2922 3-0902	
060/167 **3CA7**		鞻 5-4668 5-3872	鞻 3-2923 3-0903	
060/168 **3CA8**	鞈 3-4B6C 3-4376	鞈 4-443C 4-3628		
060/169 **3CA9**			鞶 3-2924 3-0904	
060/170 **3CAA**	鞮 3-4B7A 3-4390	鞮 4-506F 4-4879	鞮 3-2925 3-0905	
060/171 **3CAB**	鞴 3-4B77 3-4387	鞴 4-5071 4-4881		
060/172 **3CAC**	鞾 3-4B78 3-4388	鞾 4-5072 4-4882		
060/173 **3CAD**		鞷 3-5149 3-4941		
060/174 **3CAE**			鞳 3-2926 3-0906	
060/175 **3CAF**	韂 3-4B73 3-4383	韂 4-5B50 4-5948	韂 3-2927 3-0907	
060/176 **3CB0**	韃 3-4B5F 3-4363	韃 4-5B4F 4-5947		
060/177 **3CB1**	韈 5-4E44 5-4636	韈 3-5A50 3-5848		
060/178 **3CB2**	韉 3-4B7D 3-4393	韉 4-6D57 4-7755		
060/179 **3CB3**	韖 5-5021 5-4801	韖 4-2D6A 4-1374	韖 3-2928 3-0908	
060/180 **3CB4**		韗 3-295C 3-0960		
060/181 **3CB5**		韞 3-3668 3-2272		
060/182 **3CB6**		韛 3-4C69 3-4473		
060/183 **3CB7**		韞 3-514A 3-4942		
060/184 **3CB8**		汦 4-214F 4-0147	汦 A-243D A-0429	汦 3-2929 3-0909	汦 0-3A77 0-2687
060/185 **3CB9**		汎 3-2256 3-0254		
060/186 **3CBA**	汦 5-546D 5-5277	汦 3-2255 3-0253		
060/187 **3CBB**	伀 5-315E 5-1762	伀 3-2422 3-0402		
060/188 **3CBC**		汉 5-2174 5-0184	汉 A-243E A-0430	
060/189 **3CBD**	汐 3-5338 3-5124	汐 4-2322 4-0302	汐 3-292A 3-0910	
060/190 **3CBE**		汞 3-2654 3-0652		
060/191 **3CBF**	沪 S-2362 S-0366			
060/192 **3CC0**	浅 5-5475 5-5285	浅 3-264F 3-0647		
060/193 **3CC1**	沢 3-5341 3-5133	沢 4-244F 4-0447		
060/194 **3CC2**	沿 5-547A 5-5290	沿 3-265D 3-0661	沿 3-292B 3-0911	
060/195 **3CC3**		泮 6-2849 6-0841	泮 A-243F A-0431	
060/196 **3CC4**		次 3-265A 3-0658	次 3-292C 3-0912	
060/197 **3CC5**	汚 5-5473 5-5283	汚 4-2451 4-0449	汚 3-292D 3-0913	
060/198 **3CC6**	汢 5-547C 5-5292	汢 3-264B 3-0643		
060/199 **3CC7**	汐 3-534F 3-5147	汐 6-284A 6-0842		
060/200 **3CC8**		沛 6-2844 6-0836	沛 3-292E 3-0914	
060/201 **3CC9**	汾 S-2361 S-0365			汾 0-3B22 0-2702
060/202 **3CCA**		汝 3-2658 3-0656		
060/203 **3CCB**		沍 3-2961 3-0965		
060/204 **3CCC**		沖 3-295F 3-0963		沖 0-3B2C 0-2712
060/205 **3CCD**		沛 3-295E 3-0962		
060/206 **3CCE**		泃 3-2962 3-0966	泃 3-292F 3-0915	
060/207 **3CCF**	泱 5-5526 5-5306	泱 3-2960 3-0964		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993 Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
060/208 **3CD0**	洌 3-535D 3-5161	冽 4-267E 4-0694	冽 3-2930 3-0916	
060/209 **3CD1**	洫 3-2968 3-0972	洫 A-2440 A-0432		
060/210 **3CD2**	洨 3-2966 3-0970	洨 A-2441 A-0433		
060/211 **3CD3**	洁 F-2766 F-0770		洁 3-2932 3-0918	
060/212 **3CD4**	洠 7-235D 7-0361			
060/213 **3CD5**	洨 7-235A 7-0358			
060/214 **3CD6**	浓 3-2D44 3-1336	浓 A-2442 A-0434		
060/215 **3CD7**	浧 5-554A 5-5342	浧 5-2A24 5-1004	浧 3-2934 3-0920	
060/216 **3CD8**	流 5-542B 3-5211	流 4-2722 4-0702	流 3-2935 3-0921	
060/217 **3CD9**	洎 3-2D54 3-1352	洎 A-2443 A-0435		
060/218 **3CDA**	洩 5-297B 5-0991	洩 A-2444 A-0436		
060/219 **3CDB**	洩 3-5462 3-5266	洩 5-297C 5-0992		
060/220 **3CDC**	洂 5-553D 5-5329	洂 4-297E 4-0994	洂 A-2445 A-0437	洂 3-2936 3-0922
060/221 **3CDD**	洭 3-2D56 3-1354			
060/222 **3CDE**	洲 3-2D4C 3-1344			
060/223 **3CDF**		恭 A-2446 A-0438		
060/224 **3CE0**	洟 7-2223 7-0203			
060/225 **3CE1**	洠 7-2354 7-0352			
060/226 **3CE2**	洟 7-2355 7-0353			
060/227 **3CE3**			洸 3-2937 3-0923	
060/228 **3CE4**	洲 6-3872 6-2482		洲 3-2939 3-0925	
060/229 **3CE5**	洟 5-554B 5-5343	洟 3-3170 3-1780		洟 0-3B3A 0-2726
060/230 **3CE6**	洫 3-3171 3-1781			
060/231 **3CE7**	洫 3-5434 3-5220	洫 4-2D6B 4-1375		
060/232 **3CE8**	洩 6-3933 6-2519		洩 3-293A 3-0926	
060/233 **3CE9**	洲 3-3174 3-1784			
060/234 **3CEA**	洯 3-5438 3-5224	洯 4-2D6C 4-1376		洯 0-3B40 0-2732
060/235 **3CEB**	洺 3-3669 3-2273			
060/236 **3CEC**	洟 5-555B 5-5359	洟 3-3224 3-1804		
060/237 **3CED**	洟 3-3223 3-1803			
060/238 **3CEE**	洟 5-5565 5-5369	洟 3-317E 3-1794		
060/239 **3CEF**			洼 3-293B 3-0927	洼 0-3B3E 0-2730
060/240 **3CF0**	洚 7-2357 7-0355			
060/241 **3CF1**	洱 7-235C 7-0360			
060/242 **3CF2**			洰 3-293C 3-0928	
060/243 **3CF3**	洸 3-3175 3-1785			
060/244 **3CF4**	洼 4-3257 4-1855			
060/245 **3CF5**	洚 3-3671 3-2281	洚 A-2448 A-0440		
060/246 **3CF6**	洟 3-5463 3-5267	洟 4-3263 4-1867		洟 0-3B44 0-2736
060/247 **3CF7**	洰 3-546A 3-5274	洰 4-3264 4-1868	洰 3-293F 3-0931	
060/248 **3CF8**	洸 3-366E 3-2278			
060/249 **3CF9**	洱 3-5453 3-5251	洱 4-325E 4-1862	洱 3-2940 3-0932	
060/250 **3CFA**	洟 3-3722 3-2302	洟 A-2449 A-0441		
060/251 **3CFB**	洯 5-5568 5-5372	洯 3-366D 3-2277		
060/252 **3CFC**	彖 3-3C4F 3-2847			
060/253 **3CFD**	洟 3-367E 3-2294		洟 3-2941 3-0933	
060/254 **3CFE**	洸 7-2358 7-0356	洸 4-3258 4-1856		
060/255 **3CFF**	洟 3-546D 3-5277	洟 4-3268 4-1872	洟 3-2942 3-0934	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
061/000	滢	滢		
3D00	5-395E 5-2562	A-244A A-0442		
061/001	潬		潬	
3D01	4-325A 4-1858		3-2944 3-0936	
061/002	洪 潲			
3D02	3-544D 3-5245	4-325C 4-1860		
061/003	潟		潟	
3D03	6-412B 6-3311		3-2948 3-0940	
061/004	滔 涸			
3D04	3-543D 3-5229	5-333D 5-1929		
061/005	酋			
3D05	3-3C5E 3-2862			
061/006	滹			
3D06	3-367B 3-2291			
061/007	潕			
3D07	3-3C5F 3-2863			
061/008	滛			
3D08	3-3673 3-2283			
061/009	滋		滋	
3D09	6-4141 6-3333		3-293E 3-0930	
061/010	渊			
3D0A	3-3678 3-2288			
061/011	滫			
3D0B	7-2356 7-0354			
061/012			滃	
3D0C			3-2945 3-0937	
061/013			滌	
3D0D			3-2946 3-0938	
061/014	渿			
3D0E	3-5456 3-5254			
061/015	滓 滜			
3D0F	3-5541 3-5333	4-3851 4-2449		

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
061/016	溦	溦	溦	
3D10	3-5522 3-5302	4-3856 4-2454	3-294B 3-0943	
061/017	滶			
3D11	3-3C65 3-2869			
061/018	滽	滽		
3D12	3-5535 3-5321	4-3852 4-2450		
061/019	滦			
3D13	3-3C59 3-2857			
061/020	滊	滊		
3D14	3-5533 3-5319	4-3859 4-2457		
061/021	滜			
3D15	3-3C6A 3-2874			
061/022	滜			
3D16	3-3C67 3-2871			
061/023	滭			
3D17	3-3C55 3-2853			
061/024	滬	滑		
3D18	3-5526 3-5306	4-3857 4-2455		
061/025	滷	滷		
3D19	3-552C 3-5312	4-385A 4-2458		
061/026	滊	滊		
3D1A	5-5636 5-5422	3-3C53 3-2851		
061/027	滶			
3D1B	3-3C57 3-2855			
061/028	滮			
3D1C	3-3C61 3-2865			
061/029	黎			
3D1D	3-422B 3-3411			
061/030	滔	滔		
3D1E	6-4A6D 6-4277	A-244B A-0443		
061/031	滒			
3D1F	S-235C S-0360			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
061/032	滷	滷		
3D20	F-3C43 F-2835	A-244C A-0444		
061/033	滀 滀			
3D21	S-2363 S-0367	F-3C5A F-2858		
061/034			滸	
3D22			3-294C 3-0944	
061/035			滹	
3D23			3-294E 3-0946	
061/036			滯	
3D24			3-294F 3-0947	
061/037	滫 滫			
3D25	3-5553 3-5351	4-3E37 4-3023		
061/038	滉			
3D26	3-422C 3-3412			
061/039	滬 滬			
3D27	5-564B 5-5443	3-4237 3-3423		
061/040	滕 滕			
3D28	7-2359 7-0357	3-4235 3-3421		
061/041	滬 滬			
3D29	5-5657 5-5455	3-4248 3-3440		
061/042	滐			
3D2A	3-4238 3-3424			
061/043	滆 滆			
3D2B	3-5542 3-5334	4-3E30 4-3016		
061/044	滫 滫	滫		
3D2C	5-5649 5-5441	4-3E39 4-3025	A-244D A-0445	
061/045	滀 滀		滀	
3D2D	3-5560 3-5364	4-3E2D 4-3013		3-2953 3-0951
061/046	滆			
3D2E	3-4242 3-3434			
061/047	滫 滫			
3D2F	3-5558 3-5356	4-3E38 4-3024		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/048 **3D30**	瀧 3-4234 3-3420			
061/049 **3D31**	滾 3-423C 3-3428			
061/050 **3D32**	滬 3-5556 3-5354	滬 4-3E3C 4-3028	滬 3-2951 3-0949	
061/051 **3D33**	滷 3-5549 3-5341	滷 3-422F 3-3415		
061/052 **3D34**	滲 3-4241 3-3433			
061/053 **3D35**	滥 5-4027 5-3207	滥 A-244E A-0446		
061/054 **3D36**	滬 3-5562 3-5366	滬 4-3E2F 4-3015		
061/055 **3D37**	滅 5-5641 5-5433	滅 4-3E32 4-3018	滅 3-2956 3-0954	
061/056 **3D38**	滑 5-552F 5-5315	滑 3-4232 3-3418	滑 3-2952 3-0950	
061/057 **3D39**			滞 3-2954 3-0952	
061/058 **3D3A**			滟 3-2955 3-0953	
061/059 **3D3B**	滭 3-4243 3-3435			
061/060 **3D3C**	滴 3-4755 3-3953			
061/061 **3D3D**	滲 3-5575 3-5385	滲 4-4449 4-3641		
061/062 **3D3E**	滧 S-2365 S-0369	滧 3-4760 3-3964		
061/063 **3D3F**	滇 3-5458 3-5256	滇 6-5E3B 6-6227		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/064 **3D40**	滶 3-4759 3-3957			
061/065 **3D41**	滸 6-5450 6-5248		滸 3-2957 3-0955	
061/066 **3D42**	滶 3-4758 3-3956			
061/067 **3D43**	滬 3-556F 3-5379	滬 4-4446 4-3638		
061/068 **3D44**	滅 4-444D 4-3645			
061/069 **3D45**	滷 3-5464 3-5268	滷 4-444A 4-3642		
061/070 **3D46**	滜 6-5E40 6-6232		滜 3-2958 3-0956	
061/071 **3D47**	滭 7-235B 7-0359			
061/072 **3D48**			滬 3-295A 3-0958	
061/073 **3D49**			滵 3-295C 3-0960	
061/074 **3D4A**	滶 3-4C6E 3-4478			
061/075 **3D4B**	滭 3-5432 3-5218	滭 4-4A5F 4-4263		
061/076 **3D4C**	滫 3-5636 3-5422	滫 4-4A61 4-4265		
061/077 **3D4D**	滲 5-5563 5-5367	滲 3-4C6F 3-4479		
061/078 **3D4E**	滭 5-5561 5-5365	滭 3-4C7C 3-4492	滭 A-2451 A-0449	
061/079 **3D4F**	滓 4-4A68 4-4272			

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/080 **3D50**	澱 3-562D 3-5413	澱 4-4A5D 4-4261		
061/081 **3D51**	澭 5-563A 5-5426	澭 3-4C6D 3-4477		
061/082 **3D52**	澭 3-5544 3-5336	澭 4-4A59 4-4257	澭 A-2452 A-0450	澭 3-295F 3-0963 澭 0-3B6B 0-2775
061/083 **3D53**	澞 3-4C72 3-4482	澞 A-2453 A-0451		
061/084 **3D54**	澠 5-4678 5-3888		澠 3-295D 3-0961	
061/085 **3D55**	澡 7-2461 7-0465		澡 3-295B 3-0959	
061/086 **3D56**	潔 3-4C70 3-4480			
061/087 **3D57**	澴 3-5328 3-5108	澴 4-5074 4-4884		
061/088 **3D58**	澍 3-514B 3-4943			
061/089 **3D59**	澞 3-4C76 3-4486			
061/090 **3D5A**	澠 S-2360 S-0364			
061/091 **3D5B**			澔 3-2962 3-0966	
061/092 **3D5C**			澭 3-2963 3-0967	
061/093 **3D5D**	濟 3-564B 3-5443	濟 4-5077 4-4887	濟 A-2454 A-0452	
061/094 **3D5E**	濕 3-5647 3-5439	濕 4-507D 4-4893		
061/095 **3D5F**	濰 S-235F S-0363	濰 5-5536 5-5322		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
061/096	澫	澫			
3D60	3-564D	4-5076			
	3-5445	4-4886			
061/097		濾			
3D61		3-514F			
		3-4947			
061/098		濡			濡
3D62		3-514E			0-3B76
		3-4946			0-2786
061/099	瀫	瀫		瀫	
3D63	5-5728	4-507A		3-2966	
	5-5508	4-4890		3-0970	
061/100		瀪	瀪		
3D64		5-552D	A-2455		
		5-5313	A-0453		
061/101		瀘			
3D65		3-5153			
		3-4951			
061/102	瀆	瀆			
3D66	5-566B	3-5157			
	5-5475	3-4955			
061/103	瀉	瀉	瀉	瀉	
3D67	3-562A	4-507B	A-2456	3-2967	
	3-5410	4-4891	A-0454	3-0971	
061/104	瀪	瀪			
3D68	3-532D	4-5656			
	3-5113	4-5454			
061/105		瀪			
3D69		3-5151			
		3-4949			
061/106	瀱	瀱		瀱	
3D6A	5-5678	3-514C		3-2968	
	5-5488	3-4944		3-0972	
061/107	瀋	瀋			
3D6B	3-564F	4-5078			
	3-5447	4-4888			
061/108		瀘			
3D6C		3-5152			
		3-4950			
061/109	瀆	瀆		瀆	
3D6D	5-5667	4-4A62		3-2969	
	5-5471	4-4266		3-0973	
061/110		瀾	瀾		
3D6E		5-552E	A-2457		
		5-5314	A-0455		
061/111		瀛			
3D6F		3-5532			
		3-5318			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
061/112		瀠			
3D70		3-5538			
		3-5324			
061/113		瀞			
3D71		4-565E			
		4-5462			
061/114	瀡	瀡			
3D72	3-5651	4-5660			
	3-5449	4-5464			
061/115	瀏	瀏			
3D73	5-5739	3-5534			
	5-5525	3-5320			
061/116	瀷	瀷		瀷	
3D74	5-5734	4-5658		3-296A	
	5-5520	4-5456		3-0974	
061/117	瀦	瀦		瀦	
3D75	5-5731	3-552E		3-296B	
	5-5517	3-5314		3-0975	
061/118	瀷	瀷	瀷		
3D76	5-5730	4-5657	A-2458		
	5-5516	4-5455	A-0456		
061/119	辮	辯		辮	
3D77	5-7332	4-565C		3-296C	
	5-8318	4-5460		3-0976	
061/120		瀹			
3D78		3-553B			
		3-5327			
061/121	瀆	瀆			
3D79	3-5644	4-5659			
	3-5436	4-5457			
061/122	瀋	瀋			
3D7A	3-5652	4-565B			
	3-5450	4-5459			
061/123		瀒			
3D7B		3-5533			
		3-5319			
061/124			瀉		
3D7C			A-2459		
			A-0457		
061/125	瀰	瀰			
3D7D	3-565A	4-5B56			
	3-5458	4-5954			
061/126	瀗	瀗			
3D7E	3-5628	4-5B54			
	3-5408	4-5952			
061/127	瀛	瀛		瀛	
3D7F	3-565B	4-5B5A		3-296D	
	3-5459	4-5958		3-0977	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
061/128	瀠	瀠			
3D80	3-565D	4-5B57			
	3-5461	4-5955			
061/129	瀫	瀫		瀫	
3D81	3-565C	4-5B60		3-296E	
	3-5460	4-5964		3-0978	
061/130				瀫	
3D82				3-2971	
				3-0981	
061/131				瀫	
3D83				3-2973	
				3-0983	
061/132	瀾	瀾			
3D84	3-557B	4-5F7B			
	3-5391	4-6391			
061/133	瀅	瀅		瀅	
3D85	5-557B	4-5F7D		3-2976	
	5-5391	4-6393		3-0986	
061/134	瀦	瀦		瀦	
3D86	3-5561	4-5B5B		3-2979	
	3-5365	4-5959		3-0989	
061/135	瀇	瀇		瀇	
3D87	5-573B	4-5F79		3-2974	
	5-5527	4-6389		3-0984	
061/136		瀅		瀅	
3D88		3-5A51		3-2977	
		3-5849		3-0987	
061/137	瀛				
3D89	S-2366				
	S-0370				
061/138				瀕	
3D8A				3-2972	
				3-0982	
061/139				瀡	
3D8B				3-2978	
				3-0988	
061/140		瀦			
3D8C		3-5C50			
		3-6048			
061/141	瀠	瀠			
3D8D	3-5653	4-635A			
	3-5451	4-6758			
061/142	瀗	瀗			
3D8E	3-5663	4-635E			
	3-5467	4-6762			
061/143	瀟	瀟			
3D8F	3-5624	4-635B			
	3-5404	4-6759			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/144 **3D90**			3-297A 3-0990	
061/145 **3D91**	3-5C52 3-6050			
061/146 **3D92**	3-542C 3-5212 / 4-6649 4-7041			
061/147 **3D93**	5-703E 5-8030	A-245A A-0458		
061/148 **3D94**	3-5671 3-5481 / 4-664A 4-7042			
061/149 **3D95**	3-5649 3-5441 / 4-664C 4-7044			
061/150 **3D96**	3-5672 3-5482 / 4-6873 4-7283			
061/151 **3D97**	3-5E39 3-6225			
061/152 **3D98**	3-5E38 3-6224			
061/153 **3D99**			3-297B 3-0991	
061/154 **3D9A**	3-5F51 3-6349			
061/155 **3D9B**	3-553A 3-5326 / 4-6A4E 4-7446			
061/156 **3D9C**	3-6038 3-6424			
061/157 **3D9D**			3-297C 3-0992	
061/158 **3D9E**	5-5746 5-5538 / 4-6B6D 4-7577		3-297D 3-0993	
061/159 **3D9F**	3-5675 3-5485 / 4-6B6E 4-7578			
061/160 **3DA0**	3-6166 3-6570			
061/161 **3DA1**	5-3349 5-1941 / 3-242A 3-0410		3-297E 3-0994	
061/162 **3DA2**			3-2A21 3-1001	
061/163 **3DA3**	3-335D 3-1961 / 4-2452 4-0450		3-2A22 3-1002	
061/164 **3DA4**	3-2661 3-0665			0-3C2C 0-2812
061/165 **3DA5**	S-2157 S-0155			
061/166 **3DA6**	5-5140 5-4932 / 3-296E 3-0978	A-245B A-0459		
061/167 **3DA7**	3-4F53 3-4751 / 4-2727 4-0707			
061/168 **3DA8**	3-2978 3-0988			
061/169 **3DA9**	S-2153 S-0151			
061/170 **3DAA**	3-2973 3-0983			
061/171 **3DAB**	3-2D67 3-1371			
061/172 **3DAC**	3-2D59 3-1357			
061/173 **3DAD**	5-5149 5-4941 / 3-2D66 3-1370			
061/174 **3DAE**	3-2D61 3-1365			
061/175 **3DAF**	3-2D60 3-1364			
061/176 **3DB0**	3-2D5B 3-1359			
061/177 **3DB1**			3-2A23 3-1003	
061/178 **3DB2**	3-4F64 3-4768 / 4-2A27 4-1007			
061/179 **3DB3**	5-6735 5-7121 / 3-322E 3-1814			
061/180 **3DB4**	3-4F79 3-4780 / 4-2D73 4-1383			
061/181 **3DB5**	3-3232 3-1818	A-245C A-0460		
061/182 **3DB6**	S-215E S-0162			
061/183 **3DB7**			3-2A24 3-1004	
061/184 **3DB8**			3-2A25 3-1005	
061/185 **3DB9**	3-372B 3-2311			
061/186 **3DBA**	3-372A 3-2310			
061/187 **3DBB**	3-3734 3-2320			
061/188 **3DBC**	3-5021 3-4801 / 4-3271 4-1881		3-2A27 3-1007	
061/189 **3DBD**	S-215D S-0161			
061/190 **3DBE**	4-3276 4-1886			
061/191 **3DBF**	3-4F73 3-4783 / 4-3270 4-1880			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/192 **3DC0**	㷑 4-3277 4-1887	𥑮 A-245D A-0461	㷑 3-2A29 3-1009	
061/193 **3DC1**	俑 F-3648 F-2240		俑 3-2A2A 3-1010	
061/194 **3DC2**	娶 3-3C76 3-2886			
061/195 **3DC3**	𠕋 3-4F55 3-4753	養 4-3865 4-2469		
061/196 **3DC4**	㷗 4-3861 4-2465			
061/197 **3DC5**	娶 5-5169 5-4973	娶 3-3C75 3-2885		
061/198 **3DC6**	媓 4-3862 4-2466			
061/199 **3DC7**	𡚁 5-3C65 5-2869	𡚁 4-3864 4-2468	𡚁 3-2A2B 3-1011	
061/200 **3DC8**	俺 3-5025 3-4805	俺 4-3860 4-2464	俺 3-2A2F 3-1015	
061/201 **3DC9**	尉 3-3B23 3-2703	尉 A-245E A-0462	尉 3-2A2C 3-1012	
061/202 **3DCA**	𣏌 3-3C7E 3-2894			
061/203 **3DCB**	㶞 3-3C70 3-2880			
061/204 **3DCC**	婦 S-2158 S-0156		婦 3-2A2D 3-1013	
061/205 **3DCD**	𤦲 3-3C78 3-2888			
061/206 **3DCE**	㷓 3-4254 3-3452			
061/207 **3DCF**	𣪊 5-517A 5-4990	𣪊 3-424D 3-3445	𣪊 3-2A30 3-1016	
061/208 **3DD0**	媓 3-4256 3-3454			
061/209 **3DD1**	𡜐 4-3E4B 4-3043			
061/210 **3DD2**	㷖 3-424A 3-3442			
061/211 **3DD3**	㷟 5-517D 5-4993	㷟 3-4255 3-3453	㷟 3-2A31 3-1017	
061/212 **3DD4**	㷁 4-3E48 4-3040	㷁 A-245F A-0463	㷁 3-2A32 3-1018	
061/213 **3DD5**	𣪘 5-517E 5-4994	𣪘 4-3E46 4-3038	𣪘 3-2A33 3-1019	
061/214 **3DD6**	㷘 4-3E49 4-3041	㷘 A-2460 A-0464		
061/215 **3DD7**	㷙 6-5454 6-5252		㷙 3-2A34 3-1020	
061/216 **3DD8**	㷚 3-424B 3-3443			
061/217 **3DD9**	㷛 3-4250 3-3448			
061/218 **3DDA**	𣪜 S-2154 S-0152	𣪜 F-4278 F-3488		𣪜 0-3C55 0-2853
061/219 **3DDB**	㷜 S-215B S-0159	㷜 F-433C F-3528		
061/220 **3DDC**			㷝 3-2A35 3-1021	
061/221 **3DDD**			㷝 3-2A36 3-1022	㷝 0-3C4E 0-2846
061/222 **3DDE**			㷞 3-2A37 3-1023	
061/223 **3DDF**	𣪠 5-517C 5-4992	𣪠 4-4459 4-3657	𣪠 3-2A38 3-1024	
061/224 **3DE0**	𡊨 5-5229 5-5009	𡊨 3-4773 3-3983		
061/225 **3DE1**	𡜑 3-4769 3-3973		𡜑 3-2A39 3-1025	
061/226 **3DE2**	羨 3-5037 3-4823			
061/227 **3DE3**	㷠 5-5228 5-5008	㷠 4-4456 4-3654	㷠 3-2A3A 3-1026	
061/228 **3DE4**	𣪡 3-4F35 3-4721	𣪡 4-445A 4-3658	𣪡 3-2A3B 3-1027	
061/229 **3DE5**	𣪢 5-522A 5-5010	𣪢 4-445C 4-3660	𣪢 3-2A3C 3-1028	
061/230 **3DE6**	耿 3-4771 3-3981			
061/231 **3DE7**	源 S-215C S-0160			
061/232 **3DE8**	㷡 S-2155 S-0153	㷡 F-4958 F-4156		
061/233 **3DE9**			㷢 3-2A3D 3-1029	
061/234 **3DEA**	𤘅 3-5041 3-4833			
061/235 **3DEB**		𣪣 3-4D26 3-4506		
061/236 **3DEC**	㷤 3-4D23 3-4503			
061/237 **3DED**	𣪤 5-5227 5-5007	𣪤 3-4D2B 3-4511		
061/238 **3DEE**	㷥 5-5230 5-5016	㷥 3-4D21 3-4501		
061/239 **3DEF**	𣪦 3-4D27 3-4507			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
061/240 **3DF0**	燐 3-5043 3-4835 / 燐 4-4A6A 4-4274			
061/241 **3DF1**		鮆 A-2461 A-0465		
061/242 **3DF2**			燃 3-2A3E 3-1030	
061/243 **3DF3**	爎 3-3041 3-1633 / 爎 4-5125 4-4905			
061/244 **3DF4**	爇 3-515D 3-4961			
061/245 **3DF5**	爍 3-515B 3-4959			
061/246 **3DF6**	備 5-525B 5-5059 / 備 4-512B 4-4911		僃 3-2A41 3-1033	
061/247 **3DF7**	爨 3-515F 3-4963		爨 3-2A42 3-1034	
061/248 **3DF8**	爆 3-5161 3-4965			
061/249 **3DF9**	燀 3-504A 3-4842 / 燀 4-5124 4-4904			
061/250 **3DFA**	燹 S-2161 S-0165			
061/251 **3DFB**	爐 3-5164 3-4968			
061/252 **3DFC**	爨 3-5165 3-4969			
061/253 **3DFD**			燓 3-2A43 3-1035	
061/254 **3DFE**	爐 3-553D 3-5329			
061/255 **3DFF**	燼 3-4F7B 3-4791 / 燼 4-5662 4-5466		燼 3-2A45 3-1037	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
062/000 **3E00**	爐 3-553F 3-5331			
062/001 **3E01**	爍 3-5544 3-5336		爍 3-2A47 3-1039	
062/002 **3E02**	遼 7-3926 7-2506		遼 3-2A46 3-1038	
062/003 **3E03**	點 3-5751 3-5549			
062/004 **3E04**	燐 3-582C 3-5612			
062/005 **3E05**	爚 5-5142 5-4934 / 爚 4-5664 4-5468		爚 3-2A49 3-1041	
062/006 **3E06**	爟 S-215F S-0163			
062/007 **3E07**			爨 3-2A4A 3-1042	
062/008 **3E08**	雙 3-5C5A 3-6058		雙 3-2A4B 3-1043	
062/009 **3E09**	爍 3-5A59 3-5857			
062/010 **3E0A**	爛 5-5245 5-5037 / 爛 3-5C54 3-6052			
062/011 **3E0B**	爨 3-5C5B 3-6059			
062/012 **3E0C**	爟 4-635F 4-6763			
062/013 **3E0D**	爨 3-505F 3-4863 / 爨 4-664E 4-7046			
062/014 **3E0E**	攝 5-5224 5-5004 / 攝 5-7357 5-8355		攝 3-2A4D 3-1045	
062/015 **3E0F**	爨 5-7979 5-8989 / 爨 4-6A50 4-7448	爨 A-2462 A-0466		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
062/016 **3E10**	難 5-525C 5-5060 / 難 3-603A 3-6426			
062/017 **3E11**	爨 5-5256 5-5054 / 爨 3-617A 3-6590			
062/018 **3E12**	垔 5-4E69 5-4673 / 垔 4-272C 4-0712		垔 3-2A50 3-1048	
062/019 **3E13**	晉 5-4E68 5-4672 / 晉 3-297A 3-0990			
062/020 **3E14**	晉 3-3758 3-2356			
062/021 **3E15**	爓 3-4774 3-3984			
062/022 **3E16**	爼 3-2D6A 3-1374			
062/023 **3E17**	爲 3-4C3A 3-4426 / 爲 4-2D76 4-1386			
062/024 **3E18**	爭 3-3736 3-2322			
062/025 **3E19**	爹 3-4C3B 3-4427 / 爹 4-386B 4-2475		爹 3-2A51 3-1049	
062/026 **3E1A**	爻 5-3033 5-1619 / 爻 3-297B 3-0991			
062/027 **3E1B**	爪 3-3A3B 3-2627 / 爪 4-2A2C 4-1012			
062/028 **3E1C**	爬 3-3A3D 3-2629 / 爬 4-386C 4-2476			
062/029 **3E1D**	爸 5-4E54 5-4652 / 爸 3-297D 3-0993			
062/030 **3E1E**	爿 3-297E 3-0994			
062/031 **3E1F**	牆 5-2E53 5-1451		牆 3-2A53 3-1051	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
062/032 **3E20**	3-4C2E 3-4414  6-3940 6-2532 			
062/033 **3E21**	3-4C2D 3-4413  4-2D7A 4-1390 			
062/034 **3E22**	3-4C31 3-4417  4-445F 4-3663 			
062/035 **3E23**	7-392D 7-2513 		3-2A54 3-1052 	
062/036 **3E24**	5-7333 5-8319  4-5B64 4-5968 		3-2A55 3-1053 	
062/037 **3E25**	5-4E5B 5-4659  4-6650 4-7048 		3-2A56 3-1054 	
062/038 **3E26**	3-216A 3-0174 			
062/039 **3E27**	3-3233 3-1819 			
062/040 **3E28**	3-4874 3-4084  4-2326 4-0306 			
062/041 **3E29**	3-2665 3-0669 			
062/042 **3E2A**	3-4875 3-4085  4-2455 4-0453 			
062/043 **3E2B**	6-2C71 6-1281 		3-2A58 3-1056 	
062/044 **3E2C**	3-4878 3-4088  4-2733 4-0719 		3-2A59 3-1057 	
062/045 **3E2D**	5-2677 5-0687 		3-2A5A 3-1058 	
062/046 **3E2E**	3-487C 3-4092  4-2732 4-0718 			
062/047 **3E2F**	3-487E 3-4094  4-272F 4-0715 			
062/048 **3E30**	5-4B26 5-4306  3-2D6C 3-1376 			
062/049 **3E31**	5-4B24 5-4304  3-2D6F 3-1379 			
062/050 **3E32**	4-2A2E 4-1014 		3-2A5B 3-1059 	
062/051 **3E33**	3-2D6E 3-1378 	A-2463 A-0467 		
062/052 **3E34**			3-2A5C 3-1060 	
062/053 **3E35**	5-4B28 5-4308  3-3234 3-1820 			
062/054 **3E36**	3-3235 3-1821 			
062/055 **3E37**	5-4B27 5-4307  4-2D7D 4-1393 		3-2A5D 3-1061 	
062/056 **3E38**	3-4926 3-4106  4-2D7C 4-1392 		3-2A5E 3-1062 	
062/057 **3E39**	3-492B 3-4111  4-327A 4-1890 			
062/058 **3E3A**	5-334D 5-1945 		3-2A5F 3-1063 	
062/059 **3E3B**	3-492D 3-4113  4-3279 4-1889 			
062/060 **3E3C**	3-492C 3-4112  4-327E 4-1894 			
062/061 **3E3D**	5-4A7D 5-4293  3-3738 3-2324 		3-2A60 3-1064 	
062/062 **3E3E**	6-4166 6-3370 		3-2A61 3-1065 	
062/063 **3E3F**		A-2464 A-0468 		
062/064 **3E40**	S-2425 S-0405  3-3737 3-2323 	A-2465 A-0469 		
062/065 **3E41**	5-4B33 4-3870 4-2480 		3-2A62 3-1066 	
062/066 **3E42**	3-4879 3-4089  4-3872 4-2482 			
062/067 **3E43**	3-745C 3-8460  4-3873 4-2483 			
062/068 **3E44**	3-4939 3-4125  4-4463 4-3667 			
062/069 **3E45**	6-5478 6-5288 	A-2466 A-0470 		
062/070 **3E46**	3-492A 3-4110  4-3E4E 4-3046 		3-2A63 3-1067 	
062/071 **3E47**	5-4B36 5-4322  3-425E 3-3462 			
062/072 **3E48**	S-2438 S-0424 			
062/073 **3E49**	3-4938 3-4124  4-4462 4-3666 			
062/074 **3E4A**	3-493C 3-4128  4-4460 4-3664 			
062/075 **3E4B**	3-4935 3-4121  4-4464 4-3668 			
062/076 **3E4C**	3-4928 3-4108  4-4A6F 4-4279 			
062/077 **3E4D**	5-4B39 5-4325  4-4A6E 4-4278 		3-2A65 3-1069 	
062/078 **3E4E**	3-493E 3-4130  4-4A72 4-4282 		3-2A66 3-1070 	
062/079 **3E4F**	3-493D 3-4129  4-4A71 4-4281 		3-2A67 3-1071 	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
062/080	犖	犖		3-2A68	
3E50	5-4B21	4-4A73		3-1072	
	5-4301	4-4283			
062/081	犢	犢			
3E51	3-4932	4-512E			
	3-4118	4-4914			
062/082	犛	犛		3-2A69	
3E52	3-493F	4-5130		3-1073	
	3-4131	4-4916			
062/083	犧	犧			
3E53	3-4925	4-512F			
	3-4105	4-4915			
062/084	犨	犨		3-2A6A	
3E54	3-4940	4-5667		3-1074	
	3-4132	4-5471			
062/085		犟			
3E55		3-5546			
		3-5338			
062/086	犧	犧			
3E56	5-4B3E	3-5547			
	5-4330	3-5339			
062/087	犨	犨		3-2A6B	
3E57	5-4B2C	4-5B66		3-1075	
	5-4312	4-5970			
062/088	犨	犨			
3E58	3-4941	4-5B65			
	3-4133	4-5969			
062/089	犢	犢			
3E59	3-4937	4-6024			
	3-4123	4-6404			
062/090		犧		3-2A6D	
3E5A		7-536B		3-1077	
		7-5175			
062/091	犧	犧		3-2A6E	
3E5B	5-4B40	4-6A51		3-1078	
	5-4332	4-7449			
062/092	犬	犬	犬	3-2A72	
3E5C	5-4646	4-2734	A-2467	3-1082	
	5-3838	4-0720	A-0471		
062/093	犭	犭			
3E5D	3-4372	4-2459			
	3-3582	4-0457			
062/094	犲	犲		3-2A73	
3E5E	5-4653	3-266D		3-1083	
	5-3851	3-0677			
062/095	犭	犭		3-2A74	
3E5F	3-4376	4-2456		3-1084	
	3-3586	4-0454			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
062/096	犽	犽		3-2A75	
3E60	5-4651	3-266C		3-1085	
	5-3849	3-0676			
062/097		狅		3-2A76	
3E61		6-2C75		3-1086	
		6-1285			
062/098	狚	狚			
3E62	3-4424	4-2739			
	3-3604	4-0725			
062/099		狊	狊		
3E63		5-272E	A-2468		
		5-0714	A-0472		
062/100	狉	狉			
3E64	5-4657	3-2A29			
	5-3855	3-1009			
062/101	狂	狂			狂
3E65	5-465E	3-2A24			0-3D2F
	5-3862	3-1004			0-2915
062/102	狛	狛	狛	3-2A77	
3E66	5-4660	3-2A25	A-2469	3-1087	
	5-3864	3-1005	A-0473		
062/103	狭	狭			
3E67	3-437C	4-273A			
	3-3592	4-0726			
062/104			狆	狆	
3E68			A-246A	3-2A79	
			A-0474	3-1089	
062/105	狌				
3E69	S-225E				
	S-0262				
062/106	狦				
3E6A	3-4421				
	3-3601				
062/107	狭	狭			
3E6B	3-4429	4-2A32			
	3-3609	4-1018			
062/108	狭	狭			
3E6C	3-4428	4-2A34			
	3-3608	4-1020			
062/109	狹	狹			
3E6D	3-442A	4-2A35			
	3-3610	4-1021			
062/110	狛	狛			
3E6E	5-4663	3-2D72			
	5-3867	3-1382			
062/111		狒		狒	狒
3E6F		6-3267		3-2A7A	0-3D31
		6-1871		3-1090	0-2917

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
062/112				3-2A7B	
3E70				3-1091	
062/113	猊	猊			
3E71	5-4671	3-3237			
	5-3881	3-1823			
062/114		狨	狨		
3E72		5-2E5C	A-246B		
		5-1460	A-0475		
062/115	狟	狟			
3E73	3-4433	4-2E21			
	3-3619	4-1401			
062/116	狸	狸			
3E74	5-466D	4-2D7E			
	5-3877	4-1394			
062/117		猙			
3E75		4-2E22			
		4-1402			
062/118	狺	狺			
3E76	3-442C	4-2E26			
	3-3612	4-1406			
062/119		猷	猷		
3E77		6-416D	A-246C		
		6-3377	A-0476		
062/120		猊		猊	
3E78		4-2E27		3-2A7C	
		4-1407		3-1092	
062/121		猿	猿		
3E79		5-3351	A-246D		
		5-1949	A-0477		
062/122	猶	猶			
3E7A	3-4445	4-3328			
	3-3637	4-1908			
062/123	猗	猗			
3E7B	3-443C	6-4175			
	3-3628	6-3385			
062/124	猻	猻			
3E7C	3-4440	4-3329			
	3-3632	4-1909			
062/125	猏	猏			
3E7D	3-4378	4-3325			
	3-3588	4-1905			
062/126	猞	猞			
3E7E	3-443F	4-332B			
	3-3631	4-1911			
062/127	猹	猹			猹
3E7F	3-4438	4-3327			3-2A7D
	3-3624	4-1907			3-1093

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
062/128 **3E80**	猋 5-467B 5-3891	猋 4-332E 4-1914	猋 3-2B21 3-1101	
062/129 **3E81**	猏 5-444F 3-3647	猏 4-3879 4-2489		
062/130 **3E82**	猒 3-4448 3-3640	猒 4-3877 4-2487		
062/131 **3E83**	猏 5-4677 5-3887	猏 3-3D2C 3-2912		
062/132 **3E84**	猏 3-444B 3-3643	猏 4-387B 4-2491	猏 3-2B23 3-1103	
062/133 **3E85**		猴 6-4B43 6-4335	猴 3-2B22 3-1102	
062/134 **3E86**	猞 S-225B S-0259			
062/135 **3E87**	猃 3-4459 3-3657	猃 4-4465 4-3669		
062/136 **3E88**	猛 3-4457 3-3655	猛 4-3E54 4-3052	猛 3-2B24 3-1104	
062/137 **3E89**	穀 3-4F32 3-4718	穀 4-4466 4-3670		
062/138 **3E8A**	猛 3-4455 3-3653	猛 4-3E53 4-3051	猛 A-246E A-0478	
062/139 **3E8B**		猞 3-4260 3-3464		
062/140 **3E8C**	猟 5-472A 5-3910	猟 4-3E52 4-3050	猟 3-2B26 3-1106	
062/141 **3E8D**	猪 S-225F S-0263			
062/142 **3E8E**	猵 3-445C 3-3660	猵 4-446A 4-3674		
062/143 **3E8F**		獘 6-5E6E 6-6278	獘 3-2B27 3-1107	
062/144 **3E90**	獡 3-445F 3-3663	獡 4-4469 4-3673		
062/145 **3E91**	獠 3-4444 3-3636	獠 4-4468 4-3672		
062/146 **3E92**	獠 3-445E 3-3662	獠 4-4467 4-3671		
062/147 **3E93**		獭 3-4776 3-3986		
062/148 **3E94**	獞 3-4375 3-3585	獞 4-387A 4-2490	獞 3-2B29 3-1109	獞 0-3D40 0-2932
062/149 **3E95**	獩 3-4463 3-3667	獩 4-4A7B 4-4291		
062/150 **3E96**	獩 3-445D 3-3661	獩 4-4A76 4-4286		
062/151 **3E97**	獬 3-4442 3-3634	獬 4-4A7A 4-4290		
062/152 **3E98**	獯 3-4462 3-3666	獯 4-4A7C 4-4292		
062/153 **3E99**	獚 S-225C S-0260			
062/154 **3E9A**		獉 7-2F74 7-1584	獉 3-2B2A 3-1110	
062/155 **3E9B**	獞 3-4431 3-3617	獞 4-5132 4-4918		
062/156 **3E9C**	獶 3-4430 3-3616	獶 4-5134 4-4920	獶 3-2B2B 3-1111	
062/157 **3E9D**	獵 5-4726 5-3906	獵 3-5548 3-5340		
062/158 **3E9E**	獷 3-436B 3-3575	獷 4-566A 4-5474		獷 0-3D41 0-2933
062/159 **3E9F**	玃 3-4469 3-3673	玃 4-566B 4-5475		
062/160 **3EA0**	獗 3-446B 3-3675	獗 4-5B67 4-5971		
062/161 **3EA1**	獦 3-436E 3-3578	獦 5-683B 5-7227		
062/162 **3EA2**	玃 3-446C 3-3676			
062/163 **3EA3**	獵 3-446E 3-3678	獵 4-6365 4-6769		
062/164 **3EA4**	獵 3-446F 3-3679	獵 4-6366 4-6770		
062/165 **3EA5**	獲 3-4470 3-3680	獲 4-6367 4-6771		
062/166 **3EA6**	獵 3-446D 3-3677	獵 4-6363 4-6767		
062/167 **3EA7**	獫 3-4472 3-3682	獫 4-6B6F 4-7579		獫 0-3D44 0-2936
062/168 **3EA8**	玉 5-416F 5-3379	玉 3-242E 3-0414		
062/169 **3EA9**	玗 5-416E 5-3378	玗 4-2329 4-0309	玗 3-2B2C 3-1112	
062/170 **3EAA**	玊 5-416C 5-3376	玊 3-2430 3-0416		
062/171 **3EAB**		玓 3-2431 3-0417		
062/172 **3EAC**		玩 3-2671 3-0681		
062/173 **3EAD**		玕 3-266F 3-0679		
062/174 **3EAE**		玧 3-2670 3-0680		
062/175 **3EAF**			芙 3-2B2D 3-1113	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
062/176	珅				
3EB0	3-2A2E 3-1014				
062/177	堡				
3EB1	3-2D76 3-1386				
062/178	玨	玨			
3EB2	6-2D21 6-1301	A-246F A-0479			
062/179	玟				
3EB3	3-2A30 3-1016				
062/180	玳	玳			
3EB4	3-3F21 3-3101	4-273B 4-0727			
062/181	玖				
3EB5	3-2A31 3-1017				
062/182				珚	
3EB6				3-2B2E 3-1114	
062/183	珑				
3EB7	3-2D7D 3-1393				
062/184	堡				
3EB8	3-323A 3-1826				
062/185	玢	玢		玢	
3EB9	3-3F30 3-3116	4-2A37 4-1023		3-2B2F 3-1115	
062/186	珇				
3EBA	4-2A38 4-1024				
062/187	玮				
3EBB	S-2230 S-0216				
062/188	珏				
3EBC	S-2231 S-0217				
062/189	环			环	
3EBD	F-2C32 F-1218			3-2B30 3-1116	
062/190				珂	
3EBE				3-2B31 3-1117	
062/191	珐	珐		珐	
3EBF	5-4235 5-3421	4-332F 4-1915		3-2B32 3-1118	
062/192	珒				
3EC0	3-3243 3-1835				
062/193	珲				
3EC1	3-3244 3-1836				
062/194	玭	玭		玭	
3EC2	5-4233 5-3419	3-323B 3-1827		3-2B33 3-1119	
062/195	珡	珡			
3EC3	5-4273 5-3483	4-3330 4-1916			
062/196	珽				
3EC4	3-3245 3-1837				
062/197	珍				
3EC5	7-235E 7-0362				
062/198				珕	
3EC6				3-2B34 3-1120	
062/199				珪	
3EC7				3-2B35 3-1121	
062/200	珀				
3EC8	3-3242 3-1834				
062/201	珶	珶			
3EC9	5-4237 5-3423	3-373F 3-2331			
062/202	琓	琓			
3ECA	5-423E 5-3430	3-3742 3-2334			
062/203	珠				
3ECB	3-3741 3-2333				
062/204	珗	珗			
3ECC	3-3F4D 3-3145	4-3333 4-1919			
062/205	琪	琪		琪	
3ECD	5-4238 5-3424	3-373E 3-2330		3-2B36 3-1122	
062/206		珶			
3ECE		3-3743 3-2335			
062/207	琅				
3ECF	S-2235 S-0221				
062/208				珓	
3ED0				3-2B37 3-1123	
062/209		琇			
3ED1		3-3D34 3-2920			
062/210	琨	琨		琨	
3ED2	3-3F58 3-3156	4-387D 4-2493		3-2B38 3-1124	
062/211		琡		琡	
3ED3		5-3A2D 5-2613		3-2B39 3-1125	
062/212		琿			
3ED4		3-4263 3-3467			
062/213		琚			
3ED5		3-3D31 3-2917			
062/214		琎			
3ED6		3-3D30 3-2916			
062/215	琫	琫			
3ED7	5-737A 5-8390	3-426C 3-3476			
062/216	琿				
3ED8	S-2232 S-0218				
062/217	瑆				
3ED9	S-2233 S-0219				
062/218		珊	珊		
3EDA		F-3D3B F-2927	A-2472 A-0482		
062/219				瑒	
3EDB				3-2B3C 3-1128	
062/220				瑽	
3EDC				3-2B3B 3-1127	
062/221	瑢	瑢			
3EDD	3-3F5E 3-3162	4-3E59 4-3057			
062/222	瑸	瑸			
3EDE	5-4256 5-3454	3-4265 3-3469			
062/223		瑿			
3EDF		3-4269 3-3473			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
062/224		琰		琰	
3EE0		5-404E 5-3246		3-2B3E 3-1130	
062/225		琠	琠		
3EE1		3-4272 3-3482	A-2473 A-0483		
062/226	琥	琥		琥	
3EE2	S-2236 S-0222	F-4349 F-3541		3-2B40 3-1132	
062/227		琪		琪	
3EE3		F-4356 F-3554		3-2B43 3-1135	
062/228				琦	
3EE4				3-2B3F 3-1131	
062/229				琩	
3EE5				3-2B41 3-1133	
062/230				琱	
3EE6				3-2B42 3-1134	
062/231		琛			
3EE7		3-4824 3-4004			
062/232		堅	堅		
3EE8		7-2537 7-0523	A-2471 A-0481		
062/233				琳	
3EE9				3-2B46 3-1138	
062/234	瑿				
3EEA	3-3F6F 3-3179				
062/235	琿	琿		琿	
3EEB	5-422B 5-3411	4-4B22 4-4302		3-2B45 3-1137	
062/236	瑪	瑾			
3EEC	3-3F74 3-3184	4-4B21 4-4301			
062/237		瑽			
3EED		3-4D37 3-4523			
062/238		瑮			
3EEE		3-4D3C 3-4528			
062/239	璋	璋			
3EEF	5-425F 5-3463	3-4D33 3-4519			
062/240	璝	璝			
3EF0	5-425D 5-3461	3-4D38 3-4524			
062/241		璩			
3EF1		3-4D34 3-4520			
062/242		璞			
3EF2		3-4D32 3-4518			
062/243	璃				
3EF3	S-2237 S-0223				
062/244				璦	
3EF4				3-2B47 3-1139	
062/245		璚			
3EF5		3-5168 3-4972			
062/246		璋		璋	
3EF6		5-555D 5-5361		3-2B49 3-1141	
062/247	琳	琳		琳	
3EF7	5-4263 5-3467	4-5137 4-4923		3-2B4A 3-1142	
062/248	璒	璒			
3EF8	5-4264 5-3468	3-5169 3-4973			
062/249		璽			
3EF9		3-554A 3-5342			
062/250	璽	璽			
3EFA	3-3042 3-1634	4-566F 4-5479			
062/251		璷		璷	
3EFB		F-557A F-5390		3-2B4B 3-1143	
062/252	璋	璋			
3EFC	7-235F 7-0363	F-5622 F-5402			
062/253		璣			
3EFD		3-554E 3-5346			
062/254	璽	璽			
3EFE	3-402C 3-3212	4-5B69 4-5973			
062/255		璵			
3EFF		3-554C 3-5344			
063/000				璉	
3F00				3-2B4C 3-1144	
063/001		璣		璣	
3F01		F-5B2D F-5913		3-2B4D 3-1145	
063/002		璽			
3F02		3-5831 3-5617			
063/003				璵	
3F03				3-2B4F 3-1147	
063/004		璣			
3F04		4-602A 4-6410			
063/005		璩		璩	
3F05		F-6278 F-6688		3-2B4E 3-1146	
063/006	璨				
3F06	3-3F6C 3-3176				
063/007		璩			
3F07		3-5C61 3-6065			
063/008	璷				
3F08	3-3F57 3-3155				
063/009	瓟	瓟			
3F09	3-5C6A 3-6074	4-2A39 4-1025			
063/010	瓠	瓠			
3F0A	3-5C69 3-6073	4-2A3A 4-1026			
063/011		瓠	瓠		
3F0B		5-2E62 5-1466	A-2474 A-0484		
063/012	瓜	瓜			
3F0C	3-5C6B 3-6075	4-2E2B 4-1411			
063/013	瓠	瓠			
3F0D	3-6032 3-6418	4-3335 4-1921			
063/014	瓟	瓟			
3F0E	3-5C6D 3-6077	4-3334 4-1920			
063/015	瓠	瓠			
3F0F	3-5C6E 3-6078	4-387E 4-2494			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/016	匾	匾		匾	
3F10	3-5C71	4-4470		3-2B50	
	3-6081	4-3680		3-1148	
063/017	匾	匾			
3F11	3-5C6F	4-4471			
	3-6079	4-3681			
063/018	颺	颺		颺	
3F12	3-5C68	4-446F		3-2B51	
	3-6072	4-3679		3-1149	
063/019	廉	廉			
3F13	3-5C72	4-4B23			
	3-6082	4-4303			
063/020	匾	匾			
3F14	3-5C70	4-4B24			
	3-6080	4-4304			
063/021	匾	匾			
3F15	3-5C6C	4-5B6C			
	3-6076	4-5976			
063/022	飝	飝		飝	
3F16	3-5C73	4-6D5A		3-2B52	
	3-6083	4-7758		3-1150	
063/023	頂	頂			
3F17	3-463C	4-245E			
	3-3828	4-0462			
063/024		岻	岻		
3F18		5-2732	A-2475		
		5-0718	A-0485		
063/025		帗			
3F19		3-2A34			
		3-1020			
063/026	瓶	瓶			
3F1A	5-4849	3-2E23			
	5-4041	3-1403			
063/027		瓶		瓶	
3F1B		4-2A3D		3-2B53	
		4-1029		3-1151	
063/028	甍	甍			
3F1C	5-484D	3-324A			
	5-4045	3-1842			
063/029		甯			
3F1D		3-324B			
		3-1843			
063/030	瓶	瓶		瓶	
3F1E	3-4642	4-2E2D		3-2B54	
	3-3834	4-1413		3-1152	
063/031	缾	缾			
3F1F	5-5B52	3-3249			
	5-5950	3-1841			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/032	缾	缾			
3F20	3-4645	4-2E2C			
	3-3837	4-1412			
063/033	瓶	瓶		瓶	
3F21	3-464D	4-333B		3-2B55	
	3-3845	4-1927		3-1153	
063/034	甁	甁		甁	
3F22	3-464F	4-3921		3-2B56	
	3-3847	4-2501		3-1154	
063/035	甁	甁			
3F23	3-4649	4-333A			
	3-3841	4-1926			
063/036	甕	甕			
3F24	3-4646	4-3338			
	3-3838	4-1924			
063/037	甄	甄			
3F25	3-4647	4-3339			
	3-3839	4-1925			
063/038	甕	甕			
3F26	3-4648	4-3337			
	3-3840	4-1923			
063/039	甁	甁		甁	
3F27	3-4653	4-3923		3-2B58	
	3-3851	4-2503		3-1156	
063/040	甑	甑			
3F28	3-4652	4-3926			
	3-3850	4-2506			
063/041	甒	甒		甒	
3F29	3-464A	4-333C		3-2B59	
	3-3842	4-1928		3-1157	
063/042	甁	甁		甁	
3F2A	3-464B	4-3924		3-2B5A	
	3-3843	4-2504		3-1158	
063/043	甒	甒			
3F2B	3-4657	4-3E62			
	3-3855	4-3066			
063/044	甄	甄		甄	
3F2C	5-4850	4-3E61		3-2B5B	
	5-4048	4-3065		3-1159	
063/045	甖	甖			
3F2D	3-4654	4-3E5D			
	3-3852	4-3061			
063/046	甄	甄			
3F2E	3-4655	4-3E60			
	3-3853	4-3064			
063/047	甒	甒			
3F2F	5-484B	3-4276			
	5-4043	3-3486			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/048	甒	甒			
3F30	3-465A	4-3E63			
	3-3858	4-3067			
063/049	甕	甕			
3F31	3-465D	5-4748			
	3-3861	5-3940			
063/050	甄	甄			
3F32	3-465C	4-4473			
	3-3860	4-3683			
063/051	甑	甑			
3F33	3-465E	4-4476			
	3-3862	4-3686			
063/052	甒	甒			
3F34	3-4660	4-4474			
	3-3864	4-3684			
063/053	甒	甒			
3F35	3-465F	4-4478			
	3-3863	4-3688			
063/054	甑	甑		甑	
3F36	3-4663	4-4477		3-2B5C	
	3-3867	4-3687		3-1160	
063/055	甒	甒			
3F37	3-4661	4-4475			
	3-3865	4-3685			
063/056	甑	甑		甑	
3F38	3-4669	4-4B25		3-2B5D	
	3-3873	4-4305		3-1161	
063/057	甒	甒			
3F39	3-465B	4-4B27			
	3-3859	4-4307			
063/058	甒	甒			
3F3A	3-4667	4-4B26			
	3-3871	4-4306			
063/059	甕	甕		甕	
3F3B	3-463F	4-513F		3-2B5E	
	3-3831	4-4931		3-1162	
063/060		甄	甄		
3F3C		3-516F	A-2476		
		3-4979	A-0486		
063/061	甒	甒		甒	
3F3D	3-466A	4-5142		3-2B5F	
	3-3874	4-4934		3-1163	
063/062	甒	甒			
3F3E	3-7C2C	4-5141			
	3-9212	4-4933			
063/063	甄	甄			
3F3F	3-466E	4-5672			
	3-3878	4-5482			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/064	顢	顢			
3F40	3-4670 3-3880	4-5673 4-5483			
063/065	靨	靨			
3F41	5-306E 5-1678	3-5551 3-5349			
063/066	顭	顭			
3F42	3-466D 3-3877	4-5675 4-5485			
063/067	顦	顦			
3F43	5-4859 5-4057	3-5550 3-5348			
063/068	甗	甗			
3F44	3-466C 3-3876	4-5671 4-5481			
063/069	顝				
3F45	3-4671 3-3881				
063/070	齾	齾			
3F46	3-464C 3-3844	4-5B6F 4-5979			
063/071	鬞	鬞			
3F47	3-4644 3-3836	4-5B6E 4-5978			
063/072	鬚	鬚			
3F48	3-4673 3-3883	4-602C 4-6412			
063/073	鬣	鬣			
3F49	3-4643 3-3835	4-602B 4-6411			
063/074	灪	灪			
3F4A	3-4675 3-3885	4-6875 4-7285			
063/075	纞	纞			
3F4B	3-464E 3-3846	4-6B70 4-7580			
063/076	齾	齾			
3F4C	3-4676 3-3886	4-6A53 4-7451			
063/077		龑			
3F4D		3-324C 3-1844			
063/078	龘	龘		龘	
3F4E	5-302A 5-1610	4-3E65 4-3069		3-2B61 3-1165	
063/079	灪				
3F4F	3-5744 3-5536				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/080		爓		爓	
3F50		3-4D3F 3-4531		3-2B62 3-1166	
063/081	罈	罈			
3F51	3-5745 3-5537	4-5678 4-5488			
063/082		骾			
3F52		3-3D40 3-2932			
063/083	鞴	鞴			
3F53	5-5A6D 5-5877	F-504E F-4846			
063/084				糮	
3F54				3-2B63 3-1167	
063/085		粵		粵	
3F55		5-2463 5-0467		3-2B64 3-1168	
063/086		助	助		
3F56		6-2862 6-0866	A-2477 A-0487		
063/087		趴			
3F57		3-2672 3-0682			
063/088	骯	骯		骯	
3F58	3-5A64 3-5868	4-2A41 4-1033		3-2B65 3-1169	
063/089		骯			
3F59		3-2E29 3-1409			
063/090	畢	畢			
3F5A	3-5A62 3-5866	4-2A43 4-1035			
063/091	跗	跗			
3F5B	3-5A67 3-5871	4-2E2F 4-1415			
063/092		罅			
3F5C		4-2E31 4-1417			
063/093		罌		罌	
3F5D		5-3364 5-1968		3-2B66 3-1170	
063/094		罍			
3F5E		3-3748 3-2340			
063/095		罸			
3F5F		3-3D41 3-2933			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/096	睊	睊			
3F60	3-5A69 3-5873	4-3928 4-2508			
063/097	睥	睥			
3F61	3-5A6D 3-5877	4-3E69 4-3073			
063/098		睠			
3F62		3-4279 3-3489			
063/099		睋			
3F63		3-427A 3-3490			
063/100		睭			
3F64		4-3E68 4-3072			
063/101	睪	睪		睪	
3F65	3-5A72 3-5882	4-4479 4-3689		3-2B67 3-1171	
063/102	瞐	瞐			
3F66	5-5A29 5-5809	3-4D40 3-4532			
063/103	瞤	瞤			
3F67	3-5A71 3-5881	4-4B2A 4-4310			
063/104	瞠	瞠			
3F68	3-5A70 3-5880	4-4B29 4-4309			
063/105	瞭	瞭			
3F69	3-5A6E 3-5878	4-5144 4-4936			
063/106		矂	矂		
3F6A		5-5C2F 5-6015	A-2478 A-0488		
063/107	矗	矗			
3F6B	3-5A77 3-5887	4-5B72 4-5982			
063/108	礧	礧			
3F6C	3-5A76 3-5886	4-5B73 4-5983			
063/109	矃	矃			
3F6D	3-5A78 3-5888	4-602E 4-6414			
063/110		礵			
3F6E		4-6369 4-6773			
063/111	矚	矚		矚	
3F6F	5-5A3A 5-5826	4-6A54 4-7452		3-2B69 3-1173	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/112	腥	腥			
3F70	3-5F74 3-6384	4-3E6D 4-3077			
063/113	疔	疔		疔	
3F71	5-5C5F 5-6063	4-2461 4-0465		3-2B6C 3-1176	
063/114	疒	疒		疒	
3F72	5-5C5E 5-6062	4-2462 4-0466		3-2B6D 3-1177	
063/115	疰				疰
3F73	5-5C62 5-6066				0-3D6E 0-2978
063/116		疋		疋	
3F74		5-2737 5-0723		3-2B6E 3-1178	
063/117		疂		疂	
3F75		3-2A3C 3-1028		3-2B6F 3-1179	
063/118				疕	
3F76				3-2B70 3-1180	
063/119	疭	疭			
3F77	3-5E53 3-6251	4-2A46 4-1038			
063/120		疣			
3F78		3-2E2D 3-1413			
063/121	疲	疲			
3F79	3-5E4B 3-6243	4-2A49 4-1041			
063/122	疲	疲			
3F7A	5-5C64 5-6068	3-2E2C 3-1412			
063/123	疻	疻			
3F7B	5-5C66 5-6070	3-2E2E 3-1414			
063/124	疖				
3F7C	S-2134 S-0120				
063/125	疔	疔			
3F7D	5-5C73 5-6083	3-3256 3-1854			
063/126	疤	疤		疤	
3F7E	3-5E5F 3-6263	4-2E37 4-1423		3-2B71 3-1181	
063/127	疯	疯			疯
3F7F	5-5C77 5-6087	4-2E3B 4-1427			0-3D70 0-2980
063/128	疾	疾			
3F80	3-5E54 3-6252	4-2E35 4-1421			
063/129	疹	疣			
3F81	3-5E55 3-6253	4-2E36 4-1422			
063/130		疸			
3F82		3-3254 3-1852			
063/131	疪	疪		疪	
3F83	3-5E5D 3-6261	4-2E33 4-1419		3-2B72 3-1182	
063/132	疝	疝			疝
3F84	5-5C76 5-6086	4-2E3F 4-1431			0-3D75 0-2985
063/133	疟	疟			
3F85	3-5E4F 3-6247	4-2E39 4-1425			
063/134	疡	疡			
3F86	3-5E59 3-6257	6-396B 6-2575			
063/135	疽	疽			
3F87	5-5C75 5-6085	3-3253 3-1851			
063/136	疒	疒			
3F88	3-5E5B 3-6259	4-2E38 4-1424			
063/137	疼	疼			
3F89	3-5E5C 3-6260	4-2E3A 4-1426			
063/138	疎	疎			
3F8A	3-5E61 3-6265	5-336D 5-1977			
063/139	疢	疢			
3F8B	3-5E67 3-6271	4-3342 4-1934			
063/140	疣	疣			
3F8C	5-5D25 5-6105	3-374C 3-2344			
063/141	疝	疝			
3F8D	3-5E63 3-6267	4-3340 4-1932			
063/142	疤	疤			
3F8E	3-5E5A 3-6258	4-2E3C 4-1428			
063/143	痓	痓			
3F8F	3-5E60 3-6264	4-333F 4-1931			
063/144	痢	痢		痢	
3F90	5-5D21 5-6101	4-3345 4-1937		3-2B73 3-1183	
063/145	痞	痞		痞	
3F91	5-5D27 5-6107	3-374B 3-2343		3-2B74 3-1184	
063/146	痴	痴			
3F92	3-5E6C 3-6276	4-3343 4-1935			
063/147	痟	痟		痟	
3F93	3-5E73 3-6283	4-3932 4-2518		3-2B75 3-1185	
063/148	痘	痘			
3F94	3-5E66 3-6270	4-3933 4-2519			
063/149	痒	痒			
3F95	5-5D34 5-6120	3-3D46 3-2938			
063/150	痩	痩			
3F96	5-5D30 5-6116	3-3D4B 3-2943			
063/151		痕	痕		
3F97		6-4B5A 6-4358	A-2479 A-0489		
063/152	痩	痩			
3F98	5-5D2C 5-6112	3-3D49 3-2941			
063/153	痛	痛		痛	
3F99	3-5E76 3-6286	4-3936 4-2522		3-2B76 3-1186	
063/154		痙		痙	
3F9A		5-4060 5-3264		3-2B77 3-1187	
063/155	痊	痊			
3F9B	3-5E79 3-6289	4-392F 4-2515			
063/156	痰	痰			
3F9C	3-5E64 3-6268	4-3930 4-2516			
063/157	痺	痺			
3F9D	5-5C67 5-6071	3-3D48 3-2940			
063/158	痾	痾			
3F9E	5-5D2D 5-6113	3-3D4A 3-2942			
063/159		痿		痿	
3F9F		5-3A3B 5-2627		3-2B78 3-1188	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/160	疴	疴		疴	
3FA0	5-5D33	4-3935		3-2B79	
	5-6119	4-2521		3-1189	
063/161	痀	痀			
3FA1	3-5E6E	4-3938			
	3-6278	4-2524			
063/162	痚	痚		痚	
3FA2	5-5D2F	4-3E74		3-2B7A	
	5-6115	4-3084		3-1190	
063/163		痊		痊	
3FA3		5-4064		3-2B7B	
		5-3268		3-1191	
063/164	痙	痙		痙	
3FA4	3-5F2A	4-3E6F		3-2B7C	
	3-6310	4-3079		3-1192	
063/165	痠	痠			
3FA5	3-5E7E	4-3E78			
	3-6294	4-3088			
063/166	痞	痞		痞	
3FA6	3-5F28	4-3E6E		3-2B7D	
	3-6308	4-3078		3-1193	
063/167	痩	痩			
3FA7	3-5F21	4-3E76			
	3-6301	4-3086			
063/168	痟	痟		痟	
3FA8	3-5E7C	4-3E73		3-2C21	
	3-6292	4-3083		3-1201	
063/169	痢	痢		痢	
3FA9	5-5D3D	4-3E7A		3-2B7E	
	5-6129	4-3090		3-1194	
063/170	痯	痯			
3FAA	3-5F31	4-4524			
	3-6317	4-3704			
063/171	痻	痻		痻	
3FAB	5-5D50	4-4528		3-2C22	
	5-6148	4-3708		3-1202	
063/172		痸		痸	
3FAC		6-5F2D		3-2C24	
		6-6313		3-1204	
063/173	痲	痲			
3FAD	5-5D4B	3-482A			
	5-6143	3-4010			
063/174	痾	痾		痾	
3FAE	5-5D4D	3-482C		3-2C25	
	5-6145	3-4012		3-1205	
063/175	痿	痿		痿	
3FAF	3-5F32	4-4523		3-2C26	
	3-6318	4-3703		3-1206	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/176	瘖	瘖			
3FB0	3-5F30	4-4521			
	3-6316	4-3701			
063/177				瘐	
3FB1				3-2C27	
				3-1207	
063/178	瘢				
3FB2	S-2138				
	S-0124				
063/179				瘘	
3FB3				3-2C28	
				3-1208	
063/180				瘥	
3FB4				3-2C29	
				3-1209	
063/181	瘜				
3FB5	3-5E51				
	3-6249				
063/182	瘠	瘠			
3FB6	3-5F33	7-2558			
	3-6319	7-0556			
063/183	瘧	瘧			
3FB7	3-5F3C	4-4B38			
	3-6328	4-4324			
063/184		瘡			
3FB8		3-4D42			
		3-4534			
063/185	瘼	瘼			
3FB9	3-5F39	4-4B37			
	3-6325	4-4323			
063/186	瘧	瘧		瘧	
3FBA	3-5E49	4-4B35		3-2C2A	
	3-6241	4-4321		3-1210	
063/187	瘘	瘘			
3FBB	3-5F37	4-4B33			
	3-6323	4-4319			
063/188	瘕	瘕			
3FBC	3-5F36	4-4B2F			
	3-6322	4-4315			
063/189	瘙	瘙		瘙	
3FBD	5-5D4E	7-255C		3-2C2B	
	5-6146	7-0560		3-1211	
063/190	瘰	瘰		瘰	瘰
3FBE	3-5F3D	4-4B2E		3-2C2C	0-3E2F
	3-6329	4-4314		3-1212	0-3015
063/191		瘛		瘛	
3FBF		5-4759		3-2C2D	
		5-3957		3-1213	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/192	瘢				
3FC0	S-2135				
	S-0121				
063/193	瘼	瘼			
3FC1	3-5F3B	4-4B3B			
	3-6327	4-4327			
063/194		癈	癈		
3FC2		7-3036	A-247A		
		7-1622	A-0490		
063/195	癆	癆		癆	
3FC3	3-5F2F	4-5148		3-2C2E	
	3-6315	4-4940		3-1214	
063/196	癈	癈		癈	
3FC4	3-5F3F	4-5149		3-2C2F	
	3-6331	4-4941		3-1215	
063/197	癍	癍			
3FC5	5-5D65	3-5175			
	5-6169	3-4985			
063/198	癜	癜		癜	
3FC6	5-5D64	4-514E		3-2C30	
	5-6168	4-4946		3-1216	
063/199	癤	癤		癤	
3FC7	3-5F41	4-514A		3-2C31	
	3-6333	4-4942		3-1217	
063/200		癱		癱	
3FC8		4-5150		3-2C32	
		4-4948		3-1218	
063/201	癩	癩		癩	
3FC9	5-5D49	4-5726		3-2C33	
	5-6141	4-5506		3-1219	
063/202	癬	癬			
3FCA	3-5F42	4-5722			
	3-6334	4-5502			
063/203		癘	癘		
3FCB		4-5B7B	A-247B		
		4-5991	A-0491		
063/204	癒	癒			
3FCC	3-5E77	4-5B77			
	3-6287	4-5987			
063/205		癬	癬		
3FCD		7-406B	A-247C		
		7-3275	A-0492		
063/206	癚	癚			
3FCE	3-5F2D	4-5725			
	3-6313	4-5505			
063/207		癯		癯	
3FCF		7-4067		3-2C34	
		7-3271		3-1220	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/208				癨	
3FD0				3-2C35	
				3-1221	
063/209	癯	癯			
3FD1	3-5F46	4-6032			
	3-6338	4-6418			
063/210	癆	癆			
3FD2	3-5E6D	4-602F			
	3-6277	4-6415			
063/211	癈	癈			
3FD3	3-5F43	4-6030			
	3-6335	4-6416			
063/212				癗	
3FD4				3-2C36	
				3-1222	
063/213	癵	癵		癵	
3FD5	3-5F40	4-6658		3-2C37	
	3-6332	4-7056		3-1223	
063/214	癰	癰			
3FD6	3-5E57	4-6659			
	3-6255	4-7057			
063/215	癲	癲			
3FD7	5-5D6F	3-5E40			
	5-6179	3-6232			
063/216	癮	癮			
3FD8	3-5F3E	5-735C			
	3-6330	5-8360			
063/217	癭	癭			
3FD9	3-5F47	4-6A55			
	3-6339	4-7453			
063/218	癱	癱			
3FDA	3-5F24	4-6B72			
	3-6304	4-7582			
063/219	癲	癲			
3FDB	3-5E70	4-6B71			
	3-6280	4-7581			
063/220		癵			
3FDC		3-622D			
		3-6613			
063/221	皂	皂			
3FDD	5-5B50	3-2675			
	5-5948	3-0685			
063/222		舐			
3FDE		3-2E30			
		3-1416			
063/223	皕	皕	皕		
3FDF	5-5B55	3-3258	A-247E		
	5-5953	3-1856	A-0494		

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/224				皖	
3FE0				3-2C38	
				3-1224	
063/225	皋				
3FE1	3-374E				
	3-2346				
063/226	皙				
3FE2	3-4322				
	3-3502				
063/227	皭	皭			
3FE3	5-5B62	3-482D			
	5-5966	3-4013			
063/228	皤	皤	皤		
3FE4	5-475B	A-2521			
	5-3959	A-0501			
063/229	皸	皸			
3FE5	3-5C61	5-4E59			
	3-6065	5-4657			
063/230	磬	磬			
3FE6	3-5C62	4-5156			
	3-6066	4-4954			
063/231	皾	皾		皾	
3FE7	5-5B5E	4-6037		3-2C39	
	5-5962	4-6423		3-1225	
063/232	皿	皿			
3FE8	5-5B51	4-685B			
	5-5949	4-7059			
063/233	皾	皾		皾	
3FE9	5-5B63	4-6C73		3-2C3A	
	5-5967	4-7683		3-1226	
063/234	欤	欤		欤	
3FEA	3-5F76	4-2746		3-2C3B	
	3-6386	4-0738		3-1227	
063/235	畯	畯			
3FEB	3-463A	4-2A4E			
	3-3826	4-1046			
063/236	皵	皵			
3FEC	5-5E67	3-2E31			
	5-6271	3-1417			
063/237	皴	皴			
3FED	3-5F78	4-2E46			
	3-6388	4-1438			
063/238	皱	皱			
3FEE	3-5F77	4-2E45			
	3-6387	4-1437			
063/239	龛	龛			
3FEF	3-5F7A	4-3347			
	3-6390	4-1939			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
063/240	皱	皱			
3FF0	3-5F7B	4-3348			
	3-6391	4-1940			
063/241	揆	揆			
3FF1	3-5F7C	4-393A			
	3-6392	4-2526			
063/242		皱		皱	
3FF2		6-5552		3-2C3C	
		6-5350		3-1228	
063/243	皤	皤			
3FF3	3-5F7E	4-4530			
	3-6394	4-3716			
063/244	皱	皱			
3FF4	3-6021	4-4532			
	3-6401	4-3718			
063/245		皪			
3FF5		3-482F			
		3-4015			
063/246		皱			
3FF6		3-4D43			
		3-4535			
063/247	皱	皱			
3FF7	3-6022	4-4B3D			
	3-6402	4-4329			
063/248	皾	皾			
3FF8	3-6023	4-5157			
	3-6403	4-4955			
063/249	皶	皶			
3FF9	3-5F79	4-5B7E			
	3-6389	4-5994			
063/250	皺	皺		皺	
3FFA	5-5E75	4-636C		3-2C3D	
	5-6285	4-6776		3-1229	
063/251	盂	盂		盂	
3FFB	3-335E	4-2748		3-2C3F	
	3-1962	4-0740		3-1231	
063/252	盂	盂			
3FFC	3-5B39	4-2A51			
	3-5925	4-1049			
063/253	盆	盆		盆	
3FFD	3-5B3A	4-2A50		3-2C40	
	3-5926	4-1048		3-1232	
063/254	宝	宝		宝	
3FFE	5-5A5B	4-2E47		3-2C41	
	5-5859	4-1439		3-1233	
063/255	盃	盃			
3FFF	3-5F73	4-2E49			
	3-6383	4-1441			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/000	3-5A5D	3-3259			
4000	5-5861	3-1857			
064/001	3-5B3B	4-334B			
4001	3-5927	4-1943			
064/002	3-5A60	3-374F			
4002	5-5864	3-2347			
064/003	3-6E40	3-3D4E			
4003	5-7832	3-2946			
064/004	3-5A63	3-4323			
4004	5-5867	3-3503			
064/005		5-406F		3-2C44	
4005		5-3279		3-1236	
064/006		3-4832			
4006		3-4018			
064/007	3-5B43	4-515A		3-2C45	
4007	3-5935	4-4958		3-1237	
064/008	3-5B42	4-4536		3-2C46	
4008	3-5934	4-3722		3-1238	
064/009	3-5B3C	4-572C		3-2C48	
4009	3-5928	4-5512		3-1240	
064/010	3-5B47	4-6038		3-2C49	
400A	3-5939	4-6424		3-1241	
064/011		3-5F38			
400B		3-6324			
064/012				3-2C4A	
400C				3-1242	
064/013	3-5A6C	4-6E48		3-2C4B	
400D	5-5876	4-7840		3-1243	
064/014		3-2679			
400E		3-0689			
064/015	5-332E	4-2465		3-2C4C	
400F	5-1914	4-0469		3-1244	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/016	3-5923	4-274E			
4010	3-5703	4-0746			
064/017	3-5927	4-274F			
4011	3-5707	4-0747			
064/018	3-5921	4-274D			
4012	3-5701	4-0745			
064/019	3-5924	4-274C			
4013	3-5704	4-0744			
064/020	5-5878	4-274A		3-2C4D	
4014	5-5688	4-0742		3-1245	
064/021	3-593A	4-2A53		3-2C4E	
4015	3-5726	4-1051		3-1246	
064/022	3-5929	4-2A56			
4016	3-5709	4-1054			
064/023	3-5939	4-2A57		3-2C4F	
4017	3-5725	4-1055		3-1247	
064/024	3-5928	4-2A54			
4018	3-5708	4-1052			
064/025	3-592E	4-2A58			
4019	3-5714	4-1056			
064/026		5-2A6D		3-2C50	
401A		5-1077		3-1248	
064/027	3-5937	4-2A5A		3-2C51	
401B	3-5723	4-1058		3-1249	
064/028		6-3338		3-2C52	
401C		6-1924		3-1250	
064/029	S-2131				
401D	S-0117				
064/030		3-2E34			
401E		3-1420			
064/031	3-594D	4-2E52			
401F	3-5745	4-1450			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/032	5-5926	3-325D			
4020	5-5706	3-1861			
064/033	5-5923	3-3266		3-2C53	0-3E53
4021	5-5703	3-1870		3-1251	0-3051
064/034	5-5927	3-3260		3-2C54	
4022	5-5707	3-1864		3-1252	
064/035	3-594C	4-2E4D			
4023	3-5744	4-1445			
064/036		3-3261			
4024		3-1865			
064/037	S-2133				
4025	S-0119				
064/038	3-593F				
4026	3-5731				
064/039		5-3376		3-2C55	0-3E56
4027		5-1986		3-1253	0-3054
064/040	3-5956	4-3350		3-2C56	
4028	3-5754	4-1948		3-1254	
064/041	3-595D	4-3351		3-2C57	0-3E59
4029	3-5761	4-1949		3-1255	0-3057
064/042	5-5932	3-3756			
402A	5-5718	3-2354			
064/043	5-5934	3-3754			
402B	5-5720	3-2352			
064/044	3-595A	4-3352		3-2C58	
402C	3-5758	4-1950		3-1256	
064/045	3-5960	4-334E		3-2C59	
402D	3-5764	4-1946		3-1257	
064/046	3-595F	4-334D		3-2C5A	
402E	3-5763	4-1945		3-1258	
064/047		3-3D50		3-2C5B	
402F		3-2948		3-1259	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/048	眤	眤		眤	
4030	3-5973 3-5783	4-3949 4-2541		3-2C5C 3-1260	
064/049		睽			
4031		3-3D54 3-2952			
064/050	晦	晦		晦	
4032	3-596F 3-5779	4-394A 4-2542		3-2C5D 3-1261	
064/051		睞			
4033		3-3D55 3-2953			
064/052	睙	睙	睙		
4034	3-594F 3-5747	4-3945 4-2537	A-2522 A-0502		
064/053	睚	睚	睚		
4035	5-593F 5-5731	4-3948 4-2540	A-2523 A-0503		
064/054	眼	眼			
4036	3-5979 3-5789	4-393F 4-2531			
064/055	睏	睏			
4037	3-5965 3-5769	4-3941 4-2533			
064/056	睼	睼		睼	
4038	5-593B 5-5727	4-394B 4-2543		3-2C5E 3-1262	
064/057	睞	睞			
4039	3-5952 3-5750	4-3946 4-2538			
064/058	督	督		督	
403A	3-5970 3-5780	4-394D 4-2545		3-2C5F 3-1263	
064/059	睥	睥			
403B	3-596B 3-5775	4-3947 4-2539			
064/060	脤	脤		脤	
403C	5-5939 5-5725	4-3943 4-2535		3-2C60 3-1264	
064/061	睼	睼			
403D	3-5957 3-5755	4-3F22 4-3102			
064/062	督	督		督	
403E	5-593A 5-5726	4-394C 4-2544		3-2C61 3-1265	
064/063	睎	睎			
403F	3-5967 3-5771	4-3942 4-2534			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/064			昇		
4040			A-2524 A-0504		
064/065		晾		晾	
4041		4-3F30 4-3116		3-2C62 3-1266	
064/066	睯	睯			
4042	3-592F 3-5715	4-3F2D 4-3113			
064/067	睐	睐			
4043	5-5940 5-5732	3-4324 3-3504			
064/068	睾	睾			
4044	3-597B 3-5791	4-3F25 4-3105			
064/069	睊	睊			
4045	3-5A2B 3-5811	4-3F26 4-3106			
064/070	睡	睡			
4046	3-597C 3-5792	4-3F27 4-3107			
064/071	睿	睿		睿	
4047	3-5A26 3-5806	4-3F2B 4-3111		3-2C63 3-1267	
064/072	睿	睿	睿		
4048	3-5A27 3-5807	4-3F2C 4-3112	A-2525 A-0505		
064/073		睿		睿	
4049		6-5561 6-5365		3-2C64 3-1268	
064/074	睹	睹			
404A	3-5A2A 3-5810	5-4761 5-3965			
064/075	睼	睼		睼	
404B	3-5A2F 3-5815	4-4539 4-3725		3-2C65 3-1269	
064/076	睛	睛			
404C	3-5A34 3-5820	4-4541 4-3733			
064/077	睊	睊		睊	
404D	3-5A30 3-5816	4-453C 4-3728		3-2C66 3-1270	
064/078	睜	睜		睜	
404E	3-5A3A 3-5826	4-4537 4-3723		3-2C67 3-1271	
064/079	睽	睽			
404F	5-594E 5-5746	3-4837 3-4023			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/080	瞁	瞁	瞁	瞁	
4050	5-5942 5-5734	4-4543 4-3735	A-2526 A-0506	3-2C68 3-1272	
064/081	暘	暘	暘		
4051	3-5926 3-5706	4-4546 4-3738	A-2527 A-0507		
064/082	瞂	瞂		瞂	
4052	3-5A32 3-5818	4-453F 4-3731		3-2C69 3-1273	
064/083	瞹	瞹			
4053	3-5A39 3-5825	4-4544 4-3736			
064/084	暖	暖		暖	
4054	5-5953 5-5751	3-483A 3-4026		3-2C6A 3-1274	
064/085	瞐	瞐			
4055	3-5A3D 3-5829	4-4538 4-3724			
064/086	瞜				
4056	7-2226 7-0206				
064/087	瞠	瞠		瞠	
4057	5-5931 5-5717	3-4D45 3-4537		3-2C6B 3-1275	
064/088	瞧	瞧		瞧	
4058	3-5A45 3-5837	4-4B45 4-4337		3-2C6C 3-1276	
064/089	瞯	瞯			
4059	3-5A44 3-5836	4-4B42 4-4334			
064/090	瞵	瞵			
405A	3-596D 3-5777	4-4B44 4-4336			
064/091	瞶	瞶			瞶
405B	3-5A36 3-5822	4-4B47 4-4339			0-3E6C 0-3076
064/092	瞟	瞟			
405C	3-5A43 3-5835	4-4B43 4-4335			
064/093	瞢	瞢		瞢	
405D	3-593E 3-5730	4-4B4D 4-4345		3-2C6D 3-1277	
064/094		瞻			
405E		3-4D47 3-4539			
064/095		瞠	瞠		
405F		5-4E60 5-4664	A-2528 A-0508		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/096	4-4B3F	曞			
4060	4-4331				
064/097				3-2C6E	瞯
4061				3-1278	
064/098	5-596D	瞾			
4062	5-5777	3-5177		3-2C6F	瞾
		3-4987		3-1279	
064/099		瞕			
4063		3-5178			
		3-4988			
064/100	3-5A46	瞛			
4064	3-5838	4-515C			
		4-4960			
064/101	3-5A3F	瞎			
4065	3-5831	4-5160			
		4-4964			
064/102		瞡			
4066		3-517C			
		3-4992			
064/103		瞚			
4067		3-517A			
		3-4990			
064/104	5-5962	瞵			
4068	5-5766	4-515D		3-2C70	瞵
		4-4961		3-1280	
064/105	3-5A22	瞗			
4069	3-5802	4-5164		3-2C71	瞗
		4-4968		3-1281	
064/106	3-597D	瞕			
406A	3-5793			3-2C72	瞕
				3-1282	
064/107	3-5A4D	瞟			
406B	3-5845	4-5732			
		4-5518			
064/108	3-5A4E	瞢			
406C	3-5846	4-572E			
		4-5514			
064/109	3-5A4A	瞭			
406D	3-5842	4-5731			
		4-5517			
064/110	3-5A4C	瞐			
406E	3-5844	4-572F			
		4-5515			
064/111		瞮			瞮
406F		3-555A			3-2C73
		3-5358			3-1283

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/112	3-5A2D	瞫			
4070	3-5813	4-5730			
		4-5516			
064/113	5-5930	瞧	A-2529		
4071	5-5716	4-5733	A-0509		
		4-5519			
064/114	3-5964	瞶			
4072	3-5768	4-5734			
		4-5520			
064/115	3-5A40	瞱			
4073	3-5832	5-5622			
		5-5402			
064/116	3-5A53	瞫			
4074	3-5851	5-6269			
		5-6673			
064/117	3-5A51	瞛			
4075	3-5849	4-5C27			
		4-6007			
064/118	3-5A52	瞰			
4076	3-5850	4-5C29			
		4-6009			
064/119	3-594B	矕			
4077	3-5743	4-5C2A			
		4-6010			
064/120	3-5963	瞹			
4078	3-5767	4-5C25			
		4-6005			
064/121		瞱			
4079		3-5837			
		3-5623			
064/122	3-594E	瞲			
407A	3-5746	4-5C26			
		4-6006			
064/123	3-594A	瞭			
407B	3-5742	4-6370			
		4-6780			
064/124	3-5A58	瞲			
407C	3-5856	4-636E			
		4-6778			
064/125	3-5A59	瞲			
407D	3-5857	4-6371			
		4-6781			
064/126	3-5A54	瞲			
407E	3-5852	4-636F			
		4-6779			
064/127	3-5A5B	矕			
407F	3-5859	4-665D			
		4-7061			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/128		瞲		瞲	
4080	3-5E41			3-2C77	
	3-6233			3-1287	
064/129	3-5A5E	矕		矕	
4081	3-5862	4-6878		3-2C78	
		4-7288		3-1288	
064/130	3-5A5F	矐			
4082	3-5863	4-6A57			
		4-7455			
064/131	3-5A5D	矕			
4083	3-5861	4-687A			
		4-7290			
064/132	5-597B	矕		矕	
4084	5-5791	4-6C75		3-2C79	
		4-7685		3-1289	
064/133		矕		矕	
4085		4-6E4D		3-2C7A	
		4-7845		3-1290	
064/134	3-6026	矧			
4086	3-6406	4-2751			
		4-0749			
064/135	5-5F21	矧		矧	
4087	5-6301	4-2A5F		3-2C7B	
		4-1063		3-1291	
064/136	3-6027	矧			
4088	3-6407	4-3357			
		4-1955			
064/137	3-602A	矦			
4089	3-6410	4-454A			
		4-3742			
064/138		豫	豫		
408A		3-555D	A-252A		
		3-5361	A-0510		
064/139	S-243E	鞣			
408B	S-0430				
064/140	3-602B	穜			
408C	3-6411	4-5738			
		4-5524			
064/141	3-602C	穟			
408D	3-6412	4-6374			
		4-6784			
064/142	3-602D	穳			
408E	3-6413	4-6B75			
		4-7585			
064/143	3-5B4A	矧			
408F	3-5942	4-2E57			
		4-1455			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
064/144	䏚	䏚			
4090	3-5B49 3-5941	4-2E58 4-1456			
064/145	䏛	䏛			
4091	3-5B4C 3-5944	4-335A 4-1958			
064/146	䏜	䏜			
4092	3-5B4B 3-5943	4-3359 4-1957			
064/147		䏝	䏝		
4093		6-4C2B 6-4411	A-252B A-0511		
064/148	䏞	䏞			
4094	3-5B4D 3-5945	4-3F33 4-3119			
064/149	䏟	䏟			
4095	3-5B4F 3-5946	4-454C 4-3744			
064/150		䏠	䏠		
4096		3-2432 3-0418	A-252C A-0512		
064/151		䏡			
4097		3-267A 3-0690			
064/152	䏢	䏢			
4098	3-574C 3-5544	4-2753 4-0751			
064/153	䏣				
4099	7-2361 7-0365				
064/154	䏤	䏤			
409A	3-5754 3-5552	4-2A64 4-1068			
064/155	䏥	䏥			
409B	5-577C 5-5592	3-2E38 3-1424			
064/156	䏦	䏦			
409C	3-574D 3-5545	4-2A62 4-1066			
064/157		䏧			
409D		3-2E3C 3-1428			
064/158		䏨			
409E		3-2D3B 3-1327			
064/159	䏩	䏩			
409F	3-5769 3-5573	4-2E5F 4-1463			

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
064/160	䏪	䏪			
40A0	3-5761 3-5565	4-2E5C 4-1460			
064/161		䏫			
40A1		4-2E62 4-1466			
064/162		䏬	䏬		
40A2		5-2F34 5-1520	A-252D A-0513		
064/163		䏭			
40A3		3-375B 3-2359			
064/164		䏮			
40A4		3-326A 3-1874			
064/165		䏯			
40A5		3-326B 3-1875			
064/166	䏰	䏰		䏰	
40A6	3-5762 3-5566	4-2E5E 4-1462		3-2C7C 3-1292	
064/167	䏱	䏱			
40A7	3-5765 3-5569	4-2E61 4-1465			
064/168	䏲				
40A8	S-224F S-0247				
064/169	䏳	䏳			
40A9	3-5773 3-5583	4-335E 4-1962			
064/170		䏴			
40AA		4-3361 4-1965			
064/171	䏵	䏵			
40AB	5-582B 5-5611	3-375C 3-2360			
064/172	䏶	䏶			
40AC	3-576F 3-5579	4-335F 4-1963			
064/173		䏷			
40AD		3-375A 3-2358			
064/174	䏸	䏸			
40AE	3-576D 3-5577	4-3360 4-1964			
064/175		䏹			
40AF		3-375E 3-2362			

Row/Cell	C		J	K	V
Hex Code	G	Hanzi - T	Kanji	Hanja	ChuNom
064/176		䏺			
40B0		3-3D5B 3-2959			
064/177	䏻	䏻			
40B1	7-2362 7-0366	5-3A59 5-2657			
064/178		䏼	䏼		
40B2		6-4C33 6-4419	A-252E A-0514		
064/179	䏽	䏽			
40B3	3-5822 3-5602	4-3958 4-2556			
064/180		䏾			
40B4		3-3D58 3-2956			
064/181	䏿				
40B5	7-2363 7-0367				
064/182	䐀	䐀			
40B6	3-577B 3-5591	4-3953 4-2551			
064/183	䐁	䐁		䐁	
40B7	3-5834 3-5620	4-3F40 4-3132		3-2C7D 3-1293	
064/184	䐂	䐂			
40B8	3-582A 3-5610	4-3F39 4-3125			
064/185	䐃	䐃			
40B9	3-5837 3-5623	4-3F3F 4-3131			
064/186		䐄			
40BA		3-432F 3-3515			
064/187	䐅	䐅		䐅	
40BB	3-5751 3-5549	4-3F3C 4-3128		3-2C7E 3-1294	
064/188		䐆			
40BC		3-4332 3-3518			
064/189		䐇			
40BD		4-3F3D 4-3129			
064/190		䐈			
40BE		3-432C 3-3512			
064/191	䐉	䐉		䐉	
40BF	3-583C 3-5628	4-3F3E 4-3130		3-2D21 3-1301	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/192	棲	棲			
40C0	3-582D	4-3F38			
	3-5613	4-3124			
064/193	硨	硨		硨	
40C1	3-5770	4-3F3A		3-2D22	
	3-5580	4-3126		3-1302	
064/194	碮	碮			
40C2	3-5830	4-3F3B			
	3-5616	4-3127			
064/195				碙	
40C3				3-2D24	
				3-1304	
064/196	碄				
40C4	7-2364				
	7-0368				
064/197	碅				
40C5	7-2365				
	7-0369				
064/198				碁	
40C6				3-2D23	
				3-1303	
064/199	碘	碘			
40C7	3-5835	4-3F42			
	3-5621	4-3134			
064/200	碐	碐			
40C8	3-5841	4-454E			
	3-5633	4-3746			
064/201	碉	碉		碉	
40C9	5-584C	3-4843		3-2D26	
	5-5644	3-4035		3-1306	
064/202	碓	碓		碓	
40CA	3-5828	4-4551		3-2D27	
	3-5608	4-3749		3-1307	
064/203	碗	碗			
40CB	5-5848	3-4841			
	5-5640	3-4033			
064/204	碑	碑			
40CC	3-583E	4-454D			
	3-5630	4-3745			
064/205	碌	碌	碌		
40CD	5-584B	4-4555	A-2530		
	5-5643	4-3753	A-0516		
064/206	碡	碡			
40CE	3-5840	4-454F			
	3-5632	4-3747			
064/207		碁		碁	
40CF		5-4776		3-2D28	
		5-3986		3-1308	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/208				碞	
40D0				3-2D29	
				3-1309	
064/209	磯	磯		磯	
40D1	5-5850	4-4B5C		3-2D2A	
	5-5648	4-4360		3-1310	
064/210	碢	碢		碢	
40D2	3-584F	4-4B58		3-2D2B	
	3-5647	4-4356		3-1311	
064/211	磌	磌		磌	
40D3	3-584D	4-4B56		3-2D2C	
	3-5645	4-4354		3-1312	
064/212	碹	碹			
40D4	3-5849	4-4B55			
	3-5641	4-4353			
064/213	磛	磛			
40D5	3-575C	4-4B5E			
	3-5560	4-4362			
064/214	碙	碙		碙	
40D6	5-5779	7-2624		3-2D2D	
	5-5589	7-0604		3-1313	
064/215	磡	磡			
40D7	3-5858	4-4B5B			
	3-5656	4-4359			
064/216	磢	磢		磢	
40D8	5-5832	3-5223		3-2D2E	
	5-5618	3-5003		3-1314	
064/217	磨	磨			
40D9	5-585A	3-517D			
	5-5658	3-4993			
064/218	磩	磩			
40DA	5-585B	4-516C			
	5-5659	4-4976			
064/219	磸	磸			
40DB	5-5831	3-517E			
	5-5617	3-4994			
064/220		磬		磬	
40DC		7-3059		3-2D30	
		7-1657		3-1316	
064/221		磯	磯		
40DD		5-5633	A-2531		
		5-5419	A-0517		
064/222	磧	磧			
40DE	3-585F	4-5170			
	3-5663	4-4980			
064/223	磩				
40DF	S-2251				
	S-0249				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/224	磝	磝		磝	
40E0	5-585C	4-516D		3-2D2F	
	5-5660	4-4977		3-1315	
064/225	磛	磛			
40E1	3-5862	4-573B			
	3-5666	4-5527			
064/226	磤	磤		磤	
40E2	3-5844	4-5741		3-2D31	
	3-5636	4-5533		3-1317	
064/227	磈	磈			
40E3	5-577B	3-4842			
	5-5591	3-4034			
064/228	磠	磠		磠	
40E4	5-5844	4-5739		3-2D32	
	5-5636	4-5525		3-1318	
064/229		磩		磩	
40E5		3-555E		3-2D33	
		3-5362		3-1319	
064/230		磬			
40E6		3-555F			
		3-5363			
064/231	墬	墬			
40E7	3-5860	4-573F			
	3-5664	4-5531			
064/232				磱	
40E8				3-2D34	
				3-1320	
064/233		磾			
40E9		3-5841			
		3-5633			
064/234		磺		磺	
40EA		4-5C2D		3-2D35	
		4-6013		3-1321	
064/235		磼			
40EB		3-583D			
		3-5629			
064/236	磈	磈			
40EC	3-5863	4-5C31			
	3-5667	4-6017			
064/237	磼	磼			
40ED	3-5869	4-5C2F			
	3-5673	4-6015			
064/238	磩	磩			
40EE	3-5771	4-5C2E			
	3-5581	4-6014			
064/239			磔		
40EF			A-2532		
			A-0518		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
064/240	礤	礤			
40F0	3-586E	4-603F			
	3-5678	4-6431			
064/241		礓		礓	
40F1		7-4E5C		3-2D36	
		7-4660		3-1322	
064/242		礴			
40F2		3-5C63			
		3-6067			
064/243	礵	礵			
40F3	3-5871	4-6376			
	3-5681	4-6786			
064/244	礎	礎		礎	
40F4	5-5853	4-6375		3-2D37	
	5-5651	4-6785		3-1323	
064/245	礹	礹			
40F5	3-5848	4-665F			
	3-5640	4-7063			
064/246	礼	礼			
40F6	3-5872	4-6660			
	3-5682	4-7064			
064/247	礽	礽		礽	
40F7	3-5874	4-6661		3-2D38	
	3-5684	4-7065		3-1324	
064/248	礻	礻			
40F8	3-5875	4-687C			
	3-5685	4-7292			
064/249	礽	礽			
40F9	3-5867	4-687B			
	3-5671	4-7291			
064/250	礿	礿			
40FA	5-586B	3-6075			
	5-5675	3-6485			
064/251		祁			
40FB		3-6167			
		3-6571			
064/252				祁	
40FC				3-2D39	
				3-1325	
064/253	祋	祇			
40FD	5-574D	3-2E3F			
	5-5545	3-1431			
064/254	祁	祁	祁	祁	
40FE	3-5721	4-2A67	A-2533	3-2D3A	
	3-5501	4-1071	A-0519	3-1326	
064/255	祆	祆			
40FF	3-567D	4-2A66			
	3-5493	4-1070			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/000	祇	祇			
4100	6-3348	A-2534			
	6-1940	A-0520			
065/001	祉				
4101	3-326E				
	3-1878				
065/002	祐	祐			
4102	4-2E64	A-2535			
	4-1468	A-0521			
065/003	祘	祘	祘		
4103	3-3271	A-2536	3-2D3B		
	3-1881	A-0522	3-1327		
065/004	祠	祠		祠	
4104	5-5755	3-3764		3-2D3C	
	5-5553	3-2368		3-1328	
065/005	祭	祭	祭		
4105	5-574A	4-3363	A-2537		
	5-5542	4-1967	A-0523		
065/006	祜	祜			
4106	3-5728	4-3362			
	3-5508	4-1966			
065/007	祥	祥	祥		
4107	3-3D61	A-2538	3-2D3D		
	3-2965	A-0524	3-1329		
065/008	祩				
4108	3-3D60				
	3-2964				
065/009	祇	祇		祇	
4109	3-572C	4-3959		3-2D3E	
	3-5512	4-2557		3-1330	
065/010	祗				
410A	7-2367				
	7-0371				
065/011	祫	祫			
410B	3-5730	4-3F45			
	3-5516	4-3137			
065/012	祴	祴		祴	
410C	5-5761	4-3F44		3-2D3F	
	5-5565	4-3136		3-1331	
065/013	祖	祖		祖	
410D	5-575D	3-433A		3-2D40	
	5-5561	3-3526		3-1332	
065/014		祺			
410E		3-433B			
		3-3527			
065/015	祾	祾			
410F	5-575A	3-433E			
	5-5558	3-3530			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/016	禂	禂		禂	
4110	5-3E73	4-3F47		3-2D41	
	5-3083	4-3139		3-1333	
065/017		禔			
4111		3-433C			
		3-3528			
065/018		禒	禒		
4112		3-433F	A-2539		
		3-3531	A-0525		
065/019		禓		禓	
4113		3-4846		3-2D42	
		3-4038		3-1334	
065/020	禍	禍			
4114	7-2366	5-4824			
	7-0370	5-4004			
065/021		禘			
4115		3-4849			
		3-4041			
065/022				禥	
4116				3-2D44	
				3-1336	
065/023				禨	
4117				3-2D43	
				3-1335	
065/024		禤		禤	
4118		5-4E76		3-2D45	
		5-4686		3-1337	
065/025		禛			
4119		3-4D4E			
		3-4546			
065/026	禮	禮			
411A	3-573D	4-5176			
	3-5529	4-4986			
065/027	禭	禭			
411B	5-5765	3-5225			
	5-5569	3-5005			
065/028	禸	禸			
411C	3-573A	4-5174			
	3-5526	4-4984			
065/029	禷	禷		禷	
411D	3-573C	4-5175		3-2D46	
	3-5528	4-4985		3-1338	
065/030				禸	
411E				3-2D47	
				3-1339	
065/031	禼	禼			
411F	3-5678	4-5742			
	3-5488	4-5534			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/032	禮				
4120	3-5846				
	3-5638				
065/033	禮				
4121	3-5847				
	3-5639				
065/034	禮				
4122	3-5A64				
	3-5868				
065/035				禮	
4123				3-2D48	
				3-1340	
065/036	襴	襴			
4124	3-5741	4-6663			
	3-5533	4-7067			
065/037		欞			
4125		3-6234			
		3-6620			
065/038	籽	籽			
4126	5-246E	A-253A			
	5-0478	A-0526			
065/039	籽				
4127	3-267D				
	3-0693				
065/040	籽			籽	
4128	5-2746			3-2D49	
	5-0738			3-1341	
065/041	籽			籽	
4129	6-2D49			3-2D4A	
	6-1341			3-1342	
065/042	籽	籽	籽		
412A	5-5A79	4-2756	A-253B		
	5-5889	4-0754	A-0527		
065/043	籽	籽	籽		
412B	5-5A7B	3-2A40	A-253C		
	5-5891	3-1032	A-0528		
065/044		籼			
412C		3-2A41			
		3-1033			
065/045	籽	籽			
412D	5-5A77	3-2A43			
	5-5887	3-1035			
065/046	秩	秩			
412E	3-5B55	4-2A6A			
	3-5953	4-1074			
065/047	秤	秤			
412F	3-5B54	4-2A6F			
	3-5952	4-1079			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/048	秤	秤			
4130	3-5B59	4-2A6B			
	3-5957	4-1075			
065/049		秿			
4131		4-2A69			
		4-1073			
065/050	秞	秞			
4132	3-5B5A	4-2A6C			
	3-5958	4-1076			
065/051	秈	秈			
4133	S-2254	F-2C6D			
	S-0252	F-1277			
065/052	秊				
4134	S-2255				
	S-0253				
065/053				秊	
4135				3-2D4D	
				3-1345	
065/054	秿	秿		秿	
4136	3-5B66	4-2E65		3-2D4E	
	3-5970	4-1469		3-1346	
065/055	秬	秬		秬	
4137	5-5B24	3-3279		3-2D4F	
	5-5904	3-1885		3-1347	
065/056	秬	秬	秬		
4138	S-2256	3-327A	A-253D		
	S-0254	3-1890	A-0529		
065/057	秊				
4139	S-2436				
	S-0422				
065/058		秷		秷	
413A		6-4266		3-2D50	
		6-3470		3-1348	
065/059	秒	秒		秒	
413B	3-5B73	4-3367		3-2D51	
	3-5983	4-1971		3-1349	
065/060	秭	秭			
413C	3-5B6C	4-3366			
	3-5976	4-1970			
065/061		秭			
413D		3-376D			
		3-2377			
065/062	秸	秸			
413E	3-5B68	4-3365			
	3-5972	4-1969			
065/063		秱		秱	
413F		5-343B		3-2D52	
		5-2027		3-1350	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/064	秊	秊			
4140	3-5B6D	5-3439			
	3-5977	5-2025			
065/065	案	案			
4141	3-5B78	4-336A			
	3-5988	4-1974			
065/066	稏	稏			
4142	3-5B74	4-3369			
	3-5984	4-1973			
065/067	梁	梁			
4143	3-5B6A	4-336B			
	3-5974	4-1975			
065/068	秘	秘			
4144	5-5B2D	3-3768			
	5-5913	3-2372			
065/069	桂	桂	桂		
4145	5-5B27	4-336D	A-253E		
	5-5907	4-1977	A-0530		
065/070		秩	秩		
4146		5-3438	A-253F		
		5-2024	A-0531		
065/071		票			
4147		3-376E			
		3-2378			
065/072			桑		
4148			A-2540		
			A-0532		
065/073	秤				
4149	S-2259				
	S-0257				
065/074	秡	秡			
414A	3-5B75	4-3364			
	3-5985	4-1968			
065/075		稅	稅		
414B		5-3A65	A-2541		
		5-2669	A-0533		
065/076	稍	稍			
414C	3-5B7B	4-395E			
	3-5991	4-2562			
065/077		稔		稔	
414D		4-3962		3-2D53	
		4-2566		3-1351	
065/078		稐			
414E		3-3D67			
		3-2971			
065/079		稛	稛		
414F		4-3964	A-2542		
		4-2568	A-0534		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/080	稪				
4150	3-3D6A				
	3-2974				
065/081	稴	稴			
4151	3-5B7D	4-3963			
	3-5993	4-2567			
065/082	秅				
4152	3-3D6B				
	3-2975				
065/083	稰	稰			
4153	3-5B7E	4-3961			
	3-5994	4-2565			
065/084	稲	稲			
4154	3-5C2D	4-3F4F			
	3-6013	4-3147			
065/085	稨				
4155	3-4340				
	3-3532				
065/086	稺	稺			
4156	3-5C26	4-3F4D			
	3-6006	4-3145			
065/087	稼	稼			
4157	5-5B37	3-4345			
	5-5923	3-3537			
065/088	稼	稼		稼	
4158	5-5B2E	4-3F4C		3-2D54	
	5-5914	4-3144		3-1352	
065/089	稫				
4159	3-4342				
	3-3534				
065/090	稵	稵			
415A	3-5C2B	4-3F4B			
	3-6011	4-3143			
065/091	稱	稱			
415B	5-5B36	3-4343			
	5-5922	3-3535			
065/092	種	種			
415C	3-5C29	4-4557			
	3-6009	4-3755			
065/093	稱	稱		稱	
415D	5-5B3B	4-3F49		3-2D55	
	5-5927	4-3141		3-1353	
065/094		稱	稱		
415E		5-4131	A-2543		
		5-3317	A-0535		
065/095	穇				
415F	7-2222				
	7-0202				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/096	稕				
4160	3-4851				
	3-4049				
065/097	稹				
4161	3-484A				
	3-4042				
065/098	稰	稰	稰		
4162	3-5C33	4-455B	A-2544		
	3-6019	4-3759	A-0536		
065/099	稲	稲	稲		
4163	5-5B3F	3-4853	A-2545		
	5-5931	4-4051	A-0537		
065/100	稲				
4164	3-484E				
	3-4046				
065/101	稱	稱	稱		
4165	3-5C31	4-455A	A-2546		
	3-6017	4-3758	A-0538		
065/102	稲			稲	
4166	3-484C			3-2D56	
	3-4044			3-1354	
065/103	稽	稽			
4167	3-5C35	4-4558			
	3-6021	4-3756			
065/104	稽	稽		稽	
4168	S-2258	6-5F6B		3-2D57	
	S-0256	6-6375		3-1355	
065/105	稹	稹		稹	
4169	5-5B3D	4-4559		3-2D58	
	5-5929	4-3757		3-1356	
065/106	穧				
416A	S-2253				
	S-0251				
065/107				穋	
416B				3-2D59	
				3-1357	
065/108	稦	稦			
416C	3-5C40	4-4B65			
	3-6032	4-4369			
065/109	稖	稖			
416D	3-5C3E	4-4B61			
	3-6030	4-4365			
065/110	稯				
416E	3-4D54				
	3-4552				
065/111	穗			穗	
416F	4-4B62			3-2D5A	
	4-4366			3-1358	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
065/112	穩				
4170	3-4D52				
	3-4550				
065/113	穯			穯	
4171	7-2632			3-2D5B	
	7-0618			3-1359	
065/114	穡	穡			
4172	5-5B42	3-4D58			
	5-5934	3-4556			
065/115	穸	穸			
4173	3-5B64	4-4B68			
	3-5968	4-4372			
065/116	穟	穟		穟	
4174	3-5C3A	4-4B66		3-2D5C	
	3-6026	4-4370		3-1360	
065/117	穭	穭			
4175	3-5C3F	4-4B64			
	3-6031	4-4368			
065/118	穠				
4176	3-4D59				
	3-4557				
065/119	穠	穠			
4177	3-5C38	4-517D			
	3-6024	4-4993			
065/120	穡	穡		穡	
4178	3-5C39	4-517C		3-2D5D	
	3-6025	4-4992		3-1361	
065/121	穠				
4179	3-522B				
	3-5011				
065/122	穮	穮			
417A	3-5C42	4-5179			
	3-6034	4-4989			
065/123	穭	穭			
417B	3-5C3C	4-5178			
	3-6028	4-4988			
065/124	穻	穻			
417C	3-5C43	4-517A			
	3-6035	4-4990			
065/125	穀	穀			
417D	5-5B45	3-522D			
	5-5937	3-5013			
065/126	穱	穱			
417E	3-5C45	4-5745			
	3-6037	4-5537			
065/127	穱				
417F	3-5563				
	3-5367				

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
065/128 **4180**	穘 3-5C47 3-6039	穘 4-5747 4-5539		
065/129 **4181**		穹 3-5848 3-5640	穹 A-2547 A-0539	
065/130 **4182**	穚 S-2257 S-0255	穚 7-412E 7-3314		
065/131 **4183**	穽 3-5C4A 3-6042	穽 4-5C37 4-6023		穽 3-2D5E 3-1362
065/132 **4184**	穩 3-5C4C 3-6044	穩 4-5C35 4-6021		
065/133 **4185**	穸 3-5C3D 3-6029	穸 4-5C36 4-6022		
065/134 **4186**				穅 3-2D60 3-1364
065/135 **4187**				穈 3-2D5F 3-1363
065/136 **4188**		穻 3-5E46 3-6238		
065/137 **4189**	穾 3-5C3B 3-6027	穾 4-6379 4-6789		
065/138 **418A**	穿 3-5C4E 3-6046	穿 4-6665 4-7069		
065/139 **418B**		穜 7-584C 7-5644	穜	3-2D61 3-1365
065/140 **418C**	穩 S-225A S-0258			
065/141 **418D**	穾 3-5B5E 3-5962	穾 4-6664 4-7068		
065/142 **418E**	穟 3-5C50 3-6048	穟 4-687E 4-7294		
065/143 **418F**	穿 3-5C52 3-6050	穿 4-6921 4-7301		
065/144 **4190**	穦 3-6239 3-6625			
065/145 **4191**	穻 5-5E31 5-6217	穻 4-2469 4-0473	穻	3-2D62 3-1366
065/146 **4192**	穾 6-2D4E 6-1346	穾 A-2548 A-0540		
065/147 **4193**	穾 3-2E46 3-1438			
065/148 **4194**	穻 3-2E45 3-1437			
065/149 **4195**	穽 3-5F57 3-6355	穽 4-2A71 4-1081	穽	3-2D63 3-1367
065/150 **4196**	穻 5-5E36 5-6222	穻 4-2A72 4-1082	穻	3-2D64 3-1368
065/151 **4197**	穻 5-5E3E 5-6230	穻 3-3321 3-1901	穻	3-2D65 3-1369
065/152 **4198**	穻 5-5E3D 5-6229	穻 3-327E 3-1894		
065/153 **4199**		穽 3-327D 3-1893		
065/154 **419A**	穻 5-5E49 5-6241	穻 4-336F 4-1979	穻	3-2D66 3-1370
065/155 **419B**	穽 3-5F5B 3-6359	穽 4-3370 4-1980		
065/156 **419C**		穹 3-376F 3-2379		
065/157 **419D**		穾 5-3445 5-2037	穾	3-2D67 3-1371
065/158 **419E**	穻 5-5E48 5-6240	穻 4-3372 4-1982	穻	3-2D68 3-1372
065/159 **419F**	穿 3-5F5C 3-6360	穿 4-3371 4-1981		
065/160 **41A0**		窐 6-426F 6-3479		窐 3-2D69 3-1373
065/161 **41A1**	窀 5-5E50 5-6248	窀 3-3D6C 3-2976		窀 3-2D6A 3-1374
065/162 **41A2**	窏 3-5F5F 3-6363	窏 4-3967 4-2571		
065/163 **41A3**		窐 3-3D6D 3-2977		
065/164 **41A4**		窮 6-4C53 6-4451		窮 3-2D6C 3-1376
065/165 **41A5**		窆 3-3D6E 3-2978		
065/166 **41A6**		窶 5-4139 5-3325		窶 3-2D6E 3-1378
065/167 **41A7**	窶 5-5E51 5-6249	窶 4-3F53 4-3151		窶 3-2D6F 3-1379
065/168 **41A8**	窼 3-5F61 3-6365	窼 4-3F52 4-3150		
065/169 **41A9**		窼 6-5627 6-5407		窼 3-2D70 3-1380
065/170 **41AA**	窐 5-407D 5-3293	窐 4-4560 4-3764		窐 3-2D71 3-1381
065/171 **41AB**		窓 6-5F78 6-6388		窓 3-2D72 3-1382
065/172 **41AC**	窴 5-5E4E 5-6246	窴 4-4B6C 4-4376		窴 3-2D73 3-1383
065/173 **41AD**		窾 5-4F23 5-4703		窾 3-2D74 3-1384
065/174 **41AE**				寖 3-2D75 3-1385
065/175 **41AF**	窶 3-5F6C 3-6376			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi	T	Kanji	Hanja	ChuNom
065/176	匾	匾			
41B0	3-5F56	4-5225			
	3-6354	4-5005			
065/177	窾	窾			
41B1	3-5F6B	4-5222			
	3-6375	4-5002			
065/178	窶	窶		窶	
41B2	5-5E56	4-5224		3-2D76	
	5-6254	4-5004		3-1386	
065/179		窬		窬	
41B3		7-306F		3-2D77	
		7-1679		3-1387	
065/180				竄	
41B4				3-2D78	
				3-1388	
065/181	窘	窘			
41B5	5-5E5B	3-5565			
	5-6259	3-5369			
065/182		窯			
41B6		3-5566			
		3-5370			
065/183	窩	窩		窩	
41B7	5-5E5D	4-574C		3-2D79	
	5-6261	4-5544		3-1389	
065/184	窫	窫		窫	
41B8	5-5E5C	4-574D		3-2D7A	
	5-6260	4-5545		3-1390	
065/185	窱	窱		窱	
41B9	3-5F6F	4-574B		3-2D7B	
	3-6379	4-5543		3-1391	
065/186	窯	窯		窯	
41BA	5-5E5A	4-574F		3-2D7C	
	5-6258	4-5547		3-1392	
065/187		竅			
41BB		3-5567			
		3-5371			
065/188	窱	窱		窱	
41BC	5-5E47	4-5C39		3-2D7D	
	5-6239	4-6025		3-1393	
065/189	窶	窶			
41BD	3-5F70	4-5C3A			
	3-6380	4-6026			
065/190	窶	窶			
41BE	3-5F68	4-6048			
	3-6372	4-6440			
065/191		竊		竊	
41BF		4-6049		3-2D7E	
		4-6441		3-1394	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi	T	Kanji	Hanja	ChuNom
065/192	竊	竊		竊	
41C0	5-5E61	4-637C		3-2E21	
	5-6265	4-6792		3-1401	
065/193	竊	竊			
41C1	3-5F71	4-6922			
	3-6381	4-7302			
065/194		辛			
41C2		3-2434			
		3-0420			
065/195		妃			
41C3		3-2A46			
		3-1038			
065/196	訖				訖
41C4	S-237B				0-3F51
	S-0391				0-3149
065/197	戔	戔		戔	
41C5	3-5F4A	4-2A76		3-2E22	
	3-6342	4-1086		3-1402	
065/198		斗			
41C6		3-2E4A			
		3-1442			
065/199	泯	泯			
41C7	S-237A	3-3325			
	S-0390	3-1905			
065/200	烃	烃			
41C8	3-5F4E	4-2E6D			
	3-6346	4-1477			
065/201		妬			
41C9		3-3322			
		3-1902			
065/202			竑		
41CA			A-2549		
			A-0541		
065/203		竦	竦		
41CB		5-3446	A-254A		
		5-2038	A-0542		
065/204		誚			
41CC		3-3D6F			
		3-2979			
065/205	娖	娖		娖	
41CD	3-5F4F	4-396A		3-2E23	
	3-6347	4-2574		3-1403	
065/206	靖	靖		靖	
41CE	5-5E28	3-4348		3-2E24	
	5-6208	3-3540		3-1404	
065/207	諄	諄		諄	
41CF	3-5F50	4-3F54		3-2E26	
	3-6348	4-3152		3-1406	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi	T	Kanji	Hanja	ChuNom
065/208	逮	逮			
41D0	3-5F51	4-3F55			
	3-6349	4-3153			
065/209	諀	諀		諀	
41D1	5-5E2A	4-3F5A		3-2E27	
	5-6210	4-3158		3-1407	
065/210	豎	豎	豎		
41D2	5-5E2D	4-4563	A-254B		
	5-6213	4-3767	A-0543		
065/211	墅	墅			
41D3	3-5F52	4-5752			
	3-6350	4-5550			
065/212	贏	贏		贏	
41D4	3-5F54	4-5C3B		3-2E28	
	3-6352	4-6027		3-1408	
065/213		蠕		蠕	
41D5		3-5A68		3-2E29	
		3-5872		3-1409	
065/214		笋		笋	
41D6		5-2B21		3-2E2A	
		5-1101		3-1410	
065/215	笟	笟			
41D7	3-634E	4-2E75			
	3-6746	4-1485			
065/216	笪	笪		笪	
41D8	5-6276	4-2E70		3-2E2B	
	5-6686	4-1480		3-1411	
065/217		笄			
41D9		3-3328			
		3-1908			
065/218	笩	笩		笩	
41DA	5-6278	4-2E77		3-2E2C	
	5-6688	4-1487		3-1412	
065/219		笚			
41DB		3-3329			
		3-1909			
065/220	笑	笑		笑	
41DC	3-634F	4-2E73		3-2E2D	
	3-6747	4-1483		3-1413	
065/221	笺	笺			
41DD	3-634A	4-2E72			
	3-6742	4-1482			
065/222	笣	笣		笣	
41DE	3-6355	4-3376		3-2E2E	
	3-6753	4-1986		3-1414	
065/223	笏	笏		笏	
41DF	5-6327	4-337D		3-2E2F	
	5-6707	4-1993		3-1415	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
065/224 41E0	笙 3-3774 3-2384			
065/225 41E1	竽 5-3448 5-2040	竽 A-254C A-0544		
065/226 41E2	笘 笘 3-6356 3-6754		笘 3-2E30 3-1416	
065/227 41E3	笨 笨 5-6324 5-6704		笨 3-2E31 3-1417	
065/228 41E4	笴 3-3775 3-2385			
065/229 41E5	笙 笙 7-2368 7-0372	6-4276 6-3486		
065/230 41E6	笑 笑 3-635B 3-6759	4-3378 4-1988		
065/231 41E7	笛 笛 3-6363 3-6767	4-396D 4-2577		
065/232 41E8	笨 笨 3-6371 3-6781	4-3974 4-2584		
065/233 41E9	笾 笾 3-6366 3-6770	4-3971 4-2581		
065/234 41EA	笙 3-3D74 3-2984			
065/235 41EB	笛 笛 3-637D 3-6793	4-3F5B 4-3159		
065/236 41EC	笨 笨 3-636A 3-6774	4-3972 4-2582	笨 3-2E32 3-1418	
065/237 41ED	笔 笔 5-632D 5-6713	3-3D7A 3-2990		
065/238 41EE	笹 笹 5-6334 5-6720	4-3975 4-2585	笹 A-254D A-0545	
065/239 41EF	笪 笪 5-632E 5-6714	3-3D73 3-2983		
065/240 41F0	笨 笨 3-6379 3-6789	4-396F 4-2579		
065/241 41F1	笯 笯 6-4C5B 6-4459	A-254E A-0546		
065/242 41F2	笑 笑 S-233A S-0326	6-4C56 6-4454		
065/243 41F3	笶 A-254F A-0547			
065/244 41F4	笆 7-236A 7-0374			
065/245 41F5	笐 3-4350 3-3548			
065/246 41F6	笚 笚 3-6428 3-6808	4-3F66 4-3170	笚 3-2E33 3-1419	
065/247 41F7	笏 笏 5-633E 5-6730	4-3F62 4-3166	笏 3-2E34 3-1420	
065/248 41F8	笔 笪 3-6423 3-6803	4-3F61 4-3165	笪 3-2E35 3-1421	
065/249 41F9	笟 笟 5-6348 5-6740	3-4352 3-3550	笟 3-2E37 3-1423	
065/250 41FA	笠 3-4353 3-3551		笠 3-2E36 3-1422	
065/251 41FB	笼 笼 3-642C 3-6812	4-3F5D 4-3161		笼 0-3F7D 0-3193
065/252 41FC	笪 3-434E 3-3546			
065/253 41FD	笐 笐 3-6421 3-6801	4-3F60 4-3164		
065/254 41FE	笧 笧 5-6344 5-6736	3-434B 3-3543		
065/255 41FF	策 A-2550 A-0548			
066/000 4200	筎 筎 3-6429 3-6809	4-3F63 4-3167		
066/001 4201	筰 5-4846 5-4038		筰 3-2E38 3-1424	
066/002 4202	笄 笄 3-6375 3-6785	4-3976 4-2586	笄 3-2E39 3-1425	
066/003 4203	箔 箔 3-643B 3-6827	4-4565 4-3769		
066/004 4204	箘 3-485B 3-4059			
066/005 4205	箑 箑 5-634A 5-6742	4-456A 4-3774	箑 3-2E3A 3-1426	
066/006 4206	箕 箕 3-643D 3-6829	4-4569 4-3773		
066/007 4207	箪 箪 5-634C 5-6744	3-485F 3-4063		
066/008 4208	箙 箙 3-6434 3-6820	4-456E 4-3778		
066/009 4209	箋 箋 3-6437 3-6823	4-4568 4-3772		
066/010 420A	箋 3-4859 3-4057			
066/011 420B	箸 箸 3-6442 3-6834	4-456D 4-3777		
066/012 420C	箇 箇 3-643A 3-6826	4-4566 4-3770		
066/013 420D	管 管 3-6438 3-6824	5-4836 5-4022		
066/014 420E	箫 箫 5-635B 5-6759	4-4B7B 4-4391	箫 A-2551 A-0549	
066/015 420F	篇 篇 3-6446 3-6838	4-4B75 4-4385	篇 3-2E3C 3-1428	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
066/016	筴	筴			
4210	3-645B 3-6859	4-4B70 4-4380			
066/017		篙			
4211		3-4D61 3-4565			
066/018		篱			
4212		3-4D5E 3-4562			
066/019	篤	篤			
4213	3-644E 3-6846	4-4C22 4-4402			
066/020	篋	篋			
4214	5-6368 5-6772	3-4D67 3-4571			
066/021	篁	篁	篁		
4215	3-644B 3-6843	4-4B7E 4-4394	A-2552 A-0550		
066/022		箅			
4216		3-4D62 3-4566			
066/023	篾	篾			
4217	3-6455 3-6853	4-4C2E 4-4414			
066/024		箋		箋	
4218		5-4F3B 5-4727		3-2E3D 3-1429	
066/025		箚			
4219		3-4D64 3-4568			
066/026	箸	箸			
421A	3-6462 3-6866	4-4C30 4-4416			
066/027	敵	敵		敵	
421B	3-6448 3-6840	4-4C25 4-4405		3-2E3E 3-1430	
066/028	篾	篾			
421C	3-6454 3-6852	4-4C2D 4-4413			
066/029	箐	箐			
421D	3-645E 3-6862	4-4B79 4-4389			
066/030		箐	箐		
421E		5-4F32 5-4718	A-2553 A-0551		
066/031		箭			
421F		3-4D5F 3-4563			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
066/032	箋	箋			
4220	3-6456 3-6854	5-4F45 5-4737			
066/033	箜	箜			
4221	3-6458 3-6856	4-4C2C 4-4412			
066/034	箕	箕			
4222	3-6461 3-6865	4-4C27 4-4407			
066/035	箟	箟		箟	
4223	3-6444 3-6836	4-4B77 4-4387		3-2E3F 3-1431	
066/036	箝	箝			
4224	5-635C 5-6760	3-4D66 3-4570			
066/037	箘	箘			
4225	5-6362 5-6766	3-4D68 3-4572			
066/038	箋	箋		箋	
4226	3-6457 3-6855	4-4C28 4-4408		3-2E40 3-1432	
066/039		箸	箸	箸	
4227		5-4F36 5-4722	A-2554 A-0552	3-2E41 3-1433	
066/040	箙				
4228	S-2336 S-0322				
066/041	劍				
4229	S-2337 S-0323				
066/042	箒	箒			
422A	3-6464 3-6868	4-5234 4-5020			
066/043	納	納			納
422B	3-642D 3-6813	4-523A 4-5026			0-402D 0-3213
066/044		箱			
422C		3-5231 3-5017			
066/045	箑	箑			
422D	3-6453 3-6851	4-5237 4-5023			
066/046	箝	箝			
422E	3-646F 3-6879	4-522B 4-5011			
066/047	箕	箕		箕	
422F	3-6463 3-6867	4-5238 4-5024		3-2E43 3-1435	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
066/048		箝			
4230		3-5235 3-5021			
066/049	箕	箕			
4231	3-646C 3-6876	4-5239 4-5025			
066/050	箙	箙		箙	
4232	3-646B 3-6875	4-523B 4-5027		3-2E44 3-1436	
066/051	箬	箬			
4233	3-6466 3-6870	4-5236 4-5022			
066/052		箏	箏		
4234		4-522F 4-5015	A-2555 A-0553		
066/053	箬	箬	箬		
4235	5-6374 5-6784	4-523D 4-5029	A-2556 A-0554		
066/054	箸	箸			
4236	3-6471 3-6881	4-5229 4-5009			
066/055		箔			
4237		3-5232 3-5018			
066/056	斛	斛			
4238	3-6521 3-6901	4-575B 4-5559			
066/057		箇		箇	
4239		5-5C6D 5-6077		3-2E46 3-1438	
066/058	終	終		終	
423A	3-6441 3-6833	4-575E 4-5562		3-2E47 3-1439	
066/059	箙	箙			
423B	3-647E 3-6894	4-575A 4-5558			
066/060	箙	箙			
423C	3-6522 3-6902	4-5762 4-5566			
066/061		箘		箘	
423D		5-5C7D 5-6093		3-2E48 3-1440	
066/062	箔	箔			
423E	3-6477 3-6887	4-5765 4-5569			
066/063	箕	箕			
423F	3-6472 3-6882	4-5753 4-5551			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
066/064 **4240**	簏 3-556C 3-5376			
066/065 **4241**	聆 3-6475 3-6885	聆 4-5756 4-5554		
066/066 **4242**	纂 3-647A 3-6890	纂 4-5758 4-5556		
066/067 **4243**	簫 3-6459 3-6857	簫 4-5759 4-5557		
066/068 **4244**	篾 7-236D 7-0377	篾 5-5C7E 5-6094		
066/069 **4245**	執 3-6369 3-6773	執 4-5755 4-5553		
066/070 **4246**	篤 5-5D30 5-6116	篤 A-2557 A-0555		
066/071 **4247**	劗 S-2338 S-0324			
066/072 **4248**	散 3-6524 3-6904	散 4-5C44 4-6036		
066/073 **4249**	觚 5-6434 5-6820	觚 4-5C4F 4-6047	觚 3-2E4A 3-1442	
066/074 **424A**	篹 3-6460 3-6864	篹 4-5C4B 4-6043		
066/075 **424B**	嫸 3-652E 3-6914	嫸 4-5C50 4-6048		
066/076 **424C**	隊 3-6552 3-6750	隊 4-5C43 4-6035		
066/077 **424D**	簡 5-6346 5-6738	簡 3-584A 3-5642		
066/078 **424E**	篥 5-642F 5-6815	篥 4-5C4A 4-6042	篥 3-2E4B 3-1443	
066/079 **424F**	篮 3-5A6C 3-5876			
066/080 **4250**	籞 3-6447 3-6839	籞 4-5C42 4-6034		
066/081 **4251**	篕 3-6348 3-6740	篕 4-5C4C 4-6044		
066/082 **4252**		篇 7-413F 7-3331	篇 3-2E4C 3-1444	
066/083 **4253**	篠 3-6525 3-6905	篠 4-5C46 4-6038		
066/084 **4254**	篾 5-635E 5-6762	篾 4-5C49 4-6041	篾 3-2E4D 3-1445	
066/085 **4255**	簪 3-652C 3-6912	簪 4-5C40 4-6032		
066/086 **4256**		篛 5-6334 5-6720	篛 A-2558 A-0556	篛 3-2E4E 3-1446
066/087 **4257**	簡 3-6528 3-6908	簡 4-5C48 4-6040		
066/088 **4258**		篠 3-584D 3-5645		
066/089 **4259**		篹 3-584B 3-5643		
066/090 **425A**	篶 3-647B 3-6891	篶 5-6341 5-6733		
066/091 **425B**	篋 3-652A 3-6910	篋 4-6056 4-6454		
066/092 **425C**		篷 5-686E 5-7278	篷 A-2559 A-0557	
066/093 **425D**		篹 3-5A6A 3-5874		
066/094 **425E**	篤 3-6531 3-6917	篤 4-6053 4-6451		
066/095 **425F**		篾 5-6866 5-7270	篾 3-2E4F 3-1447	
066/096 **4260**	薇 5-6441 5-6833	薇 3-5A6D 3-5877		
066/097 **4261**	簟 5-6442 5-6834	簟 3-5A69 3-5873		
066/098 **4262**		簫 3-5A6B 3-5875		
066/099 **4263**	篤 3-6529 3-6909	篤 4-5C51 4-6049		
066/100 **4264**			籔 A-255A A-0558	
066/101 **4265**	簏 5-6446 5-6838	簏 4-637E 4-6794		
066/102 **4266**	簷 3-636D 3-6777	簷 4-6669 4-7073		
066/103 **4267**	劉 3-6373 3-6783	劉 4-666C 4-7076		
066/104 **4268**	籔 3-6537 3-6923	籔 4-666E 4-7078		
066/105 **4269**		簏 3-5E4A 3-6242		
066/106 **426A**		簫 4-666A 4-7074		
066/107 **426B**	篆 5-644C 5-6844	篆 3-5E4D 3-6245		
066/108 **426C**	簸 3-6435 3-6821	簸 4-6668 4-7072		簸 3-2E52 3-1450
066/109 **426D**	籠 3-6539 3-6925	籠 4-666D 4-7077		
066/110 **426E**	簡 5-6427 5-6807	簡 3-5F56 3-6354		
066/111 **426F**		籫 5-7061 5-8065		籫 3-2E53 3-1451

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
066/112 **4270**	篾 5-644B 5-6843	篾 4-6926 4-7306	篾 3-2E54 3-1452	
066/113 **4271**	籲 3-645C 3-6860	籲 4-6928 4-7308		
066/114 **4272**	彌 3-643F 3-6831	彌 4-6A5D 4-7461		
066/115 **4273**	鮮 3-6535 3-6921	鮮 4-6A61 4-7465		
066/116 **4274**	纕 3-653F 3-6931	纕 4-6A5C 4-7460	纕 3-2E55 3-1453	
066/117 **4275**	纂 5-6456 5-6854	纂 3-605F 3-6463		
066/118 **4276**	雙 3-6354 3-6752	雙 4-6B76 4-7586	雙 3-2E56 3-1454	
066/119 **4277**	巖 5-633B 5-6727	巖 4-6D5C 4-7760	巖 3-2E57 3-1455	
066/120 **4278**	辯 3-653C 3-6928	辯 4-6D76 4-7786		
066/121 **4279**		龗 7-655D 7-6961	龗 3-2E58 3-1456	
066/122 **427A**	糽 3-676B 3-7175	糽 4-2A77 4-1087	糽 A-255B A-0559	糽 3-2E5A 3-1458
066/123 **427B**		粔 3-332F 3-1915		
066/124 **427C**		粉 3-3333 3-1919		
066/125 **427D**	粦 5-6661 5-7065	粦 6-4322 6-3502	粦 A-255C A-0560	
066/126 **427E**	粲 3-6773 3-7183	粲 4-3425 4-2005		
066/127 **427F**		粰 5-3459 5-2057	粰 3-2E5D 3-1461	
066/128 **4280**		粘 3-377C 3-2392	粘 A-255D A-0561	
066/129 **4281**		粭 6-4C60 6-4464	粭 3-2E5E 3-1462	
066/130 **4282**	粽 3-6775 3-7185	粽 4-397B 4-2591	粽 3-2E5F 3-1463	
066/131 **4283**	粡 3-6778 3-7188	粡 4-397C 4-2592		
066/132 **4284**		粱 3-3D7D 3-2993		
066/133 **4285**		粺 3-3D7C 3-2992	粺 A-255E A-0562	
066/134 **4286**	粲 3-6545 3-6937	粲 4-397D 4-2593		
066/135 **4287**		粩 3-435A 3-3558		
066/136 **4288**		粺 3-4356 3-3554		
066/137 **4289**	粹 5-666B 5-7075	粹 3-4357 3-3555		
066/138 **428A**		粳 3-4359 3-3557		
066/139 **428B**		粗 3-435B 3-3559		
066/140 **428C**	粧 S-243D S-0429			
066/141 **428D**		粲 3-4863 3-4067		
066/142 **428E**	粻 3-677A 3-7190	粻 4-4572 4-3782		
066/143 **428F**		粼 3-4864 3-4068		
066/144 **4290**		糀 3-4865 3-4069		
066/145 **4291**		糊 6-602C 6-6412	糊 A-255F A-0563	
066/146 **4292**		糐 3-4866 3-4070		
066/147 **4293**	糍 5-6676 5-7086	糍 3-4D6B 3-4575	糍 A-2560 A-0564	
066/148 **4294**		糕 3-4D6C 3-4576		
066/149 **4295**	糙 5-666F 5-7079	糙 3-4D69 3-4573		
066/150 **4296**		糉 3-4D6A 3-4574		
066/151 **4297**	糧 3-677B 3-7191	糧 4-4C37 4-4423	糧 A-2561 A-0565	
066/152 **4298**		糈 7-2657 7-0655		糈 3-2E60 3-1464
066/153 **4299**	粲 5-6674 5-7084	粲 4-4C35 4-4421		粲 3-2E61 3-1465
066/154 **429A**	糙 5-6678 5-7088	糙 3-5236 3-5022		
066/155 **429B**	糝 5-6667 5-7071	糝 4-576D 4-5577		糝 3-2E62 3-1466
066/156 **429C**	糐 5-6656 5-7054	糐 3-5573 3-5383		
066/157 **429D**	糂 5-6725 5-7105	糂 3-5572 3-5382		
066/158 **429E**	糘 3-6823 3-7203	糘 4-5769 4-5573		
066/159 **429F**	糠 3-677E 3-7194	糠 4-576A 4-5574		糠 3-2E63 3-1467

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
066/160	糪			
42A0	3-4D74 3-4584			
066/161	糢 糢		糢	
42A1	5-6724 4-576B 5-7104 4-5575		3-2E64 3-1468	
066/162		糈		
42A2		A-2562 A-0566		
066/163	糘	横		
42A3	5-634E 5-6746	A-2563 A-0567		
066/164	糟 糟			
42A4	3-6825 4-5C56 3-7205 4-6054			
066/165	糯			
42A5	3-5852 3-5650			
066/166	糧 糧			
42A6	3-6824 4-5C55 3-7204 4-6053			
066/167	糟 糟		糟	
42A7	5-667B 4-5C54 5-7091 4-6052		3-2E65 3-1469	
066/168	羸		羸	
42A8	5-6354 5-6752		3-2E66 3-1470	
066/169	糝			
42A9	3-5853 3-5651			
066/170	糠 糠			
42AA	5-6653 3-5A70 5-7051 3-5880			
066/171	糪 糪			
42AB	3-6828 4-605B 3-7208 4-6459			
066/172	糠 糠			
42AC	3-6829 4-605D 3-7209 4-6461			
066/173	糕 糕		糕	
42AD	3-6779 4-6423 3-7189 4-6803		3-2E67 3-1471	
066/174	糶 糶			
42AE	5-6730 3-5C68 5-7116 3-6072			
066/175	糲	糲		
42AF	7-543A 7-5226	A-2564 A-0568		

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
066/176	糬		糬	
42B0	5-7070 5-8080		3-2E68 3-1472	
066/177	糲 糲			
42B1	3-682C 4-6A65 3-7212 4-7469			
066/178	糵 糵		糵	
42B2	3-6061 5-7639 3-6465 5-8625		3-2E6B 3-1475	
066/179	糠 糠		糠	
42B3	5-6733 4-6C7A 5-7119 4-7690		3-2E69 3-1473	
066/180	糶			
42B4	3-6145 3-6537			
066/181	糾 糾			
42B5	3-6C31 4-275C 3-7617 4-0760			
066/182	絁	絁		
42B6	6-3364 6-1968	A-2565 A-0569		
066/183	紂 紂			紂
42B7	5-6B51 3-2E57 5-7549 3-1455			0-4058 0-3256
066/184	紜 紜			
42B8	5-6B50 3-2E55 5-7548 3-1453			
066/185	紆			
42B9	3-2E58 3-1456			
066/186	紆 紆		紆	
42BA	3-6C38 4-2E78 3-7624 4-1488		3-2E6D 3-1477	
066/187	紋 紋			
42BB	3-6C3C 4-2E7E 3-7628 4-1494			
066/188	紕			
42BC	3-3335 3-1921			
066/189	紩 紩			
42BD	5-6B5D 3-3334 5-7561 3-1920			
066/190	紲 紲		紲	
42BE	5-6B53 4-2E7C 5-7551 4-1492		3-2E6E 3-1478	
066/191	紩			
42BF	3-3339 3-1925			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
066/192	帑 帑		帑	
42C0	5-5267 4-2F21 5-5071 4-1501		3-2E6F 3-1479	
066/193	紇 紇	紇		
42C1	5-6B5B 3-3338 5-7559 3-1924	A-2566 A-0570		
066/194	紋 紋		紋	
42C2	5-6B5A 4-2E7D 5-7558 4-1493		3-2E70 3-1480	
066/195	紐			
42C3	3-3336 3-1922			
066/196	紉			
42C4	3-333A 3-1926			
066/197			絆	
42C5			3-2E71 3-1481	
066/198		紩		
42C6		A-2567 A-0571		
066/199		紱		
42C7		A-2568 A-0572		
066/200	絮 絮		絮	
42C8	5-6B45 4-342E 5-7537 4-2014		3-2E72 3-1482	
066/201	紿 紿			
42C9	3-6C4E 4-3426 3-7646 4-2006			
066/202	紝 紝			
42CA	5-6B5F 3-3823 5-7563 3-2403			
066/203	紙 紙			
42CB	5-6B69 3-382A 5-7573 3-2410			
066/204	紕 紕			
42CC	3-6C37 4-3427 3-7623 4-2007			
066/205	紵 紵		紵	
42CD	5-6B61 4-3430 5-7565 4-2016		3-2E73 3-1483	
066/206	紐 紐			
42CE	5-6B62 3-382C 5-7566 3-2412			
066/207	紩 紩			
42CF	3-6C46 4-342D 3-7638 4-2013			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
066/208 42D0	絨 3-6C41 3-7633	絨 4-342B 4-2011	絨 A-2569 A-0573	
066/209 42D1	絋 3-6C40 3-7632	絋 4-3429 4-2009		
066/210 42D2		紭 3-3828 3-2408	紭 3-2E74 3-1484	
066/211 42D3		紿 3-382D 3-2413		
066/212 42D4		紩 3-3825 3-2405		
066/213 42D5		絫 3-3E36 3-3022		
066/214 42D6		緁 5-3B2C 5-2712	緁 A-256A A-0574	緁 0-4066 0-3270
066/215 42D7		絽 3-3E2D 3-3013		
066/216 42D8		絑 3-3E32 3-3018		
066/217 42D9		絚 3-3E27 3-3007		
066/218 42DA	翉 5-6B7E 5-7594	翉 3-3E30 3-3016		
066/219 42DB	絲 5-6B7C 5-7592	絲 3-3E25 3-3005	絲 A-256B A-0575	絲 3-2E75 3-1485
066/220 42DC		緊 6-4C71 6-4481	緊 3-2E76 3-1486	
066/221 42DD			綏 A-256C A-0576	
066/222 42DE		綱 3-3E31 3-3017		
066/223 42DF	綛 3-6C74 3-7684	綛 4-3F6A 4-3174		
066/224 42E0		綳 3-4365 3-3569		
066/225 42E1		綜 3-436B 3-3575		
066/226 42E2	縶 3-6C27 3-7607	縶 4-3F6E 4-3178		
066/227 42E3	縣 5-6B47 5-7539	縣 4-3F73 4-3183	毊 3-2E77 3-1487	
066/228 42E4	縸 3-6C26 3-7606	縸 4-3F6F 4-3179		
066/229 42E5		縲 3-4361 3-3565		縲 0-4071 0-3281
066/230 42E6		縵 3-435D 3-3561	縵 3-2E78 3-1488	縵 0-4072 0-3282
066/231 42E7		縝 3-486C 3-4076		
066/232 42E8	縚 5-6C3C 5-7628	縩 4-4575 4-3785	縚 A-256D A-0577	
066/233 42E9	縖 3-6C7E 3-7694	縖 4-457E 4-3794		
066/234 42EA	綱 5-6C2C 5-7612	綱 4-4579 4-3789	綱 3-2E79 3-1489	
066/235 42EB	縉 3-6C61 3-7665	縉 4-4621 4-3801	縉 3-2E7A 3-1490	
066/236 42EC	縂 5-6C2D 5-7613	縂 3-4867 4-3071		
066/237 42ED	縪 5-6C3E 5-7630	縪 3-435F 3-3563		
066/238 42EE		縊 3-4872 3-4082		
066/239 42EF		縔 3-4875 3-4085		
066/240 42F0	纂 3-6C28 3-7608	纂 4-4623 4-3803		纂 3-2E7C 3-1492
066/241 42F1		練 5-4854 5-4052		練 3-2E7D 3-1493
066/242 42F2		繩 3-486F 3-4079		
066/243 42F3		緙 3-4E2A 3-4610		緙 3-2E7E 3-1494
066/244 42F4		縤 5-4F53 5-4751		縤 3-2F21 3-1501
066/245 42F5	纁 3-6D2F 3-7715	纁 4-4C3E 4-4430		
066/246 42F6	纈 3-6C54 3-7652	纈 4-4C3C 4-4428		
066/247 42F7	纂 3-6C29 3-7609	纂 4-4C40 4-4432		纂 3-2F22 3-1502
066/248 42F8		緧 3-4D7B 3-4591		
066/249 42F9		緼 3-4E21 3-4601		
066/250 42FA	緅 5-6C47 5-7639	緅 3-4E2D 3-4613		
066/251 42FB	緧 5-6C41 5-7633	緧 3-4D76 3-4586		
066/252 42FC	緕 5-6C53 5-7651	緕 3-4D79 3-4589		
066/253 42FD	緙 3-6D2A 3-7710	緙 4-4C3A 4-4426		
066/254 42FE	緲 3-6D2D 3-7713	緲 4-4C3D 4-4429		
066/255 42FF	縗 3-6D30 3-7716	縗 4-4C3F 4-4431		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/000	絆			絆	
4300	3-4D7A			3-2F23	
	3-4590			3-1503	
067/001	縷			縷	
4301	4-4C44			3-2F24	
	4-4436			3-1504	
067/002	縒			縒	
4302	5-4F54			3-2F25	
	5-4752			3-1505	
067/003	綯	綯			
4303	5-6C45	3-4E26			
	5-7637	3-4606			
067/004	縷				
4304	3-4E23				
	3-4603				
067/005	縚				
4305	3-523A				
	3-5026				
067/006	縕	縕	縕		
4306	5-6C4A	4-5249	A-256E		
	5-7642	4-5041	A-0578		
067/007	縒	縒			
4307	3-523C	A-256F			
	3-5028	A-0579			
067/008	縐	縐		縐	
4308	3-6D38	4-5247		3-2F26	
	3-7724	4-5039		3-1506	
067/009	縄				
4309	3-523D				
	3-5029				
067/010	縒				
430A	3-523E				
	3-5030				
067/011				繙	
430B				3-2F27	
				3-1507	
067/012	繆	繙			
430C	3-6D43	4-5773			
	3-7735	4-5583			
067/013	繾				
430D	3-5578				
	3-5388				
067/014	繁	繁			
430E	3-6C2D	5-5D3F			
	3-7613	5-6131			
067/015	縮				
430F	3-5576				
	3-5386				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/016	繯	繯			
4310	3-6D22	5-5D46			
	3-7702	5-6138			
067/017	繹				
4311	3-5577				
	3-5387				
067/018	繼			繼	
4312	4-576E			3-2F2A	
	4-5578			3-1510	
067/019	繁	繁	繁		
4313	3-557C	A-2570	A-0580	3-2F28	
	3-5392	A-0580		3-1508	
067/020	繪	繪			
4314	5-6B56	3-557B			
	5-7554	3-5391			
067/021	繩			繩	
4315	7-3A39			3-2F2B	
	7-2625			3-1511	
067/022	繫	繫	繫	繫	
4316	5-6C67	4-5C62	A-2571	3-2F2C	
	5-7671	4-6066	A-0581	3-1512	
067/023	繆	繆			
4317	3-6C33	4-5C60			
	3-7619	4-6064			
067/024	繁	繁			
4318	3-6C2C	4-5772			
	3-7612	4-5582			
067/025	繽			繽	
4319	3-5857			3-2F2D	
	3-5655			3-1513	
067/026	繰				
431A	3-5856				
	3-5654				
067/027	繇	繇			
431B	5-714A	3-5929			
	5-8142	3-5709			
067/028	繅	繅		繅	
431C	3-6C43	4-6066		3-2F2E	
	3-7635	4-6470		3-1514	
067/029	繖	繖		繖	
431D	5-6C6E	4-6063		3-2F2F	
	5-7678	4-6467		3-1515	
067/030	繪	繪	繪		
431E	3-6C6D	4-6068	A-2572		
	3-7677	4-6472	A-0582		
067/031	繻	繻			
431F	3-6D4E	4-6062			
	3-7746	4-6466			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/032	繁	繁		繁	
4320	3-6C2F	7-474A		3-2F31	
	3-7615	7-3942		3-1517	
067/033	繟				
4321	3-5A73				
	3-5883				
067/034	繚	繚			
4322	5-6C6F	3-5A71			
	5-7679	3-5881			
067/035	繵			繵	
4323	5-6D22			3-2F32	
	5-7702			3-1518	
067/036	繝	繝		繝	
4324	5-6B67	3-5C69		3-2F33	
	5-7571	3-6073		3-1519	
067/037	繶	繶		繶	
4325	5-6C73	4-6424		3-2F34	
	5-7683	4-6804		3-1520	
067/038	繿				
4326	3-5C6A				
	3-6074				
067/039	繻	繻			
4327	5-6C21	3-5C6B			
	5-7601	3-6075			
067/040	纂	纂			
4328	5-6C72	3-5E4F			
	5-7682	3-6247			
067/041	纔	纔			
4329	5-6C70	3-5E4E			
	5-7680	3-6246			
067/042	纏	纏			
432A	3-6D41	4-692A			
	3-7733	4-7310			
067/043	纜	纜			
432B	7-5858	A-2573			
	7-5656	A-0583			
067/044	纔	纔			
432C	3-5F59	A-2574			
	3-6357	A-0584			
067/045	纔	纔		纔	
432D	5-6C76	4-692B		3-2F35	
	5-7686	4-7311		3-1521	
067/046	纗	纗			
432E	3-6D55	4-6A66			
	3-7753	4-7470			
067/047	纔	纔			
432F	3-6D54	4-6B79			
	3-7752	4-7589			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
067/048 **4330**	纏 3-6D35 3-7721	纏 4-6B78 4-7588		
067/049 **4331**		纜 7-5F33 7-6319		纜 3-2F36 3-1522
067/050 **4332**		纞 3-6078 3-6488		
067/051 **4333**	纏 3-6D39 3-7725	纏 4-6C7C 4-7692		纏 3-2F37 3-1523
067/052 **4334**	纜 3-6D58 3-7756	纜 4-6C7B 4-7691		
067/053 **4335**	纏 3-6D48 3-7740	纏 4-6D77 4-7787		纏 3-2F38 3-1524
067/054 **4336**	纡 S-233D S-0329			
067/055 **4337**	纲 7-2237 7-0223			
067/056 **4338**	纬 7-236E 7-0378			
067/057 **4339**	纠 7-2370 7-0380			
067/058 **433A**	纽 7-236F 7-0379			
067/059 **433B**	纼 7-2371 7-0381			
067/060 **433C**	纾 S-233B S-0327			
067/061 **433D**	绿 S-233F S-0331			
067/062 **433E**	绱 S-233C S-0328			
067/063 **433F**	绷 S-233E S-0330			
067/064 **4340**	缆 S-2341 S-0333			
067/065 **4341**	缐 S-2340 S-0332			
067/066 **4342**	缸 3-6338 3-6724	缸 4-2A79 4-1089		
067/067 **4343**	缶 3-4C38 3-4424	缸 4-2F29 4-1509		
067/068 **4344**	缽 5-625E 5-6662	缽 3-382F 3-2415		
067/069 **4345**		缾 3-3832 3-2418		
067/070 **4346**		罁 5-3460 5-2064	罁 3-2F3A 3-1526	
067/071 **4347**	罁 3-6339 3-6725	罁 4-3434 4-2020		
067/072 **4348**		罕 3-3830 3-2416		
067/073 **4349**	罭 3-633C 3-6728	罭 4-3433 4-2019		
067/074 **434A**	罫 3-633E 3-6730	罫 4-3A28 4-2608	罫 3-2F3B 3-1527	
067/075 **434B**	罾 3-633F 3-6731	罾 4-4625 4-3805		
067/076 **434C**	罐 5-6264 5-6668	罐 3-4876 3-4086		
067/077 **434D**	罄 3-4F39 3-4725	罄 4-524E 4-5046		
067/078 **434E**	罐 3-6340 3-6732	罐 4-6A6B 4-7475	罐 3-2F3C 3-1528	
067/079 **434F**		冂 A-2575 A-0585		
067/080 **4350**	罕 5-5A3C 5-5828	罕 3-2A4D 3-1045		
067/081 **4351**		罕 3-2E5C 3-1460		
067/082 **4352**	果 5-5A3F 5-5831	果 3-2E5B 3-1459		
067/083 **4353**	罗 5-5A41 5-5833	罗 3-2E59 3-1457		
067/084 **4354**	罗 3-5A7C 3-5892	罗 4-2A7B 4-1091		
067/085 **4355**	罠 3-5B22 3-5902	罠 4-2F2A 4-1510		
067/086 **4356**		罒 6-3A6B 6-2675		罒 3-2F3D 3-1529
067/087 **4357**	罗 3-5B24 3-5904	罗 4-2F2D 4-1513		
067/088 **4358**	粟 5-5A49 5-5841	粟 4-3435 4-2021		粟 3-2F3E 3-1530
067/089 **4359**	罹 3-5B26 3-5906	罹 4-3F75 4-3185		
067/090 **435A**	罝 5-5A4C 5-5844	罝 4-3A2A 4-2610		罝 3-2F3F 3-1531
067/091 **435B**	罔 5-5A4E 5-5846	罔 3-436C 3-3576		
067/092 **435C**	罹 5-5A4F 5-5847	罹 3-436D 3-3577		
067/093 **435D**	罟 3-5B2B 3-5911	罟 5-4165 5-3369		
067/094 **435E**		罡 3-487A 3-4090		
067/095 **435F**		罢 3-487B 3-4091		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/096	罱				
4360	3-5B2F 3-5915				
067/097	麗	麗			
4361	3-5B31 3-5917	4-524F 4-5047			
067/098	無	無			
4362	3-5A7A 3-5890	4-5775 4-5585			
067/099	雷	雷			
4363	3-5B37 3-5923	4-5C65 4-6069			
067/100	齊	齊		齊	
4364	5-5A48 5-5840	4-606D 4-6477		3-2F40 3-1532	
067/101	歷	歷			
4365	3-5A7B 3-5891	4-667B 4-7091			
067/102		龖		龖	
4366		4-6B7B 4-7591		3-2F41 3-1533	
067/103		牲		牲	
4367		6-3A74 6-2684		3-2F43 3-1535	
067/104	羓	羓			
4368	3-6751 3-7149	4-2F2E 4-1514			
067/105		敉			
4369		3-313F 3-1731			
067/106	粖	粖	粖		
436A	5-6641 5-7033	4-3438 4-2024	A-2577 A-0587		
067/107	羓	羓			
436B	3-6758 3-7156	4-3436 4-2022			
067/108	粖	粖			
436C	3-6757 3-7155	4-3437 4-2023			
067/109		羯		羯	
436D		6-433C 6-3528		3-2F44 3-1536	
067/110	挑	挑			
436E	3-675B 3-7159	4-3A2D 4-2613			
067/111	羓	羓			
436F	3-675C 3-7160	4-3A31 4-2617			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/112	羯	羯			
4370	3-675A 3-7158	4-3A30 4-2616			
067/113	羚	羚			
4371	3-675E 3-7162	4-3F76 4-3186			
067/114	羱	羱			
4372	5-664B 5-7043	3-487E 3-4094			
067/115	羯	羯		羯	
4373	3-6760 3-7164	4-4627 4-3807		3-2F45 3-1537	
067/116	矮	矮		矮	
4374	5-664A 5-7042	3-487D 3-4093		3-2F46 3-1538	
067/117	羚	羚			
4375	3-675D 3-7161	4-4628 4-3808			
067/118	辣	辣			
4376	5-6643 5-7035	3-487C 3-4092			
067/119	羮	羮			
4377	3-6750 3-7148	4-4C49 4-4441			
067/120	羹	羹			
4378	3-6763 3-7167	4-5253 4-5051			
067/121		羹			
4379		3-5241 3-5033			
067/122	羹	羹			
437A	3-6765 3-7169	4-5777 4-5587			
067/123	羹	羹		羹	
437B	3-6767 3-7171	4-5C6A 4-6074		3-2F48 3-1540	
067/124	羶	羶			
437C	3-6766 3-7170	4-5C6B 4-6075			
067/125	羸	羸			
437D	3-6752 3-7150	4-692C 4-7312			
067/126		翍			
437E		3-3340 3-1932			
067/127	翌	翌			
437F	5-6B22 5-7502	3-3341 3-1933			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/128	翍	翍			
4380	3-6B6A 3-7574	4-343A 4-2026			
067/129	翊	翊		翊	
4381	5-6B2A 5-7510	3-3833 3-2419		3-2F4A 3-1542	
067/130	翑	翑			
4382	3-6B70 3-7580	4-343B 4-2027			
067/131	翱	翱			
4383	3-6B6C 3-7576	4-343E 4-2030			
067/132	翇	翇			
4384	3-6B72 3-7582	4-343C 4-2028			
067/133		翎			
4385		3-3835 3-2421			
067/134		翏			
4386		3-3834 3-2420			
067/135	翱	翱			
4387	3-6562 3-6966	4-3A34 4-2620			
067/136	翡	翡			
4388	5-6B2F 5-7515	4-3A35 4-2621			
067/137		翍		翍	
4389		5-3B3A 5-2726		3-2F4B 3-1543	
067/138	翎	翎			
438A	3-6B75 3-7585	4-3A33 4-2619			
067/139		翮			
438B		3-4370 3-3580			
067/140	翟	翟			
438C	3-6B79 3-7589	4-3F78 4-3188			
067/141		翛			
438D		3-4371 3-3581			
067/142	翷	翷			
438E	3-6B78 3-7588	4-3F77 4-3187			
067/143		翮			
438F		3-436F 3-3579			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/144	翱				
4390	3-4921	3-4101			
067/145	猱	獠			
4391	3-6B7B	4-462A			
	3-7591	4-3810			
067/146	犹	犹		犹	
4392	3-6B67	4-4629		3-2F4C	
	3-7571	4-3809		3-1544	
067/147	猎	猎			
4393	3-6B7C	4-462B			
	3-7592	4-3811			
067/148	猼	猼			
4394	3-6C21	4-5255			
	3-7601	4-5053			
067/149	獙	獙			
4395	3-6B68	4-5256			
	3-7572	4-5054			
067/150	翾	翾		翾	
4396	5-6B3E	3-585E		3-2F4D	
	5-7530	3-5662		3-1545	
067/151		翻		翻	
4397		3-5860		3-2F4E	
		3-5664		3-1546	
067/152	翷	翷		翷	
4398	5-6B34	3-585F		3-2F4F	
	5-7520	3-5663		3-1547	
067/153	翽	翽		翽	
4399	5-6B3A	3-5C6E		3-2F50	
	5-7526	3-6078		3-1548	
067/154	猷	猷			
439A	3-6C24	4-667D			
	3-7604	4-7093			
067/155				耆	
439B				3-2F51	
				3-1549	
067/156	耄	耄			
439C	5-5F45	3-3E39			
	5-6337	3-3025			
067/157		耆		耆	
439D		3-3E3A		3-2F52	
		3-3026		3-1550	
067/158				耇	
439E				3-2F53	
				3-1551	
067/159	姏	姏		姏	
439F	3-3C48	4-2B27		3-2F54	
	3-2840	4-1107		3-1552	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/160	緬	緬			
43A0	3-6063	4-2B28			
	3-6467	4-1108			
067/161	耍	耍			
43A1	3-6064	4-2F38			
	3-6468	4-1524			
067/162	乾	乾			
43A2	3-602F	4-2B29			
	3-6415	4-1109			
067/163		糸			
43A3		3-3838			
		3-2424			
067/164	緺	緺			
43A4	3-6035	4-3F7A			
	3-6421	4-3190			
067/165	紿				
43A5	S-2373				
	S-0383				
067/166	緂	緂			
43A6	3-603A	4-462E			
	3-6426	4-3814			
067/167	緧	緧			
43A7	3-6039	4-462D			
	3-6425	4-3813			
067/168	緶	緶			
43A8	3-6037	4-462F			
	3-6423	4-3815			
067/169	緇	緇	緇	緇	
43A9	5-5F3A	4-4632	A-2578	3-2F55	
	5-6326	4-3818	A-0588	3-1553	
067/170	緙	緙		緙	
43AA	3-6038	4-4630		3-2F56	
	3-6424	4-3816		3-1554	
067/171	緩	緩			
43AB	3-603B	4-4C4F			
	3-6427	4-4447			
067/172	緷				
43AC	7-223B				
	7-0227				
067/173	緧	緧			
43AD	3-603C	4-577D			
	3-6428	4-5593			
067/174	緱	緱			
43AE	3-603E	4-577A			
	3-6430	4-5590			
067/175	縸	縸			
43AF	3-603D	4-577B			
	3-6429	4-5591			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/176	繖	繖		繖	
43B0	5-5F40	4-5C70		3-2F58	
	5-6332	4-6080		3-1556	
067/177	纚	纚			
43B1	7-223C	4-6721			
	7-0228	4-7101			
067/178	耻	耻			
43B2	3-6044	4-246D			
	3-6436	4-0477			
067/179	眀	眀			
43B3	5-5F4C	3-3346			
	5-6344	3-1938			
067/180		聆			
43B4		3-3345			
		3-1937			
067/181		耻			
43B5		3-383A			
		3-2426			
067/182	聃	聃		聃	
43B6	5-5F4E	4-3441		3-2F59	
	5-6346	4-2033		3-1557	
067/183	聊	聊		聊	
43B7	3-604F	4-3A39		3-2F5A	
	3-6447	4-2625		3-1558	
067/184		聒		聒	
43B8		5-4170		3-2F5B	
		5-3380		3-1559	
067/185		聱			
43B9		3-4374			
		3-3584			
067/186	聊	聊		聊	
43BA	3-6053	4-4636		3-2F5C	
	3-6451	4-3822		3-1560	
067/187	聒	聒		聒	
43BB	5-5F54	4-4634		3-2F5D	
	5-6352	4-3820		3-1561	
067/188	聚	聚			
43BC	3-6054	4-4635			
	3-6452	4-3821			
067/189	聵	聵		聵	
43BD	5-5F55	4-4637		3-2F5E	
	5-6353	4-3823		3-1562	
067/190		聆			
43BE		3-4924			
		3-4104			
067/191		聊			
43BF		3-4E33			
		3-4619			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/192	瞧	瞧			
43C0	3-6055 3-6453	4-4C52 4-4450			
067/193	瞵	瞵		瞵	
43C1	5-5F5B 5-6359	4-525A 4-5058		3-2F5F 3-1563	
067/194	瞜	瞜		瞜	
43C2	5-5F57 5-6355	3-5242 3-5034		3-2F60 3-1564	
067/195	瞑	瞑			
43C3	3-6058 3-6456	4-525B 4-5059			
067/196	瞠	瞠		瞠	
43C4	3-605C 3-6460	4-5821 4-5601		3-2F61 3-1565	
067/197	瞟	瞟			
43C5	3-605A 3-6458	4-5824 4-5604			
067/198	瞧	瞧			
43C6	3-6059 3-6457	4-5823 4-5603			
067/199	瞟	瞟		瞟	
43C7	5-5F5C 5-6360	4-5822 4-5602		3-2F62 3-1566	
067/200		瞵			
43C8		3-5864 3-5668			
067/201	瞶	瞶		瞶	
43C9	5-5F61 5-6365	4-6428 4-6808		3-2F63 3-1567	
067/202		瞼	瞼		
43CA		3-5F5C 3-6360	A-2579 A-0589		
067/203		隶	隶		
43CB		6-566D 6-5477	A-257A A-0590		
067/204	肯	肯		肯	
43CC	5-3136 5-4722	4-232D 4-0313		3-2F65 3-1569	
067/205		肖		肖	
43CD		6-2549 6-0541		3-2F66 3-1570	
067/206	肌	肌			
43CE	3-4C3E 3-4430	4-246F 4-0479			
067/207	肝	肝			
43CF	3-4C3D 3-4429	4-246E 4-0478			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/208	肸	肸			
43D0	5-4E7B 5-4691	3-2A51 3-1049			
067/209		肴		肴	
43D1		6-3B28 6-2708		3-2F68 3-1572	
067/210	肭	肭			
43D2	5-4E76 5-4686	3-2A55 3-1053			
067/211		肮		肮	
43D3		3-2A50 3-1048		3-2F69 3-1573	
067/212	肛	肛		肛	
43D4	3-4C53 3-4451	4-2766 4-0770		3-2F6A 3-1574	
067/213	肚	肚	肚	肚	
43D5	3-4C4A 3-4442	F-2852 F-0850	A-257B A-0591	3-2F6B 3-1575	
067/214	肋	肋		肋	
43D6	3-4C52 3-4450	4-2762 4-0766		3-2F6C 3-1576	
067/215	肙	肫			
43D7	3-4C49 3-4441	4-2767 4-0771			
067/216	肥	肥			
43D8	3-4C48 3-4440	4-2763 4-0767			
067/217	肱	肱			
43D9	3-4C51 3-4449	4-2765 4-0769			
067/218	肧	肧		肧	
43DA	5-4E75 5-4685	5-2758 5-0756		3-2F6D 3-1577	
067/219		肭			
43DB		3-2A5A 3-1058			
067/220		服			
43DC		3-2A53 3-1051			
067/221	肼				
43DD	7-2235 7-0221				
067/222		肺	肺		
43DE		5-2B33 5-1119	A-257C A-0592		
067/223	肶	肶			
43DF	3-4C64 3-4468	4-2B2F 4-1115			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
067/224	肱	肱			
43E0	3-4C62 3-4466	4-2B2A 4-1110			
067/225	肴	肴			
43E1	3-4C54 3-4452	4-2B2C 4-1112			
067/226		肢			
43E2		3-2E62 3-1466			
067/227		胆		胆	
43E3		3-2E5F 3-1463		3-2F6E 3-1578	
067/228		胴		胴	
43E4		6-337D 6-1993		3-2F6F 3-1579	
067/229	胂	胂			
43E5	3-4C5C 3-4460	5-2B39 5-1125			
067/230	胠	胠			
43E6	5-4F2C 5-4712	3-3351 3-1949			
067/231	胯	胯			胯
43E7	3-4C77 3-4487	4-2F41 4-1533			0-4153 0-3351
067/232	胎	胎			
43E8	3-4C74 3-4484	4-2F46 4-1538			
067/233		胎		胎	
43E9		4-2F47 4-1539		3-2F70 3-1580	
067/234	胆	胆			
43EA	3-4C6A 3-4474	4-2F3F 4-1531			
067/235		胰		胰	
43EB		6-3B31 6-2717		3-2F71 3-1581	
067/236		胖	胖		
43EC		5-2F6D 5-1577	A-257D A-0593		
067/237				胨	
43ED				3-2F73 3-1583	
067/238			胶		
43EE			A-257E A-0594		
067/239		胱	胱		
43EF		3-3846 3-2438	A-2621 A-0601		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
067/240 **43F0**	朏 5-4F3A 5-4726	朏 4-344C 4-2044	朏 3-2F74 3-1584	
067/241 **43F1**	胴 3-4D2D 3-4513	胴 4-3448 4-2040	胴 3-2F75 3-1585	
067/242 **43F2**	胤 5-4F39 5-4725	胤 3-3844 3-2436		
067/243 **43F3**	胩 3-4D22 3-4502	胩 4-344B 4-2043		
067/244 **43F4**	胠 3-4D24 3-4504	胠 4-3452 4-2050	胠 3-2F76 3-1586	
067/245 **43F5**	胧 3-4C7E 3-4494	胧 4-3451 4-2049	胧 3-2F77 3-1587	
067/246 **43F6**	胜 3-4D23 3-4503	胜 4-344A 4-2042		
067/247 **43F7**		胖 4-3453 4-2051	胖 A-2623 A-0603	
067/248 **43F8**		胳 6-4358 6-3556	胳 A-2624 A-0604	
067/249 **43F9**		胴 3-3840 3-2432		
067/250 **43FA**		胼 3-383F 3-2431		
067/251 **43FB**		舐 3-3843 3-2435		
067/252 **43FC**	胾 3-4C55 3-4453	胾 4-3A49 4-2641		
067/253 **43FD**	胳 3-4D3C 3-4528	胳 4-3A3A 4-2626	胳 3-2F78 3-1588	
067/254 **43FE**	胯 5-4F3B 5-4727	胯 3-3E3F 3-3031		胯 0-415E 0-3362
067/255 **43FF**	胥 3-4E2E 3-4614	胥 4-3A45 4-2637	胥 3-2F79 3-1589	
068/000 **4400**	胩 5-3B4D 5-2745		胩 3-2F7A 3-1590	
068/001 **4401**	豚 5-4F3F 5-4731	豚 4-3A4A 4-2642	豚 3-2F7B 3-1591	
068/002 **4402**	胣 3-4D40 3-4532	胣 4-3A41 4-2633		
068/003 **4403**	胭 3-4D34 3-4520	胭 4-3A40 4-2632	胭 3-2F7C 3-1592	
068/004 **4404**	胎 3-4D3A 3-4526	胎 4-3A42 4-2634		
068/005 **4405**	胨 3-4D42 3-4534	胨 4-3A3D 4-2629		
068/006 **4406**	胯 3-4D38 3-4524			
068/007 **4407**	胎 5-4F45 5-4737	胎 3-3E46 3-3038		
068/008 **4408**	胴 3-4D2F 3-4515	胴 4-3A3F 4-2631		
068/009 **4409**	胭 3-4D44 3-4536	胭 4-3A44 4-2636		
068/010 **440A**	胭 5-4F40 5-4732	胭 4-3A4B 4-2643	胭 3-2F7E 3-1594	
068/011 **440B**		脥 6-497E 6-4194	脥 3-3021 3-1601	
068/012 **440C**		脊 6-4D54 6-4552	脊 A-2625 A-0605	
068/013 **440D**		胵 6-5676 6-5486	胵 3-3022 3-1602	
068/014 **440E**	胆 3-4D4C 3-4544	胆 4-4027 4-3207		
068/015 **440F**	胳 5-4F49 5-4741	胳 3-4378 3-3588		
068/016 **4410**	脄 5-4F50 5-4748	脄 4-402A 4-3210	脄 3-3023 3-1603	
068/017 **4411**	脜 5-4F4B 5-4743	脜 4-4023 4-3203	脜 3-3024 3-1604	
068/018 **4412**	膦 3-4D4B 3-4543	膦 4-4026 4-3206		
068/019 **4413**	膄 5-4F28 5-4708	膄 3-437A 3-3590		
068/020 **4414**	膚 3-4D58 3-4556	膚 4-3F7D 4-3193		
068/021 **4415**	膻 3-4D4D 3-4545	膻 4-4028 4-3208	膻 3-3025 3-1605	
068/022 **4416**		膜 3-4421 3-3601	膜 3-3026 3-1606	
068/023 **4417**	膰 5-4F3E 5-4730	膰 4-402C 4-3212	膰 3-3027 3-1607	
068/024 **4418**		膗 3-437D 3-3593		
068/025 **4419**	膊 5-4F4A 5-4742	膊 3-4379 3-3589		
068/026 **441A**	膶 3-4D2C 3-4512	膶 5-346A 5-2074		
068/027 **441B**	膓 3-4D4A 3-4542	膓 4-4025 4-3205		
068/028 **441C**	膄 3-4D5D 3-4561	膄 4-4645 4-3837	膄 3-3028 3-1608	
068/029 **441D**	膵 3-4D25 3-4505	膵 4-463E 4-3830		
068/030 **441E**	膚 3-4D62 3-4566	膚 4-463C 4-3828	膚 3-3029 3-1609	
068/031 **441F**	膙 3-4D5C 3-4560	膙 4-463D 4-3829		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/032	膶	膶		膶	
4420	3-4D47	4-463F		3-302A	
	3-4539	4-3831		3-1610	
068/033		齌			
4421		3-5248			
		3-5040			
068/034	臄	臄		臄	
4422	3-4C60	4-4642		3-302B	
	3-4464	4-3834		3-1611	
068/035	膩	膩			
4423	3-4D27	4-4640			
	3-4507	4-3832			
068/036	膛	膛	膛		
4424	3-4D55	4-463B	A-2626		
	3-4553	4-3827	A-0606		
068/037	膙	膙		膙	膶
4425	5-4F5D	3-4929		3-302C	0-416C
	5-4761	3-4109		3-1612	0-3376
068/038		膿		膿	
4426		3-4928		3-302D	
		3-4108		3-1613	
068/039	膏	膏		膏	
4427	5-4F5E	4-4638		3-302E	
	5-4762	4-3824		3-1614	
068/040	殼	殼			
4428	3-4F33	4-4647			
	3-4719	4-3839			
068/041	膩	膩			
4429	3-4C70	4-4641			
	3-4480	4-3833			
068/042	膺				
442A	3-4D5E				
	3-4562				
068/043	膇	膇		膇	
442B	3-4C4D	4-4C5D		3-3030	
	3-4445	4-4461		3-1616	
068/044	膰	膰		膰	
442C	3-4D65	4-4C58		3-3031	
	3-4569	4-4456		3-1617	
068/045	膵	膵			膵
442D	5-4F4C	4-4C5E			0-416F
	5-4744	4-4462			0-3379
068/046	膣	膣			
442E	3-4C78	4-4C55			
	3-4488	4-4453			
068/047	膘	膘			
442F	3-4D66	4-4C5C			
	3-4570	4-4460			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/048		膾		膾	
4430		6-606F		3-3032	
		6-6479		3-1618	
068/049	膜	膜			
4431	3-4D69	4-4C54			
	3-4573	4-4452			
068/050	膃	膃		膃	
4432	3-4D6C	4-4C5B		3-3033	
	3-4576	4-4459		3-1619	
068/051	膼	膼		膼	
4433	5-4F44	4-4C5F		3-3034	
	5-4736	4-4463		3-1620	
068/052	腎	腎		腎	
4434	5-4F79	5-4228		3-3035	
	5-4789	5-3408		3-1621	
068/053	膜	膜			
4435	3-4D63	4-5263			
	3-4567	4-5067			
068/054	膰	膰			
4436	3-4D71	4-5264			
	3-4581	4-5068			
068/055	膻	膻			
4437	5-4F47	3-5246			
	5-4739	3-5038			
068/056		膗			
4438		3-5245			
		3-5037			
068/057	膚	膚		膚	
4439	3-4D3F	4-525E		3-3036	
	3-4531	4-5062		3-1622	
068/058	膽	膽			
443A	3-4D6F	4-5261			
	3-4579	4-5065			
068/059	膚	膚			
443B	3-4D6E	4-5262			
	3-4578	4-5066			
068/060	膠	膠			
443C	3-4D6D	4-5266			
	3-4577	4-5070			
068/061				膚	
443D				3-2762	
				3-0766	
068/062	膟	膟			
443E	3-4C68	5-5D5B			
	3-4472	5-6159			
068/063	膤	膤			
443F	3-4D74	4-582B			
	3-4584	4-5611			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/064	膹	膹		膹	
4440	3-4D7E	4-5828		3-3038	
	3-4594	4-5608		3-1624	
068/065	臂	臂			
4441	3-4E2C	4-582C			
	3-4612	4-5612			
068/066		膭			
4442		4-5C74			
		4-6084			
068/067		朦		朦	朦
4443		3-5866		3-3039	0-417A
		3-5670		3-1625	0-3390
068/068	膞	膞		膞	
4444	3-4E23	4-5C76		3-303A	
	3-4603	4-6086		3-1626	
068/069		膠			
4445		3-5867			
		3-5671			
068/070		膳			
4446		3-5A76			
		3-5886			
068/071	膾	膾		膾	
4447	3-4D37	4-6074		3-303B	
	3-4523	4-6484		3-1627	
068/072	膮	膮			
4448	3-4C61	4-6073			
	3-4465	4-6483			
068/073		膺		膺	
4449		5-6D2C		3-303D	
		5-7712		3-1629	
068/074	膿	膿			
444A	3-4D72	4-642A			
	3-4582	4-6810			
068/075	膿	膿		膿	
444B	3-4E2A	4-6722		3-303F	
	3-4610	4-7102		3-1631	
068/076	臑	臑			
444C	3-4D76	4-6724			
	3-4586	4-7104			
068/077	膺	膺			
444D	3-4D68	4-6723			
	3-4572	4-7103			
068/078	臘	臘			
444E	3-4E29	4-6725			
	3-4609	4-7105			
068/079	臛	臛			
444F	3-4E28	4-6930			
	3-4608	4-7316			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/080	跴			跴	
4450	6-4364			3-3041	
	6-3568			3-1633	
068/081	蹼	蹼			
4451	7-4224	A-2627			
	7-3404	A-0607			
068/082	玥				
4452	3-2B44				
	3-1136				
068/083	墓	墓			
4453	3-4424	A-2628			
	3-3604	A-0608			
068/084	眭	眭			
4454	3-6543	4-2F4A			
	3-6935	4-1542			
068/085	鼠			鼠	
4455	4-3458			3-3044	
	4-2056			3-1636	
068/086	睫				
4456	3-6547				
	3-6939				
068/087	暘	暘		暘	
4457	5-645A	4-4C63		3-3045	
	5-6858	4-4467		3-1637	
068/088	暡	暡			
4458	3-6546	4-526B			
	3-6938	4-5075			
068/089	甜				
4459	3-3353				
	3-1951				
068/090	舐				
445A	3-3354				
	3-1952				
068/091	舐	舐		舐	
445B	3-384A	A-2629		3-3046	
	3-2442	A-0609		3-1638	
068/092	碟	碟			
445C	3-6345	4-4C64			
	3-6737	4-4468			
068/093	舁	舁			
445D	S-234C	6-6121			
	S-0344	6-6501			
068/094	舋	舋			
445E	5-3127	3-524B			
	5-1707	3-5043			
068/095		舉		舉	
445F		3-5E54		3-3047	
		3-6252		3-1639	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/096	舟	舟			
4460	3-6551	4-276F			
	3-6949	4-0779			
068/097	舣	舣			
4461	3-6554	4-2B33			
	3-6952	4-1119			
068/098	舡	舡			
4462	3-6552	4-2B32			
	3-6950	4-1118			
068/099	舠	舠			
4463	5-6472	3-2E67			
	5-6882	3-1471			
068/100		舲		舲	
4464		3-3356		3-3048	
		3-1954		3-1640	
068/101	舨	舨		舨	
4465	3-6553	4-2F50		3-3049	
	3-6951	4-1548		3-1641	
068/102	舸	舸			
4466	5-6476	3-384B			
	5-6886	3-2443			
068/103		舒	舒		
4467		6-4371	A-262A		
		6-3581	A-0610		
068/104		舵	舵		
4468		6-4370	A-262B		
		6-3580	A-0611		
068/105	舶				
4469	S-2139				
	S-0125				
068/106		舸			
446A		3-3E4A			
		3-3042			
068/107	舲	舲			
446B	3-6561	4-3A4E			
	3-6965	4-2646			
068/108	舠	舠		舠	
446C	3-655E	4-3A4F		3-304B	
	3-6962	4-2647		3-1643	
068/109		舡	舡		
446D		6-4D63	A-262C		
		6-4567	A-0612		
068/110	舸				
446E	S-213A				
	S-0126				
068/111		舼		舼	
446F		5-422D		3-304C	
		5-3413		3-1644	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/112	舣	舣			
4470	3-6563	4-402F			
	3-6967	4-3215			
068/113	舨	舨			
4471	3-6565	4-464F			
	3-6969	4-3847			
068/114	舼	舼		舼	
4472	5-6524	4-4651		3-304E	
	5-6904	4-3849		3-1646	
068/115	舨	舨			
4473	3-6556	4-4650			
	3-6954	4-3848			
068/116		舸			
4474		3-492C			
		3-4112			
068/117	舶	舶			
4475	S-213F	6-6124			
	S-0131	6-6504			
068/118		舶	舶		
4476		5-492C	A-262D		
		5-4112	A-0613		
068/119	舶				
4477	S-213C				
	S-0128				
068/120				舼	
4478				3-304F	
				3-1647	
068/121		舼			
4479		3-4E3E			
		3-4630			
068/122		舨	舨		
447A		4-4C68	A-262E		
		4-4472	A-0614		
068/123	舫	舫			
447B	3-656A	4-4C65			
	3-6974	4-4469			
068/124	舸	舸			
447C	3-655C	4-526C			
	3-6960	4-5076			
068/125	舸	舸			
447D	3-656E	4-526D			
	3-6978	4-5077			
068/126	舋				
447E	S-213B				
	S-0127				
068/127	舶	舶			
447F	3-6572	4-5830			
	3-6982	4-5616			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/128	艏	艏			
4480	3-6570 3-6980	4-5834 4-5620			
068/129	艏	艏			
4481	3-6573 3-6983	4-5833 4-5619			
068/130		艚			
4482		3-5625 3-5405			
068/131		艙			
4483		3-5626 3-5406			
068/132		艠		艠	
4484		5-5D67 5-6171		3-3050 3-1648	
068/133	艡	艡			
4485	3-6571 3-6981	5-5C4D 5-6045			
068/134	艗	艗			
4486	3-6574 3-6984	4-5832 4-5618			
068/135	艠				
4487	3-6575 3-6985				
068/136	艢	艢			
4488	3-6566 3-6970	4-5C7C 4-6092			
068/137	艤	艤			
4489	3-6576 3-6986	4-642D 4-6813			
068/138	艷	艷			
448A	3-6578 3-6988	4-2F53 4-1551			
068/139	艳	艳			
448B	3-6579 3-6989	4-345C 4-2060			
068/140	艷	艷		艷	
448C	3-657D 3-6993	4-526F 4-5079		3-3052 3-1650	
068/141	艷	艷			
448D	3-657C 3-6992	4-526E 4-5078			
068/142	艷	艷			
448E	3-657B 3-6991	4-5835 4-5621			
068/143	艷	艷			
448F	3-657E 3-6994	4-5C7D 4-6093			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/144	艷	艷			
4490	3-6621 3-7001	4-6933 4-7319			
068/145			丷		
4491			A-262F A-0615		
068/146		艻		艻	
4492		6-254F 6-0547		3-3053 3-1651	
068/147	艻	艻			
4493	5-673A 5-7126	3-2437 3-0423			
068/148	艽	艽	艽		
4494	5-673B 5-7127	3-2439 3-0425	A-2630 A-0616		
068/149	艿	艿			
4495	5-6746 5-7138	3-2727 3-0707			
068/150	芁	芁			
4496	3-6836 3-7222	4-2476 4-0486			
068/151	芃	芃			
4497	3-6834 3-7220	4-247D 4-0493			
068/152		芠			
4498		3-272C 3-0712			
068/153	芷				
4499	S-217A S-0190				
068/154		莎			
449A		3-2A63 3-1067			
068/155		莒			
449B		3-2A67 3-1071			
068/156	茻	茻		茻	茻
449C	5-674C 5-7144	3-2A64 3-1068		3-3055 3-1653	0-4230 0-3416
068/157		茷			
449D		3-2A6A 3-1074			
068/158	茺	茺			
449E	3-6846 3-7238	4-2772 4-0782			
068/159		苒			
449F		3-2A62 3-1066			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/160	苹	苹			
44A0	3-6838 3-7224	4-2821 4-0801			
068/161	茾	茾			
44A1	3-6848 3-7240	4-2773 4-0783			
068/162	茆	茆	茆		
44A2	5-6756 5-7154	3-2A65 3-1069	A-2631 A-0617		
068/163		苺			
44A3		3-2A69 3-1079			
068/164		苜		苜	
44A4		5-2763 5-0767		3-3056 3-1654	
068/165		苒		苒	
44A5		3-2A61 3-1065		3-3057 3-1655	
068/166	芝	芝			
44A6	5-6754 5-7152	3-2E6D 3-1477			
068/167	芙	芙			
44A7	3-684B 3-7243	4-2B36 4-1122			
068/168	芺	芺			
44A8	5-675F 5-7163	3-2E70 3-1480			
068/169	茉	茉	茉		
44A9	5-6760 5-7164	3-2E71 3-1481	A-2632 A-0618		
068/170	莽	莽			
44AA	5-6766 5-7170	3-2E6C 3-1476			
068/171		茷	茷		
44AB		3-2E73 3-1483	A-2633 A-0619		
068/172		荣			
44AC		3-2E75 3-1485			
068/173		荨		荨	
44AD		6-343A 6-2026		3-3058 3-1656	
068/174	荒				
44AE	S-2222 S-0202				
068/175	荒				
44AF	S-2223 S-0203				

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
068/176	𦍌	𦍌		𦍌	
44B0	5-676A 5-7174	4-2F55 4-1553		3-3059 3-1657	
068/177		𦰡	𦰡		
44B1		3-3361 3-1965	A-2634 A-0620		
068/178	𦒍	𦒍			
44B2	3-6879 3-7289	4-2F61 4-1565			
068/179		𦰶	𦰶		
44B3		3-3364 3-1968	A-2635 A-0621		
068/180	𦐇	𦐇			
44B4	5-6771 5-7181	3-335B 3-1959			
068/181		𦒹			
44B5		3-335E 3-1962			
068/182		𦘒	𦘒		
44B6		6-3B56 6-2754	A-2636 A-0622		
068/183	𦋙	𦋙		𦋙	
44B7	5-6778 5-7188	3-335D 3-1961		3-305A 3-1658	
068/184	𦟌	𦟌		𦟌	
44B8	5-677B 5-7191	4-2F5E 4-1562		3-305B 3-1659	
068/185	𦠜	𦠜	𦠜		
44B9	5-676B 5-7175	3-335C 3-1960	A-2637 A-0623		
068/186		𦰻			
44BA		3-3365 3-1969			
068/187		𦣝		𦣝	
44BB		5-3021 5-1601		3-305C 3-1660	
068/188	𦲷	𦲷		𦲷	
44BC	5-6776 5-7186	4-2F59 4-1557		3-305D 3-1661	
068/189	𦉘	𦉘			
44BD	3-686E 3-7278	4-2F64 4-1568			
068/190			𧘇		
44BE			A-2638 A-0624		
068/191	𦝼				
44BF	S-2224 S-0204				
068/192				𦎫	
44C0				3-305E 3-1662	
068/193		𦹚	𦹚		
44C1		3-3360 3-1964	A-2639 A-0625		
068/194	𦎫	𦎫			
44C2	3-6933 3-7319	4-345E 4-2062			
068/195	𦏲	𦏲			
44C3	3-692A 3-7310	4-346C 4-2076			
068/196	𦐐	𦐐			
44C4	3-6930 3-7316	4-3471 4-2081			
068/197		𦐒			
44C5		3-385A 3-2458			
068/198	𦐓	𦐓		𦐓	
44C6	5-682F 5-7215	4-3469 4-2073		3-305F 3-1663	
068/199	𦐔	𦐔		𦐔	
44C7	5-6826 5-7206	4-3465 4-2069		3-3060 3-1664	
068/200	𦐖	𦐖		𦐖	
44C8	5-6839 5-7225	4-3856 3-2454		3-3061 3-1665	
068/201	𦐗	𦐗			
44C9	3-6869 3-7273	4-3466 4-2070			
068/202	𦐘	𦐘			
44CA	3-6921 3-7301	4-3462 4-2066			
068/203		𦐙		𦐙	
44CB		4-345D 4-2061		3-3062 3-1666	
068/204		𧘇	𧘇		
44CC		4-3463 4-2067	A-263A A-0626		
068/205		𦰡		𦰡	
44CD		6-442C 6-3612		3-3063 3-1667	
068/206		𦐚			
44CE		3-384C 3-2444			
068/207		𦐛		𦐛	
44CF		6-4428 6-3608		3-3064 3-1668	
068/208		𦐜	𦐜		
44D0		5-352A 5-2110	A-263B A-0627		
068/209		𦐝			
44D1		3-3859 3-2457			
068/210		𦐞			
44D2		3-385C 3-2460			
068/211		𦐟	𦐟		
44D3		5-3524 5-2104	A-263C A-0628		
068/212	𦐠				
44D4	S-2221 S-0201				
068/213	𦐡				
44D5	S-2372 S-0382				
068/214	𦐢				
44D6	7-2231 7-0217				
068/215		𦐣		𦐣	
44D7		4-3A6C 4-2676		3-3065 3-1669	
068/216	𦐤	𦐤			
44D8	3-6957 3-7355	4-3A60 4-2664			
068/217	𦐥	𦐥			
44D9	3-6951 3-7349	4-3A5F 4-2663			
068/218	𦐦	𦐦		𦐦	
44DA	3-6954 3-7352	4-3A64 4-2668		3-3066 3-1670	
068/219	𦐧	𦐧			
44DB	3-695F 3-7363	4-3A59 4-2657			
068/220	𦐨	𦐨			
44DC	5-6858 5-7256	5-3B56 5-2754			
068/221	𦐩	𦐩			
44DD	3-6962 3-7366	4-3A5B 4-2659			
068/222	𦐪	𦐪			
44DE	3-695C 3-7360	4-3A56 4-2654			
068/223	𦐫	𦐫			
44DF	5-6854 5-7252	3-3E53 3-3051			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
068/224 **44E0**	3-6963 3-7367		3-3068 3-1672	
068/225 **44E1**	3-3E54 3-3052			
068/226 **44E2**	5-684D 5-7245			
068/227 **44E3**	3-6922 3-7302			
068/228 **44E4**	4-3A61 4-2665			
068/229 **44E5**	5-3144 5-1736			
068/230 **44E6**	6-4E27 6-4607	A-263D A-0629		
068/231 **44E7**	5-6863 5-7267			
068/232 **44E8**	S-217C S-0192			
068/233 **44E9**	S-2226 S-0206			
068/234 **44EA**	S-2227 S-0207	F-3E6B F-3075		
068/235 **44EB**	3-6944 3-7336			
068/236 **44EC**	3-694B 3-7343			
068/237 **44ED**	3-6956 3-7354	4-4030 4-3216		
068/238 **44EE**	3-6A2F 3-7415	4-4032 4-3218		
068/239 **44EF**	3-6964 3-7368	4-3A65 4-2669		
068/240 **44F0**	5-686A 5-7274	3-4437 3-3623		
068/241 **44F1**		4-4669 4-3873	3-306A 3-1674	
068/242 **44F2**	5-687C 5-7292	4-4047 4-3239	A-263E A-0630	3-306B 3-1675
068/243 **44F3**	3-6977 3-7387	4-4049 4-3241		
068/244 **44F4**	3-696B 3-7375	4-403A 4-3226		
068/245 **44F5**		3-442B 3-3611	A-263F A-0631	
068/246 **44F6**	5-6869 5-7273	3-4429 3-3609	A-2640 A-0632	
068/247 **44F7**		3-4434 3-3620		
068/248 **44F8**	3-6A2C 3-7412	4-4048 4-3240		
068/249 **44F9**		3-443D 3-3629		
068/250 **44FA**	5-692C 5-7312	4-404C 4-3244	A-2641 A-0633	
068/251 **44FB**	S-222B S-0211			
068/252 **44FC**	3-6A4E 3-7446	4-4665 4-3869		
068/253 **44FD**		3-492F 3-4115		
068/254 **44FE**	3-6A48 3-7440	4-4657 4-3855		
068/255 **44FF**		6-6144 6-6536		3-306E 3-1678
069/000 **4500**	4-4664 4-3868			
069/001 **4501**	3-4931 3-4117			
069/002 **4502**	3-6A4A 3-7442	4-4653 4-3851		
069/003 **4503**	5-493C 5-4128			3-3070 3-1680
069/004 **4504**	3-6A3E 3-7430	4-4661 4-3865		
069/005 **4505**	3-4930 3-4116			
069/006 **4506**	4-466D 4-3877	A-2642 A-0634		
069/007 **4507**	3-686C 3-7276	4-4660 4-3864		
069/008 **4508**	4-465C 4-3860	A-2643 A-0635		3-3071 3-1681
069/009 **4509**	5-6941 5-7333	3-4934 3-4120		
069/010 **450A**	5-493B 5-4127	A-2644 A-0636		
069/011 **450B**	6-6158 6-6556			3-3072 3-1682
069/012 **450C**	5-6942 5-7334	3-4937 3-4123		
069/013 **450D**	3-4940 3-4132			
069/014 **450E**	3-4E43 3-4635			
069/015 **450F**	3-6A37 3-7423	4-4C72 4-4482		3-3073 3-1683

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
069/016	淺			
4510	3-4E3F 3-4631			
069/017	斜 斜		斜	
4511	5-6961 4-4C70 5-7365 4-4480		3-3074 3-1684	
069/018	蔭 蔭		蔭	
4512	5-6953 4-4D24 5-7351 4-4504		3-3075 3-1685	
069/019	詐		詐	
4513	4-4C6B 4-4475		3-3076 3-1686	
069/020	竟			
4514	3-4E41 3-4633			
069/021	脯 脯			
4515	3-6A60 4-4C71 3-7464 4-4481			
069/022	陵		陵	
4516	3-4E53 3-4651		3-3077 3-1687	
069/023	莘 莘			
4517	3-6A4B 4-4C6D 3-7443 4-4477			
069/024	葅 葅			
4518	3-6A5E 4-4C73 3-7462 4-4483			
069/025	釣			
4519	3-4E47 3-4639			
069/026	薺 薺			
451A	5-695B 3-4E45 5-7359 3-4637			
069/027	賾 賾		賾	
451B	5-6847 3-4E56 5-7239 3-4654		3-3078 3-1688	
069/028	靸 靸			
451C	3-6A52 4-4C7D 3-7450 4-4493			
069/029	鎖			
451D	3-5251 3-5049			
069/030	率 率			
451E	3-6A65 4-4C6C 3-7469 4-4476			
069/031	移 移			
451F	5-6960 3-4E4A 5-7364 3-4642			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
069/032	稍 稍			
4520	3-6A53 4-4C6E 3-7451 4-4478			
069/033	煎			
4521	3-4E48 3-4640			
069/034	箏			
4522	3-4E55 3-4653			
069/035	牽 牽			
4523	5-695F 3-4E49 5-7363 3-4641			
069/036	皺	皺		
4524	5-5046 5-4838	A-2645 A-0637		
069/037	蕭	蕭		
4525	3-4E50 3-4648	A-2646 A-0638		
069/038	薤 薤			
4526	S-2179 F-5165 S-0189 F-4969			
069/039	槧 槧			
4527	S-2178 F-5173 S-0188 F-4983			
069/040	雍 雍			
4528	S-222C F-5176 S-0212 F-4986			
069/041	敕			
4529	4-4D21 4-4501			
069/042	爽 爽			
452A	3-6A56 4-4C6F 3-7454 4-4479			
069/043	蔬			
452B	3-4E51 3-4649			
069/044	冀 冀			
452C	3-6A59 4-4C77 3-7457 4-4487			
069/045	霜 霜			
452D	3-6A7E 4-5277 3-7494 4-5087			
069/046	斯 斯			
452E	3-6A6B 4-527B 3-7475 4-5091			
069/047	酷 酷			
452F	3-6A6D 4-5279 3-7477 4-5089			

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
069/048	當 當		當	
4530	5-6A2A 4-532C 5-7410 4-5112		3-3079 3-1689	
069/049	揖 揖			
4531	3-6A70 4-5321 3-7480 4-5101			
069/050	登 登			𦍋
4532	3-6B25 4-5276 3-7505 4-5086			0-425E 0-3462
069/051	烝 烝			
4533	S-222D 3-5253 S-0213 3-5051			
069/052	歟 歟			
4534	3-6B23 4-5325 3-7503 4-5105			
069/053	蘭	蘭		
4535	3-5257 3-5055	A-2647 A-0639		
069/054	揖 揖			
4536	3-6A6F 4-527E 3-7479 4-5094			
069/055	琴 琴			
4537	5-696F 3-524D 5-7379 3-5045			
069/056	烝 烝			
4538	3-6A6E 4-5323 3-7478 4-5103			
069/057	隊 隊			
4539	3-6849 4-527A 3-7241 4-5090			
069/058	隋 隋		隋	
453A	3-6A68 4-527C 3-7472 4-5092		3-307A 3-1690	
069/059	敦 敦	敦		
453B	5-697E 4-5272 5-7394 4-5082	A-2648 A-0640		
069/060	蘁 蘁	蘁	蘁	
453C	S-222F 5-642D S-0215 5-6813	A-264C A-0644	3-307B 3-1691	
069/061	蕩 蕩		蕩	
453D	5-6A26 3-524C 5-7406 3-5044		3-307C 3-1692	
069/062	揭 揭			
453E	3-6A71 4-5322 3-7481 4-5102			
069/063	尊 尊			
453F	3-6A7B 4-5273 3-7491 4-5083			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/064 **4540**	款 5-6971 5-7381		款 3-307D 3-1693	
	款 3-524E 3-5046			
069/065 **4541**	菄 3-6A72 3-7482			
	菄 4-5327 4-5107			
069/066 **4542**	遠 S-217D S-0193			
069/067 **4543**	陰 4-5331 4-5117	陰 A-2649 A-0641		
069/068 **4544**	盞 3-6B26 3-7506			
	盞 4-4667 4-3871			
069/069 **4545**	嫂 3-6B24 3-7504			
	嫂 4-5844 4-5636			
069/070 **4546**	穖 3-6B29 3-7509			
	穖 4-583C 4-5628			
069/071 **4547**	麗 3-6A79 3-7489			
	麗 4-5838 4-5624			
069/072 **4548**	牒 3-6B2F 3-7515			
	牒 4-5842 4-5634			
069/073 **4549**	鞷 5-5D79 5-6189		鞷 3-3122 3-1702	
069/074 **454A**	薑 3-6B34 3-7520			
	薑 4-5836 4-5622			
069/075 **454B**	塘 3-6B28 3-7508			
	塘 4-583B 4-5627			
069/076 **454C**	稚 3-562E 3-5414	稚 A-264A A-0642	稚 3-3123 3-1703	
069/077 **454D**	薺 3-5627 3-5407			
069/078 **454E**	疍 3-6B2C 3-7512			
	疍 4-583D 4-5629			
069/079 **454F**	義 3-562A 3-5410			

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/080 **4550**	福 S-217B S-0191			
069/081 **4551**	綏 3-562F 3-5415			
069/082 **4552**	嘉 3-5869 3-5673			
069/083 **4553**	蔡 3-6B40 3-7532			
	蔡 4-5C7E 4-6094			
069/084 **4554**	蘅 3-6A5F 3-7463			
	蘅 4-5D2B 4-6111			
069/085 **4555**	灪 5-6A51 5-7449			
	灪 3-586D 3-5677			
069/086 **4556**	蘇 3-5870 3-5680			
069/087 **4557**	鼻 3-586A 3-5674			
069/088 **4558**	頡 5-6962 5-7366			
	頡 3-5871 3-5681			
069/089 **4559**	截 3-6B37 3-7523			
	截 4-5D23 4-6103			
069/090 **455A**	贙 7-4238 7-3424		贙 3-3125 3-1705	
069/091 **455B**	誄 3-695E 3-7362			
	誄 4-5D21 4-6101			
069/092 **455C**	蕞 S-2225 S-0205			
	蕞 F-604E F-6446			
069/093 **455D**	稱 3-6B3A 3-7526			稱 0-4264 0-3468
	稱 7-3B32 7-2718			
069/094 **455E**	贙 5-6949 5-7341	贙 A-264D A-0645		
	贙 4-6077 4-6487			
069/095 **455F**	興 3-5C73 3-6083			

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/096 **4560**	廢 3-5B23 3-5903			
069/097 **4561**	蕳 3-6A21 3-7401		蕳 3-3126 3-1706	
	蕑 4-6078 4-6488			
069/098 **4562**	磋 5-6A44 5-7436			
	磋 3-5B21 3-5901			
069/099 **4563**	褐 5-6A54 5-7452		褐 3-3127 3-1707	
069/100 **4564**	鄲 5-694B 5-7343			
	鄲 3-5B24 3-5904			
069/101 **4565**	爾 7-4953 7-4151		爾 3-3129 3-1709	
069/102 **4566**	嬴 4-642F 4-6815		嬴 3-312A 3-1710	
069/103 **4567**	骹 3-6B46 3-7538			
	骹 4-6434 4-6820			
069/104 **4568**	藤 5-6A61 5-7465		藤 3-312C 3-1712	
	藤 3-5C7D 3-6093			
069/105 **4569**	橑 3-6B50 3-7548		橑 3-312D 3-1713	
	橑 4-6433 4-6819			
069/106 **456A**	灘 5-685B 5-7259			
	灘 3-5C74 3-6084			
069/107 **456B**	夔 7-5468 7-5272	夔 A-264E A-0646		
069/108 **456C**	彊 3-5C79 3-6089			
069/109 **456D**	蓑 3-6B4D 3-7545		蓑 3-312E 3-1714	
	蓑 4-6432 4-6818			
069/110 **456E**	蘇 5-6A5C 5-7460			
	蘇 4-6438 4-6824			
069/111 **456F**	蘚 3-5C7A 3-6090		蘚 3-3130 3-1716	蘚 0-426C 0-3476

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
069/112	燔	燔			
4570	3-6B53 3-7551	4-6430 4-6816			
069/113		頡			
4571		3-5C75 3-6085			
069/114	薕	薕		薕	
4572	3-6B52 3-7550	4-6436 4-6822		3-3131 3-1717	
069/115	彌	彌			
4573	3-6960 3-7364	4-6727 4-7107			
069/116		藨			
4574		3-5E59 3-6257			
069/117	鵠	鵠			
4575	3-6A51 3-7449	4-6728 4-7108			
069/118			護		
4576			A-264F A-0647		
069/119	縻				
4577	3-6B5B 3-7559				
069/120	黭	黭		黭	
4578	5-6A70 5-7480	3-5F5D 3-6361		3-3132 3-1718	
069/121	糵	糵			
4579	3-6B5F 3-7563	4-6937 4-7323			
069/122		蘘	蘘	蘘	
457A		7-5872 7-5682	A-2650 A-0648	3-3133 3-1719	
069/123	龗	龗			
457B	5-682B 5-7211	3-6041 3-6433			
069/124	難	難		難	
457C	5-6955 5-7353	3-6042 3-6434		3-3134 3-1720	
069/125		躅		躅	
457D		5-7825 5-8805		3-3135 3-1721	
069/126	龖	龖	龖		
457E	3-687C 3-7292	4-6B7D 4-7593	A-2651 A-0649		
069/127	鸗	鸗			
457F	3-6B4E 3-7546	4-6D5E 4-7762			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
069/128	鬰	鬰			
4580	3-6B5E 3-7562	4-6C7D 4-7693			
069/129		鬱			
4581		3-616A 3-6574			
069/130	攣	孿			
4582	3-6A42 3-7434	4-6D79 4-7789			
069/131	鸅	鸅			
4583	3-6B60 3-7564	4-6D7B 4-7791			
069/132	鸝	鸝			
4584	5-6A55 5-7453	F-6C6C F-7676			
069/133		龘			
4585		4-6E37 4-7823			
069/134	釀	釀		釀	
4586	3-6B61 3-7565	4-6E36 4-7822		3-3136 3-1722	
069/135		鬱	鬱		
4587		5-7C3E 5-9230	A-2652 A-0650		
069/136	虐	虐			
4588	5-604F 5-6447	3-2A6D 3-1077			
069/137	虖	虖			
4589	3-6142 3-6534	4-2B3E 4-1130			
069/138	虓	虓			
458A	3-6148 3-6540	4-2F67 4-1571			
069/139		虭			
458B		3-3367 3-1971			
069/140		虮			
458C		3-3366 3-1970			
069/141		虔	虔		
458D		3-3368 3-1972	A-2653 A-0651		
069/142		虒	虒		
458E		5-3535 5-2121	A-2654 A-0652		
069/143		虜			
458F		3-3862 3-2466			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
069/144		虩		虩	
4590		5-3B70 5-2780		3-3137 3-1723	
069/145	虺	虺			
4591	5-605B 5-6459	3-3E60 3-3064			
069/146		虗		虗	
4592		3-4441 3-3633		3-3138 3-1724	
069/147		虓	虓		
4593		5-4254 5-3452	A-2655 A-0653		
069/148	虓	虓			
4594	3-614C 3-6544	5-4253 5-3451			
069/149	虺	虺			
4595	5-605E 5-6462	3-4442 3-3634			
069/150		虮			
4596		3-4443 3-3635			
069/151	虧	虧			
4597	3-6146 3-6538	4-4D26 4-4506			
069/152	虪	虪			
4598	3-6150 3-6548	4-5336 4-5122			
069/153	虩	虩			
4599	3-605E 3-6462	4-5D32 4-6118			
069/154		鶋		鶋	
459A		5-643B 5-6827		3-3139 3-1725	
069/155		虌	虌		
459B		5-643A 5-6826	A-2656 A-0654		
069/156	虌	虌		虌	
459C	5-4A3E 5-4230	4-643A 4-6826		3-313A 3-1726	
069/157		虰	虰		
459D		3-272E 3-0714	A-2657 A-0655		
069/158		虸			
459E		3-2E7D 3-1493			
069/159	蚩	蚩		蚩	
459F	5-6067 5-6471	3-2F21 3-1501		3-313D 3-1729	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/160 45A0	虮 3-2F22 3-1502			
069/161 45A1	妞 5-6078 5-6488	妞 4-2F69 4-1573	妞 3-313E 3-1730	
069/162 45A2	妙 3-615D 3-6561	妙 4-2F6B 4-1575		
069/163 45A3	虻 6-3B69 6-2773	虻 A-2658 A-0656		
069/164 45A4	蛮 5-6127 5-6507	蛮 3-3868 3-2472	蛮 3-313F 3-1731	
069/165 45A5	蚤 5-5F25 5-6305	蚤 3-3867 3-2471		
069/166 45A6	蚰 3-6179 3-6589	蚰 4-347C 4-2092	蚰 3-3140 3-1732	
069/167 45A7	蛆 5-6122 5-6502	蛆 3-3865 3-2469	蛆 A-2659 A-0657	
069/168 45A8	蚖 3-616A 3-6574	蚖 4-347B 4-2091		
069/169 45A9	蚍 3-6178 3-6588	蚍 4-3479 4-2089		
069/170 45AA	蛰 5-3C26 5-2806		蛰 3-3141 3-1733	
069/171 45AB	蚌 6-4448 6-3640		蚌 3-3142 3-1734	
069/172 45AC	蚓 3-616F 3-6579			
069/173 45AD	蚕 3-622D 3-6613	蚕 4-3A72 4-2682		
069/174 45AE	蛔 5-6136 5-6522	蛔 3-3E67 3-3071		
069/175 45AF	蚩 3-6221 3-6601	蚩 4-3A74 4-2684		
069/176 45B0	蚯 3-3E65 3-3069			
069/177 45B1	蚓 5-3B74 5-2784		蚓 3-3143 3-1735	
069/178 45B2	蚼 3-6229 3-6609	蚼 4-3A70 4-2680		
069/179 45B3	蛇 3-622E 3-6614	蛇 4-3A6D 4-2677	蛇 3-3144 3-1736	
069/180 45B4	蚴 5-6137 5-6523	蚴 3-3E64 3-3068		蚴 0-4321 0-3501
069/181 45B5	蚀 5-6130 5-6516	蚀 3-3E66 3-3070		
069/182 45B6	蚌 5-6141 5-6533	蚌 4-4056 4-3254	蚌 3-3145 3-1737	
069/183 45B7	蜷 3-623B 3-6627	蜷 4-4057 4-3255		蜷 0-4327 0-3507
069/184 45B8		蚤 3-444B 3-3643		
069/185 45B9		蚌 3-4447 3-3639		
069/186 45BA	蜞 3-3179 3-1789	蜞 4-405B 4-3259		
069/187 45BB	蚬 5-614A 5-6542	蚬 4-3A6E 4-2678	蚬 3-3146 3-1738	
069/188 45BC	蚶 3-6233 3-6619	蚶 4-405D 4-3261		
069/189 45BD	蛩 5-6147 5-6539	蛩 3-444A 3-3642		
069/190 45BE	蜿 S-236F S-0379			
069/191 45BF	蛰 3-6240 3-6632	蛰 4-4678 4-3888		
069/192 45C0	蛲 3-4946 3-4138			
069/193 45C1	蜞 3-623E 3-6630	蜞 4-4672 4-3882		
069/194 45C2	蛲 5-6157 5-6555	蛲 4-4673 4-3883	蛲 3-3147 3-1739	
069/195 45C3	蛩 3-6167 3-6571	蛩 4-4671 4-3881		
069/196 45C4	蜣 3-6242 3-6634	蜣 4-4675 4-3885		
069/197 45C5	蛨 5-6070 5-6480	蛨 3-4947 3-4139	蛨 3-3149 3-1741	
069/198 45C6	蝠 3-624A 3-6642	蝠 4-4670 4-3880		
069/199 45C7	蝻 3-6245 3-6637	蝻 4-4676 4-3886		
069/200 45C8		蝠 6-6169 6-6573	蝠 3-314A 3-1742	
069/201 45C9		蝠 3-4948 3-4140		
069/202 45CA	蛱 3-6249 3-6641	蛱 4-467B 4-3891		蛱 0-4335 0-3521
069/203 45CB		蝶 3-4E5A 3-4658		
069/204 45CC		蝗 3-4E5C 3-4660		
069/205 45CD		蠶 7-2842 7-0834	蠶 3-314B 3-1743	
069/206 45CE		蝘 3-4E57 3-4655		
069/207 45CF		蝮 3-4E58 3-4656		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/208 45D0	壟 3-625A 3-6658	壟 4-4D30 4-4516		
069/209 45D1	蝗 5-616D 5-6577	蝗 3-4E5B 3-4659		
069/210 45D2	蝨 3-6248 3-6640	蝨 4-4679 4-3889		
069/211 45D3	蟌 3-6256 3-6654	蟌 4-4D36 4-4522		
069/212 45D4	蝯 3-6255 3-6653	蝯 4-4D2F 4-4515		
069/213 45D5		窶 3-494D 3-4145		
069/214 45D6	蟲 S-2370 S-0380			
069/215 45D7	蠏 3-6261 3-6665	蠏 4-533E 4-5130		
069/216 45D8	蝨 5-6179 5-6589	蝨 3-525C 3-5060		
069/217 45D9		蹇 7-3273 7-1883	蹇 A-265B A-0659	
069/218 45DA	蟠 3-6260 3-6664	蟠 4-533D 4-5129		蟠 3-314C 3-1744
069/219 45DB	蝓 3-6262 3-6666	蝓 4-584D 4-5645		
069/220 45DC	蠲 5-6224 5-6604	蠲 3-5260 3-5064		
069/221 45DD		蠻 7-3275 7-1885	蠻 A-265C A-0660	
069/222 45DE		蠆 3-5261 3-5065		
069/223 45DF		蠻 5-5E32 5-6218	蠻 A-265D A-0661	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/224 45E0	蠻 3-6275 3-6685	蠻 4-5857 4-5655		
069/225 45E1	蠣 3-626D 3-6677	蠣 4-5852 4-5650		
069/226 45E2	蠖 5-6222 5-6602	蠖 3-5637 3-5423		
069/227 45E3	蠶 3-5746 3-5538	蠶 4-5858 4-5656		
069/228 45E4	蠭 3-6273 3-6683	蠭 4-584F 4-5647		
069/229 45E5	蠑 3-6160 3-6564	蠑 4-5856 4-5654		
069/230 45E6		蠶 3-5638 3-5424		
069/231 45E7	蠧 5-622F 5-6615	蠧 4-584E 4-5646		蠧 3-314E 3-1746
069/232 45E8		蠔 3-5632 3-5418		
069/233 45E9	蠍 3-626F 3-6679	蠍 4-5854 4-5652		
069/234 45EA	蠻 5-3D47 5-2939	蠻 4-585F 4-5663		蠻 3-314F 3-1747
069/235 45EB		蠟 3-5635 3-5421		
069/236 45EC		蠶 3-563C 3-5428		
069/237 45ED	蠡 S-236E S-0378			
069/238 45EE		蠍 3-5631 3-5417		
069/239 45EF	蠬 3-6232 3-6618	蠬 4-5D3B 4-6127		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
069/240 45F0	蠻 5-5E35 5-6221		蠻 3-3150 3-1748	
069/241 45F1	蠼 3-6322 3-6702	蠼 4-5D39 4-6125		
069/242 45F2	蠟 3-5872 3-5682			
069/243 45F3		蠅 A-265E A-0662		
069/244 45F4	蠑 3-6324 3-6704	蠑 4-6124 4-6504		
069/245 45F5	蠶 5-6941 5-7333		蠶 3-3152 3-1750	
069/246 45F6	蠍 3-5B2A 3-5910			
069/247 45F7	蠁 3-632A 3-6710	蠁 4-6121 4-6501		
069/248 45F8	蠻 3-632B 3-6711	蠻 4-6125 4-6505		
069/249 45F9	蠀 5-6242 5-6634	蠀 F-636E F-6778		
069/250 45FA	蠶 5-6D4B 5-7743		蠶 3-3153 3-1751	
069/251 45FB	蠂 3-6168 3-6572			
069/252 45FC	蠨 3-632E 3-6714	蠨 4-643B 4-6827		
069/253 45FD	蠪 3-627A 3-6690	蠪 4-643C 4-6828		
069/254 45FE	蠛 5-6245 5-6637	蠛 4-6440 4-6832		
069/255 45FF	蠔 3-6177 3-6587	蠔 4-643E 4-6830		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
070/000	龘	龘	龘	
4600	4-6441 4-6833	A-265F A-0663	3-3154 3-1752	
070/001	鬱 鬱			
4601	5-6243 5-6635	3-5D26 3-6106		
070/002	蠆			
4602	3-5E5E 3-6262			
070/003	蠔 蠔			
4603	3-6330 3-6716	4-6730 4-7116		
070/004	蠢 蠢		蠢	
4604	5-6244 5-6636	4-643D 4-6829	3-3155 3-1753	
070/005	龖 龖		龖	
4605	5-6251 5-6649	4-693E 4-7330	3-3156 3-1754	
070/006	蠵			蠵
4606	3-5F5E 3-6362			0-434B 0-3543
070/007	蠹			
4607	3-5F60 3-6364			
070/008	蠷			
4608	3-6044 3-6436			
070/009	蠶		蠶	
4609	7-5925 7-5705		3-3157 3-1755	
070/010	蠼		蠼	
460A	7-5C5E 7-6062		3-3159 3-1757	
070/011	蠟 蠟			
460B	5-6254 5-6652	4-6A78 4-7488		
070/012	蠶		蠶	
460C	7-5C63 7-6067		3-315A 3-1758	
070/013	蠻	蠻	蠻	
460D	3-6148 3-6540	A-2660 A-0664	3-315B 3-1759	
070/014	蠻 蠻			
460E	3-6257 3-6655	4-6E39 4-7825		
070/015	邺		邺	
460F	3-2F25 3-1505		3-315C 3-1760	

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
070/016	衄	衄	衄	
4610	6-3B73 6-2783	A-2661 A-0665	3-315D 3-1761	
070/017	衅			
4611	3-3869 3-2473			
070/018	峻	峻		
4612	5-6467 5-6871	3-444C 3-3644		
070/019	峴	峴		
4613	3-654E 3-6946	4-4723 4-3903		
070/020	峿	峿	峿	
4614	5-6469 5-6873	4-4D37 4-4523	3-315E 3-1762	
070/021	衍	衍		
4615	3-397E 3-2594	4-2F6F 4-1579		
070/022	衒	衒		
4616	4-3A78 4-2688	A-2662 A-0666		
070/023	衖			
4617	3-4E5E 3-4662			
070/024	衢 衢	衢		
4618	5-5C4F 5-2847	4-534A 4-5142	A-2663 A-0667	
070/025	衢			
4619	3-5B2F 3-5914			
070/026	卒		卒	
461A	3-2A6E 3-1078		3-3161 3-1765	
070/027	衹			
461B	S-2275 S-0285			
070/028	衶	衶		
461C	5-6541 5-6933	3-2F28 3-1508		
070/029	衽	衽		
461D	3-6628 3-7008	4-2B46 4-1138		
070/030	衲			
461E	S-227A S-0290			
070/031	衸	衸		
461F	3-6638 3-7024	5-303D 5-1629		

Row/Cell	C	J	K	V
Hex Code	G - Hanzi - T	Kanji	Hanja	ChuNom
070/032	衩		衩	
4620	4-2F72 4-1582		3-3162 3-1766	
070/033	裳	裳		
4621	5-3039 5-1625	A-2664 A-0668		
070/034	衧	衧		
4622	3-6636 3-7022	4-352A 4-2110		
070/035	衹	衹		
4623	3-6658 3-7056	4-3A7A 4-2690		
070/036	衯	衯		
4624	3-663B 3-7027	4-352D 4-2113		
070/037	衶	衶		
4625	3-6642 3-7034	4-352E 4-2114		
070/038	衹	衹		
4626	3-664D 3-7045	4-352C 4-2112		
070/039	袂	袂		
4627	S-2276 S-0286	F-3251 F-1849		
070/040	衼	衼		
4628	3-665E 3-7062	4-3A79 4-2689		
070/041	袧	袧		
4629	5-6553 5-6951	3-3F71 3-3081		
070/042	衾	衾		
462A	3-665F 3-7063	4-3530 4-2116		
070/043	袈			
462B	3-3E6E 3-3078			
070/044	裁			
462C	3-3E6C 3-3076			
070/045	裎			
462D	3-3E6B 3-3075			
070/046	丧			
462E	3-2F4A 3-1542			
070/047	裄	裄		
462F	3-6668 3-7072	4-4062 4-3266		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/048	4630	3-665B 3-7059	4-4725 4-3905		3-3165 3-1769
070/049	4631		6-582B 6-5611	A-2665 A-0669	
070/050	4632	S-227C S-0292			
070/051	4633	5-6567 5-6971	3-4953 3-4151		
070/052	4634	5-655F 5-6963	4-472D 4-3913		3-3166 3-1770
070/053	4635		5-496C 5-4176		3-3167 3-1771
070/054	4636	3-667A 3-7090	5-496D 5-4177		
070/055	4637	3-6669 3-7073	4-4066 4-3270		3-3168 3-1772
070/056	4638	3-6671 3-7081	4-4731 4-3917		3-3169 3-1773
070/057	4639	3-6672 3-7082	4-4727 4-3907		3-316A 3-1774
070/058	463A	5-656C 5-6976	3-4955 3-4153	A-2666 A-0670	
070/059	463B	3-6673 3-7083	4-4060 4-3264		
070/060	463C	3-6677 3-7084	4-472A 4-3910		
070/061	463D	3-666F 3-7079	4-472E 4-3914		3-316B 3-1775
070/062	463E	3-6676 3-7086	4-4726 4-3906		
070/063	463F	3-6678 3-7088	4-472B 4-3911		3-316C 3-1776
070/064	4640		3-495A 3-4158		
070/065	4641	5-6548 5-6940	3-4950 3-4148		
070/066	4642	5-6569 5-6973	3-495B 3-4159		
070/067	4643	3-667E 3-7094	4-4D3C 4-4528		
070/068	4644	3-6725 3-7105	4-4D3F 4-4531		
070/069	4645	3-667D 3-7093	4-4D3A 4-4526		3-316D 3-1777
070/070	4646	3-672C 3-7112	4-4D39 4-4525		
070/071	4647	3-6721 3-7101	4-4D42 4-4534		
070/072	4648	5-6576 5-6986	4-4D40 4-4532		3-316F 3-1779
070/073	4649	3-6728 3-7108	4-4D47 4-4539		
070/074	464A	S-2277 S-0287			
070/075	464B	S-2278 S-0288			
070/076	464C	7-2251 7-0249			
070/077	464D				3-3170 3-1780
070/078	464E	3-6732 3-7118	4-5352 4-5150		
070/079	464F	3-672F 3-7115	4-5355 4-5153		
070/080	4650	3-6730 3-7116	4-5356 4-5154		
070/081	4651	5-6621 5-7001	3-4E63 3-4667		3-3171 3-1781
070/082	4652	5-6623 5-7003	4-534F 4-5147		3-3172 3-1782
070/083	4653	S-227B S-0291			
070/084	4654	3-662E 3-7014	4-5863 4-5667		3-3174 3-1784
070/085	4655	3-6632 3-7018	4-5867 4-5671		
070/086	4656		3-5645 3-5437		
070/087	4657	5-6629 5-7009	3-5643 3-5435		3-3175 3-1785
070/088	4658	3-6737 3-7123	4-5864 4-5668		3-3176 3-1786
070/089	4659		3-563E 3-5430		
070/090	465A		7-3B59 7-2757		3-3178 3-1788
070/091	465B		3-5644 3-5436		
070/092	465C	5-657E 5-6994	4-5865 4-5669		3-3177 3-1787
070/093	465D		3-5641 3-5433		
070/094	465E		5-6456 5-6854	A-2667 A-0671	
070/095	465F	3-666A 3-7074	4-5D4A 4-6142		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/096	襾	襾			
4660	3-6740 3-7132	4-5D48 4-6140			
070/097	襉	襉		襉	
4661	3-6723 3-7103	4-5D49 4-6141		3-3179 3-1789	
070/098	襜	襜			
4662	3-6746 3-7138	4-5D44 4-6136			
070/099	襪	襪			
4663	3-673C 3-7128	4-5D46 4-6138			
070/100	襤	襤			
4664	3-6657 3-7055	4-612A 4-6510			
070/101		褾	褾		
4665		7-4322 7-3502	A-2668 A-0672		
070/102	襪	襪			
4666	3-6748 3-7140	4-6443 4-6835			
070/103		襮		襮	
4667		7-5025 7-4805		3-317B 3-1791	
070/104		襷			
4668		3-5D27 3-6107			
070/105	襾	襾			
4669	5-6632 5-7018	4-6444 4-6836			
070/106		褻		褻	
466A		3-5E5F 3-6263		3-317C 3-1792	
070/107	襸				
466B	S-2279 S-0289				
070/108	襼	襼			
466C	3-6739 3-7125	4-6A7B 4-7491			
070/109		襻		襻	
466D		7-5932 7-5718		3-317E 3-1794	
070/110		襼			
466E		3-607A 3-6490			
070/111	襻	襻		襻	
466F	5-6638 5-7024	4-6C26 4-7606		3-3221 3-1801	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/112		襹			
4670		3-6079 3-6489			
070/113	襾	襾		襾	
4671	5-6630 5-7016	4-6D7D 4-7793		3-3222 3-1802	
070/114		覃	覃		
4672		5-2B47 5-1139	A-2669 A-0673		
070/115		覃			
4673		4-2F73 4-1583			
070/116	覃	覃	覃		
4674	5-5F66 5-6370	4-3531 4-2117	A-266A A-0674		
070/117	覃	覃		覃	
4675	5-5F69 5-6373	4-3B21 4-2701		3-3223 3-1803	
070/118	酘				
4676	S-243C S-0428				
070/119	覃	覃			
4677	5-4A58 5-4256	3-3379 3-1989			
070/120		覟			
4678		3-3378 3-1988			
070/121	覞	覞	覞		
4679	5-4A5B 5-4259	4-3533 4-2119	A-266B A-0675		
070/122		覟	覟		
467A		4-3535 4-2121	A-266C A-0676		
070/123	覞				
467B	3-485E 3-4062				
070/124	覦	覦		覦	
467C	3-4861 3-4065	4-3B23 4-2703		3-3224 3-1804	
070/125		覓	覓		
467D		5-3C35 5-2821	A-266D A-0677		
070/126	覐	覐		覐	
467E	3-4860 3-4064	4-3B22 4-2702		3-3225 3-1805	
070/127		覞			
467F		3-3E73 3-3083			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/128		覦			
4680		3-4450 3-3648			
070/129		覦			
4681		3-4451 3-3649			
070/130	覞	覞		覞	
4682	5-6D6C 5-7776	4-4736 4-3922		3-3226 3-1806	
070/131	覦	覦			
4683	3-4864 3-4068	4-4738 4-3924			
070/132	覞	覞			
4684	3-486B 3-4075	4-4D4A 4-4542			
070/133	覞	覞			
4685	3-4863 3-4067	4-4D48 4-4540			
070/134	覬	覬		覬	
4686	3-4868 3-4072	4-535A 4-5158		3-3227 3-1807	
070/135	覦	覦			
4687	3-486D 3-4077	4-535B 4-5159			
070/136		覮	覮		
4688		5-5832 5-5618	A-266E A-0678		
070/137	覬	覬			
4689	3-486C 3-4076	4-535C 4-5160			
070/138		覦		覦	
468A		5-5E43 5-6235		3-3229 3-1809	
070/139	覦	覦			
468B	3-4865 3-4069	4-5868 4-5672			
070/140	覲	覲			
468C	3-486E 3-4078	4-5869 4-5673			
070/141	覦	覦		覦	
468D	5-4A66 5-4270	4-5D4E 4-6146		3-322A 3-1810	
070/142	覦	覦			
468E	3-4871 3-4081	4-5D50 4-6148			
070/143	覲	覲			
468F	3-4873 3-4083	4-612D 4-6513			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/144	覾	覾		覾	
4690	5-4A74 5-4284	4-612E 4-6514		3-322B 3-1811	
070/145	覿	覿			
4691	5-4A63 5-4267	3-5B30 3-5916			
070/146	覾	覾			
4692	3-4872 3-4082	4-612C 4-6512			
070/147	覾	覾		覾	
4693	5-4A73 5-4283	4-6130 4-6516		3-322C 3-1812	
070/148	覾	覾			
4694	5-4A70 5-4280	3-5E60 3-6264			
070/149	覿	覿		覿	
4695	3-4862 3-4066	4-6E3B 4-7827		3-322D 3-1813	
070/150		覾			
4696		3-623C 3-6628			
070/151	舩	舩			
4697	3-7237 3-8223	4-353A 4-2126			
070/152	衝	衝			
4698	5-3C45 5-2837	3-4453 3-3651			
070/153	艱	艱			
4699	3-723E 3-8230	4-4067 4-3271			
070/154	艤	艤			
469A	5-7128 5-8108	3-4452 3-3650			
070/155	艓	艓		艓	
469B	5-712D 5-8113	4-473A 4-3926		3-322E 3-1814	
070/156	艫	艫			
469C	3-7247 3-8239	4-4D51 4-4549			
070/157	艸	艸			
469D	3-7248 3-8240	4-4D4C 4-4544			
070/158	艫	艫			
469E	3-7241 3-8233	4-4D4E 4-4546			
070/159	艋	艋		艋	
469F	5-7133 5-8119	4-4D53 4-4551		3-322F 3-1815	
070/160	艟	艟			
46A0	3-7245 3-8237	4-4D4F 4-4547			
070/161	艠	艠			
46A1	3-724C 3-8244	4-5364 4-5168			
070/162	艓	艓			
46A2	3-7249 3-8241	4-5361 4-5165			
070/163	艎	艎			
46A3	3-724B 3-8243	4-5362 4-5166			
070/164				艩	
46A4				3-3230 3-1816	
070/165	艸	艸			
46A5	3-724D 3-8245	4-586B 4-5675			
070/166	艕	艕		艕	
46A6	5-713A 5-8126	4-586A 4-5674		3-3231 3-1817	
070/167	艛	艛			
46A7	3-724E 3-8246	5-6463 5-6867			
070/168	艝	艝			
46A8	3-723B 3-8227	4-6131 4-6517			
070/169	艑	艑			
46A9	3-723F 3-8231	4-6134 4-6520			
070/170	艟	艟		艟	
46AA	5-7140 5-8132	4-6446 4-6838		3-3232 3-1818	
070/171	艸	艸			
46AB	3-724F 3-8247	4-6447 4-6839			
070/172			艐		
46AC			A-266F A-0679		
070/173	艬	艬			
46AD	3-7251 3-8249	4-6D22 4-7702			
070/174	訝	訝	訝		
46AE	5-7154 5-8152	3-2F2B 3-1511	A-2670 A-0680		
070/175		訓	訓		
46AF		5-2B49 5-1141	A-2671 A-0681		
070/176	訛	訛			
46B0	5-7152 5-8150	3-2F2D 3-1513			
070/177	訃	訃	訃		
46B1	5-7158 5-8156	4-2F7E 4-1594	A-2672 A-0682		
070/178		訟			
46B2		3-337D 3-1993			
070/179	訾	訾		訾	
46B3	5-715B 5-8159	4-3541 4-2133		3-3233 3-1819	
070/180	訶	訶		訶	
46B4	5-7165 5-8169	3-387C 3-2492		3-3234 3-1820	
070/181		訐			
46B5		3-3878 3-2488			
070/182	訞	訞			
46B6	3-7261 3-8265	5-3557 5-2155			
070/183	訟	訟			
46B7	3-7269 3-8273	4-3544 4-2136			
070/184		訣	訣		
46B8		5-355E 5-2162	A-2673 A-0683		
070/185	訛	訛			
46B9	5-715E 5-8162	3-3924 3-2504			
070/186		訞			
46BA		3-3928 3-2508			
070/187	訾	訾			
46BB	5-7144 5-8136	3-3921 3-2501			
070/188		訕		訕	
46BC		4-353F 4-2131		3-3235 3-1821	
070/189		託			
46BD		3-387D 3-2493			
070/190	訐	訐			
46BE	5-7162 5-8166	3-3927 3-2507			
070/191	訣	訣			
46BF	3-726B 3-8275	4-3543 4-2135			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/192	訄	訄			
46C0	3-7268	5-355D			
	3-8272	5-2161			
070/193		訒		訒	
46C1		6-446D		3-3236	
		6-3677		3-1822	
070/194		訏			
46C2		3-3926			
		3-2506			
070/195		訖		訖	
46C3		5-3556		3-3237	
		5-2154		3-1823	
070/196	訆	訆		訆	
46C4	5-7179	4-3B33		3-3238	
	5-8189	4-2719		3-1824	
070/197	訜	訜			
46C5	5-716D	3-3E79			
	5-8177	3-3089			
070/198	訷	訷		訷	
46C6	5-716F	3-3E7A		3-3239	
	5-8179	3-3090		3-1825	
070/199	訟	訟			
46C7	3-7277	4-3B36			
	3-8287	4-2722			
070/200	訣	訣		訣	
46C8	5-7173	4-3B35		3-323A	
	5-8183	4-2721		3-1826	
070/201		訦			
46C9		3-3E76			
		3-3086			
070/202		訳			
46CA		3-3E7B			
		3-3091			
070/203		訹		訹	
46CB		3-3E77		3-323B	
		3-3087		3-1827	
070/204	詢	詢			
46CC	3-7278	4-3B34			
	3-8288	4-2720			
070/205	訽	訽			
46CD	3-727D	4-3B2A			
	3-8293	4-2710			
070/206	訢	訴			
46CE	3-727A	4-3B29			
	3-8290	4-2709			
070/207	訛	訛			
46CF	3-727C	4-3B2B			
	3-8292	4-2711			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/208		詈			
46D0		3-3F26			
		3-3106			
070/209		訟	訟		
46D1		6-4E6B	A-2674		
		6-4675	A-0684		
070/210	詈	詈			
46D2	5-7145	3-3F25			
	5-8137	3-3105			
070/211	詟				
46D3	S-2165				
	S-0169				
070/212		誦			
46D4		3-4457			
		3-3655			
070/213		諛	諛		
46D5		6-5841	A-2675		
		6-5633	A-0685		
070/214		誄			
46D6		3-445E			
		3-3662			
070/215	誏	誏			
46D7	3-605D	4-406E			
	3-6461	4-3278			
070/216	誑	誑		誑	
46D8	3-732B	4-406D		3-323C	
	3-8311	4-3277		3-1828	
070/217	詶	詶			
46D9	3-732A	4-406C			
	3-8310	4-3276			
070/218		誓			
46DA		3-445A			
		3-3658			
070/219		詗			
46DB		3-445F			
		3-3663			
070/220	詼	詼			
46DC	5-7230	3-4462			
	5-8216	3-3666			
070/221	誤	誤			
46DD	3-7348	4-473D			
	3-8340	4-3929			
070/222	誩	誩			
46DE	3-733E	4-4740			
	3-8330	4-3932			
070/223	誘	誘			
46DF	3-7324	4-474A			
	3-8304	4-3942			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/224	誼	誼			
46E0	3-733B	4-473C			
	3-8327	4-3928			
070/225		語			
46E1		3-496A			
		3-4174			
070/226	誘	誘		誘	
46E2	3-7342	4-4746		3-323D	
	3-8334	4-3938		3-1829	
070/227	誨	誨			
46E3	3-733F	4-4742			
	3-8331	4-3934			
070/228	誤	誤			
46E4	5-723B	3-4961			
	5-8227	3-4165			
070/229	誦	誦		誦	
46E5	3-7344	4-4743		3-323E	
	3-8336	4-3935		3-1830	
070/230		誥	誥		
46E6		3-4969	A-2676		
		3-4173	A-0686		
070/231		誰			
46E7		3-4967			
		3-4171			
070/232		誶			
46E8		3-495D			
		3-4161			
070/233	誕	誕			
46E9	3-7323	4-4D59			
	3-8303	4-4557			
070/234	誇	誇		誇	
46EA	5-724E	4-4D56		3-323F	
	5-8246	4-4554		3-1831	
070/235	誫	誫		誫	
46EB	5-7163	4-4D5C		3-3240	
	5-8167	4-4560		3-1832	
070/236	誨	誨			
46EC	3-7355	4-4D5E			
	3-8353	4-4562			
070/237	誥	誥	誥	誥	
46ED	5-7243	3-4E68	A-2677	3-3241	
	5-8235	3-4672	A-0687	3-1833	
070/238	誧	誧	誧	誧	
46EE	5-724A	4-4D61	A-2678	3-3242	
	5-8242	4-4565	A-0688	3-1834	
070/239		誤			
46EF		4-4D58			
		4-4556			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
070/240	誽	誽			
46F0	5-7246	4-4D5B			
	5-8238	4-4559			
070/241		誫	誫		
46F1		3-4E6D	A-2679		
		3-4677	A-0689		
070/242	誧	誧		誧	
46F2	3-7353	4-4D5F		3-3243	
	3-8351	4-4563		3-1835	
070/243	誧	誧			
46F3	3-734D	4-4D5A			
	3-8345	4-4558			
070/244	誥	誥			
46F4	5-7244	3-4E6B			
	5-8236	3-4675			
070/245	誩	誩		誩	
46F5	5-7249	4-4D60		3-3244	
	5-8241	4-4564		3-1836	
070/246		誄		誄	
46F6		7-2879		3-3245	
		7-0889		3-1837	
070/247	誫	誫		誫	
46F7	5-724F	4-4D55		3-3246	
	5-8247	4-4553		3-1838	
070/248		誥			
46F8		3-4E71			
		3-4681			
070/249	誃	誃			
46F9	3-7368	4-536A			
	3-8372	4-5174			
070/250		誐			
46FA		3-526C			
		3-5076			
070/251		誦			
46FB		3-526D			
		3-5077			
070/252		誤		誽	
46FC		7-334D		3-3247	
		7-1945		3-1839	
070/253	誦	誦			
46FD	3-7362	4-536B			
	3-8366	4-5175			
070/254		誄			
46FE		3-5647			
		3-5439			
070/255	誥	誥			
46FF	3-736B	4-5870			
	3-8375	4-5680			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/000		誣			
4700		3-564B			
		3-5443			
071/001		誤			
4701		3-564C			
		3-5444			
071/002	誤	誤			
4702	3-736D	5-5E55			
	3-8377	5-6253			
071/003	誯	誯		誯	
4703	5-365C	4-5D5A		3-3248	
	5-2260	4-6158		3-1840	
071/004	誶	誶			
4704	3-7423	7-4A25			
	3-8403	7-4205			
071/005	誰	誰		誰	
4705	5-726A	4-5D57		3-3249	
	5-8274	4-6155		3-1841	
071/006	誯	誯			
4706	3-7C24	4-5D5B			
	3-9204	4-6159			
071/007	誠	誠			
4707	5-7265	3-5922			
	5-8269	3-5702			
071/008	誡	誡			
4708	5-7275	3-5925			
	5-8285	3-5705			
071/009	誫	誫			
4709	3-7374	4-5D54			
	3-8384	4-6152			
071/010	誥	誥			
470A	5-7268	3-5927			
	5-8272	3-5707			
071/011	誄	誄	誄	誄	
470B	3-735F	4-6140	A-267A	3-324A	
	3-8363	4-6532	A-0690	3-1842	
071/012		誌		誌	
470C		5-6952		3-324B	
		5-7350		3-1843	
071/013		誎			
470D		3-5B33			
		3-5919			
071/014	誧	誧			
470E	3-7338	4-613B			
	3-8324	4-6527			
071/015	誦	誦	誦		
470F	5-7274	4-613D	A-267B		
	5-8284	4-6529	A-0691		

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/016	隳	隳			
4710	3-7257	4-6145			
	3-8255	4-6537			
071/017		誣		誣	
4711		5-6951		3-324C	
		5-7349		3-1844	
071/018	誤	誤			
4712	3-7421	4-644E			
	3-8401	4-6846			
071/019		誄			
4713		3-5D2D			
		3-6113			
071/020		誼		誼	
4714		7-5031		3-324D	
		7-4817		3-1845	
071/021	誤	誤			
4715	3-725A	4-644C			
	3-8258	4-6844			
071/022		誄			
4716		3-5D2F			
		3-6115			
071/023	誡	誡			
4717	3-7424	4-6448			
	3-8404	4-6840			
071/024		誎			
4718		3-5D31			
		3-6117			
071/025	誤	誤			
4719	3-742D	4-673D			
	3-8413	4-7129			
071/026	誣	誣			
471A	3-7426	4-673F			
	3-8406	4-7131			
071/027		誤		誤	
471B		7-5532		3-3250	
		7-5318		3-1848	
071/028	誧	誧			
471C	3-742C	4-673E			
	3-8412	4-7130			
071/029	誤	誤			
471D	3-7431	4-6740			
	3-8417	4-7132			
071/030	誧	誧			
471E	3-7332	4-6739			
	3-8318	4-7125			
071/031		誤	誤		
471F		7-5938	A-267C		
		7-5724	A-0692		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
071/032 **4720**	讀 3-5F63 3-6367			
071/033 **4721**	讠襲 3-7432 3-8418	讠襲 4-6948 4-7340		
071/034 **4722**	讠憲 5-764C 5-8644	讠憲 A-267D A-0693		
071/035 **4723**	讠 7-2230 7-0216			
071/036 **4724**	讠洪 S-2162 S-0166			
071/037 **4725**	讠遐 S-2163 S-0167			
071/038 **4726**	讠葛 S-2164 S-0168			
071/039 **4727**	讠證 S-2167 S-0171			
071/040 **4728**	讠德 S-2166 S-0170			
071/041 **4729**	讠讌 7-2236 7-0222			
071/042 **472A**	讠欲 5-704F 5-8047	讠欠 4-2B49 4-1141	欲 3-3252 3-1850	
071/043 **472B**	讠缸 5-7050 5-8048	讠缸 4-3023 4-1603	缸 3-3253 3-1851	
071/044 **472C**	讠⿰由 6-4E7A 6-4690	讠⿰由 A-267E A-0694		
071/045 **472D**	讠睿 5-705B 5-8059	讠睿 3-3F27 3-3107		
071/046 **472E**	讠砰 3-7222 3-8202	讠砰 4-474C 4-3944	砰 3-3254 3-1852	
071/047 **472F**	讠⿰⿱⿰ 3-4E77 3-4687			
071/048 **4730**	讠⿰⿱⿰ 3-7223 3-8203	讠⿰⿱⿰ 4-5875 4-5685		
071/049 **4731**	讠⿰⿱⿰ 3-7224 3-8204	讠⿰⿱⿰ 4-5D61 4-6165		
071/050 **4732**	讠⿰⿱⿰ 3-7226 3-8206	讠⿰⿱⿰ 4-694C 4-7344		
071/051 **4733**			亘 3-3255 3-1853	
071/052 **4734**	讠⿰皮 3-6E42 3-7834	讠⿰皮 4-354A 4-2142		
071/053 **4735**	讠⿰皮 3-3F28 3-3108			
071/054 **4736**	讠⿰夆 3-6E47 3-7839	讠⿰夆 4-4074 4-3284		
071/055 **4737**	讠⿰⿱⿰ 3-6E48 3-7840	讠⿰⿱⿰ 4-474E 4-3946		
071/056 **4738**	讠⿰⿱⿰ 3-6E49 3-7841	讠⿰⿱⿰ 4-474F 4-3947		
071/057 **4739**	讠⿰束 3-496C 3-4176			
071/058 **473A**	讠⿰⿱⿰ 3-6E4A 3-7842	讠⿰⿱⿰ 4-4D64 4-4568		
071/059 **473B**	讠⿰是 3-5270 3-5080			
071/060 **473C**	讠⿰⿱⿰ 3-6E4C 3-7844	讠⿰⿱⿰ 4-5373 4-5183		
071/061 **473D**	讠⿰俞 3-526F 3-5079			
071/062 **473E**	讠⿰音 3-6E4B 3-7843	讠⿰音 4-5372 4-5182		
071/063 **473F**	讠⿰⿱⿰ 3-5271 3-5081			
071/064 **4740**	讠⿰⿱⿰ 3-6E4D 3-7845	讠⿰⿱⿰ 4-5876 4-5686		
071/065 **4741**	讠⿰⿱⿰ 5-6D74 5-7784	讠⿰⿱⿰ 4-5877 4-5687	⿰⿱⿰ 3-3256 3-1854	
071/066 **4742**	讠⿰⿱⿰ 3-564E 3-5446			
071/067 **4743**	讠⿰⿱⿰ 3-6E4F 3-7847	讠⿰⿱⿰ 4-6744 4-7136		
071/068 **4744**	讠⿰⿱⿰ 3-6E45 3-7837	讠⿰⿱⿰ 4-6D24 4-7704		
071/069 **4745**	讠⿰⿱⿰ 3-6F2C 3-7912	讠⿰⿱⿰ 4-3025 4-1605		
071/070 **4746**	讠⿰⿱⿰ 3-6F2F 3-7915	讠⿰⿱⿰ 4-354B 4-2143		
071/071 **4747**	讠⿰⿱⿰ 6-4522 6-3702	讠⿰⿱⿰	⿰⿱⿰ 3-3258 3-1856	
071/072 **4748**	讠⿰⿱⿰ 3-6F33 3-7919	讠⿰⿱⿰ 4-354C 4-2144		
071/073 **4749**		⿰⿱⿰ A-2721 A-0701		
071/074 **474A**	讠⿰⿱⿰ 3-6F39 3-7925	讠⿰⿱⿰ 4-4D67 4-4571		
071/075 **474B**	讠⿰⿱⿰ 3-6F3A 3-7926	讠⿰⿱⿰ 4-4D65 4-4569		
071/076 **474C**	讠⿰⿱⿰ 3-6F3B 3-7927	讠⿰⿱⿰ 4-4D68 4-4572		
071/077 **474D**	讠⿰⿱⿰ 3-6F36 3-7922	讠⿰⿱⿰ 4-5375 4-5185		
071/078 **474E**	讠⿰⿱⿰ 3-6F3D 3-7929	讠⿰⿱⿰ 4-5377 4-5187	⿰⿱⿰ 3-3259 3-1857	
071/079 **474F**	讠⿰⿱⿰ 5-6E4D 5-7845	讠⿰⿱⿰ 4-5D64 4-6168	⿰⿱⿰ 3-325A 3-1858	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/080	豬	豬		豬	
4750	5-6E50	4-6148		3-325B	
	5-7848	4-6540		3-1859	
071/081	豵	豵			
4751	3-6F43	4-6146			
	3-7935	4-6538			
071/082	豷	豷			
4752	3-6F44	4-6745			
	3-7936	4-7137			
071/083	豸	豸			
4753	5-6E53	3-5F65			
	5-7851	3-6369			
071/084		貜			
4754		3-614C			
		3-6544			
071/085	貓	貓			
4755	3-6F3F	4-6D25			
	3-7931	4-7705			
071/086	貀	貀			
4756	3-722A	4-3550			
	3-8210	4-2148			
071/087		貅		豺	
4757		6-4524		3-325C	
		6-3704		3-1860	
071/088		貶			
4758		3-392F			
		3-2515			
071/089	貙				
4759	S-2427				
	S-0407				
071/090	貍	貍			
475A	3-722C	4-3B3E			
	3-8212	4-2730			
071/091	貜				
475B	S-2426				
	S-0406				
071/092		貟			
475C		3-496E			
		3-4178			
071/093		貣			
475D		3-4E79			
		3-4689			
071/094		貙			
475E		3-4E78			
		3-4688			
071/095	貤	貤			
475F	5-7073	3-5272			
	5-8083	3-5082			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/096	貒	貒			
4760	5-7076	3-5650			
	5-8086	3-5448			
071/097		貓			
4761		3-592C			
		3-5712			
071/098		貾			
4762		3-592D			
		3-5713			
071/099	貍	貍			
4763	3-7232	4-614A			
	3-8218	4-6542			
071/100		貚		貚	
4764		7-4A41		3-325D	
		7-4233		3-1861	
071/101		貗			
4765		3-5B37			
		3-5923			
071/102	貙	貙			
4766	3-7233	4-5D68			
	3-8219	4-6172			
071/103	貈	貈			
4767	3-4841	4-3551			
	3-4033	4-2149			
071/104		賢	賢		
4768		4-3554	A-2722		
		4-2152	A-0702		
071/105		貯	貯		
4769		5-3C4C	A-2723		
		5-2844	A-0703		
071/106	貾	貾			
476A	3-4847	4-3B3F			
	3-4039	4-2731			
071/107	貚	貚			
476B	3-4845	4-3B41			
	3-4037	4-2733			
071/108		貯			
476C		3-3F2E			
		3-3114			
071/109	貈	貈			
476D	3-4846	4-3B42			
	3-4038	4-2734			
071/110		貶		貶	
476E		6-4F29		3-325F	
		6-4709		3-1863	
071/111	貤	貤	貤		
476F	5-4A44	4-3B43	A-2724		
	5-4236	4-2735	A-0704		

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/112		貯			
4770		4-4121			
		4-3301			
071/113		貲			
4771		3-4466			
		3-3670			
071/114		貶			
4772		3-4468			
		3-3672			
071/115		賢		賢	
4773		5-4A29		3-3260	
		5-4209		3-1864	
071/116		賣		賣	
4774		6-626A		3-3261	
		6-6674		3-1865	
071/117		貯			
4775		3-496F			
		3-4179			
071/118		賒			
4776		3-4E7B			
		3-4691			
071/119		賀	賀		
4777		3-4E7C	A-2725		
		3-4692	A-0705		
071/120	賅	賅			
4778	3-4849	4-4D6E			
	3-4041	4-4578			
071/121	賏	賏			
4779	3-484F	4-4D6C			
	3-4047	4-4576			
071/122		贅	贅		
477A		7-2936	A-2726		
		7-0922	A-0706		
071/123	賕	賕		賕	
477B	3-4850	4-4D6D		3-3262	
	3-4048	4-4577		3-1866	
071/124	賵			賵	
477C	3-484B			3-3263	
	3-4043			3-1867	
071/125		賵		賵	
477D		5-5139		3-3264	
		5-4925		3-1868	
071/126		贇			
477E		3-4F21			
		3-4701			
071/127	賢	賢	賢		
477F	5-4A4E	3-5274	A-2727		
	5-4246	3-5084	A-0707		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/128	賑	賑			
4780	3-4855 3-4053	4-537D 4-5193			
071/129	賕	賕			
4781	3-4851 3-4049	4-5379 4-5189			
071/130	賧	賧			
4782	3-4852 3-4050	4-537B 4-5191			
071/131	賥	賥			
4783	3-4856 3-4054	4-537A 4-5190			
071/132		贇			
4784		3-5276 3-5086			
071/133		賮		賮	
4785		7-3C33 7-2819		3-3265 3-1869	
071/134	賦	賦			
4786	3-484A 3-4042	4-587A 4-5690			
071/135		贊		贊	
4787		F-607A F-6490		3-3266 3-1870	
071/136	贗	贋			
4788	3-4842 3-4034	4-537E 4-5194			
071/137		贇			
4789		3-5D35 3-6121			
071/138		贈			
478A		3-5E64 3-6268			
071/139	贒	贒		贒	
478B	5-4A52 5-4250	4-6B21 4-7501		3-3267 3-1871	
071/140	贐				
478C	S-2323 S-0303				
071/141	贖				
478D	7-223D 7-0229				
071/142	贗				
478E	S-2324 S-0304				
071/143	贙				
478F	S-2322 S-0302				

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/144	贙				
4790	S-2325 S-0305				
071/145		紅		紅	
4791		5-304B 5-1643		3-3268 3-1872	
071/146		絧		絧	
4792		5-4334 5-3520		3-3269 3-1873	
071/147	經	經		經	
4793	5-6D6F 5-7779	4-4759 4-3957		3-326A 3-1874	
071/148	緳	緳			
4794	3-6E3D 3-7829	4-4758 4-3956			
071/149	繻	繻			
4795	3-6E3F 3-7831	4-6748 4-7140			
071/150		赱		赱	
4796		5-304C 5-1644		3-326C 3-1876	
071/151	赶	赶			
4797	3-6D6F 3-7779	4-3027 4-1607			
071/152	趁	趁			
4798	3-6D71 3-7781	4-3028 4-1608			
071/153	趎	趎			
4799	3-6D72 3-7782	4-3555 4-2153			
071/154	趂	趂			
479A	3-6D73 3-7783	4-3556 4-2154			
071/155		趵			
479B		3-3934 3-2520			
071/156		赹			
479C		3-3936 3-2522			
071/157		赸			
479D		3-3F31 3-3117			
071/158	趙	趙		趙	
479E	5-6D3F 5-7731	4-3B45 4-2737		3-326D 3-1877	
071/159	趋	趋			
479F	5-6D3D 5-7729	3-3F36 3-3122			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/160		趿		趿	
47A0		3-3F32 3-3118		3-326E 3-1878	
071/161		趸		趸	
47A1		5-3C52 5-2850		3-326F 3-1879	
071/162		趐			
47A2		3-3F35 3-3121			
071/163	趐	趐			
47A3	3-6D77 3-7787	4-3B48 4-2740			
071/164	趋	趋			
47A4	3-6D79 3-7789	4-3B47 4-2739			
071/165	趙	趙			
47A5	3-6D7B 3-7791	4-4126 4-3306			
071/166	趍	趍			
47A6	3-6E22 3-7802	4-4127 4-3307			
071/167		趐		趐	
47A7		5-433C 5-3528		3-3270 3-1880	
071/168	趄	趄			
47A8	5-6D40 5-7732	3-446A 3-3674			
071/169	趿	趿		趿	
47A9	5-6D45 5-7737	4-4128 4-3308		3-3271 3-1881	
071/170		趐		趐	
47AA		5-4338 5-3524		3-3272 3-1882	
071/171	趕	趕		趕	
47AB	5-6D4D 5-7745	4-475A 4-3958		3-3273 3-1883	
071/172		趛		趛	
47AC		6-6275 6-6685		3-3274 3-1884	
071/173	趋	趋		趋	
47AD	5-6D4E 5-7746	4-475B 4-3959		3-3275 3-1885	
071/174		趜			
47AE		3-4976 3-4186			
071/175		趕	趕		
47AF		5-4A34 5-4220	A-2729 A-0709		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/176	赫	赫			
47B0	5-6D4A	3-4977			
	5-7742	3-4187			
071/177		趁		趁	
47B1		5-4A32		3-3276	
		5-4218		3-1886	
071/178	趔				
47B2	S-242F				
	S-0415				
071/179	趛	趛			
47B3	5-6D53	3-4F27			
	5-7751	3-4707			
071/180	趟	趟			
47B4	3-6E28	4-4D73			
	3-7808	4-4583			
071/181	趧	趧		趧	
47B5	5-6D54	4-4D71		3-3277	
	5-7752	4-4581		3-1887	
071/182		趨			
47B6		3-4F24			
		3-4704			
071/183	趪	趪			
47B7	3-6E2B	4-4D74			
	3-7811	4-4584			
071/184		趟		趟	
47B8		7-293D		3-3279	
		7-0929		3-1889	
071/185		趪		趪	
47B9		4-5426		3-327A	
		4-5206		3-1890	
071/186		趧		趧	
47BA		5-585C		3-327B	
		5-5660		3-1891	
071/187		趧		趧	
47BB		5-5855		3-327C	
		5-5653		3-1892	
071/188		趮			
47BC		3-5278			
		3-5088			
071/189	趮	趮		趮	
47BD	3-6E2D	4-587D		3-327D	
	3-7813	4-5693		3-1893	
071/190	趲	趲			
47BE	3-6E2E	4-5925			
	3-7814	4-5705			
071/191	蹇	蹇		蹇	
47BF	5-6D61	4-587C		3-327E	
	5-7765	4-5692		3-1894	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/192		趄		趄	
47C0		5-5E6D		3-3322	
		5-6277		3-1902	
071/193	趮	趮			
47C1	3-6E31	4-5D6D			
	3-7817	4-6177			
071/194		趫			
47C2		3-592F			
		3-5715			
071/195	趨	趨		趨	
47C3	3-6E2C	4-5D6C		3-3324	
	3-7812	4-6176		3-1904	
071/196	趪	趪		趪	
47C4	3-6E25	4-5D6A		3-3325	
	3-7805	4-6174		3-1905	
071/197	趫	趫		趫	
47C5	5-6D50	4-5D6E		3-3326	
	5-7748	4-6178		3-1906	
071/198	趯	趯			
47C6	5-6D43	3-5930			
	5-7735	3-5716			
071/199	趭	趭			
47C7	3-6D6D	4-614D			
	3-7777	4-6545			
071/200		趯			
47C8		3-5D36			
		3-6122			
071/201	趯	趯			
47C9	3-6E34	4-6455			
	3-7820	4-6853			
071/202	趭	趭			
47CA	3-6E33	4-6453			
	3-7819	4-6851			
071/203	趭	趭			
47CB	3-6E35	4-6456			
	3-7821	4-6854			
071/204	趯	趯			
47CC	3-6E36	4-674A			
	3-7822	4-7142			
071/205	趭				
47CD	3-6E38				
	3-7824				
071/206		趲			
47CE		3-5F66			
		3-6370			
071/207	趯	趯		趯	
47CF	5-6D3E	4-694F		3-3328	
	5-7730	4-7347		3-1908	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
071/208	趯	趯			
47D0	3-6D74	4-6B23			
	3-7784	4-7503			
071/209	趮	趮		趮	
47D1	5-6D6A	4-6C28		3-3329	
	5-7774	4-7608		3-1909	
071/210	趯	趯			
47D2	3-6E39	4-6D27			
	3-7825	4-7707			
071/211	趵	趵			
47D3	3-6F4D	4-2B4C			
	3-7945	4-1144			
071/212	趴	趴			
47D4	5-6E65	3-2F2F			
	5-7869	3-1515			
071/213	跘	跘		跘	
47D5	3-6F4F	4-302A		3-332A	
	3-7947	4-1610		3-1910	
071/214		趾			
47D6		3-337E			
		3-1994			
071/215	跐	跐			
47D7	3-6F58	4-355E			
	3-7956	4-2162			
071/216	跂	跂			
47D8	3-6F5A	4-3559			
	3-7958	4-2157			
071/217		跚		跚	
47D9		5-3572		3-332B	
		5-2182		3-1911	
071/218		趴			
47DA		3-393B			
		3-2527			
071/219	跗	跗			
47DB	3-6F50	4-355B			
	3-7948	4-2159			
071/220	跚	跚			
47DC	3-6F52	4-355C			
	3-7950	4-2160			
071/221	跋	跋			
47DD	3-6F59	4-355D			
	3-7957	4-2161			
071/222		趿			
47DE		3-393C			
		3-2528			
071/223		趿		趿	
47DF		5-3C63		3-332C	
		5-2867		3-1912	

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
071/224 47E0	跋 5-6E6C 5-7876		跋 3-332D 3-1913	
	跋 4-3B4C 4-2744			
071/225 47E1	跠 3-6F67 3-7971			
	跠 4-3B50 4-2748			
071/226 47E2				跡 0-4455 0-3653
	跡 3-3F3D 3-3129			
071/227 47E3	跗 3-6F60 3-7964			
	跗 4-3B4D 4-2745			
071/228 47E4	跚 3-6F69 3-7973			
	跚 4-3B49 4-2741			
071/229 47E5			趺 3-332E 3-1914	
	趺 6-4F36 6-4722			
071/230 47E6		跋 A-272A A-0710		
	跋 6-4F3C 6-4728			
071/231 47E7			跚 3-332F 3-1915	
	跚 5-3C5C 5-2860			
071/232 47E8	跟 3-6F6A 3-7974			
	跟 4-3B4A 4-2742			
071/233 47E9	跂 3-6F5E 3-7962			
	跂 4-3B4B 4-2743			
071/234 47EA	跃 3-6F56 3-7954			
	跃 4-3B4F 4-2747			
071/235 47EB	党 5-6E5C 5-7860			
	党 3-3F3C 3-3128			
071/236 47EC			跐 3-3330 3-1916	跐 0-4456 0-3654
	跐 5-3C5F 5-2863			
071/237 47ED				
	跐 4-3B51 4-2749			
071/238 47EE	跌 3-6F72 3-7982			
	跌 4-4129 4-3309			
071/239 47EF				
	跕 5-434B 5-3543		跕 3-3331 3-1917	

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
071/240 47F0	跬 3-446C 3-3676			
071/241 47F1	跡 3-446E 3-3678			
071/242 47F2	跪 S-2271 S-0281			
071/243 47F3	翅 F-4558 F-3756			
071/244 47F4	跟 5-4A3E 5-4230		踪 3-3334 3-1920	
071/245 47F5	跇 3-6F7A 3-7990	跇 4-475E 4-3962		
071/246 47F6	跴 3-7021 3-8001	跴 4-4761 4-3965		
071/247 47F7	跐 3-6F79 3-7989	跐 4-475F 4-3963		
071/248 47F8	跨 3-7023 3-8003	跨 4-4762 4-3966		
071/249 47F9	跱 3-7022 3-8002	跱 4-4765 4-3969		
071/250 47FA	跟 5-6E68 5-7872	跟 3-4978 3-4188		
071/251 47FB	跺 3-6F7E 3-7994	跺 4-4764 4-3968		
071/252 47FC		跠 3-4F28 3-4708		
071/253 47FD	跣 3-446F 3-3679	跣 A-272B A-0711	跣 3-3335 3-1921	
071/254 47FE	跴 3-7035 3-8021	跴 4-4D77 4-4587	跴 3-3336 3-1922	
071/255 47FF	跽 3-7032 3-8018	跽 4-4E22 4-4602		

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
072/000 4800	蹋 S-2273 S-0283	蹋 3-4F2A 3-4710		
072/001 4801	踡 7-294E 7-0946	踡 A-272C A-0712		
072/002 4802	楚 3-4F2E 3-4714			
072/003 4803	踬 3-4F29 3-4709			
072/004 4804	踭 3-702B 3-8011	踭 4-4D7E 4-4594		
072/005 4805	踦 3-702C 3-8012	踦 4-4E21 4-4601	踦 3-3337 3-1923	
072/006 4806	踞 3-6F53 3-7951	踞 4-4D7D 4-4593		
072/007 4807	踔 3-7034 3-8020	踔 4-4D79 4-4589		
072/008 4808	踕 3-7033 3-8019	踕 4-4D78 4-4588	踕 3-3338 3-1924	
072/009 4809	踖 5-6F26 5-7906	踖 4-4D76 4-4586	踖 3-3339 3-1925	
072/010 480A	踜 5-6E7C 5-7892	踜 3-4F2D 3-4713	踜 3-333A 3-1926	
072/011 480B	踥 5-6F22 5-7902	踥 4-4E23 4-4603	踥 3-333B 3-1927	
072/012 480C	踏 S-2272 S-0282			
072/013 480D	踠 3-7041 3-8033	踠 4-542E 4-5214		
072/014 480E		踒 3-527D 3-5093		
072/015 480F	踩 5-6F2F 5-7915	踩 3-527A 3-5090		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
072/016	踑	踑			
4810	3-703D	4-542F			
	3-8029	4-5215			
072/017	踒	踒			
4811	3-703C	4-542D			
	3-8028	4-5213			
072/018		踙		踙	
4812		5-5862		3-333D	
		5-5666		3-1929	
072/019	踖	踖		蹐	
4813	3-7040	4-5430		3-333F	
	3-8032	4-5216		3-1931	
072/020		踟			
4814		3-5279			
		3-5089			
072/021		跦		跦	
4815		5-5E7B		3-333E	
		5-6291		3-1930	
072/022	踘				
4816	S-2270				
	S-0280				
072/023	踑	踑			
4817	3-7042	4-592B			
	3-8034	4-5711			
072/024	踆	踆			
4818	3-7043	4-592C			
	3-8035	4-5712			
072/025	踗	踗			
4819	3-7047	4-5926			
	3-8039	4-5706			
072/026	踪	踪			
481A	5-6F35	F-5C78			
	5-7921	F-6088			
072/027	踑	踑			
481B	3-7044	4-592A			
	3-8036	4-5710			
072/028	踖	踖		踖	
481C	3-7038	4-5928		3-3341	
	3-8024	4-5708		3-1933	
072/029		踑			
481D		3-5653			
		3-5451			
072/030		踧			
481E		3-5933			
		3-5719			
072/031	踡	踡			
481F	3-6F49	4-5D74			
	3-7941	4-6184			
072/032	躉	躉			
4820	3-6F4A	4-5D78			
	3-7942	4-6188			
072/033	蹅	蹅			
4821	3-7049	4-5D72			
	3-8041	4-6182			
072/034	躉	躉			
4822	3-6B39	4-5D75			
	3-7525	4-6185			
072/035		蹼		蹼	蹼
4823		7-4A57		3-3342	0-4539
		7-4255		3-1934	0-3725
072/036	蹕	蹕			
4824	3-7030	4-6150			
	3-8016	4-6548			
072/037	蹴	蹴			
4825	5-6F36	3-5934			
	5-7922	3-5720			
072/038	蹜	蹜		蹜	
4826	5-6F3E	4-6151		3-3343	
	5-7930	4-6549		3-1935	
072/039	躇	躇		躇	
4827	5-6F3B	4-5D77		3-3344	
	5-7927	4-6187		3-1936	
072/040	蹮	蹮			
4828	3-7054	4-645B			
	3-8052	4-6859			
072/041	蹶	蹶		蹶	
4829	3-6F70	4-645A		3-3345	
	3-7980	4-6858		3-1937	
072/042	蹷	蹷			
482A	3-7057	4-6750			
	3-8055	4-7148			
072/043	蹶	躄			
482B	3-7056	4-674C			
	3-8054	4-7144			
072/044		躑		躑	
482C		5-744B		3-3346	
		5-8443		3-1938	
072/045	躓	躓			
482D	3-7051	4-6B24			
	3-8049	4-7504			
072/046		躚		躚	
482E		7-5C77		3-3348	
		7-6087		3-1940	
072/047	躐	躐		躐	
482F	3-7058	4-6C29		3-3349	
	3-8056	4-7609		3-1941	
072/048	躔	躔			
4830	5-6F4A	3-614F			
	5-7942	3-6547			
072/049	躅	躅			
4831	5-6F42	3-622E			
	5-7934	3-6614			
072/050		躬			
4832		3-3F42			
		3-3134			
072/051		躰		躰	
4833		5-3C67		3-334A	
		5-2871		3-1942	
072/052	躭	躭	躭		
4834	3-714A	4-3B52	A-272D		
	3-8142	4-2750	A-0713		
072/053	躬	躬			
4835	3-7149	4-3B53			
	3-8141	4-2751			
072/054		躱			
4836		3-3F41			
		3-3133			
072/055	躭	躭			
4837	S-2378	3-4471			
	S-0388	3-3681			
072/056	躱	躱			
4838	5-6F76	3-4470			
	5-7986	3-3680			
072/057		躯			
4839		3-4472			
		3-3682			
072/058	躬				
483A	S-2377				
	S-0387				
072/059	躶	躶		躶	
483B	5-6F78	4-4E26		3-334B	
	5-7988	4-4606		3-1943	
072/060	躰	躰			
483C	3-7150	4-5432			
	3-8148	4-5218			
072/061	躰	躰			
483D	3-714B	4-5930			
	3-8143	4-5716			
072/062		躺			
483E		3-5656			
		3-5454			
072/063		躰			
483F		3-5B3E			
		3-5930			

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
072/064 **4840**	3-7153 4-645F 3-8151 4-6863			
072/065 **4841**	3-604C 3-6444			
072/066 **4842**	3-4535 4-2B4D 3-3721 4-1145			
072/067 **4843**	3-4536 4-2B4E 3-3722 4-1146			
072/068 **4844**	F-2D53 F-1351	A-272E A-0714		
072/069 **4845**	5-475D 3-3422 5-3961 3-2002			
072/070 **4846**	3-3943 3-2535			
072/071 **4847**	5-475E 3-3944 5-3962 3-2536		3-334C 3-1944	
072/072 **4848**	5-4761 3-3948 5-3965 3-2540		3-334D 3-1945	
072/073 **4849**	3-4543 4-3561 3-3735 4-2165			
072/074 **484A**	3-4540 4-3562 3-3732 4-2166			
072/075 **484B**	3-3945 3-2537			
072/076 **484C**	3-3946 3-2538			
072/077 **484D**	3-3942 3-2534			
072/078 **484E**	6-4545 6-3737	A-272F A-0715		
072/079 **484F**	3-3F48 3-3140			
072/080 **4850**	3-3F43 3-3135			
072/081 **4851**	3-454D 3-3745	4-3B54 4-2752		
072/082 **4852**	3-3F4A 3-3142			
072/083 **4853**	3-4475 3-3685			
072/084 **4854**	3-4555 3-3753	4-412A 4-3310		
072/085 **4855**	3-4474 3-3684			
072/086 **4856**	6-5924 6-5704		3-334E 3-1946	
072/087 **4857**	3-4550 3-3748	4-412C 4-3312		
072/088 **4858**	3-455A 3-3758	4-4766 4-3970		
072/089 **4859**	3-455B 3-3759	4-4769 4-3973		
072/090 **485A**	3-4559 3-3757	4-4767 4-3971		
072/091 **485B**	3-497E 3-4194			
072/092 **485C**	3-455F 3-3763	4-4E28 4-4608		
072/093 **485D**	3-456C 3-3776	4-4E27 4-4607		
072/094 **485E**	3-4563 3-3767	4-4E2A 4-4610		
072/095 **485F**	3-4566 3-3770	4-4E29 4-4609		
072/096 **4860**	3-5323 3-5103			
072/097 **4861**	5-5872 5-5682		3-334F 3-1947	
072/098 **4862**	3-4574 3-3784	4-5433 4-5219		
072/099 **4863**	3-4558 3-3756	4-5434 4-5220		
072/100 **4864**	3-455E 3-3762	5-5161 5-4965	3-3350 3-1948	
072/101 **4865**	3-5658 3-5456			
072/102 **4866**	3-457A 3-3790	4-5932 4-5718		
072/103 **4867**	3-4542 3-3734	4-5935 4-5721	3-3351 3-1949	
072/104 **4868**	3-4572 3-3782	4-5937 4-5723		
072/105 **4869**	3-5657 3-5455			
072/106 **486A**	3-4579 3-3789	4-5931 4-5717	3-3352 3-1950	
072/107 **486B**	3-4577 3-3787	4-5D7C 4-6192		
072/108 **486C**	3-457D 3-3793	4-5D7B 4-6191		
072/109 **486D**	3-4578 3-3788	4-5D7A 4-6190		
072/110 **486E**	5-4760 5-3964	5-6535 5-6921	3-3353 3-1951	
072/111 **486F**	3-457E 3-3794	4-5D7D 4-6193		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

© ISO/IEC

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
072/112	鼙	鼙			
4870	3-457B 3-3791	4-5D7E 4-6194			
072/113			轀		
4871			A-2730 A-0716		
072/114	轠	轠			
4872	3-456A 3-3774	4-6159 4-6557			
072/115	轍	轍			
4873	3-4622 3-3802	4-6158 4-6556			
072/116	轠	轠			
4874	3-4626 3-3806	4-6157 4-6555			
072/117	轂	轂			
4875	3-4627 3-3807	4-6460 4-6864			
072/118	轡	轡			
4876	5-477B 5-3991	4-6461 4-6865			
072/119	轠	轠			
4877	3-4629 3-3809	4-6752 4-7150			
072/120	轐	轐			
4878	S-235B S-0359	F-6853 F-7251			
072/121	轠	轠			
4879	5-477C 5-3992	3-5F68 3-6372			
072/122		轠			
487A		3-5F67 3-6371			
072/123	轠				
487B	3-462E 3-3814				
072/124		轠			
487C		3-607D 3-6493			
072/125	轠	轠			
487D	3-462F 3-3815	4-6D61 4-7765			
072/126	轠	轠		轠	
487E	3-462A 3-3810	4-6E21 4-7801		3-3354 3-1952	
072/127		轠			
487F		3-623D 3-6629			

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
072/128	乾				
4880	7-2372 7-0382				
072/129	軔				
4881	7-2373 7-0383				
072/130	軑				
4882	S-235A S-0358				
072/131	陞	陞		陞	
4883	5-7330 5-8316	4-4E2E 4-4614		3-3355 3-1953	
072/132		鑠			
4884		3-5D39 3-6125			
072/133	晨	晨		晨	
4885	5-645D 5-6861	4-476B 4-3975		3-3357 3-1955	
072/134	隲	隲			
4886	5-3376 5-1986	F-4C67 F-4471			
072/135		隲		隲	
4887		3-4F38 3-4724		3-3358 3-1956	
072/136	靨	靨			
4888	5-6E3B 5-7827	4-6463 4-6867			
072/137		麎	麎		
4889		7-5056 7-4854	A-2731 A-0717		
072/138		迉			
488A		3-2732 3-0718			
072/139	辿	辿		辿	
488B	5-6F7D 5-7993	4-2522 4-0502		3-3359 3-1957	
072/140	迪	迪			
488C	5-7023 5-8003	F-2872 F-0882			
072/141		迖			
488D		3-2A6F 3-1079			
072/142		迸		迸	
488E		5-2769 5-0773		3-335A 3-1958	
072/143				迚	
488F				3-335B 3-1959	

Row/Cell	C		J	K	V
Hex Code	G - Hanzi - T		Kanji	Hanja	ChuNom
072/144	迢	迢		迢	
4890	5-7029 5-8009	4-2B53 4-1151		3-335C 3-1960	
072/145	迭	迭			
4891	3-715B 3-8159	4-2B50 4-1148			
072/146	迩	迩			
4892	5-702F 5-8015	3-3423 3-2003			
072/147	迮	迮			
4893	3-7161 3-8165	4-302D 4-1613			
072/148	迨	迨		迨	
4894	3-715F 3-8163	4-3030 4-1616		3-335D 3-1961	
072/149		迭			
4895		3-3424 3-2004			
072/150	建	建			
4896	3-7162 3-8166	4-302E 4-1614			
072/151			迪		
4897			A-2732 A-0718		
072/152				迮	
4898				3-335E 3-1962	
072/153	退	退			
4899	5-7024 5-8004	3-3949 3-2541			
072/154	迥	迥			
489A	3-7163 3-8167	4-3569 4-2173			
072/155		迵			
489B		3-394D 3-2545			
072/156	迶	迶			
489C	5-703B 5-8027	3-3F53 3-3151			
072/157	迺	迺		迺	
489D	5-702E 5-8014	4-3B57 4-2755		3-3360 3-1964	
072/158		逖	逖		
489E		3-3F4E 3-3146	A-2733 A-0719		
072/159		遊	遊		
489F		6-4F48 6-4740	A-2734 A-0720		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999

Row/Cell Hex Code	C G - Hanzi - T	J Kanji	K Hanja	V ChuNom
072/160 **48A0**	迸 3-3F52 3-3150			
072/161 **48A1**	諜 3-716B 3-8175	諜 4-412F 4-3315		
072/162 **48A2**	逹 3-4A25 3-4205			
072/163 **48A3**		逶 A-2735 A-0721		
072/164 **48A4**	逑 4-476C 4-3976			
072/165 **48A5**	遣 3-4A23 3-4203			
072/166 **48A6**	遼 5-7045 5-8037	遼 3-4F3A 3-4726		遼 0-4558 0-3756
072/167 **48A7**	遼 3-7175 3-8185	遼 4-4E31 4-4617		
072/168 **48A8**	縱 5-7025 5-8005	縱 4-4E35 4-4621	縱 3-3362 3-1966	
072/169 **48A9**	遨 5-7041 5-8033	遨 3-4F3D 3-4729		
072/170 **48AA**		遶 3-532A 3-5110		
072/171 **48AB**		邇 3-5328 3-5108		
072/172 **48AC**		遾 3-5329 3-5109		
072/173 **48AD**	遽 3-7176 3-8186	遽 4-5938 4-5724		
072/174 **48AE**	遾 5-7048 5-8040	遾 4-5939 4-5725	遾 3-3364 3-1968	
072/175 **48AF**		邍 7-4377 7-3587	邍 3-3365 3-1969	
072/176 **48B0**		邏 3-5939 3-5725		
072/177 **48B1**	遺 5-7037 5-8023	遺 4-615E 4-6562	遺 3-3366 3-1970	
072/178 **48B2**	邐 3-717B 3-8191	邐 4-6C2C 4-7612		
072/179 **48B3**		邶 3-225F 3-0263		
072/180 **48B4**	邗 S-2151 S-0149	邦 4-2332 4-0318		
072/181 **48B5**	邕 5-6F4F 5-7947	邕 3-2736 3-0722	邕 3-3368 3-1972	
072/182 **48B6**	邾 7-234B 7-0343	邾 3-2737 3-0723		
072/183 **48B7**		邿 3-2738 3-0724		
072/184 **48B8**		郎 3-2A76 3-1086		
072/185 **48B9**	邱 3-7060 3-8064	邱 4-2829 4-0809		
072/186 **48BA**	邮 3-7066 3-8070			
072/187 **48BB**		邸 3-2F36 3-1522		
072/188 **48BC**	邽 3-706A 3-8074	邽 4-2B56 4-1154		
072/189 **48BD**	郷 5-6F4D 5-7945	郷 3-4522 3-3702	郷 3-3369 3-1973	
072/190 **48BE**		郩 3-2F3D 3-1529		
072/191 **48BF**	郊 3-7074 3-8084	郊 4-2B54 4-1152		
072/192 **48C0**	郤 3-7071 3-8081	郤 4-2B58 4-1156		
072/193 **48C1**		郩 3-2F39 3-1525		
072/194 **48C2**		郩 3-2F3A 3-1526		
072/195 **48C3**		郟 6-346D 6-2077		郟 3-336A 3-1974
072/196 **48C4**	郤 3-707D 3-8093	郤 4-3038 4-1624		
072/197 **48C5**	郟 3-6F29 3-7909	郟 4-3034 4-1620		
072/198 **48C6**		郢 3-3428 3-2008		
072/199 **48C7**	郩 3-707B 3-8091	郩 4-3033 4-1619		
072/200 **48C8**		郾 4-4771 4-3981		
072/201 **48C9**				鄄 3-336B 3-1975
072/202 **48CA**	鄰 5-6F5D 5-7961	鄰 4-356C 4-2176		鄰 3-336C 3-1976
072/203 **48CB**	鄴 3-7126 3-8106	鄴 4-356E 4-2178		
072/204 **48CC**		鄙 4-3573 4-2183		
072/205 **48CD**	鄶 3-7122 3-8102	鄶 4-356B 4-2175		
072/206 **48CE**		鄯 3-3950 3-2548		
072/207 **48CF**	鄲 3-7124 3-8104	鄲 4-3570 4-2180		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 17:1999