



INTERNATIONAL STANDARD ISO/IEC 14496-3:2005
TECHNICAL CORRIGENDUM 3

Published 2008-04-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Coding of audio-visual objects —
Part 3:
Audio

TECHNICAL CORRIGENDUM 3

Technologies de l'information — Codage des objets audiovisuels —

Partie 3: Codage audio

RECTIFICATIF TECHNIQUE 3

Technical Corrigendum 3 to ISO/IEC 14496-3:2005 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14496-3:2005/COR3:2008

In subclause 10.5, replace:

Table 10.1 — Syntax of Audio_Frame()

Syntax	Bits	Mnemonics
<pre> DSTSpecificConfig(channelConfiguration) { if (DSD_Coded) { DSD() } if (DST_Coded) { DST() } } </pre>		DSD DST

with:

10.5.1 Decoder Configuration (DSTSpecificConfig())

Table 10.1 — Syntax of DSTSpecificConfig()

Syntax	Bits	Mnemonics
<pre> DSTSpecificConfig (channelConfiguration) { DSDDST_Coded N_Channels reserved } </pre>	1 14 1	UiMsbf UiMsbf UiMsbf

10.5.2 Bitstream Payload

Table 10.2 — Syntax of Audio_Frame()

Syntax	Bits	Mnemonics
<pre> Audio_Frame() { if (DSDDST_Coded == 0) { DSD() } else { DST() } } </pre>		DSD DST

and renumber following tables as necessary.

In subclause 10.5, replace:

Same_Mapping	1	
--------------	---	--

with:

Same_Mapping	1	UiMsbf
--------------	---	--------

In subclause 10.5, replace:

Same_Maps_For_All_Channels	1	
----------------------------	---	--

with:

Same_Maps_For_All_Channels	1	UiMsbf
----------------------------	---	--------

At the end of the paragraph in subclause 10.6.1.3, add:

DSDDST_Coded signals whether the bitstream is DSD or DST coded. If DSDDST_Coded=%0 it is DSD coded and if DSDDST_Coded=%1 it is DST coded.

In subclause 10.6.1.3.1, move and replace:

N_Channels is the number of audio channels used as given by the channelConfiguration.

to subclause 10.6.1.3 at the end of the paragraph

N_Channels is the number of audio channels used.

In subclause 10.6.1.3.2.2, replace:

reader

with:

decoder

In subclause 10.6.1.3.2.5.2.2.3, replace:

The length of the last Segment is not encoded on the disc.

with:

The length of the last Segment is not encoded.

In subclause 10.6.1.3.2.6.2.2.1, replace:

8..12	4
-------	---

with:

8..N_Channels	4
---------------	---