



INTERNATIONAL STANDARD ISO/IEC 14496-4:2004 TECHNICAL CORRIGENDUM 1

Published 2005-09-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

Information technology — Coding of audio-visual objects — Part 4: Conformance testing

TECHNICAL CORRIGENDUM 1

Technologies de l'information — Codage des objets audiovisuels

Partie 4: Essai de conformité

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO/IEC 14496-4:2004 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

In Table 10, subclause 5.5.7, replace the following:

	SH-7-1	Toshiba	vcon-sh7-1.cmp							S							
	SH-7-2	Toshiba	vcon-sh7-2.cmp							S							
	SH-8-1	Toshiba	vcon-sh8-1.cmp							S							
	SH-8-2	Toshiba	vcon-sh8-2.cmp							S							

with:

	SH-7-1	Toshiba	vcon-sh7-1_reva.cmp							S							
	SH-7-2	Toshiba	vcon-sh7-2_reva.cmp							S							
	SH-8-1	Toshiba	vcon-sh8-1_reva.cmp							S							
	SH-8-2	Toshiba	vcon-sh8-2_reva.cmp							S							

In Table 10, replace:

Scalability	SCS-1	Sony	vcon-scs1.bits	S	S	S											
	SCS-1_e	Sony	vcon-scs1_e.bits				S	S									
	SCS-2	Sony	vcon-scs2.bits	S	S	S											
	SCS-2_e	Sony	vcon-scs2_e.bits				S	S									
	SCS-3	Sony	vcon-scs3.bits	S	S	S											
	SCS-3_e	Sony	vcon-scs3_e.bits				S	S									
	SCS-8	Sony	vcon-scs8.bits	D													
	SCS-8_e	Sony	vcon-scs8_e.bits				D										
	SCS-9	Sony	vcon-scs9.bits		D												
	SCS-9_e	Sony	vcon-scs9_e.bits				D										

with:

Scalability	SCS-1	Sony	vcon-scs1_reva.bits	S	S	S											
	SCS-1_e	Sony	vcon-scs1_e_reva.bits				S	S									
	SCS-2	Sony	vcon-scs2_reva.bits	S	S	S											
	SCS-2_e	Sony	vcon-scs2_e_reva.bits				S	S									
	SCS-3	Sony	vcon-scs3_reva.bits	S	S	S											
	SCS-3_e	Sony	vcon-scs3_e_reva.bits				S	S									
	SCS-8	Sony	vcon-scs8_reva.bits	D													
	SCS-8_e	Sony	vcon-scs8_e_reva.bits				D										
	SCS-9	Sony	vcon-scs9_reva.bits		D												
	SCS-9_e	Sony	vcon-scs9_e_reva.bits				D										

In Table 10, replace:

Error Resilience	er-1	Toshiba	Vcon-er1_cmp			S											
	er-2-1	Toshiba	Vcon-er2-1_cmp	S													
	er-2-2	Toshiba	Vcon-er2-2_cmp		S												
	er-2-3	Toshiba	Vcon-er2-3_cmp			S											
	er-3-1	Toshiba	Vcon-er3-1_cmp	S													
	er-3-2	Toshiba	Vcon-er3-2_cmp		S												
	er-3-3	Toshiba	Vcon-er3-3_cmp			S											

with:

Error Resilience	er-1	Toshiba	Vcon-er1_reva_cmp			S											
	er-2-1	Toshiba	Vcon-er2-1_reva_cmp	S													
	er-2-2	Toshiba	Vcon-er2-2_reva_cmp		S												
	er-2-3	Toshiba	Vcon-er2-3_reva_cmp			S											
	er-3-1	Toshiba	Vcon-er3-1_reva_cmp	S													
	er-3-2	Toshiba	Vcon-er3-2_reva_cmp		S												
	er-3-3	Toshiba	Vcon-er3-3_reva_cmp			S											

In Table 12, subclause 5.5.8.1, replace:

mit007.m4v	Simple@L1	Talk	10.000	64	176	144	150	basic
------------	-----------	------	--------	----	-----	-----	-----	-------

with:

mit007_reva.m4v	Simple@L1	Talk	10.000	64	176	144	150	basic
-----------------	-----------	------	--------	----	-----	-----	-----	-------

In Table 14, subclause 5.5.8.1, replace:

Scalable Still Texture	ss-1	Sharp	vcon-ss1.bits									S	S	S		S	S	
	ss-2	Sharp	vcon-ss2.bits									S	S	S		S	S	
	ss-3	Sharp	vcon-ss3.bits									S	S	S		S	S	
	ss-4	Sharp	vcon-ss4.bits									S	S	S		S	S	
	ss-5	Sharp	vcon-ss5.bits									S	S	S		S	S	
	ss-6	Sharp	vcon-ss6.bits									S	S	S		S	S	
	ss-7	Sharp	vcon-ss7.bits									S	S	S		S	S	
	ss-8	Sarnoff	vcon-ss8.bits									S	S	S		S	S	
	ss-9	Sarnoff	vcon-ss9.bits									S	S	S		S	S	
	ss-10	Sarnoff	vcon-ss10.bits									S	S	S		S	S	
	ss-11	Sarnoff	vcon-ss11.bits									S	S	S		S	S	
	ss-12	TI	vcon-ss12.bits									S	S	S		S	S	
	ss-13	TI	vcon-ss13.bits									S	S	S		S	S	

with:

Scalable Still Texture	ss-1	Sharp	v1_vcon-ss1.bits									S	S	S		S	S	
	ss-2	Sharp	v1_vcon-ss2.bits									S	S	S		S	S	
	ss-3	Sharp	v1_vcon-ss3.bits									S	S	S		S	S	
	ss-4	Sharp	v1_vcon-ss4.bits									S	S	S		S	S	
	ss-5	Sharp	v1_vcon-ss5.bits									S	S	S		S	S	
	ss-6	Sharp	v1_vcon-ss6.bits									S	S	S		S	S	
	ss-7	Sharp	v1_vcon-ss7.bits									S	S	S		S	S	
	ss-8	Sarnoff	v1_vcon-ss8.bits									S	S	S		S	S	
	ss-9	Sarnoff	v1_vcon-ss9.bits									S	S	S		S	S	
	ss-10	Sarnoff	v1_vcon-ss10.bits									S	S	S		S	S	
	ss-11	Sarnoff	v1_vcon-ss11.bits									S	S	S		S	S	
	ss-12	TI	v1_vcon-ss12.bits									S	S	S		S	S	
	ss-13	TI	v1_vcon-ss13.bits									S	S	S		S	S	

In Table 14, replace:

San021.m4v	Simple@L2	Aki1	10.000	128	352	288	99	basic
San022.m4v	Simple@L1	Aki1	10.000	64	176	144	100	VBV(L1)
San023.m4v	Simple@L2	Aki1	10.000	128	352	288	49	VBV(L2)
San024.m4v	Simple@L3	Aki1	10.000	384	352	288	127	VBV(L3)

with:

San021_reva.m4v	Simple@L2	Aki1	10.000	128	352	288	99	basic
San022_reva.m4v	Simple@L1	Aki1	10.000	64	176	144	100	VBV(L1)
San023_reva.m4v	Simple@L2	Aki1	10.000	128	352	288	97	VBV(L2)
San024_reva.m4v	Simple@L3	Aki1	10.000	384	352	288	239	VBV(L3)

In Table 16, subclause 5.5.8.2, replace:

mat000.m4v	Core@L1	own synthetic	66.600	116	16	16	999	IVOP IDCT bitstream1
mat001.m4v	Simple@L1	own synthetic	66.600	30	16	16	999	IVOP IDCT bitstream2

with:

mat000_reva.m4v	Core@L1	own synthetic	66.600	116	16	16	998	IVOP IDCT bitstream1
mat001_reva.m4v	Simple@L1	own synthetic	66.600	30	16	16	998	IVOP IDCT bitstream2

In Table 19, replace:

mat045.m4v	Simple@L1	own synthetic	0.118	64	16	16	2	AC/DC Saturation
------------	-----------	---------------	-------	----	----	----	---	------------------

with:

mat045_reva.m4v	Simple@L1	own synthetic	0.118	64	16	16	2	AC/DC Saturation
-----------------	-----------	---------------	-------	----	----	----	---	------------------

In Table 20, replace:

Pio002.m4v	Core@L1	Friends	10.000	384	176	144	300	Video Packet + Variable Q
Pio003.m4v	Core@L1	Drive	10.000	384	176	144	300	Data partitioning + Variable Q
Pio004.m4v	Core@L1	Octopus	10.000	384	176	144	300	RVLC + Variable Q

with:

Pio002_reva.m4v	Core@L1	friends	10.000	384	176	144	300	Video Packet + Variable Q
Pio003_reva.m4v	Core@L1	drive	10.000	384	176	144	300	Data partitioning + Variable Q
Pio004_reva.m4v	Core@L1	octopus	10.000	384	176	144	300	RVLC + Variable Q

In Table 27, replace:

	GE-10	UH	ge-10_ace.bits													S	S	S	S						
--	-------	----	----------------	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	---	--	--	--	--	--	--

with:

	GE-10	UH	ge10_ace.bits													S	S	S	S						
--	-------	----	---------------	--	--	--	--	--	--	--	--	--	--	--	--	---	---	---	---	--	--	--	--	--	--

In Table 27, replace:

	GE-12	UH	ge-12_ace_l1.bits													X									
		UH	ge-12_ace_l2.bits														X								
		UH	ge-12_ace_l3.bits															X							
		UH	ge-12_ace_l4.bits																X						

with:

	GE-12	UH	ge12_ace_l1.bits													X									
		UH	ge12_ace_l2.bits														X								
		UH	ge12_ace_l3.bits															X							
		UH	ge12_ace_l4.bits																X						

In Table 27, replace:

	GE-14	UH	ge-14_ace_l1.bits													X									
		UH	ge-14_ace_l2.bits														X								
		UH	ge-14_ace_l3.bits															X							
		UH	ge-14_ace_l4.bits																X						

with:

	GE-14	UH	ge14_ace_l1.bits													X									
		UH	ge14_ace_l2.bits														X								
		UH	ge14_ace_l3.bits															X							
		UH	ge14_ace_l4.bits																X						

7

with:

[illegible]

In Table 27, replace:

	A1GE-12	UH	a1ge12_ace_l1.bits											X							
		UH	a1ge12_ace_l2.bits											X							
		UH	a1ge12_ace_l3.bits												X						
		UH	a1ge12_ace_l4.bits													X					

In Table 27, replace:

[illegible]

8

Remove the following entries related to missing or invalid conformance bitstreams.

In subclause 5.5.7, remove the following lines from Table 10:

General	GE-1	GI	Vcon-ge1.cmp										S						
	GE-2	GI	Vcon-ge2.cmp										S						
	GE-3	GI	Vcon-ge3.cmp										S						
	GE-4	GI	vcon-ge4.cmp										S						
	GE-6	GI	vcon-ge6.cmp										S						
	GE-8	GI	vcon-ge8.cmp			S													
	GE-10	GI	vcon-ge10.cmp										S						
	GE-11	GI	vcon-ge11.cmp										S						
	GE-12	GI	vcon-ge12.cmp										S						
	GE-14	GI	vcon-ge14.cmp										S						
	GE-18	GI	vcon-ge18.cmp			S													
	GE-19	GI	vcon-ge19.cmp										S						
	GE-20	GI	vcon-ge20.cmp										S						
	GE-21	GI	vcon-ge21.cmp										S						
	GE-22	GI	vcon-ge22.cmp										S						
	GE-23	GI	vcon-ge23.cmp										S						
	GE-24	GI	vcon-ge24.cmp			S													
Binary Shape	SH-1	Sony	Vcon-sh1.bits						S	S	S	S	S						
	SH-2	Sony	Vcon-sh2.bits						S										
	SH-3	Sony	Vcon-sh3.bits							S									
	SH-4	Sony	Vcon-sh4.bits								S								
	SH-5	Sony	Vcon-sh5.bits									S							
	SH-6	Sony	Vcon-sh6.bits											S					
	SH-9-1	Samsung	vcon-sh9-1.cmp									S							
	SH-9-2	Samsung	vcon-sh9-2.cmp									S							
	SH-10-1	Samsung	vcon-sh10-1.cmp										S						
	SH-10-2	Samsung	Vcon-sh10-2.cmp										S						
	MHH-1	Sorenson	Hlfpel1h.bits	X															
	MHH-2	Sorenson	Hlfpel2h.bits	X															
	MHH-3	Sorenson	Hlfpel3h.bits	X															
	MHH-4	Sorenson	Hlfpel4h.bits	X															
	MHH-5	Sorenson	Hlfpel5h.bits	X															
	MHH-6	Sorenson	hlfpel6h.bits	X															
	MHH-7	Sorenson	hlfpel7h.bits	X															
	MVH-1	Sorenson	hlfpel1v.bits	X															
	MVH-2	Sorenson	hlfpel2v.bits	X															
	MVH-3	Sorenson	hlfpel3v.bits	X															
	MVH-4	Sorenson	hlfpel4v.bits	X															
	MVH-5	Sorenson	hlfpel5v.bits	X															
	MVH-6	Sorenson	hlfpel6v.bits	X															
	MVH-7	Sorenson	hlfpel7v.bits	X															
	sp6	Hughes	vcon-sp6.bits										X						

In subclause 5.6.2, remove the following lines from Table 27:

		Siemens	sh1_ace_enc.bits											X						
		Siemens	sh1_ace_enc.bits											X						
		Siemens	sh1_ace_enc.bits												X					
	SH-2	Sony	Vcon-sh2.bits													S				
	SH-3	Sony	Vcon-sh3.bits														S			
	SH-4																			
	SH-5																			
	SH-6																			
	SH-9																			
	SH-10																			
	SH-11																			
	A1ST-6	Samsung														S	S	S	S	S
	A1WT-3	Sharp														S	S	S	S	S
Error resilience for scalable textures	A1ET-1	Sarnoff														S	S	S	S	S
	A1ET-2	Sarnoff														S	S	S	S	S
	A1ET-3	Sarnoff														S	S	S	S	S
General	A1MHQ-1	Sorenson	qtrpel1h.bits											X						
General	A1MHQ-2	Sorenson	qtrpel2h.bits											X						
General	A1MHQ-3	Sorenson	qtrpel3h.bits											X						
General	A1MHQ-4	Sorenson	qtrpel4h.bits											X						
General	A1MHQ-5	Sorenson	qtrpel5h.bits											X						
General	A1MHQ-6	Sorenson	qtrpel6h.bits											X						
General	A1MHQ-7	Sorenson	qtrpel7v.bits											X						
General	A1MVQ-1	Sorenson	qtrpel1v.bits											X						
General	A1MVQ-2	Sorenson	qtrpel2v.bits											X						
General	A1MVQ-3	Sorenson	qtrpel3v.bits											X						
General	A1MVQ-4	Sorenson	qtrpel4v.bits											X						
General	A1MVQ-5	Sorenson	qtrpel5v.bits											X						
General	A1MVQ-6	Sorenson	qtrpel6v.bits											X						
General	A1MVQ-7	Sorenson	qtrpel7v.bits											X						

Remove the descriptions of unused bitstreams.

Remove subclauses 5.5.3.1.22 to 5.5.3.1.35 "Test Bitstream #MHH-1", "Test Bitstream #MHH-2", "Test Bitstream #MHH-3", "Test Bitstream #MHH-4", "Test Bitstream #MHH-5", "Test Bitstream #MHH-6", "Test Bitstream #MHH-7", "Test Bitstream #MVH-1", "Test Bitstream #MVH-2", "Test Bitstream #MVH-3", "Test Bitstream #MVH-4", "Test Bitstream #MVH-5", "Test Bitstream #MVH-6", "Test Bitstream #MVH-7".

Remove subclauses 5.5.3.2.2 to 5.5.3.2.6 "Test Bitstream #SH-2", "Test Bitstream #SH-3", "Test Bitstream #SH-4", "Test Bitstream #SH-5", "Test Bitstream #SH-6".

Remove subclause 5.5.3.2.9 "Test Bitstream #SH-9".

Remove subclause 5.5.3.2.10 "Test Bitstream #SH-10".

Remove subclause 5.5.3.5.2 "Test bitstream #er-2".

Remove subclause 5.5.3.5.3 "Test bitstream #er-3".

Remove subclause 5.5.3.7.6 "Test bitstream #sp6".

Remove subclauses 5.6.1.1.17 to 5.6.1.1.30 "Test Bitstream #A1MHQ-1", "Test Bitstream #A1MHQ-2", "Test Bitstream #A1MHQ-3", "Test Bitstream #A1MHQ-4", "Test Bitstream #A1MHQ-5", "Test Bitstream #A1MHQ-6", "Test Bitstream #A1MHQ-7", "Test Bitstream #A1MVQ-1", "Test Bitstream #A1MVQ-2", "Test Bitstream #A1MVQ-3", "Test Bitstream #A1MVQ-4", "Test Bitstream #A1MVQ-5", "Test Bitstream #A1MVQ-6", "Test Bitstream #A1MVQ-7".

Remove subclause 5.6.1.5.6 "Test bitstream #A1ST-6".

Remove subclause 5.6.1.6.3 "Test bitstream #A1WT-3".

Remove subclauses 5.6.1.7.1 to 5.6.1.7.3 "Test bitstream #A1ET-1", "Test bitstream #A1ET-2", "Test bitstream #A1ET-3".