

INTERNATIONAL STANDARDIZED PROFILE

ISO/IEC
ISP
10608-5

First edition
1992-12-15

AMENDMENT 1
1998-07-15

Information technology — International Standardized Profile TAnnnn — Connection-mode Transport Service over Connectionless-mode Network Service —

Part 5:

TA1111/TA1121 profiles including
subnetwork-dependent requirements for X.25
packet-switched data networks using virtual
calls

AMENDMENT 1: Reference Optional Security Requirements Specific to X.25 Subnetworks — TA11n1

*Technologies de l'information — Profil normalisé international TAnnnn —
Service de transport en mode connexion sur le service de réseau en mode
sans connexion —*

*Partie 5: Profils TA1111/TA1121 avec les spécifications dépendant du
sous-réseau pour les réseaux à commutation de paquets utilisant des
circuits virtuels commutés*

*AMENDEMENT 1: Spécifications de sécurité optionnelles de référence
spécifiques aux sous-réseaux X.25 — TA11n1*



Reference number
ISO/IEC ISP 10608-5:1992/Amd.1:1998(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. In addition to developing International Standards, ISO/IEC JTC 1 has created a Special Group on Functional Standardization for the elaboration of International Standardized Profiles.

An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions.

Draft International Standardized Profiles are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

Amendment 1 to ISO/IEC ISP 10608-5:1992 was prepared with the collaboration of

- Asia-Oceania Workshop (AOW);
- European Workshop for Open Systems (EWOS);
- Open Systems Environment Implementors' Workshop (OIW).

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Information technology — International Standardized Profile TAnnnn — Connection-mode Transport Service over Connectionless-mode Network Service —

Part 5:

TA1111/TA1121 profiles including subnetwork-dependent requirements for X.25 packet-switched data networks using virtual calls

AMENDMENT 1: Reference Optional Security Requirements Specific to X.25 Subnetworks - TA11n1

Add new Clause:

6 Location of Optional Security Requirements

Additional requirements are specified in subsequent parts of ISO/IEC ISP 10608 for the provision of security services (e.g. confidentiality, integrity, authentication) with the communications services provided by profiles using X.25 subnetworks. The provision of these security requirements is optional.

Optional requirements for provision of security services in a manner that is specific to X.25 packet switched networks using virtual calls are specified in:

ISO/IEC ISP 10608-8: ¹⁾, *Information technology -- International Standardized Profile Tannn -- Connection-mode Transport service over Connectionless-mode Network Service --Part 8: Security employing the Network Layer Security Protocol*
- *Connection-mode with SDT-PDU based protection over X.25 packet switched data networks using virtual calls, for TA1111 / TA1121 profiles*

Note: An alternative set of security profile requirements, that are applicable to profiles employing any subnetwork but which potentially provides less protection (in particular, less protection against replay attacks), is specified in:

ISO/IEC ISP 10608-7: ¹⁾, *Information technology -- International Standardized Profile Tannn -- Connection-mode Transport service over Connectionless-mode Network Service --Part 7: Security employing the Network Layer Security Protocol*
- *Connectionless mode, for TAnnn profiles*

This part is referenced normatively from Part 1 of ISO/IEC ISP 10608.

¹⁾ To be published