

Annulee

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 101

WIDTH OF SHEETS OF PAPER

1st EDITION

February 1959

Being cancelled

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 101, *Width of Sheets of Paper*, was drawn up by Technical Committee ISO/TC 6, *Paper*, the Secretariat of which is held by the Association Française de Normalisation (AFNOR).

At its second plenary meeting, held in Paris, in December 1956, the Technical Committee decided to adopt, as a Draft ISO Recommendation, a draft proposal which had been prepared by its Sub-Committee SC 3, *Dimensions*.

On 6 December 1957, the Draft ISO Recommendation was distributed to all the ISO Member Bodies and was approved, subject to some editorial amendments, by the following 25 (out of a total of 40) Member Bodies:

*Belgium	India	Poland
Bulgaria	Israel	Portugal
Burma	Japan	Romania
Chile	Mexico	Sweden
Czechoslovakia	Netherlands	Switzerland
*Denmark	New Zealand	Turkey
France	Norway	*United Kingdom
Germany	Pakistan	*U.S.S.R.
Greece		

No Member Body opposed the approval of the Draft.

The Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided, in February 1959, to accept it as an ISO RECOMMENDATION.

* These Member Bodies stated that they had no objection to the Draft being approved.

WIDTH OF SHEETS OF PAPER

For international trade, the trimmed width of 210 mm is recommended for catalogues, pamphlets and periodicals, as well as for all documents for commercial, technical or administrative use, printed, typed, duplicated or in manuscript, on loose sheets, folded or otherwise, or assembled in documents.

This width should have a normal tolerance of 4 mm with deviations as follows:

upper deviation $+ 2$ mm,

lower deviation $- 2$ mm.

If a closer tolerance is required, this should be specified at the time of ordering.