
**Traditional Chinese medicine —
Controlled vocabulary on Japanese
Kampo formulas and the indication
codes for the products**

*Médecine traditionnelle chinoise - Vocabulaire contrôlé relatif aux
formules Kampo japonaises et codes d'indication des produits*

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018



STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviated terms	5
5 Conformance	6
6 Coding system	6
Annex A (informative) Controlled vocabulary of Japanese Kampo formulas	8
Bibliography	87

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

Introduction

Herbal medicines have been developed around the world by utilizing available vegetation to develop uses suitable for the physical constitution of the target population in each area.

Consequently, herbal prescriptions with the same name sometimes have different qualitative composition and quantitative composition strength in different parts of the world. In other words, there are plenty of polysemes (see ISO 1087-1) in the origin of crude drugs among some traditional medicines^[20]. The resulting confusion is further complicated by the use of similar letters^[12] in some countries.

These issues cannot be ignored in the process of standardizing contemporary terminology for medicinal products to keep with up-to-date drug information management policies, from clinical trials to post-market surveillance in the periodic safety update report (PSUR).

Furthermore, therapeutic indications are defined only for medicinal products, but not for formulas specified in some pharmacopoeias including Japan's^{[21][22]}. It is important to take this into account in international standardization though this has not yet been achieved in ISO/TC 249.

Therefore, this document describes the controlled vocabulary for formula names used in Japanese Kampo formulas with the respective indications and efficacies of each product to avoid market distortions and health hazards. The information provided in this document is expected to encourage international trade.

Formulas or traditional medicines that are not controlled by the Japanese Pharmacopoeia and the related official documents published by the Medicinal Regulatory Agency in Japan are beyond the scope of this document.

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Traditional Chinese medicine — Controlled vocabulary on Japanese Kampo formulas and the indication codes for the products

1 Scope

This document specifies the controlled vocabulary for formulas used in Japanese Kampo medicine with the therapeutic indications of each product according to the subset of IDMPs (ISO 11238, ISO 11615, ISO 11616^[10], ISO 19844^[15], ISO/TS 20443^[16], ISO/TS 20451^[17]).

This document is intended to be used by:

- traders and distributors of medicinal products in Kampo formulas and crude drugs used in Kampo medicine;
- terminologists and developers of new terminological resources concerning herbal medicines in Kampo medicine, and maintenance officers of existing terminological resources concerning Kampo medicine to enable their conformance;
- informaticians, developers, or managers of HIS, EMR, or EHR systems concerning Kampo medicine;
- officers, analysts or maintenance personnel of national health statistics, and policy proposal staff of national health policies;
- officers of WHO, and WHO statistics.

This edition of this document describes only medicinal products in accordance with the Kampo formula in Japan. Both OTC Kampo formula medicinal products and in-pharmacy formula medicinal products are omitted, although they are permitted under Japanese jurisdiction.

Topics considered out of scope of this document are:

- any medicinal products manufactured in accordance with the formula of traditional medicines that are not permitted under the Japanese jurisdiction;
- whole information models of medicinal products, pharmaceutical products and substances (see ISO 11238) because those are already specified in IDMPs;
- any categorical structure(s) of herbal medicaments (see ISO/TS 18062, ISO 17115^[13] and EN 12264^[18]).

The controlled vocabulary for formulas used in Japanese Kampo medicine is given in [Annex A](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1087-1, *Terminology work — Vocabulary — Part 1: Theory and application*

ISO 11238, *Health informatics — Identification of medicinal products — Data elements and structures for the unique identification and exchange of regulated information on substances*

ISO 11615, *Health informatics — Identification of medicinal products — Data elements and structures for the unique identification and exchange of regulated medicinal product information*

ISO/TS 18062, *Health informatics — Categorial structure for representation of herbal medicaments in terminological systems*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1087-1, ISO 11238, ISO 11615 and ISO/TS 18062 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 ingredient

material (3.8) that is used in the preparation of a *medicinal product* (3.9)/*pharmaceutical product* (3.13)

Note 1 to entry: An ingredient is a part of a *medicinal product* (3.9), either by itself or in combination with one or more ingredients. An ingredient is also a component of a *pharmaceutical product* (3.13). An ingredient is equal to a detailed description of a substance playing a role in a product.

3.2 jurisdiction

geographical area or subject matter in which the authority of the Medicines Regulatory Agency applies

3.3 legal status of supply

jurisdictional rule on whether a medicinal product requires a medical prescription before it can be supplied to a patient or consumer

3.4 manufactured item

qualitative and quantitative composition of a product as described in the packaging of the *medicinal product* (3.9)

Note 1 to entry: A medicinal product may contain one or more manufactured items.

Note 2 to entry: *Pharmaceutical product* (3.13) and manufactured item are sometimes different when manufactured item(s) are processed before administration to the patient (as the pharmaceutical product).

Note 3 to entry: The manufactured item is not in direct contact with the outer packaging except where the outer packaging also serves as the immediate container.

3.5 marketing authorization

authorization issued by a Medicines Regulatory Agency allowing a *medicinal product* (3.9) to be sold on the market

3.6 marketing authorization holder

organization that holds the authorization for marketing a *medicinal product* in a jurisdiction

3.7 marketing authorization number

identifier assigned by a Medicines Regulatory Agency to a *medicinal product* (3.9)

3.8 material

substance or a specified substance of which a certain component is made

Note 1 to entry: This applies to *medicinal products* (3.9), packaging items (container), packages (component), and devices.

3.9 medicinal product

any substance or combination of substances that may be administered to human beings (or animals) to treat or prevent disease, to make a medical diagnosis, or to restore, correct, or modify physiological functions

Note 1 to entry: A medicinal product may contain one or more manufactured items, and one or more *pharmaceutical products* (3.13).

Note 2 to entry: In certain jurisdictions, a medicinal product may also be defined as any substance or a combination of substances that may be used to make a medical diagnosis.

Note 3 to entry: [SOURCE: ENV 13607:2000, modified]

3.10 medicinal product identifier MPID

unique identifier allocated to a *medicinal product* that supplements any existing *marketing authorization number* as ascribed by a Medicines Regulatory Agency within a jurisdiction

Note 1 to entry: This identifier is for indexing purposes to contribute to improved patient safety by allowing for the unique identification of *medicinal products* worldwide.

3.11 medicinal product name

name as authorized by a Medicines Regulatory Agency

Note 1 to entry: This may either be an invented name not liable to be confused with the common name, or a common or a scientific name accompanied by a trademark or any other applicable descriptor.

3.12 medicines regulatory agency

institutional body that, according to the legal system under which it has been established, is responsible for the granting of marketing authorization for medicinal products

Note 1 to entry: In certain jurisdictions, the role of the institutional body, which grants the marketing authorization of medicinal products according to the legal system, may be complemented by an additional institutional body responsible for the evaluation and supervision of medicinal product. For example, in the EU, the European Commission is the institutional body that grants the marketing authorization of medicinal products, and the European Medicines Agency is the body responsible for the evaluation and supervision of medicinal products.

3.13 pharmaceutical product

qualitative and quantitative composition of a medicinal product in the dose form approved for administration in line with regulated product information

Note 1 to entry: A medicinal product can contain one or more pharmaceutical products.

Note 2 to entry: Pharmaceutical product and *manufactured item* (3.4) are sometimes different when manufactured item(s) are processed before administration to the patient [as the *pharmaceutical product* (3.13)].

3.14 pharmaceutical product identifier PhPID

unique identifier for a pharmaceutical product

3.15

product classification

categorization or grouping of medicinal products based on specific properties

EXAMPLE Pharmacological classification, classification by therapeutic effect.

3.16

qualitative composition

composition of all the constituents of the investigational or authorized medicinal product, if applicable, after reconstitution, and the functioning of the constituents of:

- the substance and the specified substance;
- the constituent(s) of the excipients, whatever their nature or quantity used, including colouring materials, preservatives, adjuvants, stabilizers, thickeners, emulsifiers, flavouring, and aromatic substances, etc.

3.17

quantitative composition strength

amounts of substance and specified substance constituents in the investigational or authorized medicinal product expressed in a ratio scale

Note 1 to entry: It is necessary for the quantitative composition of the substance(s) or the specified substance descriptions of the finished investigational or authorized medicinal products (depending on the pharmaceutical form concerned) to specify the mass, or the number of units of biological activity, either as a per dosage unit or as per unit of mass or volume, of each substance or specified substance.

Note 2 to entry: Substance or specified substance descriptions present in the form of compounds or derivatives are always designated quantitatively by their total mass and, if necessary or relevant, by the mass of the active entity, or entities, of the molecule.

3.18

target population

type of patients or consumers for which the indication of a *medicinal product* (3.9) is authorized

3.19

therapeutic indication

intended use of the *medicinal product* (3.9) as authorized by the Medicines Regulatory Agency in a jurisdiction

Note 1 to entry: For clinical trials, this refers to the intended use under investigation and as described in the clinical trial protocol.

3.20

Kampo

kampo medicine

traditional medicine that has been developed in Japan

Note 1 to entry: Ancient Chinese medicine was introduced to Japan. After around 1 600 years, Kampo medicine has diverged from the ancient Chinese medicine.

3.21

kampo formula

combination of *crude drugs* (3.24) used in *Kampo medicine* (3.20), that is defined or authorized by the Medicines Regulatory Agency^{[21][22][23]} and in Japan

Note 1 to entry: *Medicinal products* (3.9) made with this type of formula are supplied only when modern medical doctors order prescriptions. Cf. *legal status of supply* (3.3).

3.22**OTC kampo formula**

combination of *crude drugs* (3.24) based on *Kampo medicine* (3.20), that is defined or authorized by the Medicines Regulatory Agency^{[21][22][23]} in Japan

Note 1 to entry: *Medicinal products* (3.9) in accordance with this type of formula are supplied for the use of self-medication. Cf. *legal status of supply* (3.3).

3.23**in-pharmacy Kampo formula**

combination of crude drugs based on Kampo medicine, defined or authorized by the Medicines Regulatory Agency in Japan

Note 1 to entry: *Medicinal products* (3.9) in accordance with this type of formula are produced in pharmacies. Cf. *legal status of supply* (3.3).

3.24**crude drug**

natural medicine that is used as a component of a *Kampo formula* (3.21) defined or authorized in the Japanese Pharmacopeia and its addenda^{[21][22]}

3.25**part of interest
medicinal part**

part of a natural *material* (3.8) that is usable as source material for a *crude drug* (3.24)

EXAMPLE Seed, root, rhizome, stem, bark, leaf, bud, flower, fruit.

3.26**origin**

definition of *crude drug* (3.24) including the name of the natural *material* (3.8) and the part of interest for medicinal use

3.27**medical domain**

specific concepts *and* generic concepts of various medical systems

Note 1 to entry: Modern medicine is also a type of medical domain.

EXAMPLE Modern medicine, Ayurveda, traditional African medicine, traditional Australian (Aboriginal), traditional Canadian, Chinese or traditional Chinese (TCM), traditional Japanese (Kampo), traditional Korean, Mongolian, New Zealand (Maori), Thailand, Tibetan, or Vietnamese, and so on.

Note 2 to entry: Other country's pharmacopeia(s) or portion(s) of it may substantially indicate a certain medical domain.

3.28**batch**

specific manufacturing release of a *medicinal product* (3.9) or item by the manufacturer

4 Abbreviated terms

BAID_1 Medicinal Product Batch Identifier (outer packaging)

BAID_2 Medicinal Product Batch Identifier (immediate packaging)

5 Conformance

The Japanese jurisdiction claims the following:

- crude drugs and pharmaceutical products using the Kampo formula shall conform to the Japanese Pharmacopeia and its addenda[21][22];
- medicinal products using the Kampo formula shall conform to the Japanese Pharmacopeia and its addenda[21][22];
- the medicinal product names of Kampo formula and their expression with letters shall conform to the Japanese Pharmacopeia and its addenda[21][21].

NOTE 1 Chemical and physical identification methods for substances in Kampo medicine are described in the Japanese Pharmacopeia and its addenda[21][22]. Some examples of these methods as well as genetic data are accessible from the website of the Research Center for Medicinal Plant Resources of the National Institute of Biomedical Innovation[24].

NOTE 2 Many crude drug names[20][21][22] in traditional medicines are polysemes. Such confusion is further aggravated by the use of similar letters or scripts[3] in various countries.

NOTE 3 To avoid confusion caused by similarities in naming, the names of the Kampo formula defined by the Japanese Medicines Regulatory Authority[21][22][23] are expressed with a superscript symbol ^{JP}. Such a symbol ^{XX} has three purposes: 1) to give attention to the recognition of the different meaning, 2) to prohibit inaccurate conversion of letters, and 3) to help distinguish between homonyms and polysemes (see ISO 1087-1 and References [1][2][3] and [12]).

NOTE 4 Each medicinal product name using the Kampo formula contains names defined by the Japanese Medicines Regulatory Authority [21][22][23]. In other words, medicinal product names using the Kampo formula in the same product classification contains the name of the Kampo formula defined by the Japanese Medicines Regulatory Authority[21][22][23].

EXAMPLE 1 The symbol ^{JP} is added as superscript to the Latin name of crude drugs used in Kampo medicine in this document in order to distinguish crude drugs in Kampo medicine from those in the Chinese Materia Medica[14], 3.86. For example, the Latin name *BUPLAURI RADIX*^{JP}[21], 7.2.29, is defined as the root of *Bupleurum falcatum* Linné (Umbelliferae), but the Latin name of *Bupleuri radix* in the Chinese Materia medica[14], 3.86, is defined as the root of *Bupleurum chinense* DC. or *Bupleurum scorzoniferifolium* Willd.

EXAMPLE 2 *ANGELICAE RADIX*^{JP}, Japanese Angelica Root^{JP}, and ㊦^{JP} is defined as the root of *Angelica acutiloba* Kitagawa or *Angelica acutiloba* Kitagawa var. *sugiyamae* Hikino (Umbelliferae), usually after being passed through hot water (7.2.9 in Reference [21]). This is different from ㊦ in the Chinese Materia medica[14], 3.38, which is defined as the root of *Angelica sinensis* (Oliv.) Diels.

6 Coding system

ISO 11615 requires the description of the concepts of MPID with PhPID(s), BAID_1, and BAID_2. Those mainly focus on the following entries:

- name of the medicinal product;
- legal status of supply;
- terms of the marketing authorization;
- marketing authorization (licence) holder;
- manufacturer(s);
- authorizing Medicines Regulatory Agency;
- qualitative and quantitative compositions;
- ingredients, strength, pharmaceutical form, route of administration;

- device(s) as part of a medicinal product;
- clinical particulars, especially authorized therapeutic indication(s);
- product classification(s);
- package description;
- regulated product information and documentation.

It is explicitly or implicitly expected that the above are described with the following:

- country code^[6]^[7]^[8];
- the marketing authorization number;
- unique identification of a medicinal product and the associated PhPID(s).

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Annex A (informative)

Controlled vocabulary of Japanese Kampo formulas

A.1 Names and the specifics of Japanese Kampo formulas

This document covers only Kampo medicine. In Japan, the Medicines Regulatory Agency is the Ministry of Health, Labour, and Welfare (of Japan).

Authorized formulas and their names are defined in Japanese Pharmacopeia, its official addenda and related document[21][22]. Some formula has variation in qualitative and quantitative composition.

Qualitative and quantitative composition is simply expressed as the composition of crude drugs and their amount in weight.

The Kampo formulas consist of some crude drugs, and both of them are defined in Japanese Pharmacopeia and its official addenda[21][22]. The definitions of crude drug are not only specifying scientific names of the origins and the part of interest(s) but also laboratory tests and test methods.

The “approved number” are able to use as the marketing authorization number. The minister or the prefectural governors hold the authority to provide those numbers, and this information is also embedded in the marketing authorization number.

Authorized names of medicinal products in Kampo medicinal product are expressed in Japanese Katakana, Hiragana, Kanji letters, and English text.

No therapeutic indications are specified in Japanese Pharmacopeia and in its official addenda[21][22]. One reason is that medicinal products are manufactured with various ingredients other than active substances (ISO 1087-1, References [7] and [8]). Consequently, the characteristics of medicinal products are different from each other although they are manufactured conforming to the same formula and then they are belonging to the same product classification. Another reason is because therapeutic indications and contra-indications are immediately updated on the results of “post marketing surveillance” in Japan.

In this document, therapeutic indications are described in English text as well as ICD codes that are linked from the “medical insurance reimbursement code in Japan” used in EMR systems or HIS.

Table A.1 — Summary of fixed values for indication coding of medicinal products in Kampo in Japan

authorizing Medicines Regulatory Agency	fixed: the Ministry of Health, Labour, Welfare
with country code	fixed: Japan
name of authorized formula	
with country code	fixed: Japan
authorized qualitative and quantitative composition and its authorized variation, if existing	
marketing authorization (licence) holder	embedded in marketing authorization number. actually fixed for the medicinal product for Kampo formula, the Minister of MHLW.

Table A.1 (continued)

maybe with subdivision code	embedded in marketing authorization number. actually used for the medicinal product only for OTC Kampo formula.
marketing authorization number for medicinal product	
unique identifier of a medicinal product	substituted by marketing authorization number.
authorized name of the medicinal product	
actual composition	in conformance with qualitative and quantitative composition
manufacturer	includes VAR
with country code	
authorized therapeutic indications for medicinal product	
scope for therapeutic indications	—
country code	fixed: Japan
medical domain	fixed: modern medicine
Indication text	
Indication as “disease/symptom/procedure”	

A.2 Binding indications to each medicinal product of Japanese Kampo formula

A.2.1 Presented items, notes, and sources

The fixed value items in [Table A.1](#) are omitted, then, presented items (bold-faced), notes, and information sources are illustrated in [Table A.2](#).

Table A.2 — Presented items (bold-faced), notes, and information sources

name of authorized formula	Japanese Pharmacopeia, its addenda and related document[21][22][23].
authorized qualitative and quantitative composition and its authorized variation, if existing	Japanese Pharmacopeia, its addenda and related document[21][22][23], this item is not presented in A.2.2 .
marketing authorization number for medicinal product	package insert in each medicinal product[15][16][17]. surrogate for unique identifier of a medicinal product, this item is shown as the anonymous number in A.2.2 .
authorized name of the medicinal product	package insert in each medicinal product[15][16][17], this item is not presented in A.2.2 .
actual composition	in conformance with authorized composition, expressed as composition of crude drugs[21][22].
manufacturer	package insert in each medicinal product[15][16][17], this item is not presented in A.2.2 .
with country code	fixed: Japan

Table A.2 (continued)

authorized therapeutic indications for medicinal product	package insert in each medicinal product[15][16][17].
Indication text	package insert in each medicinal product[15][16][17].
Indications as “disease/symptom/procedure” with controlled terms/identifiers	Compendiums of Kampo medicines[25][26][27].

In the tables under A.2.2, each Kampo medicinal product is classified in the Clause of corresponding Kampo formula. Each Clause has two tables: One is for indications, and the other illustrates the composition of each Kampo medicinal product.

In the first table, the values of “Controlled identifiers” are paired: the former one is “the codes used in Hospital Information Systems in Japan” and these codes are used for reimbursement of medical insurance. The latter one is ICD-10 code that is mapped from the former code[27].

In the second table, “Product No.” is the anonymous number for the actual marketing authorization number of Kampo medicinal products regulated in the Medicinal Regulatory Agency in Japan[27]. “Indication” means the categories of the therapeutic indications. Then, the compositions of crude drugs are shown with quantity in the weight (g) if it is solid or the volume (ml) if it is liquid at room temperature in the prescription of daily dosage. The name of each crude drug is regulated in the Medicinal Regulatory Agency in Japan[21][22]. Please note better that the same names that are defined by other Medicinal Regulatory Agencies do not always designate a same crude drug[14]. Therefore, whole of the crude drugs used in Kampo medicinal products are superscripted with the symbol <JP>.

A.2.2 Japanese Kampo formulas and the indications of their medicinal products

A.2.2.1 Anchusan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients of the leptosome type whose abdominal muscles tend to relax and who have stomachache or abdominal pain sometimes accompanied by heartburn, belching, anorexia, nausea, etc.: Nervous gastritis, chronic gastritis, and gastric atony	7832001/R634, 8830562/R101, 8839710/R104, 7871001/R12, 8830990/R14, 7830003/R630, 7870012/R11, 3064021/F54, 3009007/F489, 8830417/K297, 5351003/K295, 8844662/K318, 7865013/R101, 8844737/R198
B	The following symptoms of those patients with poor circulation, nervousness, stomachache, and heartburn: Gastrointestinal disease, gastritis, hyperchlorhydria, and stomachache due to gastric ulcer	8839176/R688, 8834942/R450, 8830562/R101, 7871001/R12, 8830417/K297, 8831204/K318, 5319009/K259, 7865013/R101, 8844737/R198

Product No.	Indications	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Corydalis Tuber<JP>	Oyster Shell<JP>	Fennel<JP>	Amomum Seed<JP>	Glycyrrhiza<JP>	Alpinia Officinarum Rhizome<JP>
1	A	5,0		4,0	4,0	2,0	1,5	1,5	0,7
2	A	4,0		3,0	3,0	1,5	1,0	1,0	0,5
3	B	4,0		3,0	3,0	1,5	1,0	1,0	0,5
4	A	4,0		3,0	3,0	1,5	1,0	1,0	1,0
5	A		3,0	3,0	3,0	2,0	2,0	2,0	1,0

A.2.2.2 Bakumondoto

Indications	Indications text	Controlled identifiers
A	Coughing with a hard, obstructive sputum, bronchitis, and bronchial asthma	7869009/R093, 8831159/R093, 7862008/R05, 4900009/J40, 4939008/J459, 8844664/R098, 8830642/F453
B	The following symptoms of those patients with hard coughing accompanied by redness of face, a small amount of viscous sputum, difficulty of expectoration, occasional bloody sputum or thirst due to hot flush and sensation of foreign body in larynx: Bronchitis, bronchial asthma, and cough in chest disease	7862008/R05, 8831159/R093, 7869009/R093, 7864002/R042, 8844802/R232, 8844710/R682, 3061005/F453, 7849002/F453, 8830642/F453, 8847726/F458, 4900009/J40, 4939008/J459, 8844664/R098

Product No.	Indications	Ophiopogon Tuber<JP>	Pinellia Tuber<JP>	Brown Rice<JP>	Jujube<JP>	Ginseng<JP>	Glycyrrhiza<JP>
1	A	10,0	5,0	5,0	3,0	2,0	2,0
2	B	10,0	5,0	5,0	3,0	2,0	2,0

A.2.2.3 Bofutsushosan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with thick subcutaneous fat in the abdomen and a tendency to constipation: Accessory symptoms associated with hypertension (palpitation, shoulder stiffness, and hot flushes), obesity, swelling, and constipation	8840042/K590, 8833421/I10, 7851005/R002, 8831347/M6281, 8844802/R232, 8839404/E669, 7823024/R609
B	The following symptoms of those patients with thick subcutaneous fat, constipation, and decreased urinary output: Chronic constipation, hyperchlorhydria, kidney disease, cardiac debility, arteriosclerosis, hypertension, cerebral haemorrhage, and shoulder stiffness due to these diseases	8839404/E669, 8840042/K590, 7885005/R34, 5640018/K590, 8831204/K318, 5839010/N059, 8844106/N289, 4289018/I509, 8838263/I709, 8833421/I10, 4369009/I64, 8831347/M6281
C	The following symptoms of those patients with thick subcutaneous fat who have constipation, or pyrosis, shoulder stiffness, decreased urine volume, etc.: Obesity, hypertension, chronic constipation, hemorrhoids, chronic nephritis, and eczema	8840042/K590, 7871001/R12, 8831347/M6281, 7885005/R34, 8839404/E669, 8833421/I10, 5640018/K590, 4556002/I849, 5829003/N039, 5839010/N059, 6923002/L309

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Gardenia Fruit<JP>	Forsthia Fruit<JP>	Menthath Herb<JP>	Ginger<JP>	Fresh Ginger<JP>	Schizonepeta Spike<JP>	Saposhnikovia Root and Rhizome<JP>	Glehnia Root and Rhizome<JP>	Ephedra Herb<JP>	Rhubarb<JP>	Sodium HySulfate<JP>	Anhydrous Sodium Sulfate<JP>	Atractylodes Rhizome<JP>	Platycodon Root<JP>	Scutellaria Root<JP>	Glycyrrhiza<JP>	Gypsum<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>
1	A	1,2	1,2	1,2	1,2	1,2	1,2	0,4		1,2	1,2		1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
2	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
3	B	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5		0,7	2,0	2,0	2,0	2,0	2,0	3,0
4	A	1,2	1,2	1,2	1,2	1,2	1,2	0,4		1,2	1,2		1,2	1,5		0,75	2,0	2,0	2,0	2,0	2,0	3,0
5	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5	0,7		2,0	2,0	2,0	2,0	2,0	3,0
6	C	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2		1,2	1,2	1,5		0,75	2,0	2,0	2,0	2,0	2,0	3,0
7	A	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2	1,2		1,2	1,2	1,5		1,5	2,0	2,0	2,0	2,0	2,0	3,0
8	A	1,2	1,2	1,2	1,2	1,2	1,2		1,2	1,2			1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
9	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5		0,7	2,0	2,0	2,0	2,0	2,0	3,0

STANDARDSISO.COM · Click to view the full PDF of ISO/TR 23022:2018

A.2.2.4 Boiogito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a white-complexion who are easily fatigued and perspire profusely: Obesity (with soft muscles and a flabby constitution), arthralgia, and oedema	8839426/R53, 7808004/R619, 8839404/E669, 7194005/M2559, 7823024/R609
B	The following symptoms of those patients with a white-complexion, flabby constitution who are easily fatigued, perspire profusely and develop oedema: Arthritis, rheumatoid arthritis, obesity, and hyperhidrosis	8839426/R53, 7808004/R619, 7823024/R609, 7169005/M1399, 8842106/M0690, 8839404/E669
C	The following symptoms of those patients with a white-complexion, soft muscles, a flabby constitution who are easily fatigued, perspire profusely, do not excrete enough urine, and develop oedema in the lower limbs and swelling and pain of the knee joint: Nephritis, nephrosis, nephropathy of pregnancy, hydrocele testis, obesity, arthritis, carbuncle, furuncle, myositis, oedema, dermatosis, hyperhidrosis, and menstrual irregularity	8839426/R53, 7808004/R619, 8844729/R34, 7823024/R609, 5839010/N059, 5819004/N049, 6462001/O268, 8843650/N433, 8839404/E669, 7169005/M1399, 6809003/L029, 6809001/L029, 7280003/M6099, 8833261/N926

Product No.	Indications	Sinomenium Stem and Rhizome<JP>	Astragalus Root<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Ginger<JP>	Jujube<JP>	Glycyrrhiza<JP>
1	A	5,0	5,0	3,0		1,0	3,0	1,5
2	A	5,0	5,0		3,0	1,0	3,0	1,5
3	B	5,0	5,0	3,0		0,8	3,0	1,5
4	C	5,0	5,0		3,0	1,0	3,0	1,5

A.2.2.5 Bukuryoin

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with blocked feeling in the stomach, stomach fullness, excessive gastric fluid, nausea, vomiting, anorexia, and decreased urinary output: Gastritis, gastroptosis, gastric atony, gastric neurosis, gastric dilatation, esophageal achalasia, and dyspepsia	8844736/R198, 8830416/K318, 7870002/R11, 8830971/R11, 7830003/R630, 7885005/R34, 8830417/K297, 8830420/K318, 8844662/K318, 3064002/F453, 5351003/K295, 3009007/F489, 5368008/K318, 8844663/R198, 8834689/K30, 8844736/R198, 8844737/R198
B	The following symptoms of those patients with nausea or heartburn and decreased urine volume: Gastritis, gastric atony, and excessive fluid retention in the stomach	7870012/R11, 7871001/R12, 7885005/R34, 8830417/K297, 8844662/K318, 8844663/R198, 8844736/R198, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Ginseng<JP>	Ginger<JP>	Citrus Unshiu Peel<JP>	Immature Orange<JP>
1	A	5,0	4,0		3,0	0,8	3,0	1,5
2	B	5,0		4,0	3,0	1,0	3,0	1,5

A.2.2.6 Bukuryoingohangekobokuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, heartburn, and decreased urine volume: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, water brash, and gastritis	8844688/R454, 7849002/F453, 3061005/F453, 5309002/R198, 7851005/R002, 8841308/R42, 7870012/R11, 7871001/R12, 7885005/R34, 3000010/F411, 3064021/F54, 3009007/F489, 8830417/K297, 6430002/O210, 8844663/R198, 8844736/R198, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Atractylodes Lancea Rhizome<JP>	Ginseng<JP>	Ginger<JP>	Citrus Unshiu Peel<JP>	Immature Orange<JP>	Pinellia Tuber<JP>	Magnolia Bark<JP>	Perilla Herb<JP>
1	A	5,0	4,0	3,0	1,0	3,0	1,5	6,0	3,0	2,0

A.2.2.7 Bushirichuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with gastrointestinal weakness, a bad complexion, a face without vitality, high urine output, cold feeling in the extremities, tendency to diarrhoea, frequent nausea, dizziness, dull headache and stomachache: Chronic gastrointestinal catarrh and gastric atony	8844662/K318, 7884011/R35, 8839176/R688, 8833267/A09, 7870012/R11, 8841308/R42, 7840022/R51, 8830562/R101, 5580033/K529

Product No.	Indications	Ginseng<JP>	Processed Aconite Root<JP>	Processed Ginger<JP>	Glycyrrhiza<JP>	Atractylodes Rhizome<JP>
1	A	3,0	1,0	3,0	3,0	3,0
2	A	3,0	1,0	3,0	3,0	3,0

A.2.2.8 Byakkokaninjinto

Indications	Indications text	Controlled identifiers
A	Thirst and hot flushes	8833352/R631, 8844828/R232
B	The following symptoms of those patients with frequent thirst for water or excessive hot feeling: Early diabetes mellitus, sun stroke, and febrile disease	8833352/R631, 8844828/R232, 2500013/E14, 8844730/T678, 7806011/R509

Product No.	Indications	Anemarrhena Rhizome<JP>	Gypsum<JP>	Glycyrrhiza<JP>	Brown Rice<JP>	Ginseng<JP>
1	B	5,0	15,0	2,0	8,0	3,0
2	A	5,0	15,0	2,0	8,0	1,5
3	A	5,0	15,0	2,0	8,0	3,0

A.2.2.9 Chikujountanto

Indications	Indications text	Controlled identifiers
A	Patients with persisting fever during the convalescent phase of influenza, common cold, pneumonia, etc. or those who do not feel refreshed after the temperature has returned to normal and cannot have a good sleep with frequent coughing or expectoration	4871001/J111, 4609023/J00, 4860030/J189, 7806011/R509, 3000010/F411, 7862008/R05, 8831159/R093, 8839792/G470, 8844695/R198

Product No.	Indications	Bupleurum Root<JP>	Bambooculm<JP>	Poria Sclerotium<JP>	Ophiopogon Tuber<JP>	Citrus Unshiu Peel<JP>	Immature Orange<JP>	Coptis Rhizome<JP>	Glycyrrhiza<JP>	Pinellia Tuber<JP>	Cyperus Rhizome<JP>	Ginger<JP>	Platycodon Root<JP>	Ginseng<JP>
1	A	3,0	3,0	3,0	3,0	2,0	2,0	1,0	1,0	5,0	2,0	1,0	2,0	1,0

A.2.2.10 Choijokito

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590

Product No.	Indications	Rhubarb<JP>	Anhydrous Sodium Sulfate <JP>	Glycyrrhiza<JP>
1	A	2,0	0,5	1,0

A.2.2.11 Choreito

Indications	Indications text	Controlled identifiers
A	The relief of decreased urine volume, difficulty in micturition, and micturition pain or feeling of residual urine	7885005/R34, 7881001/R391, 7880004/R309, 7886003/R398
B	The following symptoms of those patients with thirst, painful micturition, dysuria, red urine or blood in urine, oedema of lower back or legs: Nephritis, nephrosis, bladder catarrh, urethritis, and dysuria due to renal/bladder calculus	8833352/R631, 7880004/R309, 7881001/R391, 5997009/R31, 8833170/R31, 7823024/R609, 5839010/N059, 5819004/N049, 5959015/N309, 5978015/N342, 8835588/N200, 8840130/N210
C	Cystitis, especially of acute cystitis, nephritis, dry mouth due to renal calculus or urethritis, increased urinary frequency, and micturition pain	5959015/N309, 5950005/N300, 5839010/N059, 8835588/N200, 5978015/N342, 8833352/R631, 8839433/R35, 7880004/R309
D	The following symptoms of those patients who complain of decreased urine volume, dysuria, and oral dryness: Urethritis, nephritis, renal calculus, blennorrhagic inflammation, micturition pain, hematuria, oedema of the lower part of the body from the waist down, feeling of residual urine, and diarrhoea	7885005/R34, 7881001/R391, 8833352/R631, 5978015/N342, 5839010/N059, 8835588/N200, 980013/A549, 7880004/R309, 8833170/R31, 7823024/R609, 7886003/R398, 8833267/A09

Product No.	Indications	Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>	Alisma Tuber<JP>	Donkey Glue<JP>	Gelatin<JP>
1	A	3,0	3,0	3,0	3,0	3,0	
2	B	3,0	3,0	3,0	3,0		3,0
3	A	3,0	3,0	3,0	3,0		3,0
4	C	3,0	3,0	3,0	3,0		3,0
5	D	3,0	3,0	3,0	3,0	3,0	

A.2.2.12 Choreitogoshimotsuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have dry skin and a constitution with an unhealthy complexion without any gastrointestinal disorder: Difficulty in micturition, micturition pain, feeling of residual urine, and frequent urination	7881001/R391, 7880004/R309, 7886003/R398, 8839433/R35

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Rehmannia Root<JP>	Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>	Alisma Tuber<JP>	Donkey Glue<JP>
1	A	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0

A.2.2.13 Chotosan

Indications	Indications Text	Controlled identifiers
A	Chronic headache with hypertension in those middle-aged or elderly	7840016/R51, 7840024/R51, 8833421/I10

Product No.	Indications	Uncaria Hook<JP>	Citrus Unshiu Peel<JP>	Pinellia Tuber<JP>	Ophiopogon Tuber<JP>	Poria Sclerotium<JP>	Ginseng<JP>	Saposhnikovia Root and Rhizome<JP>	Chrysanthemum Flower<JP>	Glycyrrhiza<JP>	Ginger<JP>	Gypsum<JP>
1	A	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	1,0	1,0	3,0
2	A	3,0	3,0	3,0	3,0	3,0	2,0	2,0	2,0	1,0	1,0	5,0

A.2.2.14 Choyoto

Indications	Indications text	Controlled identifiers
A	Acute or chronic pain in the caecum or menstrual pain	8832414/R520, 8847821/R522, 8831434/R103, 6252001/N946

Product No.	Indications	Coix Seed<JP>	Benincasa Seed<JP>	Peach Kernel<JP>	Moutan Bark<JP>
1	A	9,0	6,0	5,0	4,0

A.2.2.15 Daibofuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have swollen, painful, paralyzed, and stiff joints that are hard to bend or stretch: Articular rheumatism of the lower limbs, chronic arthritis, and gout	8838060/R529, 7820002/R208, 7185002/M2469, 8832803/M2589, 8842106/M0690, 8840315/M1399, 2749004/M1099

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Product No.	Indications	Rehman-nia Root<JP>	Peony Root<JP>	Glycyrrhiza<JP>	Saposh-nikovia Root and Rhi-zome<JP>	Gleh-nia Root and Rhi-zome<JP>	Atrac-ty-lodes Rhi-zome<JP>	Atrac-ty-lodes Lancea Rhi-zome<JP>	Pro-cessed Aco-nite Root<JP>	Pow-dered Pro-cessed Aco-nite Root<JP>	Eu-com-mia Bark<JP>	Notop-terygi-um<JP>	Cnid-ium Rhi-zome<JP>	Japa-nese An-gelica Root<JP>	Achy-ran-thes Root<JP>	Gin-ger<JP>	Pro-cessed Gin-ger<JP>	Astra-galus Root<JP>	Gin-seng<JP>	Ju-jube<JP>
1	A	3,0	3,0	1,5	3,0	3,0	3,0		0,5		3,0	1,5	2,0	3,0	1,5	0,5		3,0	1,5	1,5
2	A	3,0	3,0	1,5	3,0		3,0			1,0	3,0	1,5	2,0	3,0	1,5		1,0	3,0	1,5	1,5

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

A.2.2.16 Daijokito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have constipation associated with hardness of and a blocked feeling in the abdomen or those patients who have constipation predisposed to obesity: Chronic constipation, acute constipation, hypertension, neurosis, and food poisoning	7893014/R14, 8840042/K590, 8839404/E669, 5640018/K590, 8833421/I10, 3009007/F489, 59003/T629

Product No.	Indications	Immature Orange<JP>	Magnolia Bark<JP>	Rhubarb<JP>	Anhydrous Sodium Sulfate<JP>
1	A	2,0	5,0	2,0	0,9
2	A	3,0	5,0	2,0	1,3

A.2.2.17 Daikenchuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with relaxation in the intestinal walls and gastrointestinal tract, abdominal cold feeling, vomiting, abdominal distension, increased bowel peristalsis, and severe abdominal pain: Gastroparesis, gastric atony, atonic diarrhoea, atonic constipation, chronic peritonitis, and abdominal pain	8839176/R688, 8830971/R11, 7893014/R14, 7874002/R192, 8839710/R104, 8830420/K318, 8844662/K318, 8833267/A09, 8840042/K590, 5678003/K658
B	Abdominal cold feeling and pain accompanied by abdominal flatulence	8839176/R688, 8833267/A09, 8839710/R104, 7893014/R14

Product No.	Indications	Zanthoxylum Fruit<JP>	Ginseng<JP>	Processed Ginger<JP>	Koi<JP>
1	A	2,0	3,0	5,0	20,0
2	B	2,0	3,0	5,0	10,0

A.2.2.18 Daiobotanpito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a comparatively strong constitution and lower abdominal pain who are likely to have constipation: Menstrual irregularity, dysmenorrhea, constipation, and hemorrhoid	8831434/R103, 8840042/K590, 8833261/N926, 8833259/N946, 4556002/I849, 8844666/R688, 8844727/R198
B	The following symptoms of those patients with caecal tenderness and fecal impaction, hard feces, red-purple or dark red skin, and tendency to congestion or bleeding: Chronic constipation, arteriosclerosis, various disorders due to menstrual irregularity, climacteric disturbance, eczema, urticaria, acne, skin boils, and bladder catarrh	7890025/R529, 4590002/R58, 5640018/K590, 8838263/I709, 8833261/N926, 6272001/N951, 6923002/L309, 8841304/L509, 7061017/L700, 6809001/L029, 5959015/N309, 8844666/R688, 8844727/R198

Product No.	Indications	Rhubarb<JP>	Moutan Bark<JP>	Peach Kernel<JP>	Anhydrous Sodium Sulfate<JP>	Sodium Sulfate Hydrate<JP>	Benincasa Seed<JP>
1	B	2,0	4,0	4,0	1,8		6,0
2	A	2,0	4,0	4,0		4,0	6,0
3	A	2,0	4,0	4,0	1,8		6,0

A.2.2.19 Daiokanzoto

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590

Product No.	Indications	Rhubarb<JP>	Glycyrrhiza<JP>
1	A	4,0	1,0
2	A	4,0	2,0

A.2.2.20 Daisaikoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with solid and comparatively strong constitution who are likely to have constipation: Gastritis, chronic constipation, symptoms associated with hypertension (shoulder stiffness, headache, and constipation), shoulder stiffness, and obesity	8840042/K590, 8839404/E669, 8833421/I10, 8831347/M6281, 7840024/R51, 5640018/K590, 8830417/K297, 8844733/R198, 8844695/R198, 8844665/R509
B	The following symptoms of those patients with sensation of liver pressure or epigastric tenderness, pain or pressure in the chest or flank, constipation or diarrhoea accompanied by tinnitus, shoulder stiffness, fatigue, and decreased appetite: Hypertension, arteriosclerosis, chronic constipation, obesity, jaundice, cholelithiasis, cholecystitis, gastrointestinal disease, bronchial asthma, insomnia, neurasthenia, impotence, hemorrhoids, and hemiplegia	8838060/R529, 8844733/R198, 8844695/R198, 8840042/K590, 8833267/A09, 8835241/H931, 8831347/M6281, 8839426/R53, 7830003/R630, 8833421/I10, 8838263/I709, 5640018/K590, 8839404/E669, 7824001/R17, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 4939008/J459, 8839792/G470, 8834946/F480, 3027006/F522, 4556002/I849, 3429014/G819, 8844665/R509
C	The following symptoms of those patients who have pressure or pain in the chest or flank, epigastric tenderness and discomfort, and constipation. Or those patients with diarrhoea, tinnitus, anorexia and fatigue, etc.: Cholecystitis, cholelithiasis, jaundice, gastrointestinal catarrh, arteriosclerosis, hypertension, cerebral haemorrhage, hemiplegia, obesity, asthma, neurasthenia, insomnia, chronic constipation, hemorrhoids, and intercostal neuralgia	8838060/R529, 8844733/R198, 8844695/R198, 8840042/K590, 8833267/A09, 8835241/H931, 7830003/R630, 8839426/R53, 8837151/K819, 8837169/K802, 8837184/K805, 8837094/K805, 7824001/R17, 91002/A09, 8838263/I709, 8833421/I10, 4369009/I64, 3429014/G819, 8839404/E669, 4939008/J459, 8834946/F480, 8839792/G470, 5640018/K590, 4556002/I849, 3548017/G580, 8844665/R509
D	The following symptoms of those patients with comparatively strong constitution having a tendency to constipation, right upper abdominal tenderness accompanied by fullness and discomfort, tinnitus, shoulder stiffness, etc.: Cholelithiasis, cholecystitis, jaundice, hepatic dysfunction, hypertension, cerebral haemorrhage, urticaria, hyperchylia, acute gastrointestinal catarrh, nausea, vomiting, anorexia, hemorrhoid, diabetes mellitus, neurosis, and insomnia	8840042/K590, 8844733/R198, 8844695/R198, 8835241/H931, 8831347/M6281, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 7824001/R17, 5738002/K769, 8833421/I10, 4369009/I64, 8841304/L509, 8831204/K318, 91009/A09, 7870002/R11, 8830971/R11, 7830003/R630, 4556002/I849, 2500013/E14, 3009007/F489, 8839792/G470, 8844665/R509

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Fresh Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Ju-jube<JP>	Immature Orange<JP>	Rhubarb<JP>
1	A	6,0	4,0	1,5		3,0	3,0	3,0	2,0	2,0
2	A	6,0	4,0	1,0		3,0	3,0	3,0	2,0	1,0
3	A	6,0	3,0	1,0		3,0	3,0	3,0	2,0	1,0
4	B	6,0	4,0	1,0		3,0	3,0	3,0	2,0	2,0

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Fresh Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Jujube<JP>	Immature Orange<JP>	Rhubarb<JP>
5	C	6,0	4,0	2,0		3,0	3,0	3,0	2,0	1,0
6	A	6,0	4,0	2,0		3,0	3,0	3,0	2,0	1,0
7	A	6,0	3,0		4,0	3,0	3,0	3,0	2,0	1,0
8	D	6,0	4,0	1,0		3,0	3,0	3,0	2,0	1,0

A.2.2.21 Daisaikotokyodaio

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have pressure or pain in the chest or flank, diarrhoea, shoulder stiffness and anorexia, etc.: Hepatitis, cholecystitis, cholelithiasis, gastrointestinal catarrh, insomnia, intercostal neuralgia, arteriosclerosis, and hypertention	8844695/R198, 8833267/A09, 8831347/M6281, 7830003/R630, 5733005/K759, 8837151/K819, 8837169/K802, 8837184/K805, 8837094/K805, 91002/A09, 8839792/G470, 3548017/G580, 8838263/I709, 8833421/I10
B	The following symptoms of those patients with epigastric tenderness and pain or pressure in the chest or flank sometimes accompanied by tinnitus, shoulder stiffness, fatigue, and decreased appetite without constipation: Hypertension, arteriosclerosis, gastrointestinal disease, bronchial asthma, jaundice, cholelithiasis, cholecystitis, insomnia, neurasthenia, impotence, pleurisy, hemorrhoids, and hemiplegia	8844695/R198, 8835241/H931, 8831347/M6281, 8839426/R53, 7830003/R630, 8833421/I10, 8838263/I709, 4939008/J459, 7824001/R17, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 8839792/G470, 8834946/F480, 3027006/F522, 5110003/R091, 4556002/I849, 3429014/G819

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Jujube<JP>	Immature Orange<JP>
1	B	6,0	4,0	1,0	3,0	3,0	3,0	2,0
2	A	6,0	4,0	2,0	3,0	3,0	3,0	2,0

A.2.2.22 Eppikajutsuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with oedema and decreased urinary output: Oedema in the early phase of nephritis and nephrosis, oedema in beriberi, gonarthrosis, articular rheumatism, acute conjunctivitis, phlyctenular keratoconjunctivitis, pterygium, and eczema	7823024/R609, 7885005/R34, 5839010/N059, 5819004/N049, 8831376/E511, 7153018/M179, 8842106/M0690, 3720008/H103, 3703004/H162, 3724001/H110, 6923002/L309
B	The following symptoms of those patients with thirst, severe oedema or blisters, decreased urinary output or pollakiuria or excessive secretion: Nephritis, nephrosis, eczema, and beriberi	8833352/R631, 8835713/L139, 7823024/R609, 7885005/R34, 8839433/R35, 5839010/N059, 5819004/N049, 6923002/L309, 8831376/E511
C	The following symptoms of those patients with oedema, diaphoresis, and difficulty in micturition: Nephritis, nephrosis, beriberi, articular rheumatism, nocturnal enuresis, and eczema	7823024/R609, 7808004/R619, 8844729/R34, 5839010/N059, 5819004/N049, 8831376/E511, 8842106/M0690, 3076004/F980, 6923002/L309

Product No.	Indications	Glycyrrhiza<JP>	Ginger<JP>	Gypsum<JP>	Atractylodes Lancea Rhizome<JP>	Jujube<JP>	Ephedra Herb<JP>
1	A	2,0	1,0	8,0	4,0	3,0	6,0
2	B	2,0	0,8	8,0	4,0	3,0	6,0
3	C	2,0	1,0	8,0	4,0	3,0	6,0

A.2.2.23 Gokoto

Indications	Indications text	Controlled identifiers
A	Cough and bronchial asthma	7862008/R05, 4939008/J459

Product No.	Indications	Ephedra Herb<JP>	Apricot Kernel<JP>	Glycyrrhiza<JP>	Gypsum<JP>	Mulberry Bark<JP>
1	A	4,0	4,0	2,0	10,0	3,0

A.2.2.24 Goreisan

Indications	Indications text	Controlled identifiers
A-1	The following symptoms of those patients with thirst and decreased urine volume who have nausea or vomiting or stomachache or headache or swelling, etc.: Watery diarrhoea, acute gastroenteritis (do not use for tenesmus alvi), heat exhaustion, headache, and oedema	8833352/R631, 7885005/R34, 7870012/R11, 8830971/R11, 8839710/R104, 7840024/R51, 7823024/R609, 8833267/A09, 91009/A09, 8844730/T678, 8844737/R198, 8844663/R198, 8844754/R688
A-2	The following symptoms of those patients with thirst and decreased urine volume who have nausea or vomiting or stomachache or headache or swelling, etc.: Watery diarrhoea, acute gastroenteritis (do not use for tenesmus alvi), heat exhaustion, dull headache, and oedema	8833352/R631, 7885005/R34, 7870012/R11, 8830971/R11, 8839710/R104, 7840024/R51, 7823024/R609, 8833267/A09, 91009/A09, 8844730/T678, 8844737/R198, 8844663/R198, 8844754/R688
B	The following symptoms of those patients with thirst and decreased urinary output although drinking water accompanied by headache, heaviness of head, sweating in the head, nausea, vomiting or oedema: Acute gastrointestinal catarrh, diarrhoea in children and infants, hangover, sun stroke, jaundice, nephritis, nephrosis, and bladder catarrh	8833352/R631, 7885005/R34, 7840024/R51, 7840022/R51, 7870002/R11, 8830971/R11, 7823024/R609, 91009/A09, 8833267/A09, 3050006/F100, 8844730/T678, 7824001/R17, 5839010/N059, 5819004/N049, 5959015/N309, 8844737/R198, 8844663/R198, 8844754/R688
C	The following symptoms of those patients with dry mouth, dizziness, headache and oedema, etc.: Acute gastrointestinal catarrh, nausea, and nephrosis	8833352/R631, 8841308/R42, 7840024/R51, 7823024/R609, 91009/A09, 7870012/R11, 5819004/N049, 8844737/R198, 8844663/R198, 8844754/R688
D	The following symptoms of those patients with oral dryness and decreased urine volume: Oedema, nephrosis, alcoholic hangover, acute gastrointestinal catarrh, diarrhoea, nausea, vomiting, dizziness, water retention in the stomach, headache, uremia, heatstroke, and diabetes mellitus	8833352/R631, 7885005/R34, 7823024/R609, 5819004/N049, 3050006/F100, 91009/A09, 8833267/A09, 7870002/R11, 8830971/R11, 8841308/R42, 8844663/R198, 7840024/R51, 5859001/N19, 8844730/T678, 2500013/E14, 8844737/R198, 8844754/R688

Product No.	Indications	Alisma Tuber<JP>	Powdered Alisma Tuber<JP>	Polyporus Sclerotium<JP>	Powdered Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Powdered Poria Sclerotium<JP>	Atractylodes Lancea Rhizome<JP>	Powdered Atractylodes Lancea Rhizome<JP>	Atractylodes Rhizome<JP>	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Powdered Cinnamon Bark<JP>
1	A-1		0,8		0,6		0,6		0,6				0,4
2	A-1	6,0		4,5		4,5		4,5			3,0		
3	A-2	6,0		4,5		4,5				4,5	3,0		
4	B	6,0		4,5		4,5				4,5	2,5		
5	A-1	5,0		3,0		3,0				3,0	2,0		
6	C	6,0		4,5		4,5				4,5	3,0		
7	A-1	6,0		4,5		4,5				4,5	3,0		
8	A-1	5,0		3,0		3,0				3,0		2,0	
9	D	4,0		3,0		3,0		3,0			1,5		

A.2.2.25 Gorinsan

Indications	Indications text	Controlled identifiers
A	Frequent urination, micturition pain, and feeling of residual urine	8839433/R35, 7880004/R309, 7886003/R398

Product No.	Indications	Poria Sclerotium<JP>	Japanese Angelica Root<JP>	Scutellaria Root<JP>	Glycyrrhiza<JP>	Peony Root<JP>	Gardenia Fruit<JP>	Rehmannia Root<JP>	Alisma Tuber<JP>	Akebia Stem<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>	Plantago Seed<JP>
1	A	6,0	3,0	3,0	3,0	2,0	2,0					
2	A	6,0	3,0	3,0	3,0	2,0	2,0	3,0	3,0	3,0	3,0	3,0

A.2.2.26 Goshajinkigan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with decreased urine volume or polyuria sometimes having dry mouth who are easily fatigued and easily feel cold in the extremities: Leg pain, low back pain, numbness, blurred vision in old patients, pruritus, dysuria, frequent urination and oedema	8839426/R53, 8839176/R688, 7885005/R34, 7884011/R35, 8833352/R631, 7295003/M7969, 8840829/M5456, 7820002/R208, 3699002/H547, 8841305/L299, 7881001/R391, 8839433/R35, 7823024/R609, 8844728/R198, 8844726/R198

Product No.	Indications	Rehmannia Root<JP>	Cornus Fruit<JP>	Dioscorea Rhizome<JP>	Alisma Tuber<JP>	Poria Sclerotium<JP>	Moutan Bark<JP>	Cinnamon Bark<JP>	Powdered Processed Aconite Root<JP>	Achyranthes Root<JP>	Plantago Seed<JP>
1	A	5,0	3,0	3,0	3,0	3,0	3,0	1,0	1,0	3,0	3,0

A.2.2.27 Goshakusan

Indications	Indications text	Controlled identifiers
A	The following symptoms that take a chronic course without severe symptoms: Gastroenteritis, low back pain, neuralgia, arthralgia, painful menses, headache, oversensitivity to cold, climacteric disturbance, and common cold	91005/A09, 8840829/M5456, 8834958/M7929, 7194005/M2559, 6252001/N946, 7840024/R51, 8839176/R688, 6272001/N951, 4609023/J00
B	The following symptoms of those patients with poor circulation, fatigability, and weak stomach: Gastritis, gastric atony, gastroptosis, lower back pain, sciatica, rheumatism, gynaecological disorder, and beriberi	8839176/R688, 8839426/R53, 8844662/K318, 8830417/K297, 8830420/K318, 8840829/M5456, 7243008/M5438, 8842106/M0690, 8831376/E511

Product No.	Indications	Poria Sclerotium JP>	Atractylodes Lancea Rhi-zome JP>	Atractylodes Rhi-zome JP>	Citrus Unshiu Peel JP>	Pinellia Turber JP>	Japanese Angelica Root JP>	Peony Root JP>	Cnidium Rhizome JP>	Magnolia Bark JP>	Angelesica Dahurica Root JP>	Orange Fruit JP>	Immature Orange JP>	Platycodon Root JP>	Processed Ginger JP>	Ginger JP>	Cinnamon Bark JP>	Ephe-dra Herb b JP>	Ju-jube JP>	Gly-cyrrhiza JP>	
1	B	2,0	2,0	2,0	2,0	2,0	2,0	1,0	1,0	1,0	1,0	1,0		1,0	1,0	0,3	1,0	1,0	1,0	1,0	1,0
2	A	2,0		3,0	2,0	2,0	2,0	1,0	1,0	1,0	1,0		1,0	1,0	1,0	0,3	1,0	1,0	1,0	1,0	1,0
3	A	2,0	3,0		2,0	2,0	2,0	1,0	1,0	1,0	1,0		1,0	1,0		1,0	1,0	1,0	1,0	1,0	1,0

A.2.2.28 Goshuyuto

Indications	Indications text	Controlled identifiers
A-1	The following symptoms of those patients with distended stomach pit who have cold hands and feet: Headache, nausea accompanying headache, and hiccup	8839176/R688, 7840024/R51, 7870012/R11, 7868001/R066, 8844737/R198, 8844736/R198
A-2	The following symptoms of those patients with distended stomach pit who have cold hands and feet: Nausea accompanying headache, and hiccup	8839176/R688, 7840024/R51, 7870012/R11, 7868001/R066, 8844737/R198, 8844736/R198
B	The following symptoms of those patients with poor circulation accompanied by headache and feeling of pressure and heaviness in the stomach accompanied by nausea or vomiting: Hiccups, migraine, paroxymal headache, and vomiting	7840024/R51, 8839176/R688, 8844736/R198, 7870002/R11, 8830971/R11, 7868001/R066, 3469004/G439, 7840028/R51, 8844737/R198, 8844736/R198
C	The following symptoms of those patients with a moderately or less strong constitution who easily have cold hands and feet: Habitual migraine, habitual headache, vomiting, and cardiac beriberi	8839176/R688, 3469004/G439, 7840024/R51, 7840016/R51, 8830971/R11, 2650004/E511, 8844737/R198, 8844736/R198

Product No.	Indications	Euodia Fruit<JP>	Jujube<JP>	Ginseng<JP>	Ginger<JP>
1	A-1	4,0	3,0	3,0	1,5
2	B	3,0	4,0	2,0	1,0
3	A-2	3,0	4,0	2,0	1,5
4	C	3,0	4,0	2,0	1,5

A.2.2.29 Hachimijogan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with decreased urine volume or polyuria sometimes having dry mouth who are easily fatigued and easily feel cold in the extremities: Leg pain, low back pain, numbness, blurred vision in old patients, pruritus, dysuria, frequent urination, and oedema	8839426/R53, 8839176/R688, 7885005/R34, 7884011/R35, 8833352/R631, 7295003/M7969, 8840829/M5456, 7820002/R208, 3699002/H547, 8841305/L299, 7881001/R391, 8839433/R35, 7823024/R609, 8844728/R198, 8844726/R198
B	The following symptoms of those patients with severe fatigue or malaise, alternative cold and hot feeling in the extremities, low back pain, thirst, increased urinary frequency, decreased urinary output and feeling of residual urine or increased urinary output, especially nocturnal polyuria: Thirst due to increased blood sugar, diabetes mellitus, arteriosclerosis, chronic nephritis, nephrosis, renal atrophy, bladder catarrh, oedema, impotence, sciatica, postpartum beriberi, climacteric disturbance, senile eczema, and hypotension	8836510/R53, 8839176/R688, 8844828/R232, 8840829/M5456, 8833352/R631, 8839433/R35, 7885005/R34, 7886003/R398, 7884009/R35, 2500013/E14, 8838263/I709, 5829003/N039, 5839010/N059, 5819004/N049, 5870001/N26, 5959015/N309, 7823024/R609, 3027006/F522, 7243008/M5438, 884070/O992, 6272001/N951, 6923002/L309, 8837873/I959, 8844728/R198, 8844726/R198
C	The following symptoms of those patients who have soft and weak abdomen, coldness and pain in the low back, decreased urinary output or increased urinary frequency, hot feeling in the body or the extremities: Chronic nephritis, diabetes mellitus, oedema, oedema with beriberi, cystorrhoea, low back pain, frozen shoulder, and shoulder stiffness	8839176/R688, 8840829/M5456, 7885005/R34, 8839433/R35, 8844828/R232, 5829003/N039, 5839010/N059, 2500013/E14, 7823024/R609, 8831376/E511, 5959015/N309, 7262008/M750, 8831347/M6281, 8844728/R198, 8844726/R198
D	The following symptoms of those patients with severe fatigue or malaise, decreased urinary output or increased urinary frequency, dry mouth, and alternate cold and hot feeling in the extremities: Nephritis, diabetes mellitus, impotence, sciatica, low back pain, beriberi, cystorrhoea, prostatic hypertrophy, and hypertension	8839426/R53, 7807010/R53, 7885005/R34, 8839433/R35, 8833352/R631, 8839176/R688, 8844828/R232, 5839010/N059, 2500013/E14, 3027006/F522, 7243008/M5438, 8840829/M5456, 8831376/E511, 5959015/N309, 8836591/N40, 8833421/I10, 8844728/R198, 8844726/R198

Product No.	Indications	Rehmannia Root<JP>	Cornus Fruit<JP>	Dioscorea Rhizome<JP>	Alisma Tuberosity<JP>	Poria Sclerotium<JP>	Moutan Bark<JP>	Cinnamon Bark<JP>	Processed Aconite Root<JP>	Powdered Processed Aconite Root<JP>	Powdered Processed Aconite Root 2<JP>
1	A	5,0	3,0	3,0	3,0	3,0	3,0	1,0		1,0	
2	B	5,0	3,0	3,0	3,0	3,0	3,0	1,0			1,0
3	C	5,0	3,0	3,0	3,0	3,0	3,0	1,0	1,0		
4	D	6,0	3,0	3,0	3,0	3,0	2,5	1,0		0,5	
5	A	8,0	4,0	4,0	3,0	3,0	3,0	1,0			1,0

A.2.2.30 Hainosankyuto

Indications	Indications text	Controlled identifiers
A	The symptoms of purulence with a reddened, swollen, and painful lesion, carbuncle, furuncle, facial furuncle, and other furunculosis	8840097/R21, 8838060/R529, 6809003/L029, 6809001/L029, 6800005/L020, 6809002/L029

Product No.	Indications	Platycodon Root<JP>	Glycyrrhiza<JP>	Jujube<JP>	Peony Root<JP>	Ginger<JP>	Immature Orange<JP>
1	A	4,0	3,0	3,0	3,0	0,5	2,0
2	A	4,0	3,0	3,0	3,0	1,0	3,0

A.2.2.31 Hangebyakujutsutemmato

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with chronic poor digestion, cold lower limbs, occasional headache, and dizziness with vomiting when severe: or patients with languid extremities and lethargy after meals, and frequent substernal splashing sound: Gastric atony, gastropnoxis, gastric neurosis, and hypotension	8844662/K318, 8839176/R688, 7840024/R51, 8841308/R42, 8830971/R11, 8839426/R53, 8839207/F511, 8844737/R198, 8830420/K318, 3064002/F453, 5351003/K295, 3009007/F489, 8837873/1959, 8844663/R198
B	Cold lower limbs, dizziness, and headache in patients with a weak gastrointestinal tract	8844662/K318, 8839176/R688, 8841308/R42, 7840024/R51, 8844663/R198, 8844737/R198
C	The following symptoms of those patients with poor circulation and atonic constitution, fatigability, headache, heaviness of head, dizziness, shoulder stiffness sometimes accompanied by nausea and vomiting: Gastric atony, weak stomach, headache and dizziness due to hypotension	8839176/R688, 8839426/R53, 7840024/R51, 7840022/R51, 8841308/R42, 8831347/M6281, 7870002/R11, 8830971/R11, 8844662/K318, 8837873/1959, 8844663/R198, 8844737/R198

Product No.	Indications	Pinellia Tuber<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Citrus Unshiu Peel<JP>	Poria Sclerotium<JP>	Malt<JP>	Gastrodia Tuber<JP>	Ginger<JP>	Shinkiku<JP>	Astragalus Root<JP>	Ginseng<JP>	Alisma Tuber<JP>	Phellodendron Bark<JP>	Processed Ginger<JP>
1	C	3,0	3,0	3,0	3,0	3,0	2,0	2,0	0,5	2,0	1,5	1,5	1,5	1,0	1,0
2	B	3,0	3,0	3,0	3,0	3,0	2,0	2,0	0,65		1,5	1,5	1,5	1,0	
3	A	3,0	3,0		3,0	3,0	2,0	2,0	0,5	2,0	1,5	1,5	1,5	1,0	1,0
4	B	3,0	3,0		3,0	3,0	2,0	2,0	0,5		1,5	1,5	1,5	1,0	1,0

A.2.2.32 Hangekobokuto

Indications	Indications text	Controlled identifiers
A-1	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing and hoarseness	8844688/R454, 3061005/F453, 5309002/R198, 8830642/F453, 8847726/F458, 7851005/R002, 8841308/R42, 7870012/R11, 3000010/F411, 3064021/F54, 3009007/F489, 8830417/K297, 6430002/O210, 7862008/R05, 7844016/R490
A-2	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, gastrointestinal neurosis, hyperemesis gravidarum, coughing and hoarseness	8844688/R454, 3061005/F453, 5309002/R198, 8830642/F453, 8847726/F458, 7851005/R002, 8841308/R42, 7870012/R11, 3000010/F411, 3064021/F54, 3009007/F489, 8830417/K297, 6430002/O210, 7862008/R05, 7844016/R490
B	The following symptoms of those patients with mental dysequilibrium, blocked feeling from the throat to chest, and feeling of fullness in the stomach sometimes accompanied by usually weak digestive function, nausea, and vomiting: Bronchitis, hoarseness, paroxysmal cough, bronchial asthma, neurotic esophageal stenosis, weak stomach, cardiac asthma, neurosis, neurasthenia, phobia, insomnia, morning sickness, other vomiting syndrome, climacteric neurosis, oedema, and neurologic headache	8839596/F419, 8844688/R454, 7849002/F453, 8830642/F453, 8847726/F458, 8844738/R198, 7870002/R11, 8830971/R11, 4900009/J40, 7844016/R490, 7862008/R05, 4939008/J459, 3064025/F453, 8844662/K318, 4281005/I501, 3009007/F489, 8834946/F480, 8832574/F409, 8839792/G470, 6430002/O210, 8844717/N951, 6272001/N951, 7823024/R609, 7840024/R51
C	The following symptoms of those patients who have anxiety, blocked feeling from the throat to chest, epigastric discomfort, insomnia, phobia, anorexia, coughing, etc.: Bronchial asthma, bronchitis, pertussis, hyperemesis gravidarum, hoarseness, gastric neurosis, climacteric neurosis, nervous pharyngalgia, and neurosis	8839596/F419, 8844688/R454, 7849002/F453, 8830642/F453, 8847726/F458, 8844738/R198, 8839792/G470, 7830003/R630, 7862008/R05, 4939008/J459, 4900009/J40, 339001/A379, 6430002/O210, 7844016/R490, 3064002/F453, 5351003/K295, 3009007/F489, 8844717/N951, 6272001/N951, 3061005/F453
D	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, coughing, hoarseness, nervous oesophageal stricture, and insomnia	8844688/R454, 7849002/F453, 3061005/F453, 5309002/R198, 8830642/F453, 8847726/F458, 7851005/R002, 8841308/R42, 7870012/R11, 3000010/F411, 3064021/F54, 3009007/F489, 8830417/K297, 6430002/O210, 7862008/R05, 7844016/R490, 3064025/F453, 8839792/G470, 8830642/F453

Product No.	Indications	Pinellia Tuber<JP>	Poria Sclerotium<JP>	Magnolia Bark<JP>	Perilla Herb<JP>	Ginger<JP>	Fresh Ginger<JP>
1	A-1	6,0	5,0	3,0	2,0	1,0	
2	A-1	6,0	5,0	3,0	3,0	1,0	
3	B	6,0	5,0	3,0	2,0	1,0	
4	A-1	6,0	5,0	3,0	2,0	1,3	
5	A-2	6,0	5,0	3,0	2,0	1,0	
6	C	6,0	5,0	3,0	2,0	1,0	

Product No.	Indications	Pinellia Tuber<JP>	Poria Sclerotium<JP>	Magnolia Bark<JP>	Perilla Herb<JP>	Ginger<JP>	Fresh Ginger<JP>
7	A-1	6,0	5,0	3,0	2,0	1,5	
8	A-1	6,0	5,0	3,0	2,0		4,0
9	D	6,0	5,0	3,0	2,0	1,0	

A.2.2.33 Hangeshashinto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with blocked feeling in the stomach pit and occasional nausea, vomiting, anorexia, borborygmus, and a tendency to loose stools or diarrhoea: Acute or chronic gastrointestinal catarrh, fermentative diarrhoea, dyspepsia, gastroptosis, nervous gastritis, gastrasthenia, hangover, belching, heartburn, stomatitis, and neurosis	7870002/R11, 8830971/R11, 7830003/R630, 8833267/A09, 91009/A09, 5580033/K529, 8838959/K529, 8834689/K30, 8830420/K318, 3064021/F54, 3009007/F489, 8830417/K297, 8844662/K318, 3050006/F100, 8830990/R14, 7871001/R12, 5280017/K121, 8844736/R198, 8844734/R198, 7865013/R101, 8844737/R198
B	The following symptoms of those patients with blocked feeling in the stomach, nausea, and vomiting accompanied by decreased appetite, coated tongue, feeling of residual fluid in the stomach, borborygmus, diarrhoea, and soft stools or mucous stools: Acute or chronic gastrointestinal catarrh, fermentative diarrhoea, dyspepsia, stomatitis, and morning sickness	7870002/R11, 8830971/R11, 7830003/R630, 8836451/K143, 8844738/R198, 8833267/A09, 91009/A09, 5580033/K529, 8838959/K529, 8834689/K30, 5280017/K121, 6430002/O210, 8844736/R198, 8844734/R198, 7865013/R101, 8844737/R198
C	The following symptoms of those patients with blocked feeling in the stomach, nausea, vomiting, coated tongue, feeling of residual fluid in the stomach, anorexia, borborygmus, and diarrhoea or loose stools: Acute or chronic gastrointestinal catarrh, fermentative diarrhoea, stomatitis, dyspepsia, gastroptosis, gastric atony, mild illness or prognosis of gastric and duodenal ulcer, and hyperemesis gravidarum	7870002/R11, 8830971/R11, 8836451/K143, 8844738/R198, 7830003/R630, 8833267/A09, 91009/A09, 5580033/K529, 8838959/K529, 5280017/K121, 8834689/K30, 8830420/K318, 8844662/K318, 5319009/K259, 5329002/K269, 6430002/O210, 8844736/R198, 8844734/R198, 7865013/R101, 8844737/R198

Product No.	Indications	Pinellia Tuber<JP>	Scutellaria Root<JP>	Processed Ginger<JP>	Ginger<JP>	Ginseng<JP>	Glycyrrhiza<JP>	Jujube<JP>	Coptis Rhizome<JP>
1	A	5,0	2,5	2,5		2,5	2,5	2,5	1,0
2	A	5,0	2,5		2,5	2,5	2,5	2,5	1,0
3	A	6,0	3,0	3,0		3,0	3,0	3,0	1,0
4	B	5,0	2,5	2,5		2,5	2,5	2,5	1,0
5	C	5,0	2,5	2,5		2,5	2,5	2,5	1,0

A.2.2.34 Heiisan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a heavy stomach feeling and a tendency to dyspepsia: Acute or chronic esogastritis, gastric atony, dyspepsia, and anorexia	8834689/K30, 91009/A09, 5580033/K529, 8844662/K318, 7830003/R630, 8844738/R198, 8844737/R198
B	The following symptoms of those patients with stomachache accompanied by dyspepsia, abdominal pain, decreased appetite, borborismus after meals, and tendency to diarrhoea: Stomatitis, gastritis, gastric atony, and gastric dilatation	8834689/K30, 8830562/R101, 8839710/R104, 7830003/R630, 8833267/A09, 5280017/K121, 8830417/K297, 8844662/K318, 5368008/K318, 8844738/R198, 8844737/R198

Product No.	Indications	Atractylodes Lancea Rhizome<JP>	Magnolia Bark<JP>	Citrus Unshiu Peel<JP>	Jujube<JP>	Glycyrrhiza<JP>	Ginger<JP>
1	A	4,0	3,0	3,0	2,0	1,0	0,5
2	B	4,0	3,0	3,0	2,0	1,0	0,5

A.2.2.35 Hochuekkito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who are dispirited, having poor gastrointestinal function and are likely to get tired: Infirm constitution, fatigue and malaise, declined constitution after disease, anorexia, and night sweats	8844779/R53, 8830511/K319, 8839426/R53, 8832689/R53, 8836510/R53, 7830003/R630, 8838640/R619, 8844695/R198, 8844737/R198
B	The following symptoms of those patients with decreased gastrointestinal function, fatigue, and malaise, or headache, chills, night sweating, and atonic haemorrhage: Enhancement of physical strength in patients with tuberculous disease or after disease, weak stomach, decreased weight in summer, delicate constitution, hypotension, scrofulous constitution, hemorrhoids, and anal prolapse	8830511/K319, 8836510/R53, 7840024/R51, 7809023/R688, 8838640/R619, 4590002/R58, 8844779/R53, 8844662/K318, 2859011/D649, 8844730/T678, 8832689/R53, 8837873/I959, 4556002/I849, 5691009/K622, 8844695/R198, 8844737/R198
C	The following symptoms of those patients who have a delicate constitution, anaemia, reduced gastrointestinal functions, fatigue and malaise, anorexia, or perspiration during sleep, etc.: Debility after disease or surgery, reinforcement of physical strength after chest disease, anaemia, hypotension, summer emaciation, dyspepsia, weak gastrointestinal functions, and hyperhidrosis	8844779/R53, 2859011/D649, 8830511/K319, 8836510/R53, 7830003/R630, 8838640/R619, 8837873/I959, 8844730/T678, 8844662/K318, 7808004/R619, 8844695/R198, 8844737/R198
D	The following symptoms/conditions of patients having delicate constitution, reduced digestive functions, and severe fatigability of limbs: Summer emaciation, reinforcement of physical strength after illness, tuberculosis, anorexia, gastroptosis, cold, hemorrhoid, anal prolapse, uterine prolapse, impotence, hemiplegia, and hyperhidrosis	8834689/K30, 7807010/R53, 8832689/R53, 8844730/T678, 8844779/R53, 8833031/A169, 7830003/R630, 8830420/K318, 4609023/J00, 4556002/I849, 5691009/K622, 8842181/N812, 3027006/F522, 3429014/G819, 7808004/R619, 8844695/R198, 8844737/R198

Product No.	Indications	Gin-seng<JP>	Atrac-tylodes Rhi-zome<JP>	Atrac-tylodes Lancea Rhi-zome<JP>	Astra-galus Root<JP>	Japa-nese An-gelica Root<JP>	Cit-rus Un-shiu Peel<JP>	Ju-jube<JP>	Bu-pleu-rum Root<JP>	Glycyr-rhiza<JP>	Gin-ger<JP>	Fresh Gin-ger<JP>	Pro-cessed Gin-ger<JP>	Cimicif-uga Rhi-zome<JP>
1	A	4,0	4,0		4,0	3,0	2,0	2,0	2,0	1,5	0,5			1,0
2	A	4,0	4,0		4,0	3,0	2,0	2,0	1,0	1,5			0,5	0,5
3	A	4,0		4,0	4,0	3,0	2,0	2,0	1,0	1,5	0,5			0,5
4	B	4,0	4,0		4,0	3,0	2,0	2,0	2,0	1,5	0,5			1,0
5	C	4,0	4,0		3,0	3,0	2,0	2,0	2,0	1,5	0,5			1,0
6	A	4,0	4,0		3,0	3,0	2,0	2,0	2,0	1,5		2,0		1,0
7	D	4,0		4,0	4,0	3,0	2,0	2,0	2,0	1,5	0,5			1,0

A.2.2.36 Inchingoreisan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with dry throat and decreased urine volume: Vomiting, urticaria, hango-ver nausea, and swelling	8833352/R631, 7885005/R34, 8830971/R11, 8841304/L509, 3050006/F100, 7870002/R11, 7823024/R609, 8844737/R198, 8844754/R688

Product No.	Indications	Alisma Tuber<JP>	Poria Sclero-tium<JP>	Polyporus Sclerotium<JP>	Atractylodes Lancea Rhi-zome<JP>	Cinnamon Bark<JP>	Artemisia Capillaris Flower<JP>
1	A	6,0	4,5	4,5	4,5	2,5	4,0

A.2.2.37 Inchinkoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with thirst, decreased urine volume, and constipation. Urticaria and stomatitis	8833352/R631, 7885005/R34, 8840042/K590, 8841304/L509, 5280017/K121, 8844738/R198
B	The following symptoms of those patients with thirst, distressed feeling of chest, constipation, liver tenderness or jaundice: Urticaria, stomatitis, and cholecystitis	8833352/R631, 8840042/K590, 7824001/R17, 8841304/L509, 5280017/K121, 8837151/K819, 8844738/R198
C	The following symptoms of those patients with a comparatively strong constitution and decreased urine volume who are somewhat likely to have constipation: Jaundice, hepatic cirrhosis, nephrosis, urticaria, and stomatitis	7885005/R34, 8840042/K590, 7824001/R17, 8831512/K746, 5819004/N049, 8841304/L509, 5280017/K121, 8844738/R198

Product No.	Indications	Artemisia Capillaris Flower<JP>	Gardenia Fruit<JP>	Rhubarb<JP>
1	B	4,0	3,0	1,0
2	A	4,0	3,0	1,0
3	A	6,0	2,0	2,0
4	C	4,0	3,0	1,0

A.2.2.38 Ireito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with watery diarrhoea and vomiting accompanied by thirst and decreased urine volume: Food poisoning, heat stroke, cold abdomen, acute gastroenteritis, and abdominal pain	8833267/A09, 8830971/R11, 8833352/R631, 7885005/R34, 59003/T629, 8844730/T678, 91009/A09, 8839710/R104, 8844737/R198

Product No.	Indications	Atractylodes Lancea Rhizome<JP>	Atractylodes Rhizome<JP>	Magnolia Bark<JP>	Citrus Unshiu Peel<JP>	Polyporus Sclerotium<JP>	Alisma Tuber<JP>	Poria Sclerotium<JP>	Cinnamon Bark<JP>	Jujube<JP>	Ginger<JP>	Glycyrrhiza<JP>
1	A	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,0	1,5	1,5	1,0

A.2.2.39 Jidabokuippo

Indications	Indications text	Controlled identifiers
A	Swelling and pain caused by contusion	9249021/T140, 8838060/R529

Product No.	Indications	Cnidium Rhizome<JP>	Quercus Bark<JP>	Nuphar Rhizome<JP>	Cinnamon Bark<JP>	Glycyrrhiza<JP>	Clove<JP>	Rhubarb<JP>
1	A	3,0	3,0	3,0	3,0	1,5	1,0	1,0

A.2.2.40 Jiinkokato

Indications	Indications text	Controlled identifiers
A	Symptoms of patients having a fit of coughing without sputum in a throat with little moisture	8831591/R05, 7862008/R05

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Rehmannia Root<JP>	Asparagus Tuber<JP>	Ophiopogon Tuber<JP>	Citrus Unshiu Peel<JP>	Atractylodes Lancea Rhizome<JP>	Anemarrhena Rhizome<JP>	Phellodendron Bark<JP>	Glycyrrhiza<JP>
1	A	2,5	2,5	2,5	2,5	2,5	2,5	3,0	1,5	1,5	1,5

A.2.2.41 Jiinshihoto

Indications	Indications text	Controlled identifiers
A	Chronic coughing and sputum in patients with a delicate constitution	8832689/R53, 7862008/R05, 8831159/R093, 8844695/R198

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Atractylodes Rhizome<JP>	Poria Sclerotium<JP>	Citrus Unshiu Peel<JP>	Bupleurum Root<JP>	Anemarrhena Rhizome<JP>	Cyperus Rhizome<JP>	Lycium Bark<JP>	Ophiopogon Tuber<JP>	Fritillaria Bulb<JP>	Mentha Herb<JP>	Glycyrrhiza<JP>
1	A	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	2,0	1,0	1,0

A.2.2.42 Jinsoin

Indications	Indications text	Controlled identifiers
A	Common cold and cough	4609023/J00, 7862008/R05

Product No.	Indications	Perilla Herb<JP>	Immature Orange<JP>	Platycodon Root<JP>	Citrus Unshiu Peel<JP>	Pueraria Root<JP>	Peucedanum Root<JP>	Pinellia Tuber<JP>	Poria Sclerotium<JP>	Ginseng<JP>	Jujube<JP>	Ginger<JP>	Saussurea Root<JP>	Glycyrrhiza<JP>
1	A	1,0	1,0	2,0	2,0	2,0	2,0	3,0	3,0	1,5	1,5	0,5	1,0	1,0
2	A	1,0	1,0	2,0	2,0	2,0	2,0	3,0	3,0	1,5	1,5	0,5		1,0

A.2.2.43 Jizusoippo

Indications	Indications text	Controlled identifiers
A	Eczema, and infantile eczema	6923002/L309, 6900012/L219

Product No.	Indications	Forsthia Fruit<JP>	Atractylodes Lancea Rhizome<JP>	Cnidium Rhizome<JP>	Saposhnikovia Root and Rhizome<JP>	Lonicera Leaf and Stem<JP>	Schizonepeta Spike<JP>	Glycyrrhiza<JP>	Safflower<JP>	Rhubarb<JP>
1	A	3,0	3,0	3,0	2,0	2,0	1,0	1,0	1,0	0,5

A.2.2.44 Jumihaidokuto

Indications	Indications text	Controlled identifiers
A-1	Symptoms of suppurative dermatosis, symptoms in the early stage of acute dermatosis, urticaria, acute eczema, and tinea pedis	8844680/L308, 8841304/L509, 6929086/L309, 8838926/B359, 8844695/R198
A-2	Symptoms in the early stage of suppurative dermatosis or acute dermatosis, urticaria, acute eczema, and tinea pedis	8844680/L308, 8841304/L509, 6929086/L309, 8838926/B359, 8844695/R198
B	Improvement of skin boils, eczema, urticaria, acne, and furunculosis	6809001/L029, 6923002/L309, 8841304/L509, 7061017/L700, 6809002/L029, 8844695/R198
C	The following symptoms of those patients with comparatively nervousness who have sensation of tense swollenness of the chest and lower ribcage, the constitution that furuncle and allergic eczema are easy to come out: Dermatitis, eczema, urticaria, mastitis, improvement of furunculosis, boil, acne vulgaris, and impetigo	8834942/R450, 8844695/R198, 6809001/L029, 6918003/L279, 6869043/L309, 6923002/L309, 8841304/L509, 6110007/N61, 6809002/L029, 7061017/L700, 8837977/L010

Product No.	Indications	Bupleurum Root<JP>	Cherry Bark<JP>	Quercus Bark<JP>	Platycodon Root<JP>	Cnidium Rhizome<JP>	Poria Sclerotium<JP>	Aralia Rhizome<JP>	Saposhnikovia Root and Rhizome<JP>	Glehnia Root and Rhizome<JP>	Glycyrrhiza<JP>	Ginger<JP>	Fresh Ginger<JP>	Schizonepeta Spike<JP>
1	A-2	2,5	2,5		2,5	2,5	2,5	1,5	2,5		1,5	1,0		1,5
2	A-1	3,0	3,0		3,0	3,0	4,0	3,0	3,0		1,0	1,0		1,0
3	B	3,0	3,0		3,0	3,0	3,0	2,0		2,0	1,0	0,3		1,0
4	A-1	2,5	2,5		2,5	2,5	2,5	1,5	2,5		1,5	1,0		1,5
5	A-1	3,0	3,0		3,0	3,0	3,0	2,0		2,0	1,0	0,3		1,0
6	C	3,0	3,0		3,0	3,0	3,0	1,5		1,5	1,0	1,0		1,0
7	A-1	3,0	3,0		3,0	3,0	3,0	1,5	1,5		1,0	1,0		1,0
8	A-1	3,0	3,0		3,0	3,0	3,0	1,5	1,5		1,0		3,0	1,0
9	A-2	3,0		3,0	3,0	3,0	3,0	1,5	1,5		1,0	1,0		1,0

A.2.2.45 Junchoto

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590

Product No.	Indications	Japanese Angelica Root<JP>	Rehmannia Root<JP>	Hemp Fruit<JP>	Peach Kernel<JP>	Apricot Kernel<JP>	Immature Orange<JP>	Scutellaria Root<JP>	Magnolia Bark<JP>	Rhubarb<JP>	Glycyrrhiza<JP>
1	A	3,0	6,0	2,0	2,0	2,0	1,0	2,0	2,0	3,0	1,5
2	A	3,0	6,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	1,5

A.2.2.46 Juzentaihoto

Indications	Indications text	Controlled identifiers
A	Declined constitution after recovery from disease, fatigue and malaise, anorexia, perspiration during sleep, cold limbs, and anaemia	8844779/R53, 8836510/R53, 7830003/R630, 8838640/R619, 8839176/R688, 2859011/D649
B	The following symptoms of those patients who have anaemia, a pale skin and mucous membrane, malnutrition, emaciation with no appetite and debility: Anaemia due to debility (after childbirth, surgery or severe illness), hypotension, leukaemia, anal fistula, caries, debility due to wasting disease, haemorrhage, and anal prolapse	2859011/D649, 8836689/R231, 8830813/E46, 7832001/R634, 7830003/R630, 8835677/R53, 8837873/I959, 2089006/C959, 5651003/K603, 4590002/R58, 5691009/K622
C	The following symptoms of those patients with pale skin and mucosa, muddy complexion, thin body, anaemia, anorexia or excessive debility as well as the following symptoms in debility due to wasting disease or after surgery, after childbirth, and general debility: Hypotension, anaemia, neurasthenia, fatigue, malaise, weak stomach, and gastroptosis	8836689/R231, 7832001/R634, 2859011/D649, 7830003/R630, 8835677/R53, 8844779/R53, 8834069/O909, 8837873/I959, 8834946/F480, 8836510/R53, 8844662/K318, 8830420/K318

Product No.	Indications	Gin-seng<JP> Root<JP>	As-tragalus Root<JP>	Atrac-tylodes Rhi-zome<JP>	Atrac-tylodes Lancea Rhi-zome<JP>	Poria Sclero-tium<JP>	Japa-nese An-gelica Root<JP>	Peony Root<JP>	Reh-man-nia Root<JP>	Pro-cessed Reh-mannia Root<JP>	Cnid-ium Rhi-zome<JP>	Cinna-mon Bark<JP>	Glycyr-rhiza<JP>
1	A	2,5	2,5	3,5		3,5	3,5	3,0		3,5	3,0	3,0	1,0
2	A	3,0	3,0	3,0		3,0	3,0	3,0	3,0		3,0	3,0	1,0
3	C	2,5	2,5	3,5		3,5	3,5	3,0	3,5		3,0	3,0	1,0
4	A	3,0	3,0	3,0		3,0	3,0	3,0	3,0		3,0	3,0	1,5
5	B	3,0	3,0	3,0		3,0	3,0	3,0	3,0		3,0	3,0	1,5
6	A	3,0	3,0		3,0	3,0	3,0	3,0	3,0		3,0	3,0	1,5

A.2.2.47 Kakkonkajutsubuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have rigor, fever, headache, and tension in the nuchal, shoulder and back: Shoulder stiffness, neuralgia in the scapular region, and articular rheumatism in the upper body	8842463/R500, 7840024/R51, 8841359/M6289, 8831347/M6281, 8834958/M7929, 8842106/M0690

Product No.	Indications	Puer-aria Root<JP>	Ephedra Herb<JP>	Cinna-mon Bark<JP>	Glycyr-rhiza<JP>	Peony Root<JP>	Ju-jube<JP>	Gin-ger<JP>	Atractylodes Lancea Rhi-zome<JP>	Processed Aconite Root<JP>
1	A	4,0	3,0	2,0	2,0	2,0	3,0	1,0	3,0	0,5

A.2.2.48 Kakkonto

Indications	Indications text	Controlled identifiers
A	Common cold, coryza, headache, shoulder stiffness, myalgia, and pains in the arms and shoulders	4609023/J00, 8831632/J00, 4781015/J310, 7840024/R51, 8831347/M6281, 7291015/M7919, 8835547/M7962, 7233001/M758
B	The following symptoms of those patients with headache, fever, chills without spontaneous sweating, nuchal, shoulder or back stiffness or diarrhoea: Common cold, coryza, empyema, tonsillitis, conjunctivitis, mastitis, eczema, urticaria, shoulder stiffness, neuralgia, and migraine	7840024/R51, 7806011/R509, 7809023/R688, 8831347/M6281, 8833267/A09, 4609023/J00, 8831632/J00, 4609023/J00, 4781015/J310, 4739014/J329, 4639033/J039, 3723001/H109, 6110007/N61, 6923002/L309, 8841304/L509, 8834958/M7929, 3469004/G439
C	The following symptoms of those patients with comparatively strong constitution who have headache, fever, rigor and shoulder or back stiffness without spontaneous sweating: Common cold, coryza, tonsillitis, otitis media, empyema, conjunctivitis, mastitis, shoulder stiffness, and branchial neuralgia	7840024/R51, 7806011/R509, 7809023/R688, 8831347/M6281, 4609023/J00, 8831632/J00, 4781015/J310, 4639033/J039, 3829010/H669, 4739014/J329, 3723001/H109, 6110007/N61, 8835529/G545
D	The following symptoms of those patients with comparatively strong constitution having headache, fever, rigor, and shoulder stiffness without spontaneous sweating: Common cold, coryza, the initial stage of febrile diseases, inflammatory diseases (conjunctivitis, keratitis, otitis media, tonsillitis, mastitis, and lymphadenitis), shoulder stiffness, neuralgia in the upper body, and urticaria	7840024/R51, 7806011/R509, 7809023/R688, 8831347/M6281, 4609023/J00, 8831632/J00, 4781015/J310, 3723001/H109, 3709002/H169, 3829010/H669, 4639033/J039, 6110007/N61, 2893003/I889, 8834958/M7929, 8841304/L509

Product No.	Indications	Pueraria Root<JP>	Ephedra Herb<JP>	Jujube<JP>	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Peony Root<JP>	Glycyrrhiza<JP>	Ginger<JP>	Fresh Ginger<JP>
1	A	8,0	4,0	4,0	3,0		3,0	2,0	1,0	
2	B	4,0	4,0	3,0	2,0		2,0	2,0	1,0	
3	A	4,0	3,0	3,0	2,0		2,0	2,0	1,0	
4	C	4,0	3,0	3,0	2,0		2,0	2,0	1,0	
5	A	4,0	3,0	3,0		2,0	2,0	2,0		3,0
6	D	4,0	3,0	3,0	2,0		2,0	2,0	2,0	

A.2.2.49 Kakkontokasenkyushin'i

Indications	Indications text	Controlled identifiers
A	Nasal obstruction, empyema, and chronic rhinitis	4781056/R448, 4739014/J329, 4720021/J310
B	Empyema, chronic rhinitis, and nasal congestion	4739014/J329, 4720021/J310, 4781056/R448

Product No.	Indications	Pueraria Root<JP>	Ephedra Herb<JP>	Jujube<JP>	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Peony Root<JP>	Glycyrrhiza<JP>	Ginger<JP>	Fresh Ginger<JP>	Cnidium Rhizome<JP>	Magnolia Flower<JP>
1	A	4,0	4,0	3,0	2,0		2,0	2,0	1,0		3,0	3,0
2	B	4,0	4,0	3,0	2,0		2,0	2,0	1,0		3,0	3,0
3	A	4,0	3,0	3,0		2,0	2,0	2,0		3,0	3,0	3,0
4	A	4,0	3,0	3,0	2,0		2,0	2,0	1,0		2,0	2,0

A.2.2.50 Kanbakutaisoto

Indications	Indications text	Controlled identifiers
A	Night cry and convulsion	8844831/F514, 7803001/R568
B	Paediatric or female neurosis and insomnia	3009007/F489, 8839792/G470

Product No.	Indications	Glycyrrhiza<JP>	Jujube<JP>	Wheat<JP>
1	B	5,0	6,0	20,0
2	A	5,0	6,0	20,0

A.2.2.51 Kamikihito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with delicate constitution and a poor complexion: Anaemia, insomnia, mental anxiety, and neurosis	8832689/R53, 2859011/D649, 8839792/G470, 8839596/F419, 3009007/F489, 8844695/R198

Product No.	Indications	Ginseng<JP>	Atractylodes Rhizome<JP>	Atractylodes Lan-cea Rhizome<JP>	Poria Scle-ro-tium<JP>	Jujube Seed<JP>	Longan Aril<JP>	Astragalus Root<JP>	Japanese Angelica Root<JP>	Polygonala Root<JP>	Bupleurum Root<JP>	Gar-denia Fruit<JP>	Gly-cyrrhiza<JP>	Saus-surea Root<JP>	Ju-jube<JP>	Ginger<JP>	Fresh Gin-ger<JP>	Mou-tan Bark<JP>
1	A	3,0	3,0		3,0	3,0	3,0	2,0	2,0	1,5	3,0	2,0	1,0	1,0	1,5	0,5		
2	A	3,0		3,0	3,0	3,0	3,0	2,0	2,0	1,0	3,0	2,0	1,0	1,0	1,0	1,0		
3	A	3,0	3,0		3,0	3,0	3,0	3,0	2,0	2,0	3,0	2,0	1,0	1,0	2,0	0,5		2,0
4	A	3,0	3,0		3,0	3,0	3,0	3,0	2,0	2,0	3,0	2,0	1,0	1,0	2,0		1,5	2,0
5	A	3,0		3,0	3,0	3,0	3,0	3,0	2,0	2,0	3,0	2,0	1,0	1,0	2,0	1,0		

STANDARDS.PK.COM: Click to view the full PDF of ISO/TR 23022:2018

A.2.2.52 Kamishoyosan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those women with delicate constitution who are easily fatigued and are apt to have stiffness shoulder, psychoneurotic symptoms including anxiety, and sometimes tendency to constipation: Oversensitivity to cold, delicate constitution, menstrual irregularity, dysmenorrhea, climacteric disturbance and automatic imbalance syndrome peculiar to women resembling climacteric disturbance	8832689/R53, 8831347/M6281, 8839426/R53, 8839596/F419, 3009009/F489, 8840042/K590, 8839176/R688, 8833261/N926, 8833259/N946, 6272001/N951, 8844785/N951, 8844727/R198, 8844695/R198, 8844666/R688
B	The following symptoms of those patients with headache, heaviness of head, hot flush, shoulder stiffness, and malaise accompanied by decreased appetite and constipation: Neurosis, insomnia, climacteric disturbance, menstrual irregularity, gastric neurosis, gastric atony, gastropnoxis, gastric dilatation, constipation, and eczema	7840024/R51, 7840022/R51, 8844802/R232, 8831347/M6281, 7807010/R53, 7830003/R630, 8840042/K590, 3009007/F489, 8839792/G470, 6272001/N951, 8833261/N926, 3064002/F453, 5351003/K295, 8844662/K318, 8830420/K318, 5368008/K318, 6923002/L309, 8844727/R198, 8844695/R198, 8844666/R688

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Product No.	Indications	Japanese Angelica Root<P>	Peony Root<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Poria Sclerotium<JP>	Bupleurum Root<JP>	Moutan Bark<JP>	Gardenia Fruit<JP>	Glycyrrhiza<JP>	Ginger<JP>	Fresh Ginger<JP>	Mentha Herb<JP>
1	A	3,0	3,0	3,0		3,0	3,0	2,0	2,0	2,0	1,0		1,0
2	A	3,0	3,0	3,0	3,0	3,0	3,0	2,0	2,0	2,0	1,0		1,0
3	B	3,0	3,0	3,0		3,0	3,0	2,0	2,0	2,0	1,0		1,0
4	A	3,0	3,0	3,0		3,0	3,0	2,0	2,0	1,5	0,5		1,0
5	A	3,0	3,0	3,0		3,0	3,0	2,0	2,0	1,5	1,0		1,0
6	A	3,0	3,0	3,0		3,0	3,0	2,0	2,0	1,5	1,5		1,0
7	A	3,0	3,0	3,0		3,0	3,0	2,0	2,0	2,0		2,0	1,0
8	A	3,0	3,0	3,0	3,0	3,0	3,0	2,0	2,0	1,5	1,0		1,0

A.2.2.53 Kanzoto

Indications	Indications text	Controlled identifiers
A	Relief of violent cough and sore throat	7862008/R05, 4629007/R070

Product No.	Indications	Glycyrrhiza<JP>
1	A	8,0

A.2.2.54 Keigairengyoto

Indications	Indications text	Controlled identifiers
A	Empyema, chronic rhinitis, chronic tonsillitis, and acne	4739014/J329, 4720021/J310, 4740010/J350, 7061017/L700, 8844695/R198

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Rehmannia Root<JP>	Coptis Rhizome<JP>	Scutellaria Root<JP>	Phellodendron Bark<JP>	Garдения Fruit<JP>	Forsthia Fruit<JP>	Schizonepeta Spike<JP>	Saposhnikovia Root and Rhizome<JP>	Glehnia Root and Rhizome<JP>	Menthha Herb<JP>	Immature Orange<JP>	Glycyrrhiza<JP>	Angelica Dahurica Root<JP>	Platycodon Root<JP>	Bupleurum Root<JP>
1	A	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,0	1,5	1,5	1,5
2	A	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,0	1,5	1,5	1,5

A.2.2.55 Keihito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who are thin and have a bad complexion, anorexia, and tendency to diarrhoea: Weak digestive system, chronic gastroenteritis, dyspepsia, and diarrhoea	7832001/R634, 7830003/R630, 8833267/A09, 8844662/K318, 5580033/K529, 8834689/K30, 8844737/R198, 8844736/R198

Product No.	Indications	Ginseng<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Poria Sclerotium<JP>	Nelumbo Seed<JP>	Dioscorea Rhizome<JP>	Craetagus Fruit<JP>	Citrus Unshiu Peel<JP>	Alisma Tuberosity<JP>	Glycyrrhiza<JP>
1	A	3,0	4,0		4,0	3,0	3,0	2,0	2,0	2,0	1,0
2	A	3,0		4,0	4,0	3,0	3,0	2,0	2,0	2,0	1,0

A.2.2.56 Keimakakuhanto

Indications	Indications text	Controlled identifiers
A	Common cold, cough, and pruritus	4609023/J00, 7862008/R05, 8841305/L299

Product No.	Indications	Cinnamon Twig<JP>	Peony Root<JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>	Ephedra Herb<JP>	Jujube<JP>	Apricot Kernel<JP>
1	A	3,5	2,0	2,0	2,0	2,0	2,0	2,5

A.2.2.57 Keishakuchimoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with painful joints, emaciation, swelling legs, dizziness, nausea: Neuralgia and articular rheumatism	7194005/M2559, 7832001/R634, 8841308/R42, 7870002/R11, 8834958/M7929, 8842106/M0690

Product No.	Indications	Cinnamon Bark<JP>	Anemarrhena Rhizome<JP>	Glehnia Root and Rhizome<JP>	Ginger<JP>	Peony Root<JP>	Ephedra Herb<JP>	Atractylodes Rhizome<JP>	Glycyrrhiza<JP>	Processed Aconite Root<JP>
1	A	3,0	3,0	3,0	1,0	3,0	3,0	4,0	1,5	1,0

A.2.2.58 Keishibukuryogan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with comparatively strong constitution who sometimes have lower abdominal pain, shoulder stiffness, dull headache, dizziness, feeling of hot flushes with lower limbs being susceptible to cold, etc.: Menstrual irregularity, abnormal menstruation, menses painful, climacteric disturbance, automatic imbalance syndrome peculiar to women resembling climacteric disturbance, shoulder stiffness, dizziness, dull headache, contusion, chilblain, and spots	8831434/R103, 8831347/M6281, 7840022/R51, 8841308/R42, 8844802/R232, 8839176/R688, 8833261/N926, 8844708/N926, 6252001/N946, 6272001/N951, 8844785/N951, 9249021/T140, 8838043/T691, 7090025/L811, 8844727/R198, 8844666/R688
B	The following symptoms of those patients with feeling of hot flushes and being congested easily who have headache, shoulder stiffness, dizziness, palpitation, oversensitivity to cold, tenderness in the lower abdomen: Dysmenorrhea, endometritis, myometritis, ovaritis, perimetritis, menorrhagia, hemorrhoidal bleeding, eczema, urticaria, acne, spots, dermatitis, chilblain, contusion, and subcutaneous bleeding	8844802/R232, 7840024/R51, 8831347/M6281, 8841308/R42, 7851005/R002, 8839176/R688, 8844727/R198, 8833259/N946, 6159011/N719, 6142010/N709, 6149004/N732, 6262002/N920, 4556002/I849, 6923002/L309, 8841304/L509, 7061017/L700, 7090025/L811, 6869043/L309, 9913008/T357, 9249021/T140, 7827008/R233, 8844666/R688
C	The following symptoms of those patients with solid constitution who have ruddy face and generally solid abdomen with resistance in the lower abdomen: Inflammation in the uterus and its adnexa, endometritis, menstrual irregularity, dysmenorrhea, leukorrhea, climacteric disturbance (headache, dizziness, feeling of hot flushes, shoulder stiffness, etc.); oversensitivity to cold, peritonitis, contusion, hemorrhoid and orchitis	8844727/R198, 8844666/R688, 6159011/N719, 8833261/N926, 8833259/N946, 6235001/N898, 6272001/N951, 7840024/R51, 8841308/R42, 8844802/R232, 8831347/M6281, 8839176/R688, 5679015/K659, 9249021/T140, 4556002/I849, 6049013/N459

Product No.	Indications	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Poria Sclerotium<JP>	Moutan Bark<JP>	Peach Kernel<JP>	Peony Root<JP>
1	A	4,0		4,0	4,0	4,0	4,0
2	B	4,0		4,0	4,0	4,0	4,0
3	A		4,0	4,0	4,0	4,0	4,0
4	C	3,0		3,0	3,0	3,0	3,0

A.2.2.59 Keishibukuryogankayokuinin

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a comparatively strong constitution who sometimes complain of lower abdominal pain, shoulder stiffness, dull headache, dizziness, cold feet with feeling of hot flush, etc.: Menstrual irregularity, automatic imbalance syndrome peculiar to women resembling climacteric disturbance, acne, spots, and roughness of the hands and feet	8831434/R103, 8831347/M6281, 7840024/R51, 8841308/R42, 8844802/R232, 8839176/R688, 8833261/N926, 8844785/N951, 7061017/L700, 7090025/L811, 7573022/L851, 6869043/L309, 8844727/R198, 8844666/R688

Product No.	Indications	Cinnamon Bark<JP>	Poria Sclerotium<JP>	Moutan Bark<JP>	Peach Kernel<JP>	Peony Root<JP>	Coix Seed<JP>
1	A	4,0	4,0	4,0	4,0	4,0	10,0

A.2.2.60 Keishikajutsubuto

Indications	Indications text	Controlled identifiers
A	Arthralgia and neuralgia	7194005/M2559, 8834958/M7929, 8844737/R198
B	The following symptoms of those patients with poor circulation accompanied by numbness in the extremities or difficulty of bending: Neuralgia, arthritis, and rheumatism	8839176/R688, 8838060/R529, 7820002/R208, 8832803/M2589, 8834958/M7929, 7169005/M1399, 8842106/M0690, 8844737/R198
C	The following symptoms of those patients who have rigor, dysuria, and extremities that are hard to bend or stretch: Acute and chronic arthritis, articular rheumatism, neuralgia, and migraine	7809023/R688, 8832803/M2589, 7169049/M1399, 8840315/M1399, 8842106/M0690, 8834958/M7929, 3469004/G439, 7840024/R51, 8844737/R198

Product No.	Indications	Cinnamon Bark<JP>	Peony Root<JP>	Jujube<JP>	Ginger<JP>	Glycyrrhiza<JP>	Atractylodes Lancea Rhizome<JP>	Processed Aconite Root<JP>	Powdered Processed Aconite Root<JP>	Powdered Processed Aconite Root 2<JP>
1	A	4,0	4,0	4,0	1,0	2,0	4,0		1,0	
2	B	4,0	4,0	4,0	1,0	2,0	4,0			1,0
3	A	4,0	4,0	4,0	1,0	2,0	4,0	1,0		
4	C	4,0	4,0	4,0	1,0	2,0	4,0	1,0		
5	A	4,0	4,0	4,0	1,0	2,0	4,0		0,5	

A.2.2.61 Keishikakakkonto

Indications	Indications text	Controlled identifiers
A	Symptoms in the early stage of common cold with a delicate constitution, shoulder stiffness, and headache	8832689/R53, 4609023/J00, 8831347/M6281, 7840024/R51

Product No.	Indications	Cinnamon Twig<JP>	Peony Root<JP>	Jujube<JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>	Pueraria Root<JP>
1	A	4,0	4,0	4,0	4,0	2,0	6,0

A.2.2.62 Keishikakobokukyoninto

Indications	Indications text	Controlled identifiers
A	Cough in patients with a delicate constitution	8832689/R53, 7862008/R05

Product No.	Indications	Cinnamon Twig<JP>	Peony Root<JP>	Jujube<JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>	Magnolia Bark<JP>	Apricot Kernel<JP>
1	A	4,0	4,0	4,0	4,0	2,0	4,0	4,0

A.2.2.63 Keishikaogito

Indications	Indications text	Controlled identifiers
A	Perspiration during sleep with a declined constitution, and miliaria	8844779/R53, 8838640/R619, 7051003/L743

Product No.	Indications	Cinnamon Twig<JP>	Peony Root<JP>	Jujube<-JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>	Astragalus Root<JP>
1	A	4,0	4,0	4,0	4,0	2,0	2,0

A.2.2.64 Keishikaryojutsubuto

Indications	Indications text	Controlled identifiers
A	Arthralgia and neuralgia	7194005/M2559, 8834958/M7929

Product No.	Indications	Cinnamon Bark<-JP>	Peony Root<-JP>	Jujube<-JP>	Ginger<-JP>	Glycyrrhiza<JP>	Atractylodes Lancea Rhizome<-JP>	Atractylodes Rhizome<JP>	Powdered Processed Aconite Root<JP>	Poria Sclerotium<JP>
1	A	4,0	4,0	4,0	1,0	2,0		4,0	0,5	4,0
2	A	4,0	4,0	4,0	1,0	2,0	4,0		1,0	4,0

A.2.2.65 Keishikaryukotsuboreito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with delicate constitution who are easily fatigued and excited: Nervousness, insomnia, night cry in children, nocturnal enuresis in childhood, and asthenopia	8832689/R53, 8839426/R53, 8834942/R450, 8839792/G470, 8844831/F514, 8834804/R32, 3681001/H531, 8844822/R198
B	The following symptoms of those patients with neurological symptom, fatigability accompanied with headache, hot flush, and tinnitus, awareness of palpitation around the umbilicus, increased urinary frequency and output: Neurasthenia, increase in heart beat, sexual neurosis, impotence, paediatric nocturia, night terrors, and alopecia	7840024/R51, 8844802/R232, 8835241/H931, 8839426/R53, 8839433/R35, 7884011/R35, 8834946/F480, 7851005/R002, 3009007/F489, 3027006/F522, 8834804/R32, 8840702/F514, 8837435/L659, 8844822/R198
C	The following symptoms of those patients with tightness of lower abdominal rectus muscles and comparatively declined constitution: Nocturnal enuresis in childhood, neurasthenia, sexual neurasthenia, pollution, and impotence	8844779/R53, 8834804/R32, 8834946/F480, 3009007/F489, 6089002/N509, 3027006/F522, 8844822/R198

Product No.	Indications	Cinnamon Bark<JP>	Peony Root<JP>	Jujube<-JP>	Ginger<-JP>	Glycyrrhiza<JP>	Longgu<-JP>	Oyster Shell<JP>
1	B	4,0	4,0	4,0	1,0	2,0	3,0	3,0
2	A	4,0	4,0	4,0	1,0	2,0	3,0	3,0
3	A	4,0	4,0	4,0	1,5	2,0	3,0	3,0
4	C	4,0	4,0	4,0	1,5	2,0	3,0	3,0

A.2.2.66 Keishikashakuyakudaioto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with comparatively deprived constitution having abdominal distension accompanied by stagnation of intestinal contents or abdominal pain: 1. Acute enterocolitis and large intestinal catarrh 2. Habitual constipation, fecal impaction, and tenesmus alvi	7893014/R14, 8839710/R104, 91014/A09, 91021/A09, 5640018/K590, 8834478/R198

Product No.	Indications	Cinnamon Bark<JP>	Peony Root<JP>	Jujube<JP>	Ginger<JP>	Glycyrrhiza<JP>	Rhubarb<JP>
1	A	4,0	6,0	4,0	1,0	2,0	2,0

A.2.2.67 Keishikashakuyakuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with abdominal distension: Tenesmus alvi and abdominal pain	7893014/R14, 8834478/R198, 8839710/R104, 8844737/R198
B	The following symptoms of those patients with abdominal distension and abdominal pain accompanied by diarrhoea, constipation or vomiting: Rectal tenesmus, enterocolitis, chronic appendicitis, mobile caecum, and chronic peritonitis	7893014/R14, 8839710/R104, 8833267/A09, 8840042/K590, 8830971/R11, 8834478/R198, 91023/A09, 5429003/K36, 8830587/Q438, 5678003/K658, 8844737/R198

Product No.	Indications	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Peony Root<JP>	Jujube<JP>	Ginger<JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>
1	A	4,0		6,0	4,0	1,0		2,0
2	B	4,0		6,0	4,0	1,0		2,0
3	A		4,0	6,0	4,0		4,0	2,0

A.2.2.68 Keishininjinto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a weak digestive system: Headache, palpitation, chronic gastroenteritis, and gastric atony	8844662/K318, 7840024/R51, 7851005/R002, 5580033/K529, 8844734/R198, 8844736/R198, 8844737/R198

Product No.	Indications	Cinnamon Bark<JP>	Glycyrrhiza<JP>	Ginseng<JP>	Processed Ginger<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>
1	A	4,0	3,0	3,0	2,0	3,0	
2	A	4,0	3,0	3,0	2,0		3,0

A.2.2.69 Keishito

Indications	Indications text	Controlled identifiers
A	Symptoms in the early stage of common cold with a declined constitution	8844779/R53, 4609023/J00
B	The following symptoms of those patients with slight fever and chills with spontaneous sweating: Common cold, headache, neuralgia, rheumatoid arthritis, muscular rheumatism, and neurasthenia	7806012/R509, 7806011/R509, 7809023/R688, 4609023/J00, 7840024/R51, 8834958/M7929, 8842106/M0690, 7290004/M7900, 8834946/F480

Product No.	Indications	Cinnamon Bark<JP>	Peony Root<JP>	Jujube<JP>	Ginger<JP>	Glycyrrhiza<JP>
1	A	4,0	4,0	4,0	1,5	2,0
2	A	4,0	4,0	4,0	1,0	2,0
3	B	4,0	4,0	4,0	1,0	2,0

A.2.2.70 Kihito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a delicate constitution and a poor complexion: Anaemia and insomnia	8832689/R53, 2859011/D649, 8839792/G470

Product No.	Indications	Ginseng<JP>	Atractylodes Rhizome<JP>	Poria Sclerotium<JP>	Jujube Seed<JP>	Longan Aril<JP>	Astragalus Root<JP>	Japanese Angelica Root<JP>	Polygonal Root<JP>	Glycyrrhiza<JP>	Saussurea Root<JP>	Jujube<JP>	Ginger<JP>
1	A	3,0	3,0	3,0	3,0	3,0	2,0	2,0	1,0	1,0	1,0	1,0	1,0
2	A	3,0	3,0	3,0	3,0	3,0	3,0	2,0	2,0	1,0	1,0	2,0	1,0

A.2.2.71 Kikyosekko

Indications	Indications text	Controlled identifiers
A	Cough or suppuration	7862008/R05

Product No.	Indications	Platycodon Root<JP>	Gypsum<JP>
1	A	3,0	10,0

A.2.2.72 Kikyoto

Indications	Indications text	Controlled identifiers
A	The following symptoms accompanied by painful swollen throat: Tonsillitis and peritonsillitis	4650002/J060, 4629007/R070, 4639033/J039, 4750007/J36

Product No.	Indications	Platycodon Root<JP>	Glycyrrhiza<JP>
1	A	2,0	3,0

A.2.2.73 Kososan

Indications	Indications text	Controlled identifiers
A	Symptoms in the early stage of common cold in nervous people with a weak gastrointestinal tract	8844662/K318, 8834942/R450, 4609023/J00, 8844737/R198
B	The following symptoms of those patients with nervousness, headache, bad feeling, and anorexia or heaviness of head, dizziness, and tinnitus: Common cold, headache, urticaria, neurasthenia, climacteric neurosis in women, and psychogenic dysmenorrhea	8834942/R450, 7840024/R51, 7830003/R630, 7840022/R51, 8841308/R42, 8835241/H931, 4609023/J00, 8841304/L509, 8834946/F480, 8844717/N951, 6272001/N951, 3009007/F489, 8834892/F458, 8844737/R198

Product No.	Indications	Cyperus Rhizome<JP>	Perilla Herb<JP>	Citrus Unshiu Peel<JP>	Glycyrrhiza<JP>	Ginger<JP>
1	B	4,0	1,0	2,5	1,0	0,8
2	A	4,0	2,0	2,0	1,5	2,0
3	A	4,0	2,0	2,0	1,5	1,0

A.2.2.74 Kumibinroto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with increase in heartbeat, shoulder stiffness, malaise, and tendency to constipation: Beriberi, hypertension, arteriosclerosis, and headache accompanied by these symptoms	7851005/R002, 8831347/M6281, 7807010/R53, 8840042/K590, 8831376/E511, 8833421/I10, 8838263/I709, 7840024/R51

Product No.	Indications	Areca<JP>	Magnolia Bark<JP>	Cinnamon Bark<JP>	Citrus Peel<JP>	Perilla Herb<JP>	Glycyrrhiza<JP>	Rhubarb<JP>	Ginger<JP>	Saussurea Root<JP>	Euodia Fruit<JP>	Poria Sclerotium<JP>
1	A	4,0	3,0	3,0	3,0	1,5	1,0	1,0	1,0	1,0	1,0	3,0

A.2.2.75 Kyukichoketsuin

Indications	Indications text	Controlled identifiers
A	Neurosis following childbirth, declined constitution, and menstrual irregularity	3009007/F489, 8844779/R53, 8833261/N926

Product No.	1	Indications	A	Japanese Angelica Root<JP>	Rehmannia Root<JP>	Cnidium Rhizome<JP>	Atractylodes Rhizome<JP>	Poria Sclerotium<JP>	Citrus Unshiu Peel<JP>	Lindera Root<JP>	Jujube<JP>	Cyperus Rhizome<JP>	Glycyrrhiza<JP>	Moutan Bark<JP>	Leonurus Herb<JP>	Ginger<JP>
				2,0	2,0	2,0	2,0	2,0	2,0	2,0	1,5	2,0	1,0	2,0	1,5	1,0

A.2.2.76 Kyukikyogaito

Indications	Indications text	Controlled identifiers
A	Hemorrhoidal bleeding	4556002/I849
B	The following symptoms of those patients with poor circulation and anaemia due to excessive bleeding: Hemorrhoidal haemorrhage, bruise after trauma, haemorrhage after child-birth, and anaemia	8839176/R688, 2859011/D649, 4556002/I849, 4590006/R58, 8839870/O721

Product No.	Indications	Cnidium Rhizome<JP>	Glycyrrhiza<JP>	Artemisia Leaf<JP>	Japanese Angelica Root<JP>	Peony Root<JP>	Rehmannia Root<JP>	Donkey Glue<JP>	Gelatin<JP>
1	A	3,0	3,0	3,0	4,0	4,0	5,0		3,0
2	B	3,0	3,0	3,0	4,5	4,5	6,0		3,0
3	A	3,0	3,0	3,0	4,0	4,0	5,0	3,0	

A.2.2.77 Makyokansekito

Indications	Indications text	Controlled identifiers
A	Infantile asthma and bronchial asthma	4930005/J450, 4939008/J459
B	The following symptoms of those patients with severe cough, sweating in the head at the time of attack accompanied by wheezing and thirst: Bronchitis and bronchial asthma	7862008/R05, 7861002/R061, 8844664/R098, 8833352/R631, 4900009/J40, 4939008/J459

Product No.	Indications	Ephedra Herb<JP>	Apricot Kernel<JP>	Glycyrrhiza<JP>	Gypsum<JP>
1	A	4,0	4,0	2,0	10,0
2	B	4,0	4,0	2,0	10,0

A.2.2.78 Makyoyokukanto

Indications	Indications text	Controlled identifiers
A	Arthralgia, neuralgia, and myalgia	7194005/M2559, 8834958/M7929, 7291015/M7919
B	Rheumatoid arthritis, muscular rheumatism, neuralgia, and wart	8842106/M0690, 7290004/M7900, 8834958/M7929, 781034/B07
C	Muscular rheumatism, articular rheumatism, wart, and palmoplantar keratosis	7290004/M7900, 8842106/M0690, 781034/B07, 7573022/L851

Product No.	Indications	Ephedra Herb<JP>	Apricot Kernel<JP>	Coix Seed<JP>	Glycyrrhiza<JP>
1	A	4,0	3,0	10,0	2,0
2	B	4,0	3,0	10,0	2,0
3	C	4,0	3,0	10,0	2,0

A.2.2.79 Maobushisaishinto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with rigors, slight fever, general malaise, headache and dizziness with hypotension, and painfully cold limbs: Common cold, bronchitis, and coughing	7809023/R688, 7806012/R509, 7806011/R509, 8836510/R53, 8837873/1959, 7840024/R51, 8841308/R42, 8838060/R529, 8839176/R688, 8844739/R522, 4609023/J00, 4900009/J40, 7862008/R05
B	The following symptoms of those patients with general malaise, lack of motivation, slight fever, and chills: Common cold and bronchitis	8836510/R53, 7807017/R53, 7806012/R509, 7806011/R509, 7809023/R688, 4609023/J00, 4900009/J40, 8844739/R522
C	The following symptoms of those patients with rigors, slight fever, general malaise, headache and dizziness with hypotension, and painfully cold limbs: Common cold and bronchitis	7809023/R688, 7806012/R509, 7806011/R509, 8836510/R53, 8837873/1959, 7840024/R51, 8841308/R42, 8838060/R529, 8839176/R688, 8844739/R522, 4609023/J00, 4900009/J40

Product No.	Indications	Ephedra Herb<JP>	Asiasarum Root<JP>	Processed Aconite Root<JP>	Powdered Processed Aconite Root<JP>	Powdered Processed Aconite Root 2<JP>
1	B	4,0	3,0			1,0
2	A	4,0	3,0	1,0		
3	C	4,0	3,0		1,0	

A.2.2.80 Maoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with rigor, fever, headache, and joint pain who are on the early stage of common cold: Common cold and coryza	4609023/J00, 7809023/R688, 7806011/R509, 7840024/R51, 8844739/R522, 7194005/M2559, 8831632/J00, 4781015/J310
B	The following symptoms of those patients with high fever and chills without spontaneous sweating accompanied by body pain and joint pain or cough and wheezing: Common cold, coryza, infantile nasal obstruction, and bronchial asthma	7806005/R509, 7809023/R688, 8844739/R522, 7194005/M2559, 7862008/R05, 7861002/R061, 4609023/J00, 8831632/J00, 4781015/J310, 4781056/R448, 4939008/J459
C	The following symptoms of those patients with rigors, fever, headache, low-back pain, and skin without a sticky feeling: Common cold, influenza (in the initial phase), rheumatoid arthritis, asthma, nasal obstruction in suckling infants, and suckling difficulties	7809023/R688, 7806011/R509, 7840024/R51, 8840829/M5456, 4609023/J00, 4871001/J111, 8842106/M0690, 4939008/J459, 4781056/R448, 7793009/P922, 8844739/R522

Product No.	Indications	Ephedra Herb<JP>	Cinnamon Bark<JP>	Apricot Kernel<JP>	Glycyrrhiza<JP>
1	A	5,0	4,0	5,0	1,5
2	B	5,0	4,0	5,0	1,5
3	C	5,0	4,0	5,0	1,5

A.2.2.81 Mashiningan

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590
B	Chronic constipation, acute constipation, constipation after disease, hemorrhoids due to constipation, and renal atrophy	5640018/K590, 8840042/K590, 4556002/I849, 5870001/N26

Product No.	Indications	Hemp Fruit<JP>	Peony Root<JP>	Immature Orange<JP>	Magnolia Bark<JP>	Rhubarb<JP>	Apricot Kernel<JP>
1	B	5,0	2,0	2,0	2,0	4,0	2,0
2	A	5,0	2,0	2,0	2,0	4,0	2,0

A.2.2.82 Mokuboito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with blocked feeling in the epigastric region, dyspnea accompanied by wheezing, enema, decreased urinary output, dry mouth or throat: Endocarditis, cardiac valvulopathy, cardiac asthma, chronic nephritis, and nephrosis	8844735/R198, 7861002/R061, 8833748/R060, 7823024/R609, 7885005/R34, 8844710/R682, 8833352/R631, 8835117/I38, 4249004/I38, 4281005/I501, 5829003/N039, 5839010/N059, 5819004/N049
B	The following symptoms of those patients with blocked feeling in the epigastric region, dyspnea with asthma, tendency to oedema, decreased urine volume and oral dryness, etc.: Heart valve disease, cardiac asthma, chronic nephritis, and nephrosis	8844735/R198, 4939008/J459, 8833748/R060, 7823024/R609, 7885005/R34, 8833352/R631, 4249004/I38, 4281005/I501, 5829003/N039, 5839010/N059, 5819004/N049
C	Diseases originating from the heart or kidneys, as well as oedema and cardiac asthma, of those patients with a bad complexion, dyspnea with coughing, and tension and heaviness under the heart	8832101/R231, 7862008/R05, 8833748/R060, 8844735/R198, 8834984/I519, 5839010/N059, 7823024/R609, 4281005/I501

Product No.	Indications	Sinomenium Stem and Rhizome<JP>	Gypsum<JP>	Cinnamon Bark<JP>	Ginseng<JP>
1	A	4,0	10,0	3,0	3,0
2	B	4,0	10,0	2,0	2,0
3	C	4,0	10,0	3,0	3,0

A.2.2.83 Nichinto

Indications	Indications text	Controlled identifiers
A	Nausea and vomiting	7870002/R11, 8830971/R11, 8844738/R198, 8844737/R198

Product No.	Indications	Pinellia Tuber<JP>	Poria Sclerotium<JP>	Citrus Unshiu Peel<JP>	Ginger<JP>	Fresh Ginger<JP>	Glycyrrhiza<JP>
1	A	5,0	5,0	4,0		3,0	1,0
2	A	5,0	5,0	4,0	1,0		1,0

A.2.2.84 Nijutsuto

Indications	Indications text	Controlled identifiers
A	Frozen shoulder	7262008/M750

Product No.	Indications	Atractylodes Rhizome<JP>	Poria Sclerotium<JP>	Citrus Unshiu Peel<JP>	Arisaema Tuberosum<JP>	Cyperus Rhizome<JP>	Scutellaria Root<JP>	Clematis Root<JP>	Aralia Root<JP>	Pinellia Tuberosum<JP>	Atractylodes Lancea Rhizome<JP>	Glycyrrhiza<JP>	Ginger<JP>
1	A	2,5	2,5	2,5	2,5	2,5	2,5	2,5	2,5	4,0	3,0	1,0	1,0

A.2.2.85 Ninjinto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with increased urine volume who easily have cold hands and feet: Weak digestive system, gastric atony, diarrhoea, vomiting, and gastric pain	8839176/R688, 8844662/K318, 8833267/A09, 8830971/R11, 8830562/R101, 8844734/R198, 8844736/R198, 8844663/R198, 8844737/R198, 8844738/R198
B	The following symptoms of those patients with anaemia, poor circulation, pressure and heaviness in the stomach, stomachache, tendency to soft stools or diarrhoea sometimes accompanied by heaviness of head and vomiting: Chronic diarrhoea, gastritis, gastric atony, anaemia, auto-intoxication in physically weak children, and paediatric anorexia	2859011/D649, 8839176/R688, 8844738/R198, 8830562/R101, 8833267/A09, 7840022/R51, 8830971/R11, 8840341/K529, 8830417/K297, 8844662/K318, 8830250/R11, 7830003/R630, 8844734/R198, 8844736/R198, 8844663/R198, 8844737/R198
C	The following symptoms of those patients with delicate constitution or those whose weak constitution declined due to disease or fatigue: Acute and chronic enterogastritis, gastric atony, gastric dilation, vomiting of pregnancy (morning sickness), atrophic kidney.	8832689/R53, 8844779/R53, 91009/A09, 5580033/K529, 8844662/K318, 5368008/K318, 6430002/O210, 5870001/N26, 8844734/R198, 8844736/R198, 8844663/R198, 8844737/R198, 8844738/R198

Product No.	Indications	Ginseng<JP>	Glycyrrhiza<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Processed Ginger<JP>
1	A	3,0	3,0	3,0		3,0
2	B	3,0	3,0	3,0		3,0
3	A	3,0	3,0		3,0	3,0
4	C	3,0	3,0		3,0	3,0

A.2.2.86 Ninjin'yoeito

Indications	Indications text	Controlled identifiers
A	Declined constitution after recovery from disease, fatigue and malaise, anorexia, perspiration during sleep, cold limbs, and anaemia	8844779/R53, 8836510/R53, 7830003/R630, 8838640/R619, 8839176/R688, 2859011/D649
B	The following symptoms of those patients with ill complexion, thin body, slight fever, chills, persistent cough, severe malaise, anorexia, mental dysequilibrium, insomnia, night sweating, and tendency to constipation: Enhancement of physical strength after disease or childbirth and delicate constitution	7832001/R634, 7806012/R509, 7806011/R509, 7809023/R688, 7862008/R05, 7807010/R53, 7830003/R630, 8839596/F419, 8839792/G470, 8838640/R619, 8840042/K590, 8844779/R53, 8832689/R53

Product No.	Indications	Gin-seng<JP>	Japanese Angelica Root<JP>	Peony Root<JP>	Rehmannia Root<JP>	Atractylodes Rhizome<JP>	Poria Sclerotium<JP>	Cinnamon Bark<JP>	Astragalus Root<JP>	Citrus Unshiu Peel<JP>	Polygala Root<JP>	Schisandra Fruit<JP>	Glycyrrhiza<JP>
1	B	3,0	4,0	2,0	4,0	4,0	4,0	2,5	1,5	2,0	2,0	1,0	1,0
2	A	3,0	4,0	2,0	4,0	4,0	4,0	2,5	1,5	2,0	2,0	1,0	1,0

A.2.2.87 Nyoshinsan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have a feeling of hot flush and dizziness: Neurosis before or after childbirth, menstrual irregularity, and automatic imbalance syndrome peculiar to women resembling climacteric disturbance	8844802/R232, 8841308/R42, 3009007/F489, 8833261/N926, 8844785/N951, 8844727/R198

Product No.	Indications	Japanese Angelica Root<JP>	Cnidium Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Cyperus Rhizome<JP>	Cinnamon Bark<JP>	Scutellaria Root<JP>	Gin-seng<JP>	Areca<JP>	Coptis Rhizome<JP>	Saussurea Root<JP>	Clove<JP>	Glycyrrhiza<JP>
1	A	3,0	3,0	3,0	3,0	2,0	2,0	2,0	2,0	1,0	1,0	1,0	1,0

A.2.2.88 Saikokeishikankyoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a weak constitution, slight oversensitivity to cold, slight anaemia, palpitation, shortness of breath, and nervousness: Climacteric disturbance, automatic imbalance syndrome peculiar to women resembling climacteric disturbance, insomnia, and neurosis	8844779/R53, 8839176/R688, 2859011/D649, 7851005/R002, 7860016/R060, 8834934/R450, 6272001/N951, 8844785/N951, 3009007/F489, 8839792/G470, 8844695/R198
B	The following symptoms of those patients with debility and ill complexion accompanied by slight fever, sweating in the head, night sweating, chest discomfort, fatigue, malaise, decreased appetite, awareness of palpitation in the chest or around the umbilicus, tendency to neurasthenia, insomnia, tendency to soft stools, decreased urinary output, dry mouth, and dry cough: Enhancement of physical strength in patients with debilitating disease such as common cold, cardiac debility, chest disease, and hepatic disease, and anemeia, neurasthenia, insomnia, and climacteric neurosis	8835677/R53, 7806012/R509, 7806011/R509, 8838640/R619, 7865006/R074, 8836510/R53, 7830003/R630, 7851005/R002, 8834946/F480, 8839792/G470, 8833267/A09, 7885005/R34, 8844710/R682, 8831591/R05, 4609023/J00, 4289018/I509, 8831536/K769, 8844779/R53, 2859011/D649, 8844717/N951, 6272001/N951, 3009007/F489, 8844695/R198

Product No.	Indications	Bupleurum Root<JP>	Cinnamon Bark<JP>	Trichosanthes Root<JP>	Scutellaria Root<JP>	Oyster Shell<JP>	Processed Ginger<JP>	Glycyrrhiza<JP>
1	A	6,0	3,0	3,0	3,0	3,0	2,0	2,0
2	B	6,0	3,0	3,0	3,0	3,0	2,0	2,0
3	A	6,0	3,0	4,0	3,0	3,0	3,0	2,0

A.2.2.89 Ogikenchuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a delicate constitution who are easily fatigued: Delicate constitution, weakness during convalescence, and night sweat	8832689/R53, 8839426/R53, 8844779/R53, 8838640/R619, 8844822/R198

Product No.	Indications	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Ginger<JP>	Fresh Ginger<JP>	Ju-jube<JP>	Peony Root<JP>	Glycyrrhiza<JP>	Astragalus Root<JP>	Koi<JP>
1	A		4,0		4,0	4,0	6,0	2,0	4,0	
2	A	4,0		1,0		4,0	6,0	2,0	4,0	10,0

A.2.2.90 Ogonto

Indications	Indications text	Controlled identifiers
A	Intestinal catarrh, dyspepsia, vomiting, and diarrhoea	91022/A09, 8834689/K30, 8830971/R11, 8833267/A09

Product No.	Indications	Scutellaria Root<JP>	Peony Root<JP>	Glycyrrhiza<JP>	Jujube<JP>
1	A	4,0	3,0	3,0	4,0

A.2.2.91 Orengedokuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with comparatively strong constitution, a touch of hot flushes, redness of face, and a tendency to irritability: Nose bleeding, insomnia, neurosis, gastritis, hangover, automatic imbalance syndrome peculiar to women resembling climacteric disturbance, dizziness, and palpitation	8844802/R232, 8830417/K297, 3050006/F100, 8841308/R42, 7851005/R002, 3009007/F489, 8839792/G470, 8844785/N951, 8839467/R040, 8844736/R198, 7865013/R101
B	The following symptoms of those patients with comparatively strong constitution who have feeling of hot flushes, shoulder stiffness, nervous symptoms including insomnia, bleeding tendency: Hematemesis, melena, epistaxis, hypertension, Insomnia caused by hypertension, pruritus cutaneous, neurosis, and gastritis	8844802/R232, 8831347/M6281, 8839792/G470, 2869010/D699, 5780005/K920, 5781001/K921, 8839467/R040, 8833421/I10, 8841388/L299, 3009007/F489, 8830417/K297, 8844736/R198, 7865013/R101
C	The following symptoms of those patients with comparatively strong constitution, a touch of hot flushes, and a tendency to irritability: Hemoptysis, hematemesis, melena, cerebral haemorrhage, hypertension, palpitation, neurosis, pruritus cutaneous, and gastritis	8844802/R232, 7863003/R042, 5780005/K920, 5781001/K921, 4369009/I64, 8833421/I10, 7851005/R002, 3009007/F489, 8841388/L299, 8830417/K297, 8844736/R198, 7865013/R101

Product No.	Indications	Coptis Rhizome<JP>	Scutellaria Root<JP>	Phellodendron Bark<JP>	Gardenia Fruit<JP>
1	A	1,5	3,0	1,5	2,0
2	A	2,0	3,0	2,0	2,0
3	A	1,5	3,0	3,0	3,0
4	B	1,5	3,0	1,5	2,0
5	C	2,0	3,0	1,5	2,0

A.2.2.92 Orento

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have heavy stomach feeling, sensation of stomach pressure, and anorexia: Acute gastritis, hangover, and stomatitis	8844738/R198, 7830003/R630, 5350004/K291, 3050006/F100, 5280017/K121, 8844736/R198
B	The following symptoms of those patients with pressure and heaviness in the stomach, decreased appetite, abdominal pain, nausea, vomiting, oral malodor, and coated tongue accompanied by constipation or diarrhoea: Gastrointestinal catarrh, stomatitis, dyspepsia, hyperchlorhydria, and hangover	8844738/R198, 7830003/R630, 8839710/R104, 7870002/R11, 8830971/R11, 7849010/R196, 8836451/K143, 8840042/K590, 8833267/A09, 91002/A09, 5280017/K121, 8834689/K30, 8831204/K318, 3050006/F100, 8844736/R198

Product No.	Indications	Coptis Rhizome<JP>	Glycyrrhiza<JP>	Processed Ginger<JP>	Ginger<JP>	Ginseng<JP>	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Jujube<JP>	Pinellia Tuber<JP>
1	B	3,0	3,0	3,0		3,0	3,0		3,0	6,0
2	A	3,0	3,0		3,0	3,0	3,0		3,0	6,0
3	A	3,0	3,0	3,0		3,0		3,0	3,0	5,0

A.2.2.93 Otsujito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with discharged hard stools and a tendency to constipation: Hemorrhoids, anal fissure and constipation	8840042/K590, 4556002/I849, 5650010/K602, 8844695/R198
B	Hemorrhoids, anal prolapse, anal haemorrhage, and hemorrhoidal pain	4556002/I849, 5691009/K622, 8833703/K625, 8838060/R529, 8844695/R198
C	The following symptoms of those patients with a tendency to constipation, anal pain and a little haemorrhage occasionally: Hemorrhoids, anal prolapse, anal haemorrhage, and pruritus vulvae	8840042/K590, 8838060/R529, 4590002/R58, 4556002/I849, 5691009/K622, 8833703/K625, 8841353/L292, 8844695/R198
D	The following symptoms of those patients with a moderately strong constitution without very severe symptoms or debility: Anal fissure and hemorrhoids	5650010/K602, 4556002/I849, 8844695/R198

Product No.	Indications	Japanese Angelica Root<JP>	Bupleurum Root<JP>	Scutellaria Root<JP>	Glycyrrhiza<JP>	Cimicifuga Rhizome<JP>	Rhubarb<JP>
1	A	6,0	5,0	3,0	2,0	1,5	1,0
2	B	6,0	5,0	3,0	2,0	1,5	1,0
3	A	6,0	5,0	3,0	3,0	1,0	1,0
4	C	6,0	5,0	3,0	2,0	1,5	1,0
5	D	6,0	5,0	3,0	2,0	1,0	0,5

A.2.2.94 Rikkosan

Indications	Indications text	Controlled identifiers
A	Pain after tooth extraction, and toothache	5258014/T888, 8834412/K088

Product No.	Asiasarum Root<JP>	Cimicifuga Rhizome<JP>	Saposhnikovia Root and Rhizome<JP>	Glycyrrhiza<JP>	Japanese Gentian<JP>
1	2,0	2,0	2,0	1,5	1,0

A.2.2.95 Rikkunshito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with weak stomach, loss of appetite and full stomach pit, and those who are easily fatigued, anaemic and likely to have cold limbs: Gastritis, gastric atony, gastroptosis, maldigestion, anorexia, gastric pain, and vomiting	8844662/K318, 7830003/R630, 8839426/R53, 2859011/D649, 8839176/R688, 8830417/K297, 8830420/K318, 8834689/K30, 8830562/R101, 8830971/R11, 8844663/R198, 8844737/R198
B	The following symptoms of those patients who have anaemia, oversensitivity to cold, heaviness and pressure in the stomach and are easily fatigued: Chronic gastrointestinal catarrh, gastroptosis, gastric atony, hyperemesis gravidarum, maldigestion in physically weak children, and gastric ulcer	2859011/D649, 8839176/R688, 8844738/R198, 8839426/R53, 5580033/K529, 8830420/K318, 8844662/K318, 6430002/O210, 8834689/K30, 5319009/K259, 8844663/R198, 8844737/R198
C	The following symptoms of those patients with anaemia, poor circulation, pressure and heaviness in the stomach, tendency to soft stools, and easily fatigued: Gastritis, gastric dilatation, gastric atony, gastroptosis, gastric neurosis, morning sickness, and anorexia in physically weak children	2859011/D649, 8839176/R688, 8844738/R198, 8833267/A09, 8839426/R53, 8830417/K297, 5368008/K318, 8844662/K318, 8830420/K318, 3064002/F453, 5351003/K295, 3009007/F489, 6430002/O210, 7830003/R630, 8844663/R198, 8844737/R198

Product No.	Indications	Ginseng<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Poria Sclerotium<JP>	Pinellia Tuber<JP>	Citrus Unshiu Peel<JP>	Jujube<JP>	Glycyrrhiza<JP>	Ginger<JP>	Fresh Ginger<JP>
1	A	4,0	4,0		4,0	4,0	2,0	2,0	1,0	0,5	
2	C	4,0	4,0		4,0	4,0	2,0	2,0	1,0	0,5	
3	B	4,0	4,0		4,0	4,0	2,0	2,0	1,0	0,5	
4	A	3,0	3,0		3,0	3,0	2,0	2,0	1,5		2,0
5	A	4,0		4,0	4,0	4,0	2,0	2,0	1,0	0,5	

A.2.2.96 Rokumigan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with decreased urine volume or polyuria sometimes having dry mouth who are easily fatigued: Dysuria, frequent urination, oedema and pruritus	8839426/R53, 7885005/R34, 7884011/R35, 8833352/R631, 7881001/R391, 8839433/R35, 7823024/R609, 8841305/L299, 8844728/R198, 8844726/R198

Product No.	Indications	Rehmannia Root<JP>	Cornus Fruit<JP>	Dioscorea Rhizome<JP>	Alisma Tuber<JP>	Poria Sclerotium<JP>	Moutan Bark<JP>
1	A	5,0	3,0	3,0	3,0	3,0	3,0

A.2.2.97 Ryokankyomishingeninto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with anaemia, oversensitivity to cold, and coughing with profuse sputum accompanied by stridor: Bronchitis, bronchial asthma, cardiac weakness, and kidney disease	2859011/D649, 8839176/R688, 7861002/R061, 8831159/R093, 7862008/R05, 4900009/J40, 4939008/J459, 4289018/I509, 5839010/N059, 8844106/N289, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Glycyrrhiza<JP>	Pinellia Tuber<JP>	Processed Ginger<JP>	Apricot Kernel<JP>	Schisandra Fruit<JP>	Asiasarum Root<JP>
1	A	4,0	2,0	4,0	2,0	4,0	3,0	2,0

A.2.2.98 Ryokeijutsukanto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with dizziness, light-headed feeling, and palpitation accompanied by decreased urine volume: Nervousness, neurosis, dizziness, heart pounding, shortness of breath, and headache	8841308/R42, 7851005/R002, 7885005/R34, 8834942/R450, 3009007/F489, 7860016/R060, 7840024/R51, 8844732/R002, 8844663/R198, 8844737/R198
B	The following symptoms of those patients with dizziness on standing up, dizziness, severe palpitation, hot flush, headache, slight flushed face, anaemia, increased urinary frequency, decreased urinary output, and lip dry: Neurological increase in heart beat, neurosis, hyperemia, tinnitus, insomnia, abnormal blood pressure, cardiac debility, and kidney disease	4580006/I951, 8841308/R42, 7851005/R002, 8844802/R232, 7840024/R51, 8832085/R232, 2859011/D649, 8839433/R35, 7885005/R34, 3062022/F453, 3009007/F489, 3727016/H114, 8835241/H931, 8839792/G470, 8844707/R098, 8833421/I10, 8837873/I959, 4289018/I509, 5839010/N059, 8844106/N289, 8844732/R002, 8844663/R198, 8844737/R198
C	The following symptoms of those patients with headache, dull headache, hot flushes, dizziness, orthostatic dizziness, palpitation and tachycardia accompanied by insomnia and anxiety who have a tendency to decrease the urine volume: Nervous tachycardia, heart valve disease, abnormal blood pressure, orthostatic dizziness, Meniere's syndrome, neurasthenia, and kidney disease	7840024/R51, 7840022/R51, 8844802/R232, 8841308/R42, 4580006/I951, 7851005/R002, 8839792/G470, 8839596/F419, 7885005/R34, 3062022/F453, 4249004/I38, 8844707/R098, 8833421/I10, 8837873/I959, 8847584/H810, 8834946/F480, 5839010/N059, 8844732/R002, 8844663/R198, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Cinnamon Bark<JP>	Cinnamon Twig<JP>	Glycyrrhiza<JP>
1	A	6,0	3,0		4,0		2,0
2	A	6,0		3,0	4,0		2,0
3	B	6,0	3,0		4,0		2,0
4	C	6,0	3,0		4,0		2,0
5	A	6,0	3,0			4,0	2,0

A.2.2.99 Ryokyojutsukanto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have coldness and pain in the low back and a high urine output: Low back pain, cold low back, and nocturnal enuresis	8839176/R688, 8838060/R529, 7884011/R35, 8840829/M5456, 3076004/F980, 8844737/R198
B	The following symptoms of those patients with general malaise, lower back pain, cold feeling, sensation of heaviness, increased urinary frequency and output: Cold lower back, lower back pain, sciatica, and nocturnal enuresis	8836510/R53, 8840829/M5456, 8838060/R529, 8839176/R688, 8839433/R35, 7884011/R35, 7243008/M5438, 3076004/F980, 8844737/R198
C	The following symptoms of those patients who have severe coldness in the low back and the lower limbs, coldness and pain in the low back, malaise, increased urinary frequency and urinary output: Sciatica, low back pain, nocturnal enuresis, enuresis, and leukorrhea	8839176/R688, 7807010/R53, 8839433/R35, 7884011/R35, 7243008/M5438, 8840829/M5456, 3076004/F980, 8830590/R32, 6235001/N898, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Processed Ginger<JP>	Atractylodes Rhizome<JP>	Glycyrrhiza<JP>
1	A	6,0	3,0	3,0	2,0
2	B	6,0	3,0	3,0	2,0
3	C	6,0	3,0	3,0	2,0

A.2.2.100 Ryutanshakanto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a comparatively strong constitution whose muscles in the lower abdomen are likely to become tense: Micturition pain, feeling of residual urine, turbid urine, and leukorrhea	7880004/R309, 7886003/R398, 7919006/R829, 6235001/N898
B	The following symptoms of those patients with comparatively strong constipation: Urethritis, bladder catarrh, vaginitis, genital eczema, white vaginal discharge, genital itching and pain, and endometritis	5978015/N342, 5959015/N309, 8837491/N760, 6923002/L309, 6235001/N898, 8841353/L292, 6159011/N719
C	The following symptoms of those patients with a comparatively strong constitution who have inflammation in the bladder or the urethra or the uterus, micturition pain, and dysuria: Urethritis, cystorrhoea, vaginitis, leukorrhoea, vulvar eczema, Bartholinitis, pruritus vulvae, endometritis, and orchitis	5959015/N309, 5978015/N342, 7880004/R309, 7881001/R391, 8837491/N760, 6235001/N898, 6923002/L309, 6168002/N758, 8841353/L292, 6159011/N719, 6049013/N459

Product No.	Indications	Japanese Angelica Root<JP>	Rehmannia Root<JP>	Akebia Stem<JP>	Scutellaria Root<JP>	Alisma Tuberosity<JP>	Plantago Seed<JP>	Japanese Gentian<JP>	Gardenia Fruit<JP>	Glycyrrhiza<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Coptis Rhizome<JP>	Phellodendron Bark<JP>	Forsythia Fruit<JP>	Mentha Herb<JP>	Glehnia Root and Rhizome<JP>
1	A	5,0	5,0	5,0	3,0	3,0	3,0	1,0	1,0	1,0							
2	B	1,5	1,5	1,5	1,5	2,0	1,5	2,0	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5
3	C	5,0	5,0	5,0	3,0	3,0	3,0	1,0	1,0	1,0							
4	A	5,0	5,0	5,0	3,0	3,0	3,0	1,5	1,5	1,5							

A.2.2.101 Saibokuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, etc.: Infantile asthma, bronchial asthma, bronchitis, coughing, and anxiety neurosis	7849002/F453, 3061005/F453, 5309002/R198, 7851005/R002, 8841308/R42, 7870012/R11, 4930005/J450, 4939008/J459, 4900009/J40, 7862008/R05, 3000010/F411, 8844695/R198, 8844688/R454, 8830642/F453

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Scutellaria Root<JP>	Jujube<JP>	Ginseng<JP>	Glycyrrhiza<JP>	Poria Sclerotium<JP>	Magnolia Bark<JP>	Perilla Herb<JP>
1	A	7,0	6,0	1,0	3,0	3,0	3,0	2,0	5,0	3,0	2,0
2	A	7,0	5,0	1,0	3,0	3,0	3,0	2,0	5,0	3,0	2,0

A.2.2.102 Saikanto

Indications	Indications text	Controlled identifiers
A	Coughing and chest pain due to coughing	7862008/R05, 7865004/R074, 8844695/R198
B	The following symptoms of those patients with chest pain, back pain, pleural effusion, blocked feeling in the chest or stomach, decreased urinary output, cough, and vicous sputum: Bronchitis, bronchial asthma, and chest pain in pleuritis	7865004/R074, 7245015/M5495, 5119004/J90, 8844695/R198, 7885005/R34, 7862008/R05, 8831159/R093, 4900009/J40, 4939008/J459, 5110003/R091

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Scutellaria Root<JP>	Jujube<JP>	Ginseng<JP>	Glycyrrhiza<JP>	Ginger<JP>	Trichosanthes Seed<JP>	Coptis Rhizome<JP>
1	B	5,0	5,0	3,0	3,0	2,0	1,5	0,8	3,0	1,5
2	A	7,0	5,0	3,0	3,0	3,0	2,0	1,0	3,0	1,5
3	A	5,0	5,0	3,0	3,0	2,0	1,5	1,0	3,0	1,5

A.2.2.103 Saikokaryukotsuboreito

Indications	Indications text	Controlled identifiers
A-1	The following symptoms of those patients with palpitation and insomnia who have mental instability: Symptoms associated with hypertension (palpitation, anxiety, and insomnia), neurosis, climacteric neurosis, and night cry in children	8839596/F419, 7851005/R002, 8839792/G470, 8833421/I10, 3000010/F411, 3009007/F489, 8844717/N951, 6272001/N951, 8844831/F514, 8844695/R198
A-2	The following symptoms of those patients with palpitation and insomnia who have mental instability: Symptoms associated with hypertension (palpitation, anxiety, and insomnia), neurosis, climacteric disturbance, and night cry in children	8839596/F419, 7851005/R002, 8839792/G470, 8833421/I10, 3000010/F411, 3009007/F489, 8844717/N951, 6272001/N951, 8844831/F514, 8844695/R198
B	The following symptoms of those patients with mental dysequilibrium and irritability accompanied by increase in heart beat, chest discomfort, dizziness, hot flush, insomnia or awareness of palpitation around the umbilicus, and blocked feeling in the epigastric region with constipation and decreased urinary output: Arteriosclerosis, hypertension, kidney disease, insomnia, neurological increase in heart beat, cardiac debility, epilepsy, paediatric night terrors, climacteric neurosis, impotence, neurosis	8839596/F419, 7851005/R002, 7865006/R074, 8841308/R42, 8844802/R232, 8839792/G470, 8844695/R198, 8840042/K590, 7885005/R34, 8838263/I709, 8833421/I10, 5839010/N059, 8844106/N289, 3062022/F453, 3009007/F489, 4289018/I509, 3459001/G409, 8844831/F514, 8844717/N951, 6272001/N951, 3009007/F489, 3027006/F522
C	The following symptoms of those patients with comparatively strong constitution, palpitation, insomnia, and neurological symptoms such as irritability: Hypertension, arteriosclerosis, chronic renal disease, neurasthenia, neurotic palpitation, epilepsy, hysteria, night cry in childhood, and impotence	7851005/R002, 8839792/G470, 8833421/I10, 8838263/I709, 5839010/N059, 8844106/N289, 8834946/F480, 3062022/F453, 3009007/F489, 3459001/G409, 3001018/F449, 8844831/F514, 3027006/F522, 8844695/R198

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Poria Sclerotium<JP>	Cinnamon Bark<JP>	Jujube<JP>	Ginseng<JP>	Longgu<JP>	Oyster Shell<JP>	Ginger<JP>	Rhubarb<JP>	Scutellaria Root<JP>
1	A-1	5,0	4,0	3,0	3,0	2,5	2,5	2,5	2,5	1,0	1,0	2,5
2	A-1	5,0	4,0	3,0	3,0	2,5	2,5	2,5	2,5	0,8	1,0	2,5
3	B	5,0	4,0	3,0	3,0	2,5	2,5	2,5	2,5	0,7	1,0	2,5
4	A-2	5,0	4,0	3,0	3,0	2,5	2,5	2,5	2,5	1,0	1,0	2,5
5	C	5,0	4,0	3,0	3,0	2,5	2,5	2,5	2,5	1,0		2,5

A.2.2.104 Saikokeishito

Indications	Indications text	Controlled identifiers
A	Gastroenteritis with abdominal pain, common cold with slight fever, rigor, headache, nausea, etc., and symptoms in the latter stage of common cold	8839710/R104, 91005/A09, 7806012/R509, 7806011/R509, 7809023/R688, 7840024/R51, 7870012/R11, 4609023/J00, 8844739/R522, 8844665/R509, 8844695/R198
B	The following symptoms of those patients with slight fever and chills accompanied by pressure in the chest or flank, headache, and joint pain with spontaneous sweating or stomachache, chest pain, nausea, severe abdominal pain, and decreased appetite: Common cold and pleuritis	7806012/R509, 7806011/R509, 7809023/R688, 8844739/R522, 8844695/R198, 7840024/R51, 7194005/M2559, 8830562/R101, 7865004/R074, 7870002/R11, 8839710/R104, 7830003/R630, 4609023/J00, 5110003/R091, 8844665/R509
C	The following symptoms of those patients with spontaneous sweating who have slight fever, rigor, pressure in the chest or flank, headache, joint pain, anorexia, diarrhoea and nausea: Common cold, stomachache, abdominal pain, neuralgia, cholecystitis and hyperchylia	7806012/R509
D	The following symptoms of those patients with fever, diaphoresis, rigors, physical pain, headache, and nausea: Febrile diseases, such as common cold, influenza, pneumonia, and pulmonary tuberculosis; and stomach pit tension pain, such as gastric ulcer, duodenal ulcer, cholecystitis, cholelithiasis, hepatic dysfunction, and pancreatitis	7806011/R509, 7808004/R619, 7809023/R688, 8844739/R522, 8838060/R529, 7840024/R51, 7870012/R11, 4609023/J00, 4871001/J111, 4860030/J189, 8838810/A162, 5319009/K259, 5329002/K269, 8837151/K819, 8837169/K802, 5738002/K769, 5770014/K85, 7865013/R101, 8844665/R509, 8844695/R198

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Cinnamon Bark<JP>	Peony Root<JP>	Scutellaria Root<JP>	Ginseng<JP>	Jujube<JP>	Glycyrrhiza<JP>	Ginger<JP>
1	A	5,0	4,0	2,5	2,0	2,0	2,0	2,0	1,5	1,0
2	A	5,0	4,0	2,5	2,5	2,0	2,0	2,0	1,5	1,0
3	B	5,0	4,0	2,5	2,0	2,0	2,0	2,0	1,5	0,5
4	A	5,0	4,0	2,5	2,0	2,0	2,0	2,0	1,5	0,5
5	C	5,0	4,0	2,5	2,5	2,0	2,0	2,0	1,5	1,0
6	D	5,0	4,0	2,0	2,0	2,0	2,0	2,0	2,0	1,0

A.2.2.105 Saikoseikanto

Indications	Indications text	Controlled identifiers
A	The following symptoms in children who tend to be irritable: Neurosis, chronic tonsillitis, and eczema	3008007/F488, 3009007/F489, 4740010/J350, 6923002/L309, 8844695/R198
B	The following symptoms of those patients with delicate constitution and scrofulous constitution: Chronic gastrointestinal disease, anaemia, cervical adenitis, hilar lymphadenopathy, tonsillar hypertrophy, neurosis, and eczema	8832689/R53, 5351003/K295, 2859011/D649, 2893003/I889, 8840014/J351, 3009007/F489, 6923002/L309, 8844695/R198

Product No.	Indications	Bupleurum Root<JP>	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Rehmannia Root<JP>	Coptis Rhizome<JP>	Scutellaria Root<JP>	Phellodendron Bark<JP>	Garдения Fruit<JP>	Forsthia Fruit<JP>	Platycodon Root<JP>	Burdock Fruit<JP>	Trichosanthes Root<JP>	Mentha Herb<JP>	Glycyrrhiza<JP>
1	B	2,0	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5
2	A	2,0	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5	1,5

A.2.2.106 Saireito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with nausea, anorexia, thirst, and oliguria: Watery diarrhoea, acute gastroenteritis, sunstroke, and oedema	7870012/R11, 7830003/R630, 8833352/R631, 7885005/R34, 8833267/A09, 91009/A09, 8844730/T678, 7823024/R609, 8844695/R198, 8844737/R198

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Scutellaria Root<JP>	Jujube<JP>	Ginseng<JP>	Glycyrrhiza<JP>	Alisma Tuber<JP>	Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Cinnamon Bark<JP>
1	A	7,0	5,0	1,0	3,0	3,0	3,0	2,0	6,0	4,5	4,5	4,5		3,0
2	A	7,0	5,0	1,0	3,0	3,0	3,0	2,0	5,0	3,0	3,0		3,0	2,0

A.2.2.107 Sammotsuogonto

Indications	Indications text	Controlled identifiers
A	Hot flushes in the limbs	8844828/R232

Product No.	Indications	Scutellaria Root<JP>	Sophora Root<JP>	Rehmannia Root<JP>
1	A	3,0	3,0	6,0

A.2.2.108 San'oshashinto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a comparatively strong constitution who have a slight feeling of hot flush and have facial hot flushes, mental instability, and are likely to have constipation: Symptoms associated with hypertension (flushing, shoulder stiffness, tinnitus, dull headache, insomnia, and anxiety), nose bleeding, hemorrhoidal bleeding, constipation, climacteric disturbance, and automatic imbalance syndrome peculiar to women resembling climacteric disturbance	8844802/R232, 8832085/R232, 8839596/F419, 8840042/K590, 8833421/I10, 8831347/M6281, 8835241/H931, 7840022/R51, 8839792/G470, 3000010/F411, 7847004/R040, 4556002/I849, 6272001/N951, 8844785/N951, 8844736/R198
B	The following symptoms of those patients with hot flush, anxious feeling, blocked feeling in the stomach, severe constipation, hyperemia or tendency to bleeding: Hypertension, arteriosclerosis, cerebral haemorrhage, melena, nasal bleeding, and chronic constipation	8844802/R232, 8839596/F419, 8844736/R198, 8840042/K590, 4590002/R58, 8833421/I10, 8838263/I709, 4369009/I64, 5781001/K921, 8839467/R040, 5640018/K590
C	The following symptoms of those patients with hot flush, mental dysequilibrium, blocked feeling in the stomach, severe constipation, bright red hyperemia, and tendency to bleeding: Hypertension, arteriosclerosis, insomnia due to hypertension, cerebral haemorrhage, hematemesis, melena, nasal bleeding, and chronic constipation	8844802/R232, 8839596/F419, 8844736/R198, 8840042/K590, 4590002/R58, 8833421/I10, 8838263/I709, 8839792/G470, 4369009/I64, 5780005/K920, 5781001/K921, 8839467/R040, 5640018/K590

Product No.	Indications	Rhubarb<JP>	Scutellaria Root<JP>	Coptis Rhizome<JP>
1	A	2,0	1,0	1,0
2	A	1,0	1,0	1,0
3	B	1,0	1,0	1,0
4	C	1,0	1,0	1,0
5	A	3,0	3,0	3,0

A.2.2.109 Sansoninto

Indications	Indications text	Controlled identifiers
A	Patients who suffer from physical and mental fatigue and weakness and cannot sleep well	8839426/R53, 7807011/R53, 8835677/R53, 8839792/G470

Product No.	Indications	Jujube Seed<JP>	Anemarrhena Rhizome<JP>	Cnidium Rhizome<JP>	Poria Sclerotium<JP>	Glycyrrhiza<JP>
1	A	10,0	3,0	3,0	5,0	1,0
2	A	15,0	3,0	3,0	5,0	1,0

A.2.2.110 Seihaito

Indications	Indications text	Controlled identifiers
A	Coughing accompanied by frequent expectoration	8831159/R093, 7862008/R05

Prod- uct No.	Indica- tions	Scute- llaria Root<- JP>	Platy- codon Root<- JP>	Mul- berry Bark<- JP>	Apri- cot Ker- nel<JP>	Gar- denia Fruit<- JP>	Aspar- agus Tuber<- JP>	Fritil- laria Bulb<- JP>	Citrus Un- shiu Peel<- JP>	Ju- jube<- JP>	Bam- boo Culm<- JP>	Poria Sclero- tium<JP>	Japa- nese An- gelica Root<- JP>	Ophio- pogon Tuber<- JP>	Schisan- dra Fruit<- JP>	Gin- ger<JP>	Glycyrr- rhiza<JP>
1	A	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	2,0	3,0	3,0	3,0	1,0	1,0	1,0

STANDARDSISO.COM : Click to view the full PDF of ISO/TR 23022:2018

A.2.2.111 Seijobofuto

Indications	Indications text	Controlled identifiers
A	Acnes	7061017/L700

Product No.	Indications	Schizonepeta Spike<JP>	Coptis Rhizome<JP>	Mentha Herb<JP>	Immature Orange<JP>	Glycyrrhiza<JP>	Gardenia Fruit<JP>	Cnidium Rhizome<JP>	Scutellaria Root<JP>	Forythia Fruit<JP>	Angelica Dahurica Root<JP>	Platycodon Root<JP>	Saposhnikovia Root and Rhizome<JP>	Glehnia Root and Rhizome<JP>
1	A	1,0	1,0	1,0	1,0	1,0	2,5	2,5	2,5	2,5	2,5	2,5	2,5	
2	A	1,0	1,0	1,0	1,0	1,0	2,5	2,5	2,5	2,5	2,5	2,5		2,5

A.2.2.112 Seishinrenshiin

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have general malaise, dry mouth or tongue, and difficulty urinating: Feeling of residual urine, pollakiuria, and micturition pain	8836510/R53, 8844710/R682, 7885005/R34, 7886003/R398, 8839433/R35, 7880004/R309
B	The following symptoms of those patients who have general malaise, dry mouth or tongue, and difficulty urinating: Feeling of residual urine and micturition pain	8836510/R53, 8844710/R682, 7885005/R34, 7886003/R398, 7880004/R309

Product No.	Indications	Nelumbo Seed<JP>	Ophiopogon Tuber<JP>	Poria Sclerotium<JP>	Ginseng<JP>	Plantago Seed<JP>	Scutellaria Root<JP>	Astragalus Root<JP>	Lycium Bark<JP>	Glycyrrhiza<JP>
1	A	4,0	4,0	4,0	3,0	3,0	3,0	2,0	2,0	2,0
2	B	4,0	4,0	4,0	3,0	3,0	3,0	2,0	2,0	1,5
3	A	4,0	4,0	4,0	3,0	3,0	3,0	2,0	2,0	1,5

A.2.2.113 Seishoekkito

Indications	Indications text	Controlled identifiers
A	The symptoms of heat stroke, anorexia, diarrhoea, and general malaise due to heat; and emaciation in summer	8844730/T678, 7830003/R630, 8833267/A09, 8836510/R53

Product No.	Indications	Ginseng<JP>	Atractylodes Lancea Rhizome<JP>	Ophiopogon Tuber<JP>	Japanese Angelica Root<JP>	Astragalus Root<JP>	Citrus Unshiu Peel<JP>	Schisandra Fruit<JP>	Phellodendron Bark<JP>	Glycyrrhiza<JP>
1	A	3,5	3,5	3,5	3,0	3,0	3,0	1,0	1,0	1,0

A.2.2.114 Senkyuchachosan

Indications	Indications text	Controlled identifiers
A	Common cold, automatic imbalance syndrome peculiar to women resembling climacteric disturbance, and headache	

Product No.	Indications	Angelica Dahurica Root<JP>	Notopterygium<JP>	Schizonepeta Spike<JP>	Saposhnikovia Root and Rhizome<JP>	Mentha Herb<JP>	Glycyrrhiza<JP>	Green tea leaf<JP>	Cnidium Rhizome<JP>	Cyperus Rhizome<JP>
1	A	2,0	2,0	2,0	2,0	2,0	1,5	1,5	3,0	4,0

A.2.2.115 Shakanzoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with ill complexion, anaemia, arrhythmia, severe palpitation and shortness of breath, tendency to constipation, and hot feeling: Cardiac neurosis, cardiac valvulopathy, cough with bloody sputum, and dyspnea in Basedow's disease	2859011/D649, 4279016/I499, 7851005/R002, 7860016/R060, 8840042/K590, 8844828/R232, 3062013/F453, 4249004/I38, 7864002/R042, 7862008/R05, 2420002/E050, 8833748/R060
B	Palpitation and shortness of breath in patients with a declined constitution who are easily fatigued	8844779/R53, 8839426/R53, 7851005/R002, 7860016/R060

Product No.	Indications	Prepared Glycyrrhiza<JP>	Ginger<JP>	Cinnamon Bark<JP>	Hemp Fruit<JP>	Jujube<JP>	Ginseng<JP>	Rehmannia Root<JP>	Ophiopogon Tuber<JP>	Donkey Glue<JP>	Gelatin<JP>
1	A	3,0	0,8	3,0	3,0	3,0	3,0	6,0	6,0		2,0
2	B	3,0	1,0	3,0	3,0	3,0	3,0	6,0	6,0	2,0	

A.2.2.116 Shakuyakukanzobushito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have oversensitivity to cold, joint pain, myalgia, numbness and extremities that are hard to bend or stretch: Chronic neuralgia, chronic arthritis, articular rheumatism, muscular rheumatism, frozen shoulder, and shoulder stiffness	8839176/R688, 7194005/M2559, 7291015/M7919, 7820002/R208, 8832803/M2589, 7292064/M7929, 8840315/M1399, 8842106/M0690, 7290004/M7900, 7262008/M750, 8831347/M6281

Product No.	Indications	Peony Root<JP>	Glycyrrhiza<JP>	Processed Aconite Root<JP>
1	A	5,0	5,0	1,0

A.2.2.117 Shakuyakukanzoto

Indications	Indications text	Controlled identifiers
A	Pain accompanied by sudden muscle spasms	8841396/R252, 8833025/R252, 8838060/R529
B	The following symptoms of those patients with tightness in rectus abdominis muscle, stomachache or abdominal pain: Spasmodic pain in cholelithiasis or renal/bladder calculus, joint and muscle pain in the extremities, abdominal pain as an adverse reaction after drug intake, stomach cramps, and acute stomachache	8830562/R101, 8839710/R104, 8837169/K802, 8837184/K805, 8837094/K805, 8835588/N200, 8840130/N210, 7291015/M7919, 7194005/M2559, 5368018/K318

Product No.	Indications	Peony Root<JP>	Glycyrrhiza<JP>
1	A	6,0	6,0
2	B	5,0	5,0