

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space®
INTERNATIONAL

400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE INFORMATION REPORT

SAE AIR1869

REV.
A

Issued 1984-10
Revised 1991-01-18

Submitted for recognition as an American National Standard

AIR 1869

Aerospace Information Report AIR 1869 Wide-Body and Standard-Body Aircraft Lower Deck Cargo Compartment ULD Capacities

Sponsored by : Ray V. Riggs
Revised by : Nils Lache

PREPARED BY
SAE SUBCOMMITTEE AGE-2A, CARGO HANDLING OF SAE COMMITTEE AGE-2,
AIR CARGO & AIRCRAFT GROUND EQUIPMENT & SYSTEMS

SAE Technical Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

SAE AIR1869 Revision A

Aerospace Information Report - AIR 1869**Wide -Body and Standard-Body Aircraft Lower Deck Cargo Compartment ULD Capacities**

Table of Contents	Page
Purpose, Scope, Notes and Definition	2-3
<u>Wide-Body</u>	
Quick Reference Container Configuration Summary	4-5
Quick Reference Pallet Configuration Summary	6
Airbus Industrie A300B2, B4-100/ -200 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	7-12
Airbus Industrie A300B4-600 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	13-17
Airbus Industrie A310-200, -300 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	18-25
Airbus Industrie A330-300 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	26-30
Airbus Industrie A340-200 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	31-35
Airbus Industrie A340-300 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	36-40
Boeing 747-100,-200,-300,-400 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	41-48
Boeing 747-100,-200,-300 Lower Deck Container/Pallet Configurations (With Lower Deck Galley)	49-53
Boeing 747SP Lower Deck Container/Pallet Configurations (With Main Deck Galley)	54-58
Boeing 767-200/-200ER Lower Deck Container/Pallet Configurations (With Main Deck Galley)	59-65
Boeing 767-300 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	66-72
Lockheed L-1011-1, -100, -200 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	73-76
Lockheed L-1011-1, -100, -200 Lower Deck Container/Pallet Configurations (With Lower Deck Galley)	77-80
Lockheed L-1011-500 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	81-85
Mc Donnell Douglas DC-10, Series -10, -40 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	86-89
Mc Donnell Douglas DC-10, Series -10, 15, -30, -40 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	90-93
Mc Donnell Douglas DC-10, Series -10, 15, -30 Lower Deck Container/Pallet Configurations (With Lower Deck Galley)	94-96
Mc Donnell Douglas MD-11 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	97-104
Ilyushin IL-86 Lower Deck Container/Pallet Configurations (With Main Deck & Lower Deck Galley)	105-107
Ilyushin IL-96 Lower Deck Container/Pallet Configurations (With Main Deck & Lower Deck Galley)	108-109
Appendix 1: Wide-Body Aircraft Lower Deck Cargo Compartment ULDs (Arrangements not included)	110-114
<u>Standard-Body</u>	115
Airbus Industrie A320-100/-200 Lower Deck Container/Pallet Configurations	116-117
Airbus Industrie A321-100 Lower Deck Container/Pallet Configurations	118-119
Standard-Body Lower Deck LD-W Container Configurations	120-121
Boeing 727-200, 757-200,-200 PF Lower Deck Container Configurations / LD - W container D	122-123
Standard-Body Bulk Compartment Volumes	124-125

SAE AIR1869 Revision A

1. Purpose

This Aerospace Information Report (AIR) brings together data concerning the lower deck capacity of wide-body and standard-body airplanes. The information includes airplanes manufactured by Airbus Industrie, Boeing, British Aerospace, British Aircraft, Fokker-VFW, Hawker Siddeley, Ilyushin, Lockheed and McDonnell-Douglas.

2. Scope

This AIR covers information relative to container and pallet configurations (ULDs), maximum usable container, pallet and bulk compartment volumes and tare weights for the lower deck of various wide-body aircraft. Bulk compartment volumes are also included for standard-body aircraft.

3. Notes and Definitions

Container and pallet configurations are shown as arrangements 1, 2, 3, etc. Additional arrangements may be constructed by combining various compartment configurations. Combinations of differing ULDs within a compartment are also possible within the constraints of each particular aircraft.

Arrangements for wide-body containers such as the Air Transport Association (ATA) type LD-5, LD-6, LD-10 and LD-11 and the equivalent base size (60.4 x 125 in.) pallet are not included in this AIR. They occupy an equivalent space of two LD-1 or LD-3 containers in the wide-body configuration.

In addition, arrangements for ATA type LD-4 and LD-8 containers are not included as they occupy an equivalent space of two LD-2 containers. Netted pallet arrangements only are shown. ATA type LD-7 and LD-9 containers are not included as they have the equivalent base size of 88 x 125 in. pallet. For data on the above ULDs, see Appendix 1 of this AIR.

Container volume used in each configuration reflects the maximum internal volume available for that particular unit. Volumes shown are in accordance with AS1825, Methodology of Calculating Aircraft Cargo Volumes.

Weight limitations, as noted, consist of payload weight and tare weight.

Some weights and measures in this AIR are listed in a minimum-to-maximum range. A midpoint figure may not reflect the actual average weight or dimension of that type of unit in service.

SAE AIR1869 Revision A

3. Notes and Definitions (Continued)

A structural container is defined as a rigid shell made of fiberglass, metal, or other suitable materials that in combination with an airplane pallet has been stressed to restrain cargo without the use of nets. The pallet is structurally attached to the shell to form a single structural unit.

A nonstructural container is defined as a bottomless rigid shell made of fiberglass, metal, or other suitable materials. Its shape conforms to the interior contour of the airplane. It covers the maximum usable area of an airplane pallet to which it is secured with a cargo net assembly.

Cargo loading provisions for 88 x 125 in. and/or 96 x 125 in. pallets and containers are optional for some wide-body aircraft. The airline or airframe manufacturer should be consulted for the cargo loading system configuration for a specific airplane or airplane type.

SAE AIR1869 Revision A

Quick Reference Container Configuration Summary

Model	Galley Location	Compartment Location	Type LD-3	Total ft ³	Volume m ³
A300B2	Main Deck	Forward	12	1896	53.7
A300B4-100		Aft	8	1264	35.8
A300B4-200		Bulk	-	565	16.0
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	10	1580	44.7
		Bulk	-	611	17.3
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	11	1738	49.2
(Option)		Bulk	-	318	9.0
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	6	948	26.8
		Bulk	-	611	17.3
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	7	1106	31.3
(Option)		Bulk	-	318	9.0
A340-200	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A340-200	Main Deck	Forward	14	2212	62.2
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	14	2212	62.6
		Bulk	-	695	19.7***
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	15	2370	67.1
(Option)		Bulk	-	486	13.8***
A320**	Main Deck	Forward	3	381	10.8
		Aft	4	508	14.4
		Bulk	-	208	5.9
A321**	Main Deck	Forward	5	635	18.0
		Aft	5	635	18.0
		Bulk	-	208	5.9
747-100/200	Main Deck	Forward	16	2528	71.6
747-300		Aft	14	2212	62.6
		Bulk	-	1000	28.3*
747-100/200	Lower Deck	Forward	10	1580	44.7
747-300		Aft	8	1264	35.8
		Bulk	-	1000	28.3*
747-400	Main Deck	Forward	16	2528	71.6
		Aft	14	2212	28.3
		Bulk	-	835	23.6*
747-400	Main Deck	Forward	16	2528	71.6
(Option)		Aft	16	2528	71.6
		Bulk	-	490	13.9*
747SP	Main Deck	Forward	10	1580	44.7
		Aft	10	1580	44.7
		Bulk	-	400	11.3

* For 747 F/C/Combi models bulk volume variations see corresponding layout pages for details

** LD3-46 in. height full size container (2K2C / IATA-AKH)

*** For A340-300 Combi models the bulk volume amounts to 630 ft³ (17.8 m³)

SAE AIR1869 Revision A

Quick Reference Container Configuration Summary

Model	Galley Location	Compartment Location	Type LD-3	Total ft ³	Volume m ³
767-200	Main Deck	Forward	6	948	26.8
		Aft	5	790	22.4
		Bulk	-	430	12.2
767-300	Main Deck	Forward	8	1264	35.8
		Aft	7	1106	31.3
		Bulk	-	430	12.2
767-200 <i>Based on LD-2</i>	Main Deck	Forward	12	1440	40.8
		Aft	10	1200	34.0
		Bulk	-	430	12.2
767-300 <i>Based on LD-2</i>	Main Deck	Forward	16	1980	54.4
		Aft	14	1680	47.6
		Bulk	-	430	12.2
L-1011-1	Main Deck	Forward	16	2528	71.6
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-1	Lower Deck	Forward	8	1264	35.8
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-500	Main Deck	Forward	12	1896	53.7
		Aft	7	1106	31.3
		Bulk	-	435	12.3
L-1011-500 (Option)	Main Deck	Forward	12	1896	53.7
		Aft	8	1264	35.8
		Bulk	-	160	4.5
DC-10-10	Main Deck	Forward	16	2528	71.6
DC-10-40		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10	Lower Deck	Forward	6	948	26.8
DC-10-30		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10	Lower Deck	Forward	6	948	26.8
DC-10-15		Center	10	1580	44.7
DC-10-30		Bulk	-	510	14.4
DC-10-15	Main Deck	Forward	16	2528	71.6
DC-10-30		Center	10	1580	44.7
DC-10-40		Bulk	-	510	14.4
MD-11	Main Deck	Forward	18	2844	80.6
		Center	14	2212	62.6
		Bulk	-	510	14.4
IL-86	Main Deck	Forward	8	1264	35.8
	& Lower Deck	Aft	8	1264	35.8
		Bulk	-		
IL-86	Main Deck	Forward	4	632	17.9
	& Lower Deck	Aft	4	632	17.9
		Bulk	-		
IL-96-300	Main Deck	Forward	6	948	26.8
	& Lower Deck	Aft	10	1580	44.7
		Bulk	-		

SAE AIR1869 Revision A

Quick Reference Pallet Configuration Summary


Model	Galley Location	Compartment Location	Type	
			88 x 125in 2235 x 3175 mm	96 x 125in 2438 x 3175 mm
A300B2	Main Deck	Forward	4	4
A300B4-100		Aft	-	-
A300B4-200				
A300B4-600	Main Deck	Forward	4	4
A300B4-600R		Aft	-	-
A310-200	Main Deck	Forward	3	3
A310-300		Aft	-	-
A340-200	Main Deck	Forward	5	5
		Aft	4	4
A340-300	Main Deck	Forward	6	6
A330-300		Aft	5	4
747-100/200	Main Deck	Forward	5	5
747-300/400		Aft	4	4
747-100/200/300	Lower Deck	Forward	3	3
		Aft	2	2
747 SP	Main Deck	Forward	3	3
		Aft	3	2
767-200	Main Deck	Forward	3	3
		Aft	-	-
767-300	Main Deck	Forward	4	4
		Aft	-	-
L-1011-500	Main Deck	Forward	4	-
		Aft	-	-
L-1011-1	Main Deck	Forward	5	-
L-1011-100		Aft	-	-
L-1011-200				
L-1011-1	Lower Deck	Forward	2	-
L-1011-100		Aft	-	-
L-1011-200				
DC-10-10	Main Deck	Forward	5	-
DC-10-15		Aft	-	-
DC-10-30				
DC-10-40				
MD-11	Main Deck	Forward	6	6
		Aft (optional) (large door)	4	4
MD-11	Main Deck	Forward	6	6
		Aft (standard) (small door)	-	-

SAE AIR1869 Revision A


***Airbus Industrie A300 B2, B4 - 100 / 200
Lower Deck Container Configurations***

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

A300 B2, B4-100/200 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)


Aft Compartment

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)

Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3725 ft³ (105.5 m³)




Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

A300 B2, B4-100/200 Lower Deck Container Configurations**Arrangement 2****Forward Compartment**

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)


Aft Compartment

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2844 ft³ (80.5 m³)
Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3409 ft³ (96.5 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Airbus Industrie A300 B2, B4 - 100 / 200
Lower Deck Pallet Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A300 B2, B4-100/200 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**


(4) pallets: 88x125 in. (2235x3175 mm)
 at 372 ft³ (10.5 m³) each
 1488 ft³ (42.1 m³)

Aft Compartment

(8) LD-3 containers
 at 158 ft³ (4.47 m³) each
 1264 ft³ (35.8 m³)

Container and pallet volume: 2752 ft³ (77.9 m³)
 Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3317 ft³ (93.9 m³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)
 Weight limitations: 10 200 lb (4 626 kg)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A300 B2, B4-100/200 Lower Deck Pallet Configurations**Arrangement 2****Forward Compartment**

(4) pallets: 96x125 in. (2438x3175 mm)
 at 407 ft³ (11.5 m³) each
 1628 ft³ (46.1 m³)


Aft Compartment

(8) LD-3 containers
 at 158 ft³ (4.47 m³) each
 1264 ft³ (35.8 m³)

Container and pallet volume: 2752 ft³ (77.9 m³)
 Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3317 ft³ (93.9 m³)

Note: From airplane 157 and on, (4) 96 x 125 in. (2438 x 3175 mm) pallets may be loaded through the standard 106 in. (2692 mm) forward cargo door.



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


Airbus Industrie A300 B4 - 600
Lower Deck Container / Pallet**Configurations
(With Main-Deck Galley)

****Note:** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2
for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.

SAE AIR1869 Revision A

A300 B4 - 600 Lower Deck Container / Pallet** Configurations**Arrangement 1****Forward Compartment**

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment


(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Container volume : 3476 ft³ (98.4 m³)

Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 4087 ft³ (115.7 m³)

**Note: See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A300 B4 - 600 Lower Deck Container / Pallet** Configurations**Arrangement 2
Aft Compartment Option**Container volume : 3634 ft³ (102.9 m³)Bulk compartment: 318 ft³ (9.0 m³)Total capacity 3952 ft³ (111.9 m³)


**Note: See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2
for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.

**Type : LD-3 container / IATA - AKE**Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A300 B4 - 600 Lower Deck Container / Pallet Configurations****Arrangement 3
Aft Compartment Option****Forward Compartment**

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 3771 ft³ (106.8 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for
88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A300 B4 - 600 Lower Deck Container / Pallet** Configurations**Arrangement 4
Aft Compartment Option****Forward Compartment**

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)


Container volume : 2844 ft³ (80.5 m³)

Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 3455 ft³ (97.8 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


Airbus Industrie A310 - 200 / 300
Lower Deck Container Configurations
(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A310 -200 / 300 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2212 ft³ (62.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2823 ft³ (79.9 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.29 m³)

Container volume : 2370 ft³ (67.1 m³)

Bulk compartment: 318 ft³ (9.0 m³)

Total capacity : 2688 ft³ (76.1 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A310 -200 / 300 Lower Deck Container Configurations**Arrangement 3
Aft Compartment Option****Forward Compartment**


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment

(4) LD-3 containers
at 158 ft³ (4.47 m³) each
632 ft³ (17.9 m³)

Container volume : 1896 ft³ (53.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)
Total capacity : 2507 ft³ (70.9 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 4 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(2) LD-3 containers
at 158 ft³ (4.47 m³) each
316 ft³ (8.9 m³)

Container volume : 1580 ft³ (44.7 m³)

Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2191 ft³ (62.0 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Airbus Industrie A310 - 200 / 300
Lower Deck Pallet Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A310 -200 / 300 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**


(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)

Aft Compartment

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume: 2064 ft³ (58.3 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2675 ft³ (75.6 m³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A310 -200 / 300 Lower Deck Pallet Configurations**Arrangement 2****Forward Compartment**


(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.5 m³)

Aft Compartment

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume: 2169 ft³ (61.5 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2780 ft³ (78.6 m³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


Airbus Industrie A330 - 300
Lower Deck Container Configurations
(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A330 - 300 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Container volume : 5056 ft³ (143.1 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5751 ft³ (162.8 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

A330 - 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment



(15) LD-3 containers
at 158 ft³ (4.47 m³) each
2370 ft³ (67.1 m³)

Container volume : 5214 ft³ (147.5 m³)
Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 5700 ft³ (161.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Airbus Industrie A330 - 300
Lower Deck Pallet Configurations***

(With Main-Deck Galley)


SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A330 -300 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**

(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)


Aft Compartment

* (4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	4092 ft ³ (115.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4787 ft ³ (135.2 m ³)

* The cargo loading arrangement also allows for 3 pallets 96 x 125 in. plus 2 pallets 88 x 125 in.



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)


Weight limitations : 10 200 lb (4 626 kg)

SAE AIR1869 Revision A


Airbus Industrie A340 - 200
Lower Deck Container Configurations
(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A340 - 200 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)


Aft Compartment

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.6 m³)

Container volume : 4108 ft³ (116.2 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (135.9 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


A340 - 200 Lower Deck Container Configurations**Arrangement 2
Aft Compartment Option****Forward Compartment****Aft Compartment**

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

(13) LD-3 containers
at 158 ft³ (4.47 m³) each
2054 ft³ (58.1 m³)

Container volume : 4266 ft³ (120.7 m³)
Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 4752 ft³ (134.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

Airbus Industrie A340 - 200
Lower Deck Pallet Configurations

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A340 -200 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**

(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.5 m³)


(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

Aft Compartment

(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	3663 ft ³ (103.5 m ³)	3348 ft ³ (94.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4358 ft ³ (123.2 m ³)	4043 ft ³ (114.2 m ³)

**Type : Netted pallet / IATA - PMx**


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)

**Type : Netted pallet / IATA - PAX**

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)


Weight limitations : 10 200 lb (4 626 kg)

SAE AIR1869 Revision A


Airbus Industrie A340 - 300
Lower Deck Container Configurations
(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

A340 - 300 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Container volume : 5056 ft³ (143.1 m³)
* Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5751 ft³ (162.8 m³)

* In the combi version the bulk volume amounts to 630 ft³ (17.8 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

A340 - 300 Lower Deck Container Configurations**Arrangement 2
Aft Compartment Option****Forward Compartment**

(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment

(15) LD-3 containers
at 158 ft³ (4.47 m³) each
2370 ft³ (67.1 m³)

Container volume : 5214 ft³ (147.5 m³)
Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 5700 ft³ (161.3 m³)

* In the combi version the bulk volume amounts to 435 ft³ (12.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


Airbus Industrie A340 - 300
Lower Deck Pallet Configurations
(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

A340 -300 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)

Aft Compartment




** (4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	4092 ft ³ (115.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4787 ft ³ (135.2 m ³)

** The cargo loading arrangement also allows for 3 pallets 96 x 125 in. plus 2 pallets 88 x 125 in.

* In the combi version the bulk volume amounts to 630 ft³ (17.8 m³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)


SAE AIR1869 Revision A

***Boeing 747 Lower Deck
Container Configurations***

***Model 747-100, 747-200, 747-300, 747-400
(With Main-Deck Galley)***

SAENORM.COM : Click to view the full PDF of air1869a


SAE AIR1869 Revision A

747 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)

Aft Compartment

(14) LD-1 containers
at 173 ft³ (4.9 m³) each
2422 ft³ (68.6 m³)

OR


(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

747-100/-200/-300**747-400**

	LD - 1 container	LD - 3 container	LD - 1 container	LD - 3 container
Container volume :	5190 ft ³ (147.0 m ³)	4740 ft ³ (134.2 m ³)	5190 ft ³ (147.0 m ³)	4740 ft ³ (134.2 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	6190 ft ³ (175.3 m ³)	5740 ft ³ (162.5 m ³)	6025 ft ³ (170.6 m ³)	5575 ft ³ (157.8 m ³)


*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : LD-1 container / IATA - AKC


Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

747 Lower Deck Container Configurations**Arrangement 2
747-400 Aft Compartment Option****Forward Compartment**

(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)

Aft Compartment


(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)


	LD - 1 container	LD - 3 container
Container volume :	5536 ft ³ (156.8 m ³)	5056 ft ³ (143.2 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	6026 ft ³ (170.7 m ³)	5546 ft ³ (157.1 m ³)

*Delete 55 ft³ (1.6 m³) for Combi models



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


Boeing 747 Lower Deck Pallet Configurations

Model 747-100, 747-200, 747-300, 747-400

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

747 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.7 m³)

Aft Compartment


(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1834 ft³ (51.9 m³) 1804 ft³ (51.1 m³)

747-100/-200/-300**747-400**

	88 in. Pallet and LD-1	88 in. Pallet and LD-3	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	3694 ft ³ (104.6 m ³)	3664 ft ³ (103.45 m ³)	3694 ft ³ (104.6 m ³)	3664 ft ³ (103.7 m ³)
* Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	4694 ft ³ (132.9 m ³)	4664 ft ³ (131.75 m ³)	4592 ft ³ (128.2 m ³)	4499 ft ³ (127.4 m ³)

*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

747 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.6 m³)

Aft Compartment




(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

	747-100/ -200/ -300	747-400
Pallet volume :	3663 ft ³ (103.7 m ³)	3663 ft ³ (103.7 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	4663 ft ³ (132.0 m ³)	4498 ft ³ (127.3 m ³)

*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 11 100 lb (5 034 kg)

747 Lower Deck Pallet Configurations**Arrangement 3
747-400 Aft Compartment Option****Forward Compartment**


(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.7 m³)

Aft Compartment

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(4) LD-1 containers OR (4) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
2180 ft³ (61.7 m³) 2120 ft³ (60.0 m³)

	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	4040 ft ³ (114.4 m ³)	3980 ft ³ (112.7 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	4530 ft ³ (128.3 m ³)	4470 ft ³ (126.6 m ³)

* Delete 55 ft³ (1.6 m³) for Combi models




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 300 lb (4 671 kg)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


747 Lower Deck Pallet Configurations

Arrangement 4

747-400 Aft Compartment Option

Forward Compartment


(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.6 m³)

Aft Compartment


(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1974 ft³ (55.9 m³) 1944 ft³ (55.0 m³)

	96 in. Pallet and LD-1	96 in. Pallet and LD-3
Container and Pallet volume :	4009 ft ³ (113.5 m ³)	3979 ft ³ (112.7 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	4499 ft ³ (127.4 m ³)	4469 ft ³ (126.6 m ³)


* Delete 55 ft³ (1.6 m³) for Combi models



Type : Netted pallet / IATA - PMx
Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 300 lb (4 671 kg)



Type : LD-1 container / IATA - AKC
Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

**Boeing 747 Lower Deck
Container Configurations**

**Model 747-100, 747-200, 747-300
(With Lower Deck Galley)**


SAENORM.COM : Click to view the full PDF of air1869a

747 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**

(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Aft Compartment


(8) LD-1 containers
at 173 ft³ (4.9 m³) each
1384 ft³ (39.2 m³)

OR

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


	LD - 1 container	LD - 3 container
Container volume :	3114 ft ³ (88.2 m ³)	2844 ft ³ (80.5 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)
Total capacity :	4114 ft ³ (116.5 m ³)	3844 ft ³ (108.8 m ³)

*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Boeing 747 Lower Deck
Pallet Configurations***


***Model 747-100, 747-200, 747-300
(With Lower DeckGalley)***

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

747 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**


(3) pallets: 88x125 in. (2438x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)

Aft Compartment

(2) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1090 ft³ (30.8 m³) 1060 ft³ (30.0 m³)

	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	2206 ft ³ (35.3 m ³)	2176 ft ³ (61.6 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)
Total capacity :	3206 ft ³ (63.6 m ³)	3176 ft ³ (89.9 m ³)

*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

**Type : Netted pallet / IATA - PAX**


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)


Weight limitations: 10 300 lb (4 671 kg)

**Type : LD-1 container / IATA - AKC**

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)


Weight limitations: 3500 lb (1587 kg)

**Type : LD-3 container / IATA - AKE**


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

747 Lower Deck Pallet Configurations**Arrangement 2****Forward Compartment**


(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.5 m³)

Aft Compartment

(2) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
814 ft³ (23.0 m³)

Pallet volume : 2035 ft³ (57.5 m³)
* Bulk compartment: 1000 ft³ (28.3 m³)
Total capacity : 3035 ft³ (85.8 m³)

*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

SAE AIR1869 Revision A

Boeing 747SP Lower Deck Container Configurations


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

747 SP Lower Deck Container Configurations

Arrangement 1

Forward Compartment




(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Aft Compartment




(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR


(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

	LD - 1 container	LD - 3 container
Container volume :	3460 ft ³ (98.0 m ³)	3160 ft ³ (89.5 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	3860 ft ³ (109.3 m ³)	3560 ft ³ (100.8 m ³)



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

Boeing 747SP Lower Deck Pallet Configurations


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

747 SP Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)

Aft Compartment



(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1462 ft³ (41.3 m³) 1432 ft³ (40.4 m³)

	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	2578 ft ³ (73.0 m ³)	2548 ft ³ (72.0 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	2978 ft ³ (84.3 m ³)	2948 ft ³ (83.3 m ³)



Type : Netted pallet / IATA - PAX


Internal volume : 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


747 SP Lower Deck Pallet Configurations**Arrangement 2****Forward Compartment**

(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.6 m³)


Aft Compartment

(2) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
(4) LD-1 containers at 173 ft³ (4.9 m³) each
1506 ft³ (42.6 m³) OR (4) LD-3 containers
at 158 ft³ (4.47 m³) each
1446 ft³ (40.9 m³)


	96 in. Pallet and LD-1	96 in. Pallet and LD-3
Container and Pallet volume :	2727 ft ³ (77.2 m ³)	2667 ft ³ (75.5 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	3127 ft ³ (88.5 m ³)	3067 ft ³ (87.8 m ³)



Type : Netted pallet / IATA - PMx
Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 100 lb (5 034 kg)



Type : LD-1 container / IATA - AKC
Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Boeing 767 - 200 / 200ER
Lower Deck Container Configurations***

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

767 - 200 / 200ER Lower Deck Container Configurations**Arrangement 1****Forward Compartment*****Aft Compartment**


(12) LD-2 containers
at 120 ft³ (3.4 m³) each
1440 ft³ (40.8 m³)

(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1200 ft³ (34.0 m³)

Container volume : 2640 ft³ (74.8 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3070 ft³ (87.0 m³)

* Note: The 134 in. x 69 in. (3404 x 1753 mm) Forward compartment cargo door is standard on 767-200ER airplanes.




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)


Weight limitations: 2700 lb (1224 kg)

767 - 200 / 200ER Lower Deck Container Configurations**Arrangement 2****Forward Compartment***

(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

OR

(6) LD-1 containers
at 173 ft³ (4.9 m³) each
1038 ft³ (29.4 m³)

Aft Compartment


(5) LD-3 containers
at 158 ft³ (4.47 m³) each
790 ft³ (22.4 m³)

OR

(5) LD-1 containers
at 173 ft³ (4.9 m³) each
865 ft³ (24.5 m³)


	LD - 1 container	LD - 3 container
Container volume :	1903 ft ³ (53.9 m ³)	1738 ft ³ (49.2 m ³)
Bulk compartment:	430 ft ³ (12.2 m ³)	430 ft ³ (12.2 m ³)
Total capacity :	2333 ft ³ (66.1 m ³)	2168 ft ³ (61.4 m ³)

* Note: The 134 in. x 69 in. (3404 x 1753 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


***Boeing 767 - 200 / 200ER Lower Deck
Pallet Configurations***

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

767 - 200 / 200ER Lower Deck Pallet Configurations**Arrangement 1
Forward Compartment Option****Forward Compartment ***

(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.6 m³)

Aft Compartment


(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1730 ft³ (34.0 m³)

Container and pallet volume : 2421 ft³ (68.5 m³)

Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 2851 ft³ (80.7 m³)

* Note: The 134 in. x 69 in. (3404 x 1753 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 11 250 lb (5 102 kg)




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)

SAE AIR1869 Revision A

767 - 200 / 200ER Lower Deck Pallet Configurations**Arrangement 2
Forward Compartment Option****Forward Compartment*****Aft Compartment**


(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.6 m³)

(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1730 ft³ (34.0 m³)

Container and pallet volume : 2316 ft³ (65.6 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 2746 ft³ (77.8 m³)

* Note: The 134 in. x 69 in. (3404 x 1753 mm) Forward compartment cargo door is standard on 767-200ER airplanes.

**Type : Netted pallet / IATA - PAX**


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)


**Type : LD-2 container / IATA - DPE**

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)

SAE AIR1869 Revision A

767 - 200 / 200ER Lower Deck Pallet Configurations**Arrangement 3
Forward Compartment Option****Forward Compartment*****Aft Compartment**


(6) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1164 ft³ (33.0 m³)

(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1200 ft³ (34.0 m³)

Container and pallet volume : 2364 ft³ (67.0 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 2794 ft³ (79.2 m³)

* Note: The 134 in. x 69 in. (3404 x 1753 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)


Tare weight pallet:

1.) Aluminium plate : 145 lb (66 kg)

2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)


SAE AIR1869 Revision A

Boeing 767 - 300 Lower Deck Container Configurations


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

767 - 300 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**


(16) LD-2 containers
at 120 ft³ (3.4 m³) each
1920 ft³ (54.4 m³)

Aft Compartment

(14) LD-2 containers
at 120 ft³ (3.4 m³) each
1680 ft³ (47.6 m³)

Container volume : 3600 ft³ (102.0 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 4030 ft³ (114.2 m³)




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)

767 - 300 Lower Deck Container Configurations**Arrangement 2****Forward Compartment****Aft Compartment**

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

OR


(8) LD-1 containers
at 173 ft³ (4.9 m³) each
1384 ft³ (39.2 m³)

(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.3 m³)

OR


(7) LD-1 containers
at 173 ft³ (4.9 m³) each
1211 ft³ (34.3 m³)

	LD - 1 container	LD - 3 container
Container volume :	2595 ft ³ (73.5 m ³)	2370 ft ³ (67.1 m ³)
Bulk compartment:	430 ft ³ (12.2 m ³)	430 ft ³ (12.2 m ³)
Total capacity :	3025 ft ³ (85.7 m ³)	2800 ft ³ (79.3 m ³)



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A


***Boeing 767 - 300 Lower Deck
Pallet Configurations***

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

767 - 300 Lower Deck Pallet Configurations**Arrangement 1
Forward Compartment Option****Forward Compartment**


(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.1 m³)

Aft Compartment

(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2986 ft³ (84.6 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3416 ft³ (96.8 m³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations 11 250 lb (5 102 kg)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)


Tare weight pallet:

1.) Aluminium plate : 145 lb (66 kg)


2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)

767 - 300 Lower Deck Pallet Configurations**Arrangement 2
Forward Compartment Option****Forward Compartment**

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.1 m³)


Aft Compartment

(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2846 ft³ (80.6 m³)

Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3276 ft³ (92.8 m³)

**Type : Netted pallet / IATA - PAX**


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations 10 300 lb (4 671 kg)

**Type : Netted pallet / IATA - PNx**

Internal volume: 194 ft³ (5.5 m³)


Tare weight pallet:

- 1.) Aluminium plate : 145 lb (66 kg)
- 2.) Aluminum core : 200 lb (91 kg)


Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)

SAE AIR1869 Revision A

767 - 300 Lower Deck Pallet Configurations**Arrangement 3****Forward Compartment**


(8) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1552 ft³ (44.0 m³)

Aft Compartment

(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2910 ft³ (82.4 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3340 ft³ (94.6 m³)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)

Tare weight pallet:

1.) Aluminium plate : 145 lb (66 kg)

2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)


SAE AIR1869 Revision A

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Container Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

L - 1011 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**


(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)

Aft Compartment

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3792 ft³ (107.4 m³)
Bulk compartment: 700 ft³ (19.8 m³)

Total capacity : 4492 ft³ (127.2 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Pallet Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

L - 1011 Lower Deck Pallet Configurations


Arrangement 1 Forward Compartment Option

Forward Compartment



(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)


Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container and pallet volume : 3124 ft³ (88.3 m³)
Bulk compartment: 700 ft³ (19.8 m³)

Total capacity : 3824 ft³ (108.1 m³)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Container Configurations***


(With Lower DeckGalley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

L - 1011 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 2528 ft³ (71.6 m³)
Bulk compartment: 700 ft³ (19.8 m³)

Total capacity : 3228 ft³ (91.4 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Pallet Configurations***


(With Lower Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

L - 1011 Lower Deck Pallet Configurations


Arrangement 1 Forward Compartment Option

Forward Compartment



(2) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-3 containers
at 158 ft³ (4.47 m³) each
1060 ft³ (30.0 m³)


Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container and pallet volume : 2324 ft³ (65.8 m³)
Bulk compartment: 700 ft³ (19.8 m³)

Total capacity : 3024 ft³ (85.6 m³)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Lockheed L - 1011 - 500 Lower Deck
Container Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

L - 1011 - 500 Lower Deck Container Configurations**Arrangement 1****Forward Compartment**


(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment

(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.3 m³)

Container volume : 3002 ft³ (85.0 m³)
Bulk compartment: 435 ft³ (12.3 m³)


Total capacity : 3437 ft³ (97.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

L - 1011 - 500 Lower Deck Container Configurations**Arrangement 2
Aft Compartment Option****Forward Compartment**


(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 160 ft³ (4.5 m³)

Total capacity : 3320 ft³ (94.0 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***Lockheed L - 1011 - 500 Lower Deck
Pallet Configurations***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

L - 1011 - 500 Lower Deck Pallet Configurations**Arrangement 1****Forward Compartment**

(4) pallets: 88x125 in. (2235x3175 mm)
 at 372 ft³ (10.5 m³) each
 1488 ft³ (42.1 m³)


Aft Compartment

(7) LD-3 containers
 at 158 ft³ (4.47 m³) each
 1106 ft³ (31.3 m³)

Container and pallet volume : 2594 ft³ (73.4 m³)

Bulk compartment: 435 ft³ (12.3 m³)

Total capacity : 3029 ft³ (85.7 m³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

McDonnell Douglas DC-10
Lower Deck Container Configurations
Series -10, -40
(With Main-Deck Galley)


SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

DC-10 -10, -40 Lower Deck Container Configurations**Arrangement 1**

Container volume : 3792 ft³ (107.4 m³)
 Bulk compartment: 805 ft³ (22.8 m³)

Total capacity : 4597 ft³ (130.2 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
 Tare weight : 150 to 370 lb (68 to 168 kg)
 Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***McDonnell Douglas DC-10
Lower Deck Pallet Configurations
Series -10, -40***

(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a


SAE AIR1869 Revision A

DC-10 -10, -40 Lower Deck Pallet Configurations**Arrangement 1**

Container and pallet volume : 3124 ft³ (88.5 m³)
Bulk compartment: 805 ft³ (22.8 m³)

Total capacity : 3929 ft³ (111.3 m³)

Note: 96 x 125 in. (2438 x 3175 mm) netted pallets require optional hardware.



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

**McDonnell Douglas DC-10
Lower Deck Container Configurations
Series -10, -15, -30, -40**

(With Main-Deck Galley)


SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

DC-10 -10, -15, -30, -40 Lower Deck Container Configurations**Arrangement 1**

Container volume : 4108 ft³ (116.3 m³)
Bulk compartment: 510 ft³ (14.4 m³)

Total capacity : 4618 ft³ (130.7 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

***McDonnell Douglas DC-10
Lower Deck Pallet Configurations
Series -10, -15, -30, -40***


(With Main-Deck Galley)

SAENORM.COM : Click to view the full PDF of air1869a

DC-10 -10, -15, -30, -40 Lower Deck Pallet Configurations**Arrangement 1**

Container and pallet volume : 3440 ft³ (97.4 m³)
 Bulk compartment: 510 ft³ (14.4 m³)
Total capacity : 3950 ft³ (111.8 m³)

Note: 96 x 125 in. (2438 x 3175 mm) netted pallets require optional hardware.

**Type : Netted pallet / IATA - PAX**


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)

**Type : LD-3 container / IATA - AKE**

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


SAE AIR1869 Revision A

***McDonnell Douglas DC-10
Lower Deck Container Configurations
Series -10, -15, -30***


(With Lower DeckGalley)

SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A


DC-10 -10, -30 Lower Deck Container Configurations**Arrangement 1**Container volume : 2212 ft³ (62.6 m³)Bulk compartment: 805 ft³ (22.8 m³)Total capacity : 3017 ft³ (85.4 m³)

Note: 88 x 125 in. (2235 x 3175) pallets and containers can not be carried in the forward compartment in conjunction with the lower lobe galley.

**Type : LD-3 container / IATA - AKE**Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

DC-10 -10, -15, -30 Lower Deck Container Configurations**Arrangement 1**

Container volume : 2528 ft³ (71.5 m³)
 Bulk compartment: 510 ft³ (14.4 m³)
 Total capacity : 3038 ft³ (85.9 m³)

Note: 88 x 125 in. (2235 x 3175) pallets and containers can not be carried in the forward compartment in conjunction with the lower lobe galley.



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
 Tare weight : 150 to 370 lb (68 to 168 kg)
 Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

McDonnell Douglas MD-11
Lower Deck Container Configurations
(With Main-Deck Galley)


SAENORM.COM : Click to view the full PDF of air1869a

SAE AIR1869 Revision A

MD - 11 Lower Deck Container Configurations**Arrangement 1**

Container volume : 5056 ft³ (143.2 m³)
Bulk compartment: 510 ft³ (14.4 m³)

Total capacity : 5566 ft³ (157.6 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

SAE AIR1869 Revision A

MD - 11 Lower Deck Container Configurations**Arrangement 2****Forward Compartment**

(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.6 m³)


Center and Aft Compartments*

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.2 m³)

Container volume : 5056 ft³ (143.2 m³)
Bulk compartment: 510 ft³ (14.4 m³)

Total capacity : 5566 ft³ (157.6 m³)

* Note: Optional 104 x 66 in. (2642 x 1676 mm) center compartment door.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)