

Wide-Body and Standard-Body Aircraft
Lower Deck Cargo Compartment
ULD Capacities

TABLE OF CONTENTS

1. SCOPE	4
1.1 Purpose	4
2. APPLICABLE DOCUMENTS.....	4
2.1 SAE Publications	4
3. NOTES AND DEFINITIONS.....	4
APPENDIX A WIDE-BODY AIRCRAFT LOWER DECK ULDs (CARGO COMPARTMENT ULD ARRANGEMENTS NOT INCLUDED)	166
FIGURE 1 Airbus Industrie A300 B2, B4-100/200 Lower Deck Container Configurations (With Main Deck Galley)	11
FIGURE 2 Airbus Industrie A300 B2, B4-100/200 Lower Deck Pallet Configurations (With Main Deck Galley)	14
FIGURE 3 Airbus Industrie A300 B4-600 Lower Deck Container/Pallet Configurations (With Main Deck Galley)	17
FIGURE 4 Airbus Industrie A310-200/300 Lower Deck Container Configurations (With Main Deck Galley)	22
FIGURE 5 Airbus Industrie A310-200/300 Lower Deck Pallet Configurations (With Main Deck Galley)	27
FIGURE 6 Airbus Industrie A330-200 Lower Deck Container Configurations (With Main Deck Galley)	30
FIGURE 7 Airbus Industrie A330-200 Lower Deck Pallet Configurations (With Main Deck Galley)	35
FIGURE 8 Airbus Industrie A330-300 Lower Deck Container Configurations (With Main Deck Galley)	37

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2008 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
http://www.sae.org

SAE WEB ADDRESS:

**SAE values your input. To provide feedback
on this Technical Report, please visit
<http://www.sae.org/technical/standards/AIR1869B>**

TABLE OF CONTENTS (Continued)

FIGURE 9	Airbus Industrie A330-300 Lower Deck Pallet Configurations (With Main Deck Galley)	41
FIGURE 10	Airbus Industrie A340-200 and Airbus Industrie A340-200 Std. 8000 Lower Deck Container Configurations (With Main Deck Galley).....	43
FIGURE 11	Airbus Industrie A340-200 and Airbus Industrie A340-200 Std. 8000 Lower Deck Pallet Configurations (With Main Deck Galley)	49
FIGURE 12	Airbus Industrie A340-300 Lower Deck Container Configurations (With Main Deck Galley)	52
FIGURE 13	Airbus Industrie A340-300 Lower Deck Pallet Configurations (With Main Deck Galley)	59
FIGURE 14	Airbus Industrie A340-500 Lower Deck Container Configurations (With Main Deck Galley)	61
FIGURE 15	Airbus Industrie A340-500 Lower Deck Pallet Configurations (With Main Deck Galley)	66
FIGURE 16	Airbus Industrie A340-600 Lower Deck Container Configurations (With Main Deck Galley)	68
FIGURE 17	Airbus Industrie A340-600 Lower Deck Pallet Configurations (With Main Deck Galley)	73
FIGURE 18	Boeing 747 Lower Deck Container Configurations Model 747-100, 747-200, 747-300, 747-400 (With Main Deck Galley)	75
FIGURE 19	Boeing 747 Lower Deck Pallet Configurations Model 747-100, 747-200, 747-300, 747-400 (With Main Deck Galley)	78
FIGURE 20	Boeing 747 Lower Deck Container Configurations Model 747-100, 747-200, 747-300 (With Lower Deck Galley)	83
FIGURE 21	Boeing 747 Lower Deck Pallet Configurations Model 747-100, 747-200, 747-300 (With Lower Deck Galley)	85
FIGURE 22	Boeing 747SP Lower Deck Container Configurations (With Main Deck Galley)	88
FIGURE 23	Boeing 747SP Lower Deck Pallet Configurations (With Main Deck Galley)	90
FIGURE 24	Boeing 767-200/200ER Lower Deck Container Configurations (With Main Deck Galley)	93
FIGURE 25	Boeing 767-200/200ER Lower Deck Pallet Configurations (With Main Deck Galley)	96
FIGURE 26	Boeing 767-300 Lower Deck Container Configurations (With Main Deck Galley)	100
FIGURE 27	Boeing 767-300 Lower Deck Pallet Configurations (With Main Deck Galley)	103
FIGURE 28	Boeing 767-400ER Lower Deck Container Configurations (With Main Deck Galley)	107
FIGURE 29	Boeing 767-400 Lower Deck Pallet Configurations (With Main Deck Galley)	110
FIGURE 30	Boeing 777-200/-200 IGW Lower Deck Container Configurations (With Main Deck Galley)	114
FIGURE 31	Boeing 777-200/-200 IGW Lower Deck Pallet Configurations (With Main Deck Galley)	117
FIGURE 32	Boeing 777-300 Lower Deck Container Configurations (With Main Deck Galley)	121
FIGURE 33	Boeing 777-300 Lower Deck Pallet Configurations (With Main Deck Galley)	124
FIGURE 34	Lockheed L-1011-1, -100, -200 Series Lower Deck Container Configurations (With Main Deck Galley)	128
FIGURE 35	Lockheed L-1011-1, -100, -200 Series Lower Deck Pallet Configurations (With Main Deck Galley)	130

TABLE OF CONTENTS (Continued)

FIGURE 36	Lockheed L-1011-1, -100, -200 Series Lower Deck Container Configurations (With Lower Deck Galley)	132
FIGURE 37	Lockheed L-1011-1, -100, -200 Series Lower Deck Pallet Configurations (With Lower Deck Galley)	134
FIGURE 38	Lockheed L-1011-500 Lower Deck Container Configurations (With Main Deck Galley)	136
FIGURE 39	Lockheed L-1011-500 Lower Deck Pallet Configurations (With Main Deck Galley)	139
FIGURE 40	McDonnell Douglas DC-10 Lower Deck Container Configurations Series -10, -15, -30, -40 (With Main Deck Galley)	141
FIGURE 41	McDonnell Douglas DC-10 Lower Deck Pallet Configurations Series -10, -15, -30, -40 (With Main Deck Galley)	144
FIGURE 42	McDonnell Douglas DC-10 Lower Deck Container Configurations Series -10, -15, -30, -40 (With Lower Deck Galley)	147
FIGURE 43	McDonnell Douglas MD-11 Lower Deck Container Configurations (With Main Deck Galley)	150
FIGURE 44	McDonnell Douglas MD-11 Lower Deck Pallet Configurations (With Main Deck Galley)	152
FIGURE 45	Aircraft/ILYUSHIN Model IL-86 Lower Deck Container Configurations (With Lower Deck Galley)	157
FIGURE 46	Aircraft/ILYUSHIN Model IL96-300 Lower Deck Container Configurations (With Lower Deck Galley)	160
FIGURE 47	Aircraft/ILYUSHIN Model IL96 M Lower Deck Container Configurations (With Main Deck Galley)	162
FIGURE 48	Aircraft/ILYUSHIN Model IL96 M Lower Deck Pallet Configurations (With Main Deck Galley)	164
FIGURE A1	Wide-Body Aircraft Lower Deck ULDs (Cargo Compartment ULD Arrangements Not Included)	166
FIGURE A2	Airbus Industrie A319-100 Lower Deck Container/Pallet Configurations	170
FIGURE A3	Airbus Industrie A320-100/200 Lower Deck Container/Pallet Configurations	172
FIGURE A4	Airbus Industrie A321-100/200 Lower Deck Container/Pallet Configurations	174
FIGURE A5	Tupolev TU 204-100/-200 Container/Pallet Configurations	176
FIGURE A6	Standard-Body Lower Lobe Container Configurations	179
FIGURE A7	Boeing Lower Deck Container Configurations/LD-W Container D	180
TABLE 1	Quick Reference Container Configuration Summary	6
TABLE A1	Standard-Body Lower Deck Bulk Volumes	182

1. SCOPE:

This SAE Aerospace Information Report (AIR) covers information relative to ULDs (Unit Load Devices) container and pallet configurations, maximum usable container, pallet and bulk compartment volumes and tare weights for the lower deck of various wide-body aircraft. Bulk compartment volumes are also included for standard-body aircraft.

1.1 Purpose:

This document brings together data concerning the lower deck capacity of wide-body and standard-body airplanes. The information includes airplanes manufactured by Airbus Industrie, Boeing, British Aerospace, British Aircraft, Fokker-VFW, Hawker Siddeley, Ilyushin, Lockheed and McDonnell-Douglas.

2. APPLICABLE DOCUMENTS:

The following publications form a part of this document to the extent specified herein. The latest issue of SAE publications shall apply. The applicable issue of other publications shall be the issue in effect on the date of the purchase order. In the event of conflict between the text of this document and references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

2.1 SAE Publications:

Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001.

AS1825 Methodology of Calculating Aircraft Cargo Volumes

3. NOTES AND DEFINITIONS:

Container and pallet configurations are shown as arrangements 1, 2, 3, etc. Additional arrangements may be constructed by combining various compartment configurations. Combinations of differing ULDs within a compartment are also possible within the constraints of each particular aircraft.

Arrangements for wide-body containers such as the Air Transport Association (ATA) type LD-5, LD-6, LD-10, and LD-11 and the equivalent base size (60.4 in x 125 in) pallet are not included in this document. They occupy an equivalent space of two LD-1 or LD-3 containers in the wide-body configuration.

In addition, arrangements for ATA type LD-4 and LD-8 containers are not included as they occupy an equivalent space of two LD-2 containers. Netted pallet arrangements only are shown. ATA type LD-7 and LD-9 containers are not included as they have the equivalent base size of 88 in x 125 in pallet. For data on the above ULDs, see Appendix A.

Container volume used in each configuration reflects the maximum internal volume available for that particular unit. Volumes shown are in accordance with AS1825.

3. (Continued):

Weight limitations, as noted, consist of payload weight and tare weight.

Some weights and measures in this document are listed in a minimum-to-maximum range. A midpoint figure may not reflect the actual average weight or dimension of that type of unit in service.

A structural container is defined as a rigid shell made of fiberglass, metal, or other suitable materials that in combination with an airplane pallet has been stressed to restrain cargo without the use of nets. The pallet is structurally attached to the shell to form a single structural unit.

A nonstructural container is defined as a bottomless rigid shell made of fiberglass, metal, or other suitable materials. Its shape conforms to the interior contour of the airplane. It covers the maximum usable area of an airplane pallet to which it is secured with a cargo net assembly.

Cargo loading provisions for 88 in x 125 in and/or 96 in x 125 in pallets and containers are optional for some wide-body aircraft. The airline or airframe manufacturer should be consulted for the cargo loading system configuration for a specific airplane or airplane type.

- 3.1 The change bar (|) located in the left margin is for the convenience of the user in locating areas where technical revisions, not editorial changes, have been made to the previous issue of this document. An (R) symbol to the left of the document title indicates a complete revision of the document.

SAE AIR1869 Revision B

TABLE 1 - Quick Reference Container Configuration Summary

Model	Galley Location	Compartment Location	Type LD-3	Total ft ³	Volume m ³
A300B2	Main Deck	Forward	12	1896	53.7
A300B4-100		Aft	8	1264	35.8
A300B4-200		Bulk	-	565	16.0
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	10	1580	44.7
		Bulk	-	611	17.3
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	11	1738	49.2
(Option)		Bulk	-	318	9.0
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	6	948	26.8
		Bulk	-	611	17.3
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	7	1106	31.3
(Option)		Bulk	-	318	9.0
A330-200	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A330-200	Main Deck	Forward	14	2212	62.6
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-200	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A340-200	Main Deck	Forward	14	2212	62.6
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-200	Main Deck	Forward	14	2212	62.2
(Std.-8000)		Aft	4	632	17.9
		Bulk	-	695	19.7
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	14	2212	62.6
		Bulk	-	695	19.7
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	15	2370	67.1
(Option)		Bulk	-	486	13.8
A340-500	Main Deck	Forward	18	2844	80.5
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A340-500	Main Deck	Forward	18	2644	80.5
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-600	Main Deck	Forward	24	3792	107.3
		Aft	18	2844	80.5
		Bulk	-	695	19.7
A340-600	Main Deck	Forward	24	3792	107.3
(Option)		Aft	19	3002	84.9
		Bulk	-	486	13.8

SAE AIR1869 Revision B

TABLE 1 - Quick Reference Container Configuration Summary (Continued)

Model	Galley Location	Compartment Location	Type LD-3	Total ft ³	Volume m ³
A319**	Main Deck	Forward	2	254	7.2
		Aft	2	254	7.2
		Bulk	-	255	7.2
A320**	Main Deck	Forward	3	381	10.8
		Aft	4	508	14.4
		Bulk	-	208	5.9
A321**	Main Deck	Forward	5	635	18.0
		Aft	5	635	18.0
		Bulk	-	208	5.9
747-100/200 747-300	Main Deck	Forward	16	2528	71.6
		Aft	14	2212	62.6
		Bulk	-	1000	28.3*
747-100/200 747-300	Lower Deck	Forward	10	1580	44.7
		Aft	8	1264	35.8
		Bulk	-	1000	28.3*
747-400	Main Deck	Forward	16	2528	71.6
		Aft	14	2212	28.3
		Bulk	-	835	23.6*
747-400 (Option)	Main Deck	Forward	16	2528	71.6
		Aft	16	2528	71.6
		Bulk	-	490	13.9*
747SP	Main Deck	Forward	10	1580	44.7
		Aft	10	1580	44.7
		Bulk	-	400	11.3
767-200	Main Deck	Forward	6	948	26.8
		Aft	5	790	22.4
		Bulk	-	430	12.2
767-300	Main Deck	Forward	8	1264	35.8
		Aft	7	1106	31.3
		Bulk	-	430	12.2
767-400	Main Deck	Forward	10	1580	44.7
		Aft	9	1422	40.3
		Bulk	-	430	12.2
767-200 Based on LD-2	Main Deck	Forward	12	1440	40.8
		Aft	10	1200	34.0
		Bulk	-	430	12.2
767-300 Based on LD-2	Main Deck	Forward	16	1980	54.4
		Aft	14	1680	47.6
		Bulk	-	430	12.2
767-400 Based on LD-2	Main Deck	Forward	20	2400	68.0
		Aft	18	2160	61.2
		Bulk	-	430	12.2
777-200	Main Deck	Forward	18	2844	80.5
		Aft	14	2212	62.6
		Bulk	-	600	16.9
777-300	Main Deck	Forward	24	3792	107.3
		Aft	20	3160	89.4
		Bulk	-	600	16.9

* For 747 F/C/Combi models bulk volume variations see corresponding layout pages for details

** LD3-46 in. height full size container (2K2C / IATA-AKH)

SAE AIR1869 Revision B

TABLE 1 - Quick Reference Container Configuration Summary (Continued)

Model	Galley Location	Compartment Location	Type LD-3	Total ft	Volume m
L-1011-1	Main Deck	Forward	16	2528	71.6
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-1	Lower Deck	Forward	8	1264	35.8
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-500	Main Deck	Forward	12	1896	53.7
		Aft	7	1106	31.3
		Bulk	-	435	12.3
L-1011-500 (Option)	Main Deck	Forward	12	1896	53.7
		Aft	8	1264	35.8
		Bulk	-	160	4.5
DC-10-10, -15 DC-10-30, -40	Main Deck	Forward	16	2528	71.6
		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10, -15 DC-10-30, -40 (Option)	Main Deck	Forward	16	2528	71.6
		Center	10	1580	44.7
		Bulk	-	510	14.4
DC-10-10, -15 DC-10-30, -40	Lower Deck	Forward	6	948	26.8
		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10, -15 DC-10-30, -40 (Option)	Lower Deck	Forward	6	948	26.8
		Center	10	1580	44.7
		Bulk	-	510	14.4
MD-11	Main Deck	Forward	18	2844	80.6
		Center	14	2212	62.6
		Bulk	-	510	14.4
IL-86	Main Deck & Lower Deck	Forward	8	1264	35.8
		Aft	8	1264	35.8
		Bulk	-	-	-
IL-86	Main Deck & Lower Deck	Forward	4	632	17.9
		Aft	4	632	17.9
		Bulk	-	-	-
IL- 96-300	Main Deck	Forward	6	948	26.8
		Aft	10	1580	44.7
		Bulk	-	530	15.0
IL- 96-M	Main Deck	Forward	18	2 844	80.5
		Aft	14	2 212	62.6
		Bulk	-	crew rest space	-
TU 204-100/-200***	Main Deck	Forward	5	389	11.0
		Aft	7	544	15.4
		Bulk	-	190	5.4
TU 204-200****	Main Deck	Forward	3	357	10.1
		Aft	5	595	16.9
		Bulk	-	190	5.4

*** 2AK-0.4/-0.7 base size 45.5 in x 43.4 in (1156 x 1102 mm)

**** LD3-46 container height limited to 43.2 in (1097 mm)

SAE AIR1869 Revision B

TABLE 1 - Quick Reference Container Configuration Summary (Continued)

Model	Galley Location	Compartment Location	Type	
			88 x 125in 2235 x 3175 mm	96 x 125in 2438 x 3175 mm
A300B2	Main Deck	Forward Aft	4	4
A300B4-100			-	-
A300B4-200				
A300B4-600	Main Deck	Forward Aft	4	4
A300B4-600R			-	-
A310-200	Main Deck	Forward Aft	3	3
A310-300			-	-
A330-200	Main Deck	Forward Aft	4	4
			4	4
A340-200	Main Deck	Forward Aft	5	5
			4	4
A340-200 (Std.-8000)	Main Deck	Forward Aft	5	5
			1	1
A340-300	Main Deck	Forward Aft	6	6
A330-300			5	4
A340-500	Main Deck	Forward Aft	6	6
			4	4
A340-600	Main Deck	Forward Aft	8	8
			6	6
747-100/200	Main Deck	Forward Aft	5	5
747-300/400			4	4
747-100/200/300	Lower Deck	Forward Aft	3	3
			2	2
747 SP	Main Deck	Forward Aft	3	3
			3	2
767-200	Main Deck	Forward Aft	3	3
			-	-
767-300	Main Deck	Forward Aft	4	4
			-	-
767-400	Main Deck	Forward Aft	5	5
			-	-
777-200	Main Deck	Forward Aft (optional) (large door)	6	6
			4	4
777-300	Main Deck	Forward Aft (optional) (large door)	8	8
			6	6

SAE AIR1869 Revision B

TABLE 1 - Quick Reference Container Configuration Summary (Continued)

Model	Galley Location	Compartment Location	Type	
			88 x 125in 2235 x 3175 mm	96 x 125in 2438 x 3175 mm
L-1011-500	Main Deck	Forward Aft	4 -	- -
L-1011-1 L-1011-100 L-1011-200	Main Deck	Forward Aft	5 -	- -
L-1011-1 L-1011-100 L-1011-200	Lower Deck	Forward Aft	2 -	- -
DC-10-10 DC-10-15 DC-10-30 DC-10-40	Main Deck	Forward Aft	5 -	- -
MD-11	Main Deck	Forward Aft (optional) (large door)	6 4	6 4
IL 96M	Main Deck	Forward Aft	5 -	5 -

***Airbus Industrie A300 B2, B4 - 100 / 200
Lower Deck Container Configurations***

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

-
- Forward Compartment Door (prior a/c 157) :
96 x 66.8 in. (2 438 x 1 698 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 1

A300 B2, B4-100/200 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)

Bulk compartment : 565 ft³ (16.0 m³)

Total capacity : 3725 ft³ (105.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 1 (Continued)

A300 B2, B4-100/200 Lower Deck Container Configurations


Arrangement 2

Forward Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment




(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2844 ft³ (80.5 m³)
Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3409 ft³ (96.5 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 1 (Continued)

***Airbus Industrie A300 B2, B4 - 100 / 200
Lower Deck Pallet Configurations***

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

-
- Forward Compartment Door (prior a/c 157) :
96 x 66.8 in. (2 438 x 1 698 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 2

A300 B2, B4-100/200 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.1 m³)

Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container and pallet volume:	2752 ft ³	(77.9 m ³)
Bulk compartment:	565 ft ³	(16.0 m ³)
Total capacity :	3317 ft ³	(93.9 m ³)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 2 (Continued)

A300 B2, B4-100/200 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.1 m³)


Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Container and pallet volume:	2752 ft ³ (77.9 m ³)
Bulk compartment:	565 ft ³ (16.0 m ³)
Total capacity :	<u>3317 ft³ (93.9 m³)</u>

Note: From airplane 157 and on, (4) 96 x 125 in. (2438 x 3175 mm) pallets may be loaded through the standard 106 in. (2692 mm) forward cargo door.



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 2 (Continued)

Airbus Industrie A300 B4 - 600
Lower Deck Container / Pallet ** Configurations

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

****Note:** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2
for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.

FIGURE 3

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 1




(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Container volume : 3476 ft³ (98.4 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 4087 ft³ (115.7 m³)

**Note: See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (Continued)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 2 Aft Compartment Option




Container volume : 3634 ft³ (102.9 m³)

Bulk compartment: 318 ft³ (9.0 m³)

Total capacity : 3952 ft³ (111.9 m³)

**Note: See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2
for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (Continued)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 3 Aft Compartment Option



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 3771 ft³ (106.8 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (Continued)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 4 Aft Compartment Option




Container volume : 2844 ft³ (80.5 m³)
 Bulk compartment: 611 ft³ (17.3 m³)

 Total capacity : 3455 ft³ (97.8 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (Continued)

Airbus Industrie A310 - 200 / 300
Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 4

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2212 ft³ (62.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2823 ft³ (79.9 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (Continued)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Aft Compartment



(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.29 m³)

Container volume : 2370 ft³ (67.1 m³)
Bulk compartment: 318 ft³ (9.0 m³)

Total capacity : 2688 ft³ (76.1 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (Continued)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(4) LD-3 containers
at 158 ft³ (4.47 m³) each
632 ft³ (17.9 m³)

Container volume : 1896 ft³ (53.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2507 ft³ (70.9 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (Continued)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 4 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(2) LD-3 containers
at 158 ft³ (4.47 m³) each
316 ft³ (8.9 m³)

Container volume : 1580 ft³ (44.7 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2191 ft³ (62.0 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (Continued)

***Airbus Industrie A310 - 200 / 300
Lower Deck Pallet Configurations***

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 5

A310 -200 / 300 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment



(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)


Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume: 2064 ft³ (58.3 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2675 ft³ (75.6 m³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 5 (Continued)

A310 -200 / 300 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment




(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.5 m³)

Aft Compartment




(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume:	2169 ft ³	(61.5 m ³)
Bulk compartment:	611 ft ³	(17.3 m ³)
Total capacity :	<u>2780 ft³</u>	<u>(78.6 m³)</u>



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 5 (Continued)

Airbus Industrie A330 - 200
Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 6

A330 - 200 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Container volume : 4108 ft³ (116.3 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (136.0 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 6 (Continued)

A330 - 200 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(13) LD-3 containers
at 158 ft³ (4.47 m³) each
2054 ft³ (58.2 m³)

Container volume : 4266 ft³ (120.8 m³)

Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 4752 ft³ (134.6 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 6 (Continued)

A330 - 200 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)


Aft Compartment



(8) LD-2 plus (4) LD3 containers
at 120 ft³ (3.4 m³) 158 ft³ (4.47 m³) each
960 ft³ (34 m³) plus 632 ft³ (17.9 m³)


Container volume : 3804 ft³ (107.7 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4499 ft³ (127.4 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-2 container / IATA - DPE


Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 6 (Continued)

A330 - 200 Lower Deck Container Configurations


Arrangement 4 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3476 ft³ (98.4 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4171 ft³ (118.1 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container

LDMCR 96"x125" / IATA Contour - F

6 or 7 bunks

FIGURE 6 (Continued)

Airbus Industrie A330 - 200
Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 7

A330 -200 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each, plus 2 LD3
1944 ft³ (55.1 m³)

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each, plus 2 LD3
1804 ft³ (51.1 m³)


Aft Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	3572 ft ³ (101.2 m ³)	3292 ft ³ (93.2 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4267 ft ³ (120.9 m ³)	3987 ft ³ (112.9 m ³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAx

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 7 (Continued)

Airbus Industrie A330 - 300
Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 8

A330 - 300 Lower Deck Container Configurations

Arrangement 1




(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Container volume : 5056 ft³ (143.1 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5751 ft³ (162.8 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 8 (Continued)

A330 - 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option



Container volume : 5214 ft³ (147.5 m³)

Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 5700 ft³ (161.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 8 (Continued)

A330 - 300 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option



Container volume : 4676 ft³ (132.4 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5371 ft³ (152.1 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)

FIGURE 8 (Continued)

Airbus Industrie A330 - 300
Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 9

A330 -300 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)

Aft Compartment




* (4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	4092 ft ³ (115.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4787 ft ³ (135.2 m ³)

* The cargo loading arrangement also allows for 3 pallets 96 x 125 in. plus 2 pallets 88 x 125 in.



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 9 (Continued)

***Airbus Industrie A340 - 200 and
Airbus Industrie A340 - 200 Std. 8000
Lower Deck Container Configurations***

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 10

A340 - 200 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)


Aft Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.6 m³)

Container volume : 4108 ft³ (116.2 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (135.9 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 10 (Continued)

A340 - 200 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)


Aft Compartment



(13) LD-3 containers
at 158 ft³ (4.47 m³) each
2054 ft³ (58.1 m³)

Container volume : 4266 ft³ (120.7 m³)
Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 4752 ft³ (134.5 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 10 (Continued)

A340 - 200 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3476 ft³ (98.4 m³)
Bulk compartment: 695 ft³ (19.7 m³)


Total capacity : 4171 ft³ (118.1 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)




Typ : Lower Deck Mobile Crew Rest container
LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 10 (Continued)

A340 - 200 Lower Deck Container Configurations


Arrangement 4 AFT Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(8) LD-2 plus (4) LD-3 containers
at 120 ft³ (3.4 m³) and 158 ft³ (4.47 m³) each
1592 ft³ (45.1 m³)

Container volume : 3804 ft³ (107.7 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4499 ft³ (127.4 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)


Weight limitations: 2700 lb (1224 kg)

FIGURE 10 (Continued)

A340 - 200 Std. - 8000 Lower Deck Container Configurations


Arrangement for A340-200 Standard - 8000

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment



(4) LD-3 containers
at 158 ft³ (4.47 m³) each
632 ft³ (17.9 m³)


Container volume : 2844 ft³ (80.5 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 3539 ft³ (100.2 m³)

* Two auxiliary center tanks "ACTs" are basic on Std. - 8000

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container
LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 10 (Continued)

***Airbus Industrie A340 - 200 and
Airbus Industrie A340 - 200 Std. 8000
Lower Deck Pallet Configurations***

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height

FIGURE 11

A340 -200 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.5 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)


Aft Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)


(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	3663 ft ³ (103.5 m ³)	3348 ft ³ (94.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4358 ft ³ (123.2 m ³)	4043 ft ³ (114.2 m ³)



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)
Tare weight pallet:
1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations : 10 200 lb (4 626 kg)

FIGURE 11 (Continued)

A340 - 200 Std. 8000 Lower Deck Pallet Configurations

Arrangement for A340-200 Std. 8000 Aft Compartment Basic Provision


Forward Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.5 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

Aft Compartment




(1) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each plus 2 LD3
723 ft³ (20.5 m³)

(1) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each plus 2 LD3
688 ft³ (19.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
ULD volume:	2758 ft ³ (78.1 m ³)	2548 ft ³ (72.2 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	3453 ft ³ (97.8 m ³)	3243 ft ³ (91.9 m ³)

* Two auxiliary center tanks "ACTs" are basic on Std. - 8000

** Elimination of one 96in.x125in. pallet in the aft compartment due to integration of one LDMCR



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 11 (Continued)

Airbus Industrie A340 - 300
Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 12

A340 - 300 Lower Deck Container Configurations

Arrangement 1



Container volume : 5056 ft³ (143.1 m³)
Bulk compartment: 695 ft³ (19.7 m³)
Total capacity : 5751 ft³ (162.8 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)


FIGURE 12 (Continued)

A340 - 300 Lower Deck Container Configurations

Arrangement 2 Aft Compartment Option



Container volume : 5214 ft³ (147.5 m³)
Bulk compartment: 486 ft³ (13.8 m³)
Total capacity : 5700 ft³ (161.3 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 12 (Continued)

A340 - 300 Lower Deck Container Configurations


Arrangement 3 AFT Compartment Option

Forward Compartment



(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment



(10) LD-2 plus (4) LD3 containers
at 120 ft³ (3.4 m³) 158 ft³ (4.47 m³) each
1200 ft³ (34 m³) plus 632 ft³ (17.9 m³)


Container volume : 4676 ft³ (132.4 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5371 ft³ (152.1 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 12 (Continued)

A340 - 300 Lower Deck Container Configurations

Arrangement 4 Aft Compartment Option




Container volume : 4740 ft³ (134.2 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5435 ft³ (153.9 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)




Typ : Lower Deck Mobile Crew Rest container
LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 12 (Continued)

A340 - 300 Lower Deck Container Configurations


Arrangement 5 Aft Compartment Option



Container volume : 4424 ft³ (125.3 m³)
Bulk compartment: 695 ft³ (19.7 m³)


Total capacity : 5119 ft³ (145.0 m³)

- * Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.
- ** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)




Typ : Lower Deck Mobile Crew Rest container
LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 12 (Continued)

A340 - 300 Lower Deck Container Configurations

Arrangement 6 Aft Compartment Option



(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 4108 ft³ (116.3 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (136.0 m³)

- * Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.
- ** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container

LDMCR 96"x125" / IATA Contour - F

6 or 7 bunks

FIGURE 12 (Continued)

Airbus Industrie A340 - 300
Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height

FIGURE 13

A340 -300 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)

Aft Compartment




** (4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	4092 ft ³ (115.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4787 ft ³ (135.2 m ³)

** The cargo loading arrangement also allows for 3 pallets 96 x 125 in. plus 2 pallets 88 x 125 in.



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 13 (Continued)

Airbus Industrie A340 - 500
Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 14


A340 - 500 Lower Deck Container Configurations

Arrangement 1



Container volume : 4740 ft³ (134.2 m³)
 Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5435 ft³ (153.9 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
 Tare weight : 150 to 370 lb (68 to 168 kg)
 Weight limitations: 3500 lb (1587 kg)

FIGURE 14 (Continued)

A340 - 500 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option



Container volume : 4898 ft³ (138.7 m³)

Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 5384 ft³ (152.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 14 (Continued)

A340 - 500 Lower Deck Container Configurations


Arrangement 3 AFT Compartment Option

Forward Compartment



(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)


Aft Compartment



(8) LD-2 plus (4) LD3 containers
at 120 ft³ (3.4 m³) 158 ft³ (4.47 m³) each
960 ft³ (27.2 m³) plus 632 ft³ (17.9 m³)


Container volume : 4436 ft³ (125.6 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5131 ft³ (145.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 14 (Continued)


A340 - 500 Lower Deck Container Configurations

Arrangement 4 Aft Compartment Option




Container volume : 4108 ft³ (116.3 m³)
 Bulk compartment: 695 ft³ (19.7 m³)
 Total capacity : 4803 ft³ (136.0 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
 Tare weight : 150 to 370 lb (68 to 168 kg)
 Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container
 LDMCR 96"x125" / IATA Contour - F
 6 or 7 bunks

FIGURE 14 (Continued)

Airbus Industrie A340 - 500
Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 15

A340 -500 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)


Aft Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	3720 ft ³ (105.3 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4415 ft ³ (125.0 m ³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 15 (Continued)

Airbus Industrie A340 - 600
Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 16

A340 - 600 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(24) LD-3 containers
at 158 ft³ (4.47 m³) each
3792 ft³ (107.3 m³)


Aft Compartment



(18) LD-3 containers
at 158 ft³ (4.47 m³) each
2844 ft³ (80.5 m³)

Container volume : 6636 ft³ (187.8 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 7331 ft³ (207.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 16 (Continued)

A340 - 600 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(24) LD-3 containers
at 158 ft³ (4.47 m³) each
3792 ft³ (107.3 m³)


Aft Compartment



(19) LD-3 containers
at 158 ft³ (4.47 m³) each
3002 ft³ (84.9 m³)

Container volume : 6794 ft³ (192.2 m³)
Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 7280 ft³ (206.0 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 16 (Continued)

A340 - 600 Lower Deck Container Configurations


Arrangement 3 AFT Compartment Option

Forward Compartment



(24) LD-3 containers
at 158 ft³ (4.47 m³) each
3792 ft³ (107.3 m³)


Aft Compartment



(14) LD-2 plus (4) LD3 containers
at 120 ft³ (3.4 m³) 158 ft³ (4.47 m³) each
1680 ft³ (47.6 m³) plus 632 ft³ (17.9 m³)


Container volume : 6104 ft³ (172.8 m³)
Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 6799 ft³ (192.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 16 (Continued)

A340 - 600 Lower Deck Container Configurations

Arrangement 4 Aft Compartment Option




Container volume : 6004 ft³ (169.9 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 6699 ft³ (189.6 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container

LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 16 (Continued)

Airbus Industrie A340 - 600
Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 17

A340 - 600 Lower Deck Pallet Configurations

Arrangement 1


Forward Compartment



(8) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
3256 ft³ (92.0 m³)

(8) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2976 ft³ (84.0 m³)


Aft Compartment



(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)


(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	5698 ft ³ (161.0 m ³)	5208 ft ³ (147.0 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	6393 ft ³ (180.7 m ³)	5903 ft ³ (166.7 m ³)



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)
Tare weight pallet:
1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations : 10 200 lb (4 626 kg)

FIGURE 17 (Continued)

Boeing 747 Lower Deck Container Configurations

***Model 747-100, 747-200, 747-300, 747-400
(With Main-Deck Galley)***

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the clear opening width x height.

FIGURE 18

747 Lower Deck Container Configurations

Arrangement 1

Forward Compartment




(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)

Aft Compartment



(14) LD-1 containers
at 173 ft³ (4.9 m³) each
2422 ft³ (68.6 m³)


OR

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

	747-100/ -200/ -300		747- 400	
	LD - 1 container	LD - 3 container	LD - 1 container	LD - 3 container
Container volume :	5190 ft ³ (147.0 m ³)	4740 ft ³ (134.2 m ³)	5190 ft ³ (147.0 m ³)	4740 ft ³ (134.2 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	6190 ft ³ (175.3 m ³)	5740 ft ³ (162.5 m ³)	6025 ft ³ (170.6 m ³)	5575 ft ³ (157.8 m ³)


*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 18 (Continued)

747 Lower Deck Container Configurations

Arrangement 2 747-400 Aft Compartment Option

Forward Compartment




(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)

Aft Compartment




(16) LD-1 containers
at 173 ft³ (4.9 m³) each
2768 ft³ (78.4 m³)

OR

(16) LD-3 containers
at 158 ft³ (4.47 m³) each
2528 ft³ (71.6 m³)


	LD - 1 container	LD - 3 container
Container volume :	5536 ft ³ (156.8 m ³)	5056 ft ³ (143.2 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	6026 ft ³ (170.7 m ³)	5546 ft ³ (157.1 m ³)

*Delete 55 ft³ (1.6 m³) for Combi models



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 18 (Continued)

Boeing 747 Lower Deck Pallet Configurations

***Model 747-100, 747-200, 747-300, 747-400
(With Main-Deck Galley)***

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 19

747 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment



(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.7 m³)

Aft Compartment




(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1834 ft³ (51.9 m³) 1804 ft³ (51.1 m³)

	747-100/ -200/ -300		747-400	
	88 in. Pallet and LD-1	88 in. Pallet and LD-3	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	3694 ft ³ (104.6 m ³)	3664 ft ³ (103.45 m ³)	3694 ft ³ (104.6 m ³)	3664 ft ³ (103.7 m ³)
* Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	4694 ft ³ (132.9 m ³)	4664 ft ³ (131.75 m ³)	4592 ft ³ (128.2 m ³)	4499 ft ³ (127.4 m ³)

*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 19 (Continued)

747 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.6 m³)

Aft Compartment




(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

	747-100/-200/-300	747-400
Pallet volume :	3663 ft ³ (103.7 m ³)	3663 ft ³ (103.7 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	835 ft ³ (23.6 m ³)
Total capacity :	4663 ft ³ (132.0 m ³)	4498 ft ³ (127.3 m ³)

*747-100/-200/-300 delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models

*747-400 delete 125 ft³ (3.5 m³) for Combi models



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)


Weight limitations: 11 250 lb (5 103 kg)

FIGURE 19 (Continued)

747 Lower Deck Pallet Configurations


Arrangement 3 747-400 Aft Compartment Option

Forward Compartment



(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.7 m³)


Aft Compartment



(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(4) LD-1 containers OR (4) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
2180 ft³ (61.7 m³) 2120 ft³ (60.0 m³)

	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	4040 ft ³ (114.4 m ³)	3980 ft ³ (112.7 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	4530 ft ³ (128.3 m ³)	4470 ft ³ (126.6 m ³)

* Delete 55 ft³ (1.6 m³) for Combi models



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 19 (Continued)

747 Lower Deck Pallet Configurations


Arrangement 4 747-400 Aft Compartment Option

Forward Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.6 m³)


Aft Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1974 ft³ (55.9 m³) 1944 ft³ (55.0 m³)


	96 in. Pallet and LD-1	96 in. Pallet and LD-3
Container and Pallet volume :	4009 ft ³ (113.5 m ³)	3979 ft ³ (112.7 m ³)
*Bulk compartment:	490 ft ³ (13.9 m ³)	490 ft ³ (13.9 m ³)
Total capacity :	4499 ft ³ (127.4 m ³)	4469 ft ³ (126.6 m ³)

* Delete 55 ft³ (1.6 m³) for Combi models




Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 250 lb (5 103 kg)



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 19 (Continued)

Boeing 747 Lower Deck Container Configurations

Model 747-100, 747-200, 747-300 (With Lower Deck Galley)

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the clear opening width x height.

FIGURE 20

747 Lower Deck Container Configurations

Arrangement 1

Forward Compartment




(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Aft Compartment




(8) LD-1 containers
at 173 ft³ (4.9 m³) each
1384 ft³ (39.2 m³)

OR

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


	LD - 1 container	LD - 3 container
Container volume :	3114 ft ³ (88.2 m ³)	2844 ft ³ (80.5 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)
Total capacity :	4114 ft ³ (116.5 m ³)	3844 ft ³ (108.8 m ³)

*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 20 (Continued)

Boeing 747 Lower Deck Pallet Configurations

Model 747-100, 747-200, 747-300 (With Lower DeckGalley)

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the clear opening width x height.

FIGURE 21

747 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment



(3) pallets: 88x125 in. (2438x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)


Aft Compartment




(2) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1090 ft³ (30.8 m³) 1060 ft³ (30.0 m³)

	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	2206 ft ³ (35.3 m ³)	2176 ft ³ (61.6 m ³)
*Bulk compartment:	1000 ft ³ (28.3 m ³)	1000 ft ³ (28.3 m ³)
Total capacity :	3206 ft ³ (63.6 m ³)	3176 ft ³ (89.9 m ³)


*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models



Type : Netted pallet / IATA - PAX
Internal volume: 372 ft³ (10.5 m³)
Tare weight pallet:
1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 300 lb (4 671 kg)



Type : LD-1 container / IATA - AKC
Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 21 (Continued)

747 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment



(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.5 m³)


Aft Compartment



(2) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
814 ft³ (23.0 m³)

Pallet volume : 2035 ft³ (57.5 m³)
* Bulk compartment: 1000 ft³ (28.3 m³)
Total capacity : 3035 ft³ (85.8 m³)

*Delete 200 ft³ (5.6 m³) for Freighter, Convertible and Combi models



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 11 250 lb (5 103 kg)

FIGURE 21 (Continued)

Boeing 747SP Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 22

747 SP Lower Deck Container Configurations

Arrangement 1

Forward Compartment




(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Aft Compartment




(10) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

OR


(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

	LD - 1 container	LD - 3 container
Container volume :	3460 ft ³ (98.0 m ³)	3160 ft ³ (89.5 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	3860 ft ³ (109.3 m ³)	3560 ft ³ (100.8 m ³)



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 22 (Continued)

***Boeing 747SP Lower Deck
Pallet Configurations***

(With Main-Deck Galley)

- Forward Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Aft Compartment Door :
104 x 66 in. (2 542 x 1 676 mm)
- Bulk Compartment Door :
44 x 47 in. (1 118 x 1 194 mm)


Note: The above dimensions refer to the clear opening width x height.

FIGURE 23

747 SP Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)

Aft Compartment




(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
(2) LD-1 containers OR (2) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1462 ft³ (41.3 m³) 1432 ft³ (40.4 m³)


	88 in. Pallet and LD-1	88 in. Pallet and LD-3
Container and Pallet volume :	2578 ft ³ (73.0 m ³)	2548 ft ³ (72.0 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	2978 ft ³ (84.3 m ³)	2948 ft ³ (83.3 m ³)



Type : Netted pallet / IATA - PAx
Internal volume : 372 ft³ (10.5 m³)
Tare weight pallet:
1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 300 lb (4 671 kg)



Type : LD-1 container / IATA - AKC
Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)




Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 23 (Continued)

747 SP Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment




(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.6 m³)

Aft Compartment




(2) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
(4) LD-1 containers OR (4) LD-3 containers
at 173 ft³ (4.9 m³) each at 158 ft³ (4.47 m³) each
1506 ft³ (42.6 m³) 1446 ft³ (40.9 m³)


	96 in. Pallet and LD-1	96 in. Pallet and LD-3
Container and Pallet volume :	2727 ft ³ (77.2 m ³)	2667 ft ³ (75.5 m ³)
Bulk compartment:	400 ft ³ (11.3 m ³)	400 ft ³ (11.3 m ³)
Total capacity :	3127 ft ³ (88.5 m ³)	3067 ft ³ (87.8 m ³)



Type : Netted pallet / IATA - PMx
Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 100 lb (5 034 kg)



Type : LD-1 container / IATA - AKC
Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 23 (Continued)

Boeing 767 - 200 / 200ER Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) standard on -200ER / optional -200
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)

Note: The above dimensions refer to the clear opening width x height.


FIGURE 24

767 - 200 / 200ER Lower Deck Container Configurations

Arrangement 1

Forward Compartment*

Aft Compartment




(12) LD-2 containers
at 120 ft³ (3.4 m³) each
1440 ft³ (40.8 m³)

(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1200 ft³ (34.0 m³)

Container volume :	2640 ft ³	(74.8 m ³)
Bulk compartment:	430 ft ³	(12.2 m ³)
Total capacity :	3070 ft³	(87.0 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)


FIGURE 24 (Continued)

767 - 200 / 200ER Lower Deck Container Configurations

Arrangement 2

Forward Compartment*

Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

OR

(6) LD-1 containers
at 173 ft³ (4.9 m³) each
1038 ft³ (29.4 m³)


(5) LD-3 containers
at 158 ft³ (4.47 m³) each
790 ft³ (22.4 m³)

OR

(5) LD-1 containers
at 173 ft³ (4.9 m³) each
865 ft³ (24.5 m³)


	LD - 1 container	LD - 3 container
Container volume :	1903 ft ³ (53.9 m ³)	1738 ft ³ (49.2 m ³)
Bulk compartment:	430 ft ³ (12.2 m ³)	430 ft ³ (12.2 m ³)
Total capacity :	2333 ft ³ (66.1 m ³)	2168 ft ³ (61.4 m ³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 24 (Continued)

Boeing 767 - 200 / 200ER Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) standard on -200ER / optional -200
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)

Note: The above dimensions refer to the clear opening width x height.


FIGURE 25

767 - 200 / 200ER Lower Deck Pallet Configurations

Arrangement 1 Forward Compartment Option

Forward Compartment *

Aft Compartment




(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.6 m³)

(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1730 ft³ (34.0 m³)

Container and pallet volume : 2421 ft³ (68.5 m³)
Bulk compartment: 430 ft³ (12.2 m³)


Total capacity : 2851 ft³ (80.7 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 250 lb (5 103 kg)



Type : LD-2 container / IATA - DPE


Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 25 (Continued)

767 - 200 / 200ER Lower Deck Pallet Configurations


Arrangement 2 Forward Compartment Option

Forward Compartment*



(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.6 m³)

Aft Compartment




(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1730 ft³ (34.0 m³)

Container and pallet volume : 2316 ft³ (65.6 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 2746 ft³ (77.8 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 300 lb (4 671 kg)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)


Weight limitations: 2700 lb (1224 kg)

FIGURE 25 (Continued)

767 - 200 / 200ER Lower Deck Pallet Configurations


Arrangement 3 Forward Compartment Option

Forward Compartment*



(6) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1164 ft³ (33.0 m³)


Aft Compartment



(10) LD-2 containers
at 120 ft³ (3.4 m³) each
1200 ft³ (34.0 m³)


Container and pallet volume : 2364 ft³ (67.0 m³)
Bulk compartment: 430 ft³ (12.2 m³)
Total capacity : 2794 ft³ (79.2 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door is standard on 767-200ER airplanes.



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)
Tare weight pallet:
1.) Aluminium plate : 145 lb (66 kg)
2.) Aluminium core : 200 lb (91 kg)
Tare weight of net : 25 lb (11 kg)
Weight limitations : 5 535 lb (2 510 kg)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)
Tare weight : 134 to 220 lb (60 to 100 kg)
Weight limitations: 2700 lb (1224 kg)

FIGURE 25 (Continued)

Boeing 767 - 300 Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) optional
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
134 x 67 in. (3 404 x 1 702 mm) Freighter Version only
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)

Note: The above dimensions refer to the clear opening width x height.

FIGURE 26

767 - 300 Lower Deck Container Configurations

Arrangement 1




(16) LD-2 containers
at 120 ft³ (3.4 m³) each
1920 ft³ (54.4 m³)

(14) LD-2 containers
at 120 ft³ (3.4 m³) each
1680 ft³ (47.6 m³)

Container volume : 3600 ft³ (102.0 m³)
Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 4030 ft³ (114.2 m³)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)

Tare weight : 134 to 220 lb (60 to 100 kg)


Weight limitations: 2700 lb (1224 kg)

FIGURE 26 (Continued)

767 - 300 Lower Deck Container Configurations

Arrangement 2

Forward Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

OR

(8) LD-1 containers
at 173 ft³ (4.9 m³) each
1384 ft³ (39.2 m³)

Aft Compartment




(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.3 m³)

OR

(7) LD-1 containers
at 173 ft³ (4.9 m³) each
1211 ft³ (34.3 m³)

	LD - 1 container	LD - 3 container
Container volume :	2595 ft ³ (73.5 m ³)	2370 ft ³ (67.1 m ³)
Bulk compartment:	430 ft ³ (12.2 m ³)	430 ft ³ (12.2 m ³)
Total capacity :	3025 ft ³ (85.7 m ³)	2800 ft ³ (79.3 m ³)




Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)

Tare weight : 175 to 375 lb (79 to 170 kg)

Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 26 (Continued)

Boeing 767 - 300 Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) optional
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
134 x 67 in. (3 404 x 1 702 mm) Freighter Version only
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 27

767 - 300 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment



(8) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1552 ft³ (44.0 m³)

Aft Compartment




(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2910 ft³ (82.4 m³)

Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3340 ft³ (94.6 m³)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)

Tare weight pallet:

1.) Aluminium plate : 145 lb (66 kg)

2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)


FIGURE 27 (Continued)

767 - 300 Lower Deck Pallet Configurations

Arrangement 2 Forward Compartment Option

Forward Compartment *

Aft Compartment



(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.1 m³)


(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2846 ft³ (80.6 m³)

Bulk compartment: 430 ft³ (12.2 m³)

Total capacity : 3276 ft³ (92.8 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door option.



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations 10 300 lb (4 671 kg)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)

Tare weight pallet:

- 1.) Aluminium plate : 145 lb (66 kg)
- 2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)


FIGURE 27 (Continued)

767 - 300 Lower Deck Pallet Configurations

Arrangement 3 Forward Compartment Option

Forward Compartment *

Aft Compartment




(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.1 m³)

(7) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1358 ft³ (38.5 m³)

Container and pallet volume : 2986 ft³ (84.6 m³)
Bulk compartment: 430 ft³ (12.2 m³)


Total capacity : 3416 ft³ (96.8 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door option.



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)
Tare weight pallet:
1.) Aluminium plate : 145 lb (66 kg)
2.) Aluminum core : 200 lb (91 kg)
Tare weight of net : 25 lb (11 kg)
Weight limitations : 5 535 lb (2 510 kg)

FIGURE 27 (Continued)

Boeing 767 - 400ER Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) optional
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 28

767 - 400ER Lower Deck Container Configurations

Arrangement 1



Container volume : 4560 ft³ (129.1 m³)
Bulk compartment: 430 ft³ (12.2 m³)
Total capacity : 4990 ft³ (141.3 m³)



Type : LD-2 container / IATA - DPE

Internal volume : 120 ft³ (3.4 m³)


Tare weight : 134 to 220 lb (60 to 100 kg)

Weight limitations: 2700 lb (1224 kg)

FIGURE 28 (Continued)

767 - 400ER Lower Deck Container Configurations

Arrangement 2



(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

OR


(8) LD-1 containers
at 173 ft³ (4.9 m³) each
1730 ft³ (49.0 m³)

(9) LD-3 containers
at 158 ft³ (4.47 m³) each
1422 ft³ (40.3 m³)

OR


(9) LD-1 containers
at 173 ft³ (4.9 m³) each
1557 ft³ (44.0 m³)

	LD - 1 container	LD - 3 container
Container volume :	3287 ft ³ (93.0 m ³)	3002 ft ³ (85.0 m ³)
Bulk compartment:	430 ft ³ (12.2 m ³)	430 ft ³ (12.2 m ³)
Total capacity :	3717 ft ³ (105.2 m ³)	3432 ft ³ (97.2 m ³)



Type : LD-1 container / IATA - AKC

Internal volume : 159 to 173 ft³ (4.5 to 4.9 m³)
Tare weight : 175 to 375 lb (79 to 170 kg)
Weight limitations: 3500 lb (1587 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 28 (Continued)

Boeing 767 - 400 Lower Deck Pallet Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
134 x 67 in. (3 404 x 1 702 mm) optional
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm)
- Bulk Compartment Door :
38 x 45 in. (965 x 1 143 mm)

Note: The above dimensions refer to the clear opening width x height.


FIGURE 29

767 - 400ER Lower Deck Pallet Configurations

Arrangement 1



Container and pallet volume : 3686 ft³ (104.4 m³)
 Bulk compartment: 430 ft³ (12.2 m³)
 Total capacity : 4116 ft³ (116.6 m³)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)

Tare weight pallet:

1.) Aluminium plate : 145 lb (66 kg)

2.) Aluminum core : 200 lb (91 kg)

Tare weight of net : 25 lb (11 kg)


Weight limitations : 5 535 lb (2 510 kg)

FIGURE 29 (Continued)

767 - 400ER Lower Deck Pallet Configurations


Arrangement 2 Forward Compartment Option

Forward Compartment *



(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.7 m³)


Aft Compartment



(9) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1746 ft³ (49.4 m³)

Container and pallet volume : 3606 ft³ (102.1 m³)
Bulk compartment: 430 ft³ (12.2 m³)
Total capacity : 4036 ft³ (114.3 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door option.



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations 10 300 lb (4 671 kg)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)

Tare weight pallet:

- 1.) Aluminium plate : 145 lb (66 kg)
- 2.) Aluminum core : 200 lb (91 kg)


Tare weight of net : 25 lb (11 kg)

Weight limitations : 5 535 lb (2 510 kg)

FIGURE 29 (Continued)

767 - 400 Lower Deck Pallet Configurations

Arrangement 3 Forward Compartment Option




(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.6 m³)

(9) pallets: 61.5x96 in. (1562x2438 mm)
at 194 ft³ (5.5 m³) each
1746 ft³ (49.4 m³)


Container and pallet volume : 3781 ft³ (107.0 m³)
Bulk compartment: 430 ft³ (12.2 m³)
Total capacity : 4211 ft³ (119.2 m³)

* Note: The 134 in. x 67 in. (3404 x 1702 mm) Forward compartment cargo door option.



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PNx

Internal volume: 194 ft³ (5.5 m³)
Tare weight pallet:
1.) Aluminium plate : 145 lb (66 kg)
2.) Aluminum core : 200 lb (91 kg)
Tare weight of net : 25 lb (11 kg)
Weight limitations : 5 535 lb (2 510 kg)

FIGURE 29 (Continued)

Boeing 777-200/-200 IGW Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106 x 67 in. (2 692 x 1 702 mm)
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
106 x 67 in. (2 692 x 1 702 mm) optional
- Bulk Compartment Door :
36 x 45 in. (914 x 1 143 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 30

777 -200/-200 IGW Lower Deck Container Configurations

Arrangement 1



Container volume :	5056 ft ³ (143.1 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	5656 ft ³ (160.0 m ³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 30 (Continued)

777 -200/-200 IGW Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option



Container volume :	4424 ft ³ (125.2 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	<u>5024 ft³ (142.1 m³)</u>


*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option

** Note: Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LLAR



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)



Typ : Lower Lobe Attendant Rest

LLAR 96"x125" / IATA Contour - F
6 bunks

FIGURE 30 (Continued)

Boeing 777-200/-200 IGW Lower Deck Pallet Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106 x 67 in. (2 692 x 1 702 mm)
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
106 x 67 in. (2 692 x 1 702 mm) optional
- Bulk Compartment Door :
36 x 45 in. (914 x 1 143 mm)

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 31

777 -200/-200 IGW Lower Deck Pallet Configurations

Arrangement 1




(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ (63.0 m³)

OR

(6) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2442 ft³ (69.0 m³)

(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

	88" Pal & LD3	96" Pal & LD3
Pallet and Container volume :	4444 ft ³ (125.6 m ³)	4654 ft ³ (131.6 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)	600 ft ³ (16.9 m ³)
Total capacity :	5044 ft ³ (142.5 m ³)	5254 ft ³ (148.5 m ³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)




Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

- Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 250 lb (5 103 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


FIGURE 31 (Continued)

777 -200/-200 IGW Lower Deck Pallet Configurations

Arrangement 2 Aft Compartment Option



*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 31 (Continued)


777-200/-200 IGW Lower Deck Pallet Configurations

Arrangement 3 Aft Compartment Option



Pallet volume :	4070 ft ³ (115.0 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	4670 ft ³ (131.9 m ³)

*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 11 250 lb (5 103 kg)

FIGURE 31 (Continued)

Boeing 777-300 Lower Deck Container Configurations

(With Main Deck Galley)


- Forward Compartment Door :
106 x 67 in. (2 692 x 1 702 mm)
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
106 x 67 in. (2 692 x 1 702 mm) optional
- Bulk Compartment Door :
36 x 45 in. (914 x 1 143 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 32

777 -300 Lower Deck Container Configurations

Arrangement 1



Container volume :	6952 ft ³ (196.7 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	7552 ft ³ (213.6 m ³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 32 (Continued)

777 -300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option



Container volume:	6320 ft ³ (178.8 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	6920 ft ³ (195.7 m ³)


*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option

** Note: Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LLAR



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)



Typ : Lower Lobe Attendant Rest

LLAR 96"x125" / IATA Contour - F
6 bunks

FIGURE 32 (Continued)

Boeing 777-300 Lower Deck Pallet Configurations

(With Main Deck Galley)

- Forward Compartment Door :
106 x 67 in. (2 692 x 1 702 mm)
- Aft Compartment Door :
70 x 67 in. (1 778 x 1 702 mm) standard
106 x 67 in. (2 692 x 1 702 mm) optional
- Bulk Compartment Door :
36 x 45 in. (914 x 1 143 mm)


Note: The above dimensions refer to the clear opening width x height.

FIGURE 33

777 - 300 Lower Deck Pallet Configurations

Arrangement 1

Forward Compartment




(8) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2976 ft³ (84.0 m³)

or


(8) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
3256 ft³ (92.0 m³)

Aft Compartment



(20) LD-3 containers
at 158 ft³ (4.47 m³) each
3160 ft³ (89.4 m³)

	88" Pal & LD3	96" Pal & LD3
Pallet and Container volume :	6136 ft ³ (173.4 m ³)	6416 ft ³ (181.4 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)	600 ft ³ (16.9 m ³)
Total capacity :	6736 ft ³ (190.3 m ³)	7016 ft ³ (198.3 m ³)




Type : Netted pallet / IATA - Pax

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)




Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

- Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 11 250 lb (5 103 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 33 (Continued)

777 - 300 Lower Deck Pallet Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(8) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2976 ft³ (84.0 m³)

Aft Compartment *




(6) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
2232 ft³ 63.0 m³
plus
(2) LD-3 containers
at 158 ft³ (4.47 m³) each
316 ft³ (8.9 m³)


Pallet and Container volume : 6136 ft³ (173.4 m³)
Bulk compartment: 600 ft³ (16.9 m³)

Total capacity : 6736 ft³ (190.3 m³)

*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option



Type : Netted pallet / IATA - PAX
Internal volume: 372 ft³ (10.5 m³)
Tare weight pallet:
1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)




Type : LD-3 container / IATA - AKE
Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 33 (Continued)


777 - 300 Lower Deck Pallet Configurations

Arrangement 3 Aft Compartment Option



Pallet volume :	5698 ft ³ (161.0 m ³)
Bulk compartment:	600 ft ³ (16.9 m ³)
Total capacity :	6298 ft³ (177.9 m³)

*Note: The 106 in. x 67 in. (2692 x 1702 mm) Aft compartment cargo door option



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 11 250 lb (5 103 kg)

FIGURE 33 (Continued)

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Container Configurations
(With Main-Deck Galley)***


- Forward Compartment Door :
70 x 68 in. (1 778 x 1 727 mm) standard
104 x 68 in. (2 642 x 1 727 mm) optional
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 34

L - 1011 Lower Deck Container Configurations

Arrangement 1



Container volume : 3792 ft³ (107.4 m³)
Bulk compartment: 700 ft³ (19.8 m³)
Total capacity: 4492 ft³ (127.2 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 34 (Continued)

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Pallet Configurations
(With Main-Deck Galley)***


- Forward Compartment Door :
70 x 68 in. (1 778 x 1 727 mm) standard
104 x 68 in. (2 642 x 1 727 mm) optional
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 35


L - 1011 Lower Deck Pallet Configurations

Arrangement 1 Forward Compartment Option



Container and pallet volume : 3124 ft³ (88.3 m³)
Bulk compartment: 700 ft³ (19.8 m³)

Total capacity : 3824 ft³ (108.1 m³)




Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
 - 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)
- Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 35 (Continued)

***Lockheed L - 1011 - 1, -100, -200 Series
Lower Deck Container Configurations
(With Lower Deck Galley)***


- Forward Compartment Door :
70 x 68 in. (1 778 x 1 727 mm) standard
104 x 68 in. (2 642 x 1 727 mm) optional
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 36

L - 1011 Lower Deck Container Configurations

Arrangement 1



Container volume : 2528 ft³ (71.6 m³)
Bulk compartment: 700 ft³ (19.8 m³)
Total capacity: 3228 ft³ (91.4 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 36 (Continued)

Lockheed L - 1011 - 1, -100, -200 Series Lower Deck Pallet Configurations

(With Lower Deck Galley)


- Forward Compartment Door :
70 x 68 in. (1 778 x 1 727 mm) standard
104 x 68 in. (2 642 x 1 727 mm) optional
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 37

L - 1011 Lower Deck Pallet Configurations

Arrangement 1 Forward Compartment Option



Container and pallet volume : 2324 ft³ (65.8 m³)
Bulk compartment: 700 ft³ (19.8 m³)
Total capacity : 3024 ft³ (85.6 m³)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 37 (Continued)

Lockheed L - 1011 - 500 Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
104 x 68 in. (2 642 x 1 727 mm)
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 38


L - 1011 - 500 Lower Deck Container Configurations

Arrangement 1



Container volume : 3002 ft³ (85.0 m³)
Bulk compartment: 435 ft³ (12.3 m³)

Total capacity: 3437 ft³ (97.3 m³)



Type : LD-3 container / IATA - AKE


Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 38 (Continued)

L - 1011 - 500 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)


Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 160 ft³ (4.5 m³)

Total capacity : 3320 ft³ (94.0 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 38 (Continued)

Lockheed L - 1011 - 500 Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
104 x 68 in. (2 642 x 1 727 mm)
- Aft Compartment Door :
70 x 68 in. (1 778 x 1 727 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 39

L - 1011 - 500 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.1 m³)

Aft Compartment



(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.3 m³)

Container and pallet volume :	2594 ft ³ (73.4 m ³)
Bulk compartment:	435 ft ³ (12.3 m ³)
Total capacity:	3029 ft³ (85.7 m³)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 39 (Continued)

McDonnell Douglas DC-10
Lower Deck Container Configurations
Series -10, -15, -30, -40
(With Main-Deck Galley)


- Forward Compartment Door :
104 x 66 in. (2 642 x 1 676 mm)
- Center Compartment Door :
70 x 66 in. (1 778 x 1 676 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm)
30 x 36 in. (762 x 914 mm) Extended Center and Aft Compartment

Note: The above dimensions refer to the clear opening width x height.

FIGURE 40


DC-10 -10, -15, -30, -40 Lower Deck Container Configurations

Arrangement 1



Container volume : 3792 ft³ (107.4 m³)
Bulk compartment: 805 ft³ (22.8 m³)

Total capacity : 4597 ft³ (130.2 m³)




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 40 (Continued)


DC-10 -10, -15, -30, -40 Lower Deck Container Configurations

Arrangement 2



Container volume : 4108 ft³ (116.3 m³)
Bulk compartment: 510 ft³ (14.4 m³)

Total capacity : 4618 ft³ (130.7 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 40 (Continued)

***McDonnell Douglas DC-10
Lower Deck Pallet Configurations
Series -10, -15, -30, -40***

(With Main-Deck Galley)


- Forward Compartment Door :
104 x 66 in. (2 642 x 1 676 mm)
- Center Compartment Door :
70 x 66 in. (1 778 x 1 676 mm)
- Bulk Compartment Door :
44 x 48 in. (1 118 x 1 219 mm) standard
30 x 36 in. (762 x 914 mm) Extended Center and Aft Compartment

Note: The above dimensions refer to the
clear opening width x height.

FIGURE 41

DC-10 -10, -15, -30, -40 Lower Deck Pallet Configurations


Arrangement 1



Container and pallet volume : 3124 ft³ (88.5 m³)
Bulk compartment: 805 ft³ (22.8 m³)

Total capacity : 3929 ft³ (111.3 m³)

Note: 96 x 125 in. (2438 x 3175 mm) netted pallets require optional hardware.



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 41 (Continued)


DC-10 -10, -15, -30, -40 Lower Deck Pallet Configurations

Arrangement 2



Container and pallet volume : 3440 ft³ (97.4 m³)
Bulk compartment: 510 ft³ (14.4 m³)
Total capacity : 3950 ft³ (111.8 m³)

Note: 96 x 125 in. (2438 x 3175 mm) netted pallets require optional hardware.



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 300 lb (4 671 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 41 (Continued)