

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV.
C

AS3217™

FEDERAL SUPPLY CLASS
5365

RATIONALE

PROCUREMENT SPECIFICATION ADDED IN NOTES AND TITLE BLOCK. PART NUMBER AS3217-197 CORRECTED.





FIGURE 1

For more information on this standard, visit
<https://www.sae.org/standards/content/AS3217C/>

THIRD ANGLE PROJECTION



CUSTODIAN: E-25

PROCUREMENT SPECIFICATION: AS7330 /2/



AEROSPACE STANDARD

RING, RETAINING-SPIRAL, INTERNAL
LIGHT DUTY, CRES

AS3217™
SHEET 1 OF 5

REV.
C

TABLE 1 - DIMENSIONS

PART NUMBER	NOM BORE Ø	A	G	L	N	R	T	W
AS3217-100	.500	.532-.545	.281-.407	.082 .042	.011-.027	.003-.006	.023-.027	.040-.048
AS3217-101	.512	.544-.557	.281-.407		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-102	.531	.564-.577	.281-.407		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-103	.562	.594-.607	.281-.407		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-104	.594	.626-.639	.312-.438		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-105	.625	.658-.671	.312-.438		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-106	.656	.689-.702	.312-.438		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-107	.687	.720-.733	.312-.438		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-108	.718	.751-.764	.312-.438		.011-.027	.003-.006	.023-.027	.040-.048
AS3217-109	.750	.790-.803	.312-.438		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-110	.777	.817-.830	.312-.438		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-111	.781	.821-.834	.312-.438		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-112	.812	.853-.866	.312-.438		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-113	.843	.889-.902	.312-.438		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-114	.866	.913-.926	.343-.469		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-115	.875	.922-.935	.343-.469		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-116	.906	.949-.962	.343-.469		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-117	.938	.986-.999	.343-.469		.015-.040	.004-.008	.029-.033	.060-.068
AS3217-118	.968	1.025-1.038	.343-.469		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-119	.987	1.041-1.054	.343-.469		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-120	1.000	1.054-1.067	.343-.469	.208 .168	.015-.045	.005-.009	.035-.039	.070-.078
AS3217-121	1.023	1.078-1.091	.343-.469		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-122	1.031	1.084-1.097	.343-.469		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-123	1.062	1.117-1.132	.375-.501		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-124	1.093	1.147-1.162	.375-.501		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-125	1.125	1.180-1.195	.375-.501		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-126	1.156	1.210-1.225	.375-.501		.015-.045	.005-.009	.035-.039	.070-.078
AS3217-127	1.188	1.249-1.264	.375-.501		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-128	1.218	1.278-1.293	.375-.501		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-129	1.250	1.312-1.327	.375-.501		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-130	1.281	1.342-1.357	.375-.501		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-131	1.312	1.374-1.389	.406-.594		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-132	1.343	1.408-1.423	.406-.594		.020-.050	.006-.011	.041-.045	.080-.088
AS3217-133	1.375	1.442-1.457	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-134	1.406	1.472-1.487	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-135	1.437	1.504-1.519	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-136	1.456	1.523-1.538	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-137	1.468	1.535-1.550	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-138	1.500	1.567-1.582	.406-.594		.020-.055	.006-.011	.041-.045	.090-.098
AS3217-139	1.562	1.634-1.654	.500-.688		.025-.065	.006-.012	.046-.052	.103-.111
AS3217-140	1.574	1.649-1.669	.500-.688		.025-.065	.006-.012	.046-.052	.103-.111
AS3217-141	1.625	1.701-1.721	.500-.688		.025-.065	.006-.012	.046-.052	.103-.111
AS3217-142	1.653	1.730-1.750	.500-.688		.025-.065	.006-.012	.046-.052	.103-.111
AS3217-143	1.687	1.768-1.788	.500-.688		.025-.070	.006-.012	.046-.052	.113-.121
AS3217-144	1.750	1.834-1.854	.500-.688		.025-.070	.006-.012	.046-.052	.113-.121



AEROSPACE STANDARD

RING, RETAINING-SPIRAL, INTERNAL
LIGHT DUTY, CRESAS3217™
SHEET 2 OF 5REV.
C

TABLE 1 - DIMENSIONS (CONTINUED)

PART NUMBER	NOM BORE Ø	A	G	L	N	R	T	W
AS3217-145	1.813	1.894-1.194	.500-.688	.208	.025-.070	.006-.012	.046-.052	.113-.121
AS3217-146	1.850	1.937-1.957	.500-.688		.025-.070	.006-.012	.046-.052	.113-.121
AS3217-147	1.875	1.960-1.980	.500-.688	.168	.025-.070	.006-.012	.046-.052	.113-.121
AS3217-148	1.938	2.025-2.045	.500-.688		.025-.070	.006-.012	.046-.052	.113-.121
AS3217-149	2.000	2.091-2.111	.531-.719		.025-.075	.006-.012	.046-.052	.123-.131
AS3217-150	2.047	2.138-2.158	.531-.719		.025-.075	.006-.012	.046-.052	.123-.131
AS3217-151	2.062	2.154-2.179	.531-.719		.025-.075	.006-.012	.046-.052	.123-.131
AS3217-152	2.125	2.217-2.242	.531-.719		.025-.075	.006-.012	.046-.052	.123-.131
AS3217-153	2.165	2.260-2.285	.531-.719		.030-.080	.006-.012	.046-.052	.133-.141
AS3217-154	2.188	2.284-2.309	.531-.719		.030-.080	.006-.012	.046-.052	.133-.141
AS3217-155	2.250	2.347-2.372	.531-.719		.030-.080	.006-.012	.046-.052	.133-.141
AS3217-156	2.312	2.403-2.428	.531-.719		.030-.080	.006-.012	.046-.052	.133-.141
AS3217-157	2.375	2.476-2.501	.531-.719		.030-.080	.006-.012	.046-.052	.133-.141
AS3217-158	2.437	2.543-2.568	.531-.719		.030-.090	.006-.012	.046-.052	.143-.151
AS3217-159	2.440	2.546-2.571	.531-.719		.030-.090	.006-.012	.046-.052	.143-.151
AS3217-160	2.500	2.606-2.631	.719-.907	.332 .292	.030-.090	.006-.012	.046-.052	.143-.151
AS3217-161	2.531	2.641-2.666	.719-.907		.030-.090	.006-.012	.046-.052	.143-.151
AS3217-162	2.562	2.673-2.698	.719-.907		.030-.090	.006-.012	.046-.052	.143-.151
AS3217-163	2.625	2.736-2.761	.719-.907		.030-.090	.006-.012	.046-.052	.143-.151
AS3217-164	2.677	2.789-2.814	.719-.907		.035-.095	.006-.012	.046-.052	.153-.161
AS3217-165	2.688	2.803-2.828	.719-.907		.035-.095	.006-.012	.046-.052	.153-.161
AS3217-166	2.750	2.865-2.890	.719-.907		.035-.095	.006-.012	.046-.052	.153-.161
AS3217-167	2.813	2.929-2.954	.719-.907		.035-.095	.006-.012	.046-.052	.153-.161
AS3217-168	2.834	2.954-2.979	.719-.907		.035-.095	.006-.012	.046-.052	.162-.172
AS3217-169	2.875	2.995-3.020	.719-.907		.035-.095	.006-.012	.046-.052	.162-.172
AS3217-170	2.937	3.058-3.083	.719-.907		.035-.095	.006-.012	.046-.052	.162-.172
AS3217-171	2.952	3.073-3.098	.719-.907		.035-.095	.006-.012	.046-.052	.162-.172
AS3217-172	3.000	3.122-3.147	.719-.907		.035-.095	.008-.015	.058-.064	.162-.172
AS3217-173	3.062	3.186-3.216	.719-.907		.035-.095	.008-.015	.058-.064	.162-.172
AS3217-174	3.125	3.251-3.281	.719-.907		.035-.095	.008-.015	.058-.064	.172-.182
AS3217-175	3.149	3.276-3.306	.875-1.125		.035-.095	.008-.015	.058-.064	.172-.182
AS3217-176	3.187	3.311-3.341	.875-1.125		.035-.095	.008-.015	.058-.064	.172-.182
AS3217-177	3.250	3.379-3.409	.875-1.125		.035-.095	.008-.015	.058-.064	.172-.182
AS3217-178	3.312	3.446-3.476	.875-1.125		.045-.110	.008-.015	.058-.064	.182-.192
AS3217-179	3.346	3.479-3.509	.875-1.125		.045-.110	.008-.015	.058-.064	.182-.192
AS3217-180	3.375	3.509-3.539	.875-1.125	.520 .480	.045-.110	.008-.015	.058-.064	.182-.192
AS3217-181	3.437	3.574-3.604	.875-1.125		.045-.110	.008-.015	.058-.064	.182-.192
AS3217-182	3.500	3.636-3.666	.875-1.125		.045-.110	.008-.015	.058-.064	.182-.192
AS3217-183	3.543	3.684-3.714	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-184	3.562	3.703-3.733	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-185	3.625	3.769-3.799	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-186	3.687	3.832-3.862	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-187	3.740	3.885-3.915	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-188	3.750	3.894-3.924	.875-1.125		.050-.120	.008-.015	.058-.064	.192-.202
AS3217-189	3.812	3.963-3.993	.875-1.125		.050-.120	.008-.015	.058-.064	.202-.212



AEROSPACE STANDARD

RING, RETAINING-SPIRAL, INTERNAL
LIGHT DUTY, CRESAS3217™
SHEET 3 OF 5REV.
C

TABLE 1 - DIMENSIONS (CONTINUED)

PART NUMBER	NOM BORE Ø	A	G	L	N	R	T	W
AS3217-190	3.875	4.025-4.055	1.063-1.313		.050-.120	.008-.015	.058-.064	.202-.212
AS3217-191	3.938	4.089-4.119	1.063-1.313		.050-.120	.008-.015	.058-.064	.202-.212
AS3217-192	4.000	4.157-4.187	1.063-1.313		.050-.120	.008-.015	.058-.064	.212-.222
AS3217-193	4.063	4.222-4.252	1.063-1.313		.050-.120	.008-.015	.058-.064	.212-.222
AS3217-194	4.125	4.284-4.319	1.063-1.313		.050-.120	.008-.015	.058-.064	.212-.222
AS3217-195	4.188	4.347-4.382	1.063-1.313		.050-.120	.008-.015	.058-.064	.212-.222
AS3217-196	4.250	4.416-4.451	1.063-1.313		.050-.135	.008-.015	.058-.064	.222-.232
AS3217-197	4.312	4.479-4.514	1.063-1.313		.050-.135	.008-.015	.058-.064	.222-.232
AS3217-198	4.330	4.497-4.532	1.063-1.313		.050-.135	.008-.015	.058-.064	.222-.232
AS3217-199	4.375	4.543-4.578	1.063-1.313		.050-.135	.008-.015	.058-.064	.222-.232
AS3217-200	4.437	4.611-4.646	1.063-1.313		.050-.135	.008-.015	.058-.064	.232-.242
AS3217-201	4.500	4.674-4.709	1.063-1.313		.050-.135	.008-.015	.058-.064	.232-.242
AS3217-202	4.527	4.701-4.736	1.063-1.313		.050-.135	.008-.015	.058-.064	.232-.242
AS3217-203	4.562	4.737-4.772	1.063-1.313		.050-.135	.008-.015	.058-.064	.232-.242
AS3217-204	4.625	4.803-4.838	1.063-1.313		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-205	4.687	4.867-4.902	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-206	4.724	4.903-4.938	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-207	4.750	4.930-4.965	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-208	4.812	4.993-5.028	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-209	4.875	5.055-5.090	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-210	4.921	5.102-5.137	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-211	4.937	5.122-5.157	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-212	5.000	5.185-5.220	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-213	5.118	5.304-5.339	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-214	5.125	5.311-5.346	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-215	5.250	5.436-5.481	1.375-1.625	.520	.050-.140	.009-.018	.068-.076	.244-.254
AS3217-216	5.375	5.566-5.611	1.375-1.625	.480	.050-.140	.009-.018	.068-.076	.244-.254
AS3217-217	5.500	5.693-5.738	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-218	5.511	5.703-5.748	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-219	5.625	5.818-5.863	1.375-1.625		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-220	5.708	5.909-5.954	1.625-1.875		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-221	5.750	5.950-5.995	1.625-1.875		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-222	5.875	6.077-6.122	1.625-1.875		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-223	5.905	6.106-6.151	1.625-1.875		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-224	6.000	6.202-6.247	1.625-1.875		.050-.140	.009-.018	.068-.076	.244-.254
AS3217-225	6.125	6.349-6.394	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-226	6.250	6.474-6.529	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-227	6.299	6.524-6.579	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-228	6.375	6.601-6.656	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-229	6.500	6.726-6.781	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-230	6.625	6.863-6.918	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-231	6.692	6.931-6.986	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-232	6.750	6.987-7.042	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-233	6.875	7.114-7.169	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-234	7.000	7.239-7.294	1.625-1.875		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-235	7.086	7.337-7.392	2.063-2.313		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-236	7.125	7.376-7.431	2.063-2.313		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-237	7.250	7.501-7.566	2.063-2.313		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-238	7.375	7.628-7.693	2.063-2.313		.070-.160	.011-.021	.082-.090	.304-.316
AS3217-239	7.480	7.734-7.799	2.063-2.313		.070-.160	.011-.021	.082-.090	.304-.316



AEROSPACE STANDARD

RING, RETAINING-SPIRAL, INTERNAL
LIGHT DUTY, CRESAS3217™
SHEET 4 OF 5REV.
C