

ADOPTION NOTICE

SAE-AS9374, "Gasket - Metal O-Ring, .094 Tube X .006 Wall, Silver Plated", was adopted on 26-OCT-00 for use by the Department of Defense (DoD). Proposed changes by DoD activities must be submitted to the DoD Adopting Activity: Commander, Defense Supply Center Philadelphia, ATTN: DSCP-ILEA, 700 Robbins Avenue, Philadelphia, PA 19111-5096. Copies of this document may be purchased from the Society of Automotive Engineers Inc., 400 Commonwealth Drive, Warrendale, PA 15096-0001 .
<http://www.sae.org/>

Custodians:

Navy - AS
Air Force - 11
DLA - IS

Adopting Activity:

DLA - IS
(Project 5330-1184)

SAENORM.COM : Click to view the full PDF of SAE-AS9374

FSC 5330

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

AS9374

FEDERAL SUPPLY CLASS
5330

NOTICE


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9374(ASG) REV. A AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9374(ASG) REV. A. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

SAENORM.COM : Click to view the full PDF of as9374

THIRD ANGLE PROJECTION



ISSUED 2000-10

PREPARED BY SAE COMMITTEE E-25

SAE The Engineering Society
For Advancing Mobility
Land Sea Air and Space®
INTERNATIONAL
400 Commonwealth Drive, Warrendale, PA 15096-0001

AEROSPACE STANDARD

GASKET - METAL O-RING, .094 TUBE X .006 WALL,
SILVER PLATED

AS9374
SHEET 1 OF 3




FIGURE 1

TABLE 1

PART NO.	A +.005 -.000	B	APPROX WEIGHT LB/100	PART NO.	A +.005 -.000	B	APPROX WEIGHT LB/100	PART NO.	A +.005 -.000	B	APPROX WEIGHT LB/100
*MS9374-010	1.000	.030	.245	*MS9374-047	2.750	.060	.674	MS9374-107	6.500	.090	1.590
MS9374-012	1.031	.030	.252	MS9374-048	2.812	.060	.690	MS9374-111	6.750	.090	1.653
MS9374-013	1.062	.030	.261	MS9374-049	2.875	.060	.704	*MS9374-115	7.000	.090	1.715
MS9374-014	1.094	.030	.268	MS9374-050	2.938	.060	.719	MS9374-119	7.250	.090	1.776
*MS9374-015	1.125	.030	.274	*MS9374-051	3.000	.060	.735	MS9374-123	7.500	.090	1.840
MS9374-016	1.156	.030	.284	MS9374-052	3.062	.060	.750	MS9374-127	7.750	.090	1.900
MS9374-017	1.188	.030	.290	MS9374-053	3.125	.060	.765	*MS9374-131	8.000	.090	1.960
MS9374-018	1.219	.030	.299	MS9374-054	3.188	.060	.780	MS9374-135	8.250	.090	2.020
*MS9374-019	1.250	.030	.306	MS9374-055	3.250	.060	.796	MS9374-139	8.500	.090	2.090
MS9374-020	1.281	.030	.313	MS9374-056	3.312	.060	.810	MS9374-143	8.750	.090	2.145
MS9374-021	1.312	.030	.322	MS9374-057	3.375	.060	.825	*MS9374-147	9.000	.090	2.205
MS9374-022	1.344	.030	.329	MS9374-058	3.438	.060	.841	MS9374-151	9.250	.090	2.270
*MS9374-023	1.375	.030	.336	MS9374-059	3.500	.060	.858	MS9374-155	9.500	.090	2.328
MS9374-024	1.406	.030	.345	MS9374-060	3.562	.060	.874	MS9374-159	9.750	.090	2.390
MS9374-025	1.438	.030	.352	MS9374-061	3.625	.060	.888	*MS9374-163	10.000	.090	2.450
MS9374-026	1.469	.030	.360	MS9374-062	3.688	.060	.904	MS9374-167	10.250	.125	2.510
*MS9374-027	1.500	.030	.368	MS9374-063	3.750	.060	.920	MS9374-171	10.500	.125	2.575
MS9374-028	1.562	.030	.383	MS9374-064	3.812	.060	.935	MS9374-175	10.750	.125	2.635
MS9374-029	1.625	.030	.397	MS9374-065	3.875	.060	.949	*MS9374-179	11.000	.125	2.695
MS9374-030	1.688	.030	.413	MS9374-066	3.938	.060	.965	MS9374-183	11.250	.125	2.760
*MS9374-031	1.750	.030	.428	*MS9374-067	4.000	.060	.980	MS9374-187	11.500	.125	2.820
MS9374-032	1.812	.030	.445	MS9374-069	4.125	.060	1.010	MS9374-191	11.750	.125	2.880
MS9374-033	1.875	.030	.458	MS9374-071	4.250	.060	1.040	*MS9374-195	12.000	.125	2.940
MS9374-034	1.938	.030	.475	MS9374-073	4.375	.060	1.070				
*MS9374-035	2.000	.030	.490	MS9374-075	4.500	.060	1.102				
MS9374-036	2.062	.030	.505	MS9374-077	4.625	.060	1.131				
MS9374-037	2.125	.030	.520	MS9374-079	4.750	.060	1.165				
MS9374-038	2.188	.030	.535	MS9374-081	4.875	.060	1.193				
*MS9374-039	2.250	.030	.551	*MS9374-083	5.000	.060	1.225				
MS9374-040	2.312	.030	.567	MS9374-085	5.125	.090	1.255				
MS9374-041	2.375	.030	.581	MS9374-087	5.250	.090	1.288				
MS9374-042	2.438	.030	.596	MS9374-089	5.375	.090	1.318				
*MS9374-043	2.500	.030	.613	MS9374-091	5.500	.090	1.350				
MS9374-044	2.562	.060	.628	MS9374-095	5.750	.090	1.410				
MS9374-045	2.625	.060	.642	*MS9374-099	6.000	.090	1.470				
MS9374-046	2.688	.060	.658	MS9374-103	6.250	.090	1.530				