

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

AS9592

FEDERAL SUPPLY CLASS
5340

NOTICE


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9592 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9592. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

ANY MATERIAL RELATING TO QUALIFIED PRODUCT LISTS HAS NOT BEEN ADOPTED BY SAE. THIS MATERIAL WAS PART OF THE ORIGINAL MILITARY SPECIFICATION AND IS REPRINTED HERE FOR HISTORIC REFERENCE ONLY.

SAENORM.COM : Click to view the full PDF of as9592

THIRD ANGLE PROJECTION



PREPARED BY SAE COMMITTEE E-25, GENERAL STANDARDS FOR AEROSPACE PROPULSION SYSTEMS

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

BRACKET, ANGLE, 90°, CRES
.190 BOLT

AS9592
SHEET 1 OF 4

ISSUED 1998-02 REAFFIRMED 2004-07

Copyright 2004 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: 724-776-4970 (outside USA)
Email: custsvc@sae.org

SAE WEB ADDRESS: <http://www.sae.org>




FIGURE 1 - ANGLE BRACKET

TABLE 1 - DASH NUMBERS AND DIMENSIONS

B LENGTH	A-LENGTH					
	.438	.500	.562	.625	.688	.750
	DASH NUMBERS					
.438	-005 1/					
.500	-006 1/	-046 1/				
.562	-007 1/	-047 1/	-087 1/			
.625	-008 1/	-048 1/	-088 1/	-128		
.688	-009 1/	-049 1/	-089 1/	-129	-169	
.750	-010 1/	-050 1/	-090 1/	-130 1/	-170 1/	-210 1/
.812	-011	-051	-091	-131	-171	-211
.875	-012 1/	-052 1/	-092 1/	-132 1/	-172 1/	-212 1/
.938	-013	-053	-093	-133	-173	-213
1.000	-014 1/	-054 1/	-094 1/	-134 1/	-174 1/	-214 1/
1.062	-015	-055	-095	-135	-175	-215
1.125	-016 1/	-056 1/	-096 1/	-136 1/	-176 1/	-216 1/
1.188	-017	-057	-097	-137	-177	-217
1.250	-018 1/	-058 1/	-098 1/	-138 1/	-178 1/	-218 1/
1.312	-019	-059	-099	-139	-179	-219
1.375	-020 1/	-060 1/	-100 1/	-140 1/	-180 1/	-220 1/
1.438	-021	-061	-101	-141	-181	-221
1.500	-022 1/	-062 1/	-102 1/	-142 1/	-182 1/	-222 1/
1.562	-023	-063	-103	-143	-183	-223
1.625	-024 1/	-064 1/	-104 1/	-144 1/	-184 1/	-224 1/
1.688	-025	-065	-105	-145	-185	-225
1.750	-026 1/	-066 1/	-106 1/	-146 1/	-186 1/	-226 1/
1.875	-027 1/	-067 1/	-107 1/	-147 1/	-187 1/	-227 1/


1/ PREFERRED SIZES

TABLE 1 - DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH			
	.812	.875	.938	1.000
	DASH NUMBERS			
.812	-251			
.875	-252	-292 1/		
.938	-253	-293	-333	
1.000	-254	-294 1/	-334	-374 1/
1.062	-255	-295	-335	-375
1.125	-256	-296 1/	-336	-376 1/
1.188	-257	-297	-337	-377
1.250	-258	-298 1/	-338	-278 1/
1.312	-259	-299	-339	-379
1.375	-260	-300 1/	-340	-380 1/
1.438	-261	-301	-341	-381
1.500	-262	-302 1/	-342	-382 1/
1.562	-263	-303	-343	-383
1.625	-264	-304 1/	-344	-384 1/
1.688	-265	-305	-345	-385
1.750	-266	-306 1/	-346	-386 1/
1.875	-267	-307 1/	-347	-387 1/

REQUIREMENTS:

1. MATERIAL. CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5510.
2. DIMENSIONS AND TOLERANCING. DIMENSIONS AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14.5M.
3. TOLERANCES. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE FOR LINEAR DIMENSIONS ± 0.010 , ANGULAR DIMENSIONS $\pm 5^\circ$.
4. PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE 1.

EXAMPLE: MS9592-005

MS9592-005 INDICATES - BRACKET, ANGLE, 90°, CRES, .190 BOLT, LENGTH A, .438, LENGTH B, .438.

NOTES:

1. ALL DIMENSIONS ARE IN INCHES.
2. DO NOT USE UNASSIGNED DASH NUMBERS.
3. REMOVE BURRS AND BREAK SHARP EDGES.
4. APPROXIMATE WEIGHT LB/100 = .877 (A+B) +.157.
5. IN THE EVENT OF A CONFLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.