

Openings for Six- and Eight-Bolt Truck Transmission Mounted Power Take-Offs

1. **Scope**—The accompanying mounting and gear locations are applicable for all general installations of power take-off on the transmission gear box of motor trucks and tractors where the size of the transmission permits.

The heavy-duty type opening can be adapted to the regular-duty type by the use of an adapter with 6.35 mm (0.25 in) flange thickness with appropriate bolt pattern and thread engagement. (See Figures 1 and 2.)

2. **References**—There are no referenced publications specified herein.

SAENORM.COM : Click to view the full PDF of J704-200009

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

TO PLACE A DOCUMENT ORDER; (724) 776-4970 FAX: (724) 776-0790
SAE WEB ADDRESS <http://www.sae.org>




FIGURE 1—6-BOLT




FIGURE 2—8-BOLT

PREPARED BY THE SAE TRUCK AND BUS POWER TAKE-OFF SUBCOMMITTEE OF THE
SAE TRUCK AND BUS POWERTRAIN COMMITTEE