

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

MA3354


THIS NONCURRENT STANDARD HAS BEEN STABILIZED.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE E-25 GENERAL STANDARDS FOR AEROSPACE AND PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAENORM.COM : Click to view the full PDF of ma3354c

THIRD ANGLE PROJECTION



PROCUREMENT SPECIFICATION: NONE

REV.
C




FIGURE 1 - NUT

SAENORM.COM : Click to view the full PDF of ma3354

TABLE 1 - DIMENSIONS

PART NO.	THREAD T	A ^{1/}		B MIN	C
MA3354-03	MJ3 X 0.5-4H6H	5.88 - 6.00	h12	6.5	3.0 - 3.5
MA3354-04	MJ4 X 0.7-4H6H	6.85 - 7.00	h12	7.6	4.0 - 4.5
MA3354-05	MJ5 X 0.8-4H6H	7.85 - 8.00	h12	8.7	5.0 - 5.5
MA3354-06	MJ6 X 1-4H5H	9.78 - 10.00	h13	10.9	6.0 - 6.5
MA3354-07	MJ7 X 1-4H5H	10.73 - 11.00	h13	12.0	7.0 - 7.5
MA3354-08	MJ8 X 1-4H5H	12.73 - 13.00	h13	14.3	8.0 - 8.5
MA3354-10	MJ10 X 1.25-4H5H	16.73 - 17.00	h13	18.9	10.0 - 10.5
MA3354-12	MJ12 X 1.25-4H5H	18.67 - 19.00	h13	21.1	12.0 - 12.5
MA3354-14	MJ14 X 1.5-4H5H	21.67 - 22.00	h13	24.5	14.0 - 14.5
MA3354-16	MJ16 X 1.5-4H5H	23.67 - 24.00	h13	26.8	16.0 - 16.5
MA3354-18	MJ18 X 1.5-4H5H	26.67 - 27.00	h13	30.2	18.0 - 18.5
MA3354-20	MJ20 X 1.5-4H5H	29.67 - 30.00	h13	33.6	20.0 - 20.5

^{1/} TOLERANCE GRADES TO ANSI B4.2-1978

TABLE 1 - DIMENSIONS (CONTINUED)

PART NO.	D	F	G	H ^{1/}	APPROX MASS kg/100
MA3354-03	5.7 - 6.0	0.20	0.08	1.70 - 1.95	0.0363
MA3354-04	6.7 - 7.0	0.20	0.10	2.35 - 2.60	0.0627
MA3354-05	7.7 - 8.0	0.20	0.10	2.75 - 3.00	0.0887
MA3354-06	9.7 - 10.0	0.20	0.10	3.20 - 3.50	0.167
MA3354-07	10.7 - 11.0	0.20	0.10	3.70 - 4.00	0.219
MA3354-08	12.7 - 13.0	0.20	0.10	3.70 - 4.00	0.312
MA3354-10	16.7 - 17.0	0.25	0.13	4.70 - 5.00	0.696
MA3354-12	18.6 - 19.0	0.25	0.13	5.70 - 6.00	0.978
MA3354-14	21.6 - 22.0	0.25	0.15	6.64 - 7.00	1.521
MA3354-16	23.6 - 24.0	0.30	0.18	7.64 - 8.00	1.961
MA3354-18	26.6 - 27.0	0.30	0.18	8.64 - 9.00	2.778
MA3354-20	29.6 - 30.0	0.30	0.18	9.64 - 10.00	3.795

^{1/} TOLERANCE GRADES TO ANSI B4.2-1978



METRIC AEROSPACE STANDARD

NUT, PLAIN HEX - THIN, UNS G87400,
CADIUM PLATE, MJ THREAD,
METRIC

MA3354
SHEET 2 OF 3

REV.
C