



SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV. A			FEDERAL SUPPLY CLASS 5307
MA3389	RATIONALE THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE. STABILIZED NOTICE THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE E-25 GENERAL STANDARDS FOR AEROSPACE AND PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.		
SAENORM.COM : Click to view the full PDF of ma3389a			
CUSTODIAN: E-25		PROCUREMENT SPECIFICATION: MA3375	
	METRIC AEROSPACE STANDARD		MA3389
	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1		
		SAE values your input. To provide feedback on this Technical Report, please visit http://www.sae.org/technical/standards/MA3389A THIRD ANGLE PROJECTION 	
		Copyright 2014 SAE International All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE. TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada) Fax: 724-776-0790 Tel: +1 724-776-4970 (outside USA) Email: CustomerService@sae.org SAE WEB ADDRESS: http://www.sae.org	

ISSUED 1988-01 REAFFIRMED 2004-07 STABILIZED 2014-12




STUD THREAD DATA - STANDARD & OVERSIZES

OVERSIZE IDENTIFICATION	STANDARD	+0.08	+0.16	+0.24	+0.32
	⊙	⊙ 8	⊙ 16	⊙ 24	⊙ 32
MAJOR DIA, MOD	6.850-6.975	6.930-7.055	7.010-7.135	7.090-7.215	7.170-7.295
PITCH DIA	6.446-6.471	6.526-6.551	6.606-6.631	6.686-6.711	6.766-6.791
ROOT DIA	5.880-5.966	5.960-6.046	6.040-6.126	6.120-6.206	6.200-6.286
PD LEAD THD	6.296-6.334	6.376-6.414	6.456-6.494	6.536-6.574	6.616-6.654

FIGURE 1

L	E	C MIN	D MAX	TOL F	STANDARD	+ 0.08	+ 0.16	+ 0.24	+ 0.32	APPROX
± 0.3	± 0.3				PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	MASS
28	14	9.6	12.1	0.04	MA3389-005	MA3389-105	MA3389-205	MA3389-305	MA3389-405	0.609
30	16	11.6	14.1	0.05	-006	-106	-206	-306	-406	0.645
32	18	13.6	16.1	0.05	-007	-107	-207	-307	-407	0.680
34	20	15.6	18.1	0.06	-008	-108	-208	-308	-408	0.715
36	22	17.6	20.1	0.07	-009	-109	-209	-309	-409	0.751
38	24	18	21.5	0.07	-010	-110	-210	-310	-410	0.786
40	26	18	21.5	0.08	-011	-111	-211	-311	-411	0.821
42	28	18	21.5	0.08	-012	-112	-212	-312	-412	0.856
44	30	18	21.5	0.09	-013	-113	-213	-313	-413	0.891
46	32	18	21.5	0.10	-014	-114	-214	-314	-414	0.927
48	34	18	21.5	0.10	-015	-115	-215	-315	-415	0.962
50	36	18	21.5	0.11	-016	-116	-216	-316	-416	0.997
52	38	18	21.5	0.11	-017	-117	-217	-317	-417	1.032
54	40	18	21.5	0.12	-018	-118	-218	-318	-418	1.067
56	42	18	21.5	0.13	-019	-119	-219	-319	-419	1.102
58	44	18	21.5	0.13	-020	-120	-220	-320	-420	1.138
60	46	18	21.5	0.14	-021	-121	-221	-321	-421	1.173
62	48	18	21.5	0.14	-022	-122	-222	-322	-422	1.208
64	50	18	21.5	0.15	-023	-123	-223	-323	-423	1.243
66	52	18	21.5	0.16	-024	-124	-224	-324	-424	1.278
68	54	18	21.5	0.16	-025	-125	-225	-325	-425	1.314
70	56	18	21.5	0.17	-026	-126	-226	-326	-426	1.349
72	58	18	21.5	0.17	-027	-127	-227	-327	-427	1.384
74	60	18	21.5	0.18	-028	-128	-228	-328	-428	1.419
78	64	18	21.5	0.19	-029	-129	-229	-329	-429	1.490
82	68	18	21.5	0.20	-030	-130	-230	-330	-430	1.560
86	72	18	21.5	0.22	-031	-131	-231	-331	-431	1.630
90	76	18	21.5	0.23	-032	-132	-232	-332	-432	1.701
94	80	18	21.5	0.24	-033	-133	-233	-333	-433	1.771
98	84	18	21.5	0.25	MA3389-034	MA3389-134	MA3389-234	MA3389-334	MA3389-434	1.841



VIEW G

FOR L SIZES 28 THRU 38

FIGURE 2

	METRIC AEROSPACE STANDARD	MA3389 SHEET 2 OF 3	REV. A
	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1		