

INTERNATIONAL STANDARD

**Digital living network alliance (DLNA) home networked device interoperability
guidelines –
Part 5: DLNA Device Profile guidelines**

IECNORM.COM : Click to view the full PDF of IEC 62481-5:2013



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

WIKI
IECNORM.COM : Click to view the full PDF
IEC 62481-5:2013

INTERNATIONAL STANDARD

**Digital living network alliance (DLNA) home networked device interoperability
guidelines –
Part 5: DLNA Device Profile guidelines**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

K

ICS 33.160; 35.100.05; 35.110

ISBN 978-2-8322-1129-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviated terms	6
3.1 Terms and definitions	6
3.2 Abbreviations	7
3.3 Conventions	7
4 Networking architecture, device models and guideline conventions	7
4.1 DLNA home networking architecture.....	7
4.2 DLNA device model.....	7
4.3 Document conventions and conventions.....	7
5 DLNA Device Profile guidelines	7
5.1 Overview	7
5.2 Defined Device Profiles	7
6 CVP-NA-1 guideline requirements	8
6.1 Device Profile definition.....	8
6.2 Media format guidelines – NA media format profiles.....	8
6.3 Client architecture and protocol guidelines.....	8
6.3.1 Baseline client.....	8
6.3.2 Client device discovery and control.....	8
6.4 Trick modes.....	9
6.5 DLNA Link Protection	10
6.6 DLNAQOS.....	10
Table 1 – CVP-NA-1 Device Profile definition.....	8
Table 2 – Updates to existing general HTTP Media Transport for streaming transfer guidelines	9
Table 3 – Updates to existing general HTTP Media Transport for streaming transfer guidelines with DLNA Link Protection.....	9
Table 4 – Updates to existing QoS requirement guidelines.....	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL LIVING NETWORK ALLIANCE (DLNA) HOME
NETWORKED DEVICE INTEROPERABILITY GUIDELINES –****Part 5: DLNA Device Profile guidelines****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62481-4 has been prepared technical area 9: Audio, video and multimedia applications for end-user network, by IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1996/CDV	100/2084/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62481 series, published under the general title *Digital Living Network Alliance (DLNA) home networked device interoperability guidelines*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IECNORM.COM : Click to view the full PDF of IEC 62481-5:2013

INTRODUCTION

This International Standard is structured differently from the other parts of the IEC 62481 series of standards, to allow each DLNA Device Profile to be a standalone clause.

Clauses 1 through 5 align with the overall structure of IEC 62481-1:2013 and IEC 62481-2:2013, Clauses 1 to 7. However, only the generic guidelines description of IEC 62481-2:2013, Clause 7 applies.

IECNORM.COM : Click to view the full PDF of IEC 62481-5:2013

DIGITAL LIVING NETWORK ALLIANCE (DLNA) HOME NETWORKED DEVICE INTEROPERABILITY GUIDELINES –

Part 5: DLNA Device Profile guidelines

1 Scope

This part of IEC 62481 specifies guidelines that define various DLNA Device Profiles. A Device Profile is a collection of DLNA capabilities and features within a DLNA device. A device is compliant with a Device Profile, when it conforms to all the guidelines listed for that Device Profile.

In practice, Device Profiles reference existing optional or recommended DLNA guidelines, that enable certain features, and make those DLNA guidelines mandatory within the context of a Device Profile. A Device Profile may also provide some additional guidelines that complement or modify existing DLNA guidelines for a feature.

A particular type of the DLNA Device Profile is the Commercial Video Profile (CVP). A CVP Device Profile is an extension of the DLNA guidelines that allows content from service providers and multichannel video programming distributors to be distributed on the DLNA network. DLNA Commercial Video Profiles (CVPs) are defined as Device Profiles that consistently enable commercial content that enters the home network through a gateway device via an interface to a commercial content service provider. Since different regions of the world have different requirements for commercial content, multiple CVPs are defined.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62481-1:2013, *Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 1: Architecture and protocols*

IEC 62481-2:2013, *Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 2: DNLA media formats*

IEC 62481-3:2013, *Digital living network alliance (DLNA) home networked device interoperability guidelines – Part 3: Link protection*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions, symbols and abbreviations given in IEC 69481-1, as well as the following apply.

3.1 Terms and definitions

3.1.1

Device Profile

collection of DLNA capabilities and features within a DLNA device

Note 1 to entry: A device is compliant with a Device Profile, when it implements all of the guidelines listed for that Device Profile.

3.2 Abbreviations

3.2.1

CVP

Commercial Video Profiles

DLNA Device Profile that allows commercial content acquired through a commercial video provider's gateway device to be played on the DLNA network

3.3 Conventions

In IEC 62481-1:2013 and this standard, a number of terms, conditions, mechanisms, sequences, parameters, events, states, or similar terms are printed with the first letter of each word in uppercase and the rest lowercase (e.g., Device Profile). Any lowercase uses of these words have the normal technical English meanings.

4 Networking architecture, device models and guideline conventions

4.1 DLNA home networking architecture

See Clause 4 in IEC 62481-1:2013 for a full description of the DLNA home networking architecture.

4.2 DLNA device model

See Clause 5 in IEC 62481-1:2013 for a full description of the DLNA device model.

4.3 Document conventions and conventions

See Clause 6 in IEC 62481-1:2013 for a full description of the DLNA document conventions.

5 DLNA Device Profile guidelines

5.1 Overview

This clause describes the format of the guidelines for DLNA Device Profiles. Applicability of a referenced guideline to a specific Device Class is defined both by the attribute table of the guideline that references it, as well as by the "applicable Device Classes" column of the Device Profile definition in the table at the top of each Device Profile clause.

5.2 Defined Device Profiles

Each Device Profile begins with a table that briefly describes it.

This table also indicates which DLNA Device Classes the Device Profile applies to. Although a guideline, as defined, could apply to additional Device Classes, the defined Device Profile only provides for the guideline's applicability to the Device Classes listed in conjunction with the Device Profile.

The definition of a Device Profile in this table (the applicable Device Classes and the Device Profile name) is a normative definition of that Device Profile. The Device Classes that a guideline applies to within the context of a Device Profile are the intersection of the Device Classes the guideline applies to (from its attribute table) and the Device Classes that the Device Profile applies to (from its introductory table). See 7.1 in IEC 62481-1:2013 for guideline and attribute table layout descriptions.

6 CVP-NA-1 guideline requirements

6.1 Device Profile definition

Table 1 – CVP-NA-1 Device Profile definition

Device Profile	Applicable Device Classes (normative list)
Name: CVP-NA-1 Description: This is a CVP Device Profile that was designed to define a minimal set of functionality needed to make certain commercial content available to DLNA devices in North America. This does not limit the Device Profile's applicability to other regions and other devices.	DMP DMR

6.2 Media format guidelines – NA media format profiles

6.2.1

[GUIDELINE] A Rendering Endpoint shall conform to guidelines for the following DLNA Media Classes:

- AV for the US region

[ATTRIBUTES]

M	A	DMP DMR	n/a	n/a	IEC 62481-2	XKDRV	N
---	---	---------	-----	-----	-------------	-------	---

6.2.2

[GUIDELINE] The additional mandatory media format profiles applicable to the DLNA HND Device Category for the AV Media Class are

- MPEG_TS_NA_ISO,
- AVC_TS_NA_ISO,
- AVC_TS_NA_T.

[ATTRIBUTES]

M	A	DMP DMR	n/a	n/a	IEC 62481-2	NYAPR	N
---	---	---------	-----	-----	-------------	-------	---

6.3 Client architecture and protocol guidelines

6.3.1 Baseline client

[GUIDELINE] A Rendering Endpoint shall conform to all the guidelines for both the DMP and DMR Device Classes.

[ATTRIBUTES]

M	A	DMP DMR	n/a	n/a	IEC 62481-1 IEC 62481-2	9WFQZ	N
---	---	---------	-----	-----	----------------------------	-------	---

[COMMENT] This very explicitly requires the Rendering Endpoint to support all mandatory elements of both DMP and DMR, including mandated media format profiles and all other mandated features and functionality.

6.3.2 Client device discovery and control

[GUIDELINE] A Rendering Endpoint shall use the <dlina:X_DLNA CAP> element in the device description document and include in the comma-separated list of capability ID values of all the

Device Profiles implemented. Valid capability ID values for Device Profiles are the Device Profile “Name:” strings, as defined in Table 1.

[ATTRIBUTES]

M	A	DMR	n/a	n/a	IEC 62481-1	6JSXN	N
---	---	-----	-----	-----	-------------	-------	---

[COMMENT] UPnP AV MediaRenderer devices use the <dlina:X_DLNAACAP> element to specify to control points of the Device Profiles that are implemented. For example “CVP-NA-1” would be included for a CVP-NA-1 device. See guideline 7.3.2.35.1 (GUN WJUQC) in IEC 62481-1:2013 for the formal syntax of the <dlina:X_DLNAACAP> element. Sample description is given below:

```
<dlina:X_DLNAACAP xmlns:dlina="urn:schemas-dlna-org:device-1-0">
  CVP-NA-1
</dlina:X_DLNAACAP>
```

6.4 Trick modes

6.4.1

[GUIDELINE] A Rendering Endpoint shall conform to all the guidelines for playspeed trick mode, as modified by Table 2.

Table 2 – Updates to existing general HTTP Media Transport for streaming transfer guidelines

Guideline updated (Replace “should” with “shall”)	Location in IEC 62481-1:2013	GUN
MM Mandatory Media operations	7.4.1.6.31.2	XDI2P
MT HTTP Fast Forward ScanMedia operation	7.5.4.3.3.8.3	TYB9P
MT HTTP Streaming Slow Forward Scan Media operation	7.5.4.3.3.9.3	3W8KS
MT HTTP Streaming Fast Backward Scan Media operation	7.5.4.3.3.10.3	ZHSFA
MT HTTP Streaming Slow Backward Scan Media operation	7.5.4.3.3.11.3	2DQOQ

[ATTRIBUTES]

M	A	DMP DMR	n/a	n/a	IEC 62481-1	EEVWK	N
---	---	---------	-----	-----	-------------	-------	---

6.4.2

[GUIDELINE] A Rendering Endpoint that uses DLNA Link Protection shall conform to all the guidelines for Playspeed trick mode, as modified by Table 3.

Table 3 – Updates to existing general HTTP Media Transport for streaming transfer guidelines with DLNA Link Protection

Guideline updated (Replace “should” with shall”)	Location in IEC 62481-3:2013	GUN
MT HTTP Fast Forward Scan Media operation	7.6.4.4.2.3	SW9IL
MT HTTP Streaming Slow Forward Scan Media operation	7.6.4.4.2.5	2U6TN
MT HTTP Streaming Fast Backward Scan Media operation	7.6.4.4.2.7	YFQO6
MT HTTP Streaming Slow Backward Scan Media operation	7.6.4.4.2.9	FFN2S