



**International
Standard**

ISO 11908

**Binders for paints and
varnishes — Amino resins —
General methods of test**

*Liants pour peintures et vernis — Résines aminoplastes —
Méthodes générales d'essai*

**Second edition
2025-02**

STANDARDSISO.COM : Click to view the full PDF of ISO 11908:2025

STANDARDSISO.COM : Click to view the full PDF of ISO 11908:2025



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Properties and test methods.....	2
Annex A (normative) Test for compatibility with hydrocarbons (turbidity titration).....	3
Bibliography.....	5

STANDARDSISO.COM : Click to view the full PDF of ISO 11908:2025

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 139, *Paints and varnishes*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 11908:1996), which has been technically revised.

The main changes are as follows:

- CAS registry numbers have been added to the reagents used;
- the normative references have been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Binders for paints and varnishes — Amino resins — General methods of test

1 Scope

This document specifies general test methods for amino resins and solutions of amino resins intended for use as binders in paints, varnishes and related products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1523, *Determination of flash point — Closed cup equilibrium method*

ISO 2114, *Plastics (polyester resins) and paints and varnishes (binders) — Determination of partial acid value and total acid value*

ISO 2811-1, *Paints and varnishes — Determination of density — Part 1: Pycnometer method*

ISO 3219 (all parts), *Rheology*

ISO 3251, *Paints, varnishes and plastics — Determination of non-volatile-matter content*

ISO 3679, *Determination of flash point – Method for flash no-flash and flash point by small scale closed cup tester*

ISO 4630, *Clear liquids — Estimation of colour by the Gardner colour scale*

ISO 6271, *Clear liquids — Estimation of colour by the platinum-cobalt colour scale*

ISO 11402:2004, *Phenolic, amino and condensation resins — Determination of free-formaldehyde content*

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

amino resin

synthetic resin resulting from the condensation of urea or melamine or derivatives such as benzoguanamine with formaldehyde

Note 1 to entry: These resins are often etherified with alcohols.

[SOURCE: ISO 4618:2023, 3.12]

4 Properties and test methods

Unless otherwise agreed, the properties measured and the test methods used shall be as given in [Table 1](#).

Table 1 — Properties and test methods for amino resins

Property	Test method
Colour	ISO 6271 (Platinum-cobalt colour scale) or ISO 4630 (Gardner colour scale)
Viscosity	ISO 3219 (all parts)
Non-volatile matter ^a	ISO 3251
Flashpoint ^a	ISO 1523 or ISO 3679
Density	ISO 2811-1
Free-formaldehyde content	ISO 11402:2004, 4.3 (Sulfite procedure)
Compatibility with hydrocarbons (turbidity titration) ^a	Annex A
Acid value	ISO 2114
^a For resin solutions only.	

Annex A (normative)

Test for compatibility with hydrocarbons (turbidity titration)

A.1 Principle

The compatibility with hydrocarbons is tested by titration of the resin solution at a temperature of 20 °C to 25 °C with a mixture of heptane and toluene until the solution becomes turbid.

A.2 Reagents

A.2.1 Heptane/toluene mixture, composed of 80 parts by volume of analytical-grade heptane (CAS Registry Number^{®1)} 142-82-5) and 20 parts by volume of analytical-grade toluene (CAS Registry Number 108-88-3).

A.3 Apparatus

Use ordinary laboratory apparatus and glassware.

A.4 Sampling

Take a representative sample of the product to be tested, as described in ISO 15528.

A.5 Procedure

Weigh, to the nearest 0,01 g, about 2 g of the resin solution into a 50 ml conical flask. Titrate the solution with the mixture of heptane and toluene (A.2.1) until a faint bluish haze, just off perfect clarity, occurs for the first time. Record the volume of the mixture required.

A.6 Expression of results

Calculate the compatibility characteristic, c , expressed in millilitres of heptane/toluene mixture per gram of resin solution, using the [Formula \(A.1\)](#):

$$c = \frac{V}{m} \quad (\text{A.1})$$

where

V is the volume, in millilitres, of heptane/ toluene mixture used;

m is the mass, in grams, of resin solution taken.

1) CAS Registry Number[®] is a trademark of the American Chemical Society (ACS). This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

A.7 Precision

A.7.1 Repeatability limit, r

The value below which the absolute difference between two test results, each the mean of duplicates, obtained on identical material by one operator in one laboratory within a short interval of time using the standardized test method, may be expected to lie, with a 95 % probability, is 5 %.

A.7.2 Reproducibility limit, R

The value below which the absolute difference between two test results, each the mean of duplicates, obtained on identical material by operators in different laboratories using the standardized test method, may be expected to lie, with a 95 % probability, is 10 %.

A.8 Test report

The test report shall contain at least the following information:

- a) all details necessary to identify the product tested;
- b) a reference to this document, i.e. ISO 11908:2025;
- c) the result of the test, as indicated in [A.6](#);
- d) any deviation from the test method specified;
- e) any unusual features (anomalies) observed during the test;
- f) the date of the test.

STANDARDSISO.COM : Click to view the full PDF of ISO 11908:2025