

INTERNATIONAL STANDARD



3017

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Abrasive discs — Selection of disc outside diameter/centre-hole diameter combinations

First edition — 1973-12-15

STANDARDSISO.COM : Click to view the full PDF of ISO 3017:1973

UDC 621.922

Ref. No. ISO 3017-1973 (E)

Descriptors : tools, abrasives, disks (shapes), dimensions.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3017 was drawn up by Technical Committee ISO/TC 29, *Small tools*, and circulated to the Member Bodies in December 1972.

It has been approved by the Member Bodies of the following countries:

Belgium	Israel	Sweden
Czechoslovakia	Italy	Switzerland
France	Mexico	Thailand
Germany	Poland	Turkey
Hungary	Portugal	United Kingdom
India	South Africa, Rep. of	U.S.S.R.

The Member Bodies of the following countries expressed disapproval of the document on technical grounds:

Austria
Japan

Abrasive discs — Selection of disc outside diameter/centre-hole diameter combinations

1 SCOPE AND FIELD OF APPLICATION

This International Standard establishes a selection of disc outside diameter/centre-hole diameter combinations for abrasive discs with respect to the dimensions retained in ISO 2235, *Abrasive sheets and abrasive discs – Dimensions*.

2 COMBINATIONS

Dimensions in millimetres

Disc outside diameter <i>D</i> Centre-hole diameter <i>d</i>	80	100	125	140	150	180	200	235
8	x	x	x					
12				x	x	x		
22		x	x	x	x	x	x	x
40						x	x	x